

Report No. 507 (60/25.0/1)

# **Morbidity, Health Care and the Condition of the Aged**

**NSS 60<sup>th</sup> round  
(January - June 2004)**



**National Sample Survey Organisation  
Ministry of Statistics and Programme Implementation  
Government of India**

**March 2006**

## Index

### Statements

No.	Title
3	Per 1000 distribution of households by structure of dwelling for each household social group
11	PAP during last 15 days for each household social group

### Tables

2	Per 1000 distribution of households by type of structure for (i) each monthly per capita expenditure (mpce) class, (ii) each social-group and (iii) each household type
3	Per 1000 distribution of households by major source of drinking water for (i) each mpce class, (ii) each social group, and (iii) each household type
36	Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT
41	Number per 1000 of spells of ailment during last 15 days treated on medical advice and per 1000 distribution of untreated spells of ailments not given medical treatment by reason for not taking treatment for each mpce class and social-group
47	Per 1000 distribution of total household expenditure incurred during the last 15 days in connection with treatment (other than as inpatient of hospital) by source of finance for each mpce class and social group
48	Number per 1000 of treated persons getting reimbursement for treatment and per 1000 distribution of total amount of reimbursement by source of reimbursement for each sex, mpce class and social-group
49	Number per 1000 of children (0 – 4 years) receiving any type of immunization and average expenditure incurred by sex for each mpce class and social group
50	Per 1000 number of ever married women aged 15 - 49 yrs. who were pregnant any time during last 365 days, their distribution by status of pregnancy and place of childbirth, and average expenditure incurred per case of childbirth, separately for each age-group, mpce class and social group

[Top](#)

**Statement 3: Per 1000 distribution of households by structure of dwelling for each household social group**

structure of household dwelling	social group				India
	ST	SC	OBC	others	total
<b>rural</b>					
pucca	195	410	520	582	480
semi- pucca	570	335	306	280	332
kutchha	235	255	173	138	188
all	1000	1000	1000	1000	1000
<b>urban</b>					
pucca	653	765	813	902	842
semi- pucca	259	150	136	79	115
kutchha	88	85	50	19	43
all	1000	1000	1000	1000	1000

[Top](#)

**Statement 11 : PAP during last 15 days for each household social group**

household social groups	India		
	rural	urban	rural +urban
ST	58	61	58
SC	88	86	88
OBC	87	91	88
Others	102	113	106
all	88	99	91

Table (2): Per 1000 distribution of households by type of structure for (i) each monthly per capita expenditure (mpce) class, (ii) each social-group and (iii) each household type

All-India								Rural		
monthly per capita expenditure class (Rs.)/ social group/hh. type	type of structure						no. of households per 1000 households	no. of households		
	household without structure	household with structure				n.r.		total	estd. (00)	sample
		pucca	semi-pucca	serviceable kutcha	unserviceable kutcha					
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
0 – 225	0	259	441	257	42	0	1000	46	65977	1944
225 – 255	0	285	411	269	35	0	1000	38	53995	1537
255 – 300	0	319	421	230	31	0	1000	88	125961	3734
300 – 340	0	381	374	215	30	0	1000	78	112145	3410
340 – 380	0	400	385	194	21	0	1000	93	132620	3961
380 – 420	0	427	373	183	16	1	1000	99	141982	4447
420 – 470	0	477	335	174	14	0	1000	102	146498	4777
470 – 525	0	535	309	143	12	0	1000	110	157063	5354
525 – 615	0	575	286	126	13	0	1000	109	156235	5627
615 – 775	0	647	243	102	8	0	1000	113	162457	5943
775 – 950	0	740	190	58	12	0	1000	58	82383	3077
950 +	0	839	115	44	3	0	1000	66	94751	3491
all classes	0	480	332	169	19	0	1000	1000	1432066	47302
ST	0	195	570	213	22	0	1000	105	150047	6906
SC	0	410	335	225	30	0	1000	219	314076	9154
OBC	0	520	306	157	16	0	1000	413	591725	18502
others	0	582	280	124	14	0	1000	263	376218	12740
all groups	0	480	332	169	19	0	1000	1000	1432066	47302
self-employed in non-agriculture	0	551	294	139	16	0	1000	152	218051	7082
agricultural labour	0	295	408	262	36	0	1000	275	393716	10427
other labour	0	466	343	170	21	0	1000	111	158569	4849
self-employed in agriculture	0	530	321	138	12	0	1000	346	495746	19025
others	0	684	218	87	10	1	1000	116	165984	5919
all types	0	480	332	169	19	0	1000	1000	1432066	47302
estd. no. of hhs. (00)	212	670900	476432	254266	29964	293	1432066	X	X	X
sample hhs.	5	21735	15913	8633	1006	10	47302	X	X	X

Table (2): Per 1000 distribution of households by type of structure for (i) each monthly per capita expenditure (mpce) class, (ii) each social-group and (iii) each household type

All-India monthly per capita expenditure class (Rs.)/ social group./ hh. type	type of structure							no. of house- holds per 1000 house- holds	Urban	
	household without structure	household with structure				n.r.	total		estd. (00)	sample
		pucca	semi- pucca	servi- ceable kutcha	unservi- ceable kutcha					
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
0 – 300	1	494	326	129	50	0	1000	27	15106	684
300 – 350	0	561	274	130	35	0	1000	19	10600	476
350 – 425	0	654	244	81	20	0	1000	51	28410	1396
425 – 500	0	746	187	55	13	0	1000	99	55107	2735
500 – 575	0	738	192	61	8	0	1000	45	25162	1225
575 – 665	0	810	145	41	4	0	1000	81	45164	2259
665 – 775	0	857	111	26	6	0	1000	110	60948	3090
775 – 915	1	897	82	16	4	0	1000	101	56174	3036
915 – 1120	0	938	50	11	1	0	1000	149	82902	3829
1120 – 1500	1	961	31	7	0	0	1000	158	87926	4158
1500 – 1925	0	976	18	3	0	3	1000	48	26825	1311
1925 +	0	993	4	3	0	0	1000	110	61317	2367
all classes	0	842	115	35	8	0	1000	1000	555641	26566
ST	0	653	259	69	19	0	1000	26	14552	1803
SC	1	765	150	62	23	0	1000	156	86575	3666
OBC	0	813	136	43	7	0	1000	351	195136	8976
others	0	902	79	17	2	0	1000	467	259378	12121
all groups	0	842	115	35	8	0	1000	1000	555641	26566
self-employed	0	861	101	31	7	0	1000	364	202439	10632
regular wage salary earning	0	907	72	18	2	0	1000	401	222650	10198
casual labour	0	564	312	101	23	0	1000	128	70945	3053
others	0	895	63	28	14	0	1000	107	59606	2683
all types	0	842	115	35	8	0	1000	1000	555641	26566
estd. no. of hhs. (00)	270	471283	60496	19460	4053	79	555641	X	X	X
sample hhs.	9	21718	3559	1096	180	4	26566	X	X	X

Table (2): Per 1000 distribution of households by type of structure for (i) each monthly per capita expenditure (mpce) class, (ii) each social-group and (iii) each household type

All-India								Rural + Urban		
monthly per capita expenditure class (Rs.)/ social group/ hh. type	type of structure						no. of households per 1000 households	no. of households		
	household without structure	household with structure				n.r.		total	estd. (00)	sample
		pucca	semi-pucca	servi- ceable kutcha	unservi- ceable kutcha					
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
0 – 225	0	299	422	235	44	0	1000	41	81083	2628
225 – 255	0	331	388	246	35	0	1000	32	64595	2013
255 – 300	0	381	388	202	29	0	1000	78	154371	5130
300 – 340	0	497	315	164	25	0	1000	84	167251	6145
340 – 380	0	456	353	172	19	0	1000	79	157781	5186
380 – 420	0	515	321	150	14	0	1000	94	187146	6706
420 – 470	0	580	274	134	12	0	1000	104	207446	7867
470 – 525	1	627	251	111	10	0	1000	107	213237	8390
525 – 615	0	686	214	91	9	0	1000	120	239136	9456
615 – 775	0	746	176	72	6	0	1000	126	250383	10101
775 – 950	0	794	151	45	10	1	1000	55	109208	4388
950 +	0	894	75	29	2	0	1000	79	156068	5858
all classes	0	572	277	135	16	0	1000	1000	1987707	73868
ST	0	230	546	202	22	0	1000	83	164600	8709
SC	0	482	297	192	29	0	1000	202	400650	12820
OBC	0	586	268	131	14	0	1000	396	786861	27478
others	0	700	205	84	10	0	1000	320	635596	24861
all groups	0	572	277	135	16	0	1000	1000	1987707	73868
self-employed in non-agriculture	0	700	202	87	11	0	1000	212	420491	17714
agricultural labour	0	501	295	180	24	0	1000	310	616366	20625
other labour	0	495	333	149	22	0	1000	115	229514	7902
self-employed in agriculture	0	530	321	138	12	0	1000	249	495746	19025
others	0	723	190	76	11	1	1000	113	225590	8602
all types	0	572	277	135	16	0	1000	1000	1987707	73868
estd. no. of hhs. (00)	482	1142183	536927	273726	34016	372	1987707	X	X	X
sample hhs.	14	43453	19472	9729	1186	14	73868	X	X	X

Table (3): Per 1000 distribution of households by major source of drinking water for (i) each mpce class, (ii) each social group, and (iii) each household type

All-India monthly per capita expendi-ture class (Rs.)/social gp./ hh. type	major source of drinking water										Rural no. of households	
	bottled water	tap	tube- well/ hand pump	tan- kers	pucca well	tank/ pond reser- ved for drin- king	river/ canal	others	n.r.	total	estd. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
0 – 225	4	146	670	5	147	4	7	16	0	1000	65977	1944
225 – 255	6	169	673	1	120	7	13	12	0	1000	53995	1537
255 – 300	6	184	662	3	120	10	8	8	0	1000	125961	3734
300 – 340	5	201	626	4	140	9	7	8	0	1000	112145	3410
340 – 380	6	218	627	8	114	10	10	7	0	1000	132620	3961
380 – 420	8	234	575	8	137	17	9	12	0	1000	141982	4447
420 – 470	12	250	547	5	158	13	7	9	0	1000	146498	4777
470 – 525	11	268	538	7	140	15	10	11	0	1000	157063	5354
525 – 615	13	303	490	8	141	23	10	12	0	1000	156235	5627
615 – 775	15	311	476	17	147	17	8	11	0	1000	162457	5943
775 – 950	19	336	466	10	140	14	6	10	0	1000	82383	3077
950 +	17	391	383	12	167	16	5	9	0	1000	94751	3491
all classes	10	248	564	7	139	13	8	10	0	1000	1432066	47302
ST	4	153	553	3	200	22	30	34	0	1000	150047	6906
SC	9	263	594	4	107	11	5	6	0	1000	314076	9154
OBC	9	258	546	9	153	13	6	5	0	1000	591725	18502
others	14	256	573	9	117	12	6	12	0	1000	376218	12740
all groups	10	248	564	7	139	13	8	10	0	1000	1432066	47302
self-employed in non-												
agriculture	13	257	564	6	136	9	7	9	0	1000	218051	7082
agricultural labour	10	277	567	6	117	9	8	7	0	1000	393716	10427
other labour	7	303	460	13	180	19	6	13	0	1000	158569	4849
self-employed in agriculture	8	192	607	7	143	18	11	13	0	1000	495746	19025
others	15	323	495	9	136	7	6	8	0	1000	165984	5919
all types	10	248	564	7	139	13	8	10	0	1000	1432066	47302
estd. no. of hhs. (00)	4974	389225	770736	10219	200542	19018	11796	15461	94	1432066	X	X
sample hhs.	572	12697	23792	303	6577	1083	773	1500	5	47302	X	X



Table (3): Per 1000 distribution of households by major source of drinking water for (i) each mpce class, (ii) each social group, and (iii) each household type

All-India monthly per capita expendi-ture class (Rs.)/social gp./ hh. type	major source of drinking water										Urban	
	bottled water	tap	tube- well/ hand pump	tan- kers	pucca well	tank/ pond reser- ved for drin- king	river/ canal	others	n.r.	total	estd. (00)	sampl
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
0 – 300	6	466	461	9	56	0	1	1	0	1000	15106	68
300 – 350	19	504	399	12	61	1	0	5	0	1000	10600	47
350 – 425	14	566	355	21	40	0	0	4	0	1000	28410	139
425 – 500	16	601	303	24	53	1	0	2	0	1000	55107	273
500 – 575	8	569	336	18	63	2	2	2	0	1000	25162	122
575 – 665	12	649	256	22	55	2	1	3	0	1000	45164	225
665 – 775	32	677	210	18	59	2	1	2	0	1000	60948	309
775 – 915	22	733	174	24	38	5	0	3	0	1000	56174	303
915 – 1120	29	724	179	27	36	2	0	3	0	1000	82902	382
1120 – 1500	36	772	122	30	34	2	0	4	0	1000	87926	415
1500 – 1925	34	769	117	37	38	1	0	4	0	1000	26825	131
1925 +	94	776	95	17	16	0	0	2	0	1000	61317	236
all classes	28	676	224	23	44	2	0	3	0	1000	555641	2656
ST	29	589	190	18	128	21	3	23	0	1000	14552	180
SC	21	631	287	27	31	1	0	2	0	1000	86575	366
OBC	23	634	242	33	63	2	1	3	0	1000	195136	897
others	35	728	190	14	30	1	0	2	0	1000	259378	1212
all groups	28	676	224	23	44	2	0	3	0	1000	555641	2656
self-employed in non-												
agriculture	26	654	254	20	42	2	0	2	0	1000	202439	1063
agricultural labour	33	743	163	28	28	2	0	3	0	1000	222650	1019
other labour	21	588	279	20	86	1	0	3	0	1000	70945	305
others	31	593	284	17	70	1	0	4	0	1000	59606	268
all types	28	676	224	23	44	2	0	3	0	1000	555641	2656
estd. no. of hhs. (00)	7305	383355	115097	13578	23566	1049	176	1515	0	555641	X	∞
sample hhs.	761	18203	5134	587	1294	242	72	272	1	26566	X	∞

Table (3): Per 1000 distribution of households by major source of drinking water for (i) each mpce class, (ii) each social group, and (iii) each household type

All-India monthly per capita expendi-ture class (Rs.)/social gp./ hh. type	major source of drinking water										Rural + Urban	
	bottled water	tap	tube- well/ hand pump	tan- kers	pucca well	tank/ pond reser- ved for drin- king	river/ canal	others	n.r.	total	estd. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
0 – 235	5	200	634	6	132	4	6	13	0	1000	81083	262
235 – 265	8	224	628	3	110	6	11	11	0	1000	64595	201
265 – 320	7	254	605	6	106	8	7	7	0	1000	154371	513
320 – 365	8	329	523	11	112	6	5	6	0	1000	167251	614
365 – 410	7	276	579	9	106	8	8	6	0	1000	157781	518
410 – 460	9	329	502	12	118	13	7	10	0	1000	187146	670
460 – 520	18	366	455	8	131	10	5	7	0	1000	207446	786
520 – 605	14	386	446	11	114	12	7	9	0	1000	213237	839
605 – 730	18	432	395	14	109	17	7	9	0	1000	239136	945
730 – 980	21	456	364	21	112	12	5	9	0	1000	250383	1010
980 – 1285	23	434	386	16	116	11	5	8	0	1000	109208	438
1285 +	45	530	279	14	112	10	3	7	0	1000	156068	585
all classes	15	357	478	11	115	10	6	8	0	1000	1987707	7386
ST	6	187	525	4	194	22	28	33	0	1000	164600	870
SC	11	338	532	8	92	9	4	5	0	1000	400650	1282
OBC	12	343	477	14	133	11	5	5	0	1000	786861	2747
others	22	431	431	11	85	8	4	8	0	1000	635596	2486
all groups	15	357	478	11	115	10	6	8	0	1000	1987707	7386
self-employed in non-												
agriculture	19	446	416	13	91	6	4	5	0	1000	420491	1771
agricultural labour	18	434	431	13	87	7	5	6	0	1000	616366	2062
other labour	11	387	407	15	152	14	4	10	0	1000	229514	790
self-employed in agriculture	8	192	607	7	143	18	11	13	0	1000	495746	1902
others	18	373	456	10	124	6	5	7	0	1000	225590	860
all types	15	357	478	11	115	10	6	8	0	1000	1987707	7386
estd. no. of hhs. (00)	2278	772580	885833	23797	224108	20067	11972	16977	95	1987707	X	∞
sample hhs.	1333	30900	28926	890	7871	1325	845	1772	6	73868	X	∞

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Rural																				
state / ut	sex	mpce class													social group				persons reporting ailment*	
		0 – 225	225 – 255	255 – 300	300 – 340	340 – 380	380 – 420	420 – 470	470 – 525	525 – 615	615 – 775	775 – 950	950 +	all	ST	SC	OBC	others	estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
Andhra Pradesh	male	74	50	77	78	84	63	73	100	80	103	200	123	86	66	86	77	115	22346	815
	female	46	50	75	98	80	76	90	116	91	94	121	231	93	73	78	92	120	24380	804
Arunachal Pradesh	person	59	50	76	87	82	70	82	108	85	99	158	173	90	70	82	84	118	46725	1619
	male	73	0	0	88	27	64	97	102	47	48	65	46	61	71	271	0	22	248	124
	female	93	191	59	77	39	24	25	30	76	51	94	60	61	69	141	20	31	232	118
Assam	person	83	102	26	82	33	44	62	68	61	49	77	53	61	70	220	10	26	480	242
	male	119	59	139	72	65	91	95	62	55	74	88	75	78	68	65	89	80	8998	451
	female	196	31	127	71	110	88	82	74	72	76	51	151	86	66	86	84	93	8669	433
Bihar	person	158	43	133	72	87	89	89	67	63	75	71	110	82	67	75	87	86	17667	884
	male	40	31	43	37	61	65	51	58	90	56	89	65	53	53	55	55	44	16897	565
	female	24	19	35	49	52	63	79	90	63	69	78	79	53	53	52	54	53	15823	536
Chhattisgarh	person	32	25	40	43	57	64	64	73	78	62	84	71	53	53	53	54	48	32720	1101
	male	98	55	69	49	57	63	90	65	73	103	0	5	69	58	95	73	36	5978	222
	female	69	67	64	38	64	69	93	157	61	214	81	5	70	44	100	87	47	6080	223
Delhi	person	83	61	67	44	61	66	92	110	67	153	37	5	69	51	97	80	41	12059	445
	male	0	0	0	0	0	0	0	0	0	16	0	0	4	0	0	5	0	34	1
	female	0	0	0	0	0	0	0	0	0	0	21	3	4	0	0	3	6	35	2
Goa	person	0	0	0	0	0	0	0	0	0	8	10	2	4	0	0	4	3	69	3
	male	0	0	0	0	0	0	0	114	102	11	194	213	137	823	0	422	120	765	17
	female	0	0	0	0	0	0	107	81	240	98	16	174	138	478	0	422	125	779	22
	person	0	0	0	0	0	0	63	100	192	50	117	192	138	625	0	422	123	1544	39

Continued

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Rural																				
state / ut	sex	mpce class													social group				persons reporting ailment*	
		0 – 225	225 – 255	255 – 300	300 – 340	340 – 380	380 – 420	420 – 470	470 – 525	525 – 615	615 – 775	775 – 950	950 +	all	ST	SC	OBC	others	estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
Gujarat	male	23	3	46	34	68	88	69	65	76	82	78	91	70	51	90	69	76	10922	335
	female	38	25	38	57	61	68	86	51	50	93	101	77	68	61	67	56	91	10408	297
Haryana	person	30	13	42	45	64	77	77	58	64	87	90	84	69	56	79	63	84	21330	632
	male	109	21	87	41	114	26	70	57	76	128	82	91	86	0	105	97	68	6693	271
	female	0	215	47	94	111	119	70	47	72	115	137	167	106	0	102	103	111	7042	237
Himachal Pradesh	person	46	92	64	64	112	64	70	52	74	122	107	124	95	0	104	100	88	13735	508
	male	0	16	88	56	32	61	88	70	59	88	90	74	73	87	66	87	71	1897	284
Jammu & Kashmir	female	114	69	53	102	74	63	59	64	65	115	148	198	101	53	91	129	102	2713	371
	person	45	40	68	79	53	62	73	67	62	101	119	134	87	69	79	110	86	4610	655
Jharkhand	male	119	0	0	52	48	40	49	89	112	55	55	68	70	94	83	85	62	2159	174
	female	0	0	129	1	140	22	50	60	60	85	71	92	69	0	95	34	70	1998	177
	person	90	0	73	29	96	31	50	74	89	69	62	81	70	47	89	61	66	4157	351
Karnataka	male	26	18	22	28	14	27	25	31	10	42	27	78	24	21	16	23	45	2448	112
	female	15	26	41	40	33	47	54	90	47	29	21	66	43	41	20	50	48	3950	137
	person	20	22	31	33	23	37	38	60	28	36	24	72	33	30	18	36	46	6398	249
Kerala	male	31	57	38	43	95	67	62	67	61	58	65	146	63	50	65	72	58	10368	373
	female	27	73	48	50	64	61	68	80	68	63	44	163	64	70	54	66	66	10550	334
	person	29	66	43	46	80	64	65	73	64	60	54	154	64	60	60	69	62	20918	707
Kerala	male	390	133	276	290	161	250	168	219	247	245	273	266	242	221	245	242	242	26935	966
	female	229	266	190	217	237	214	158	289	239	257	316	335	266	304	299	258	268	32726	1189
	person	304	202	228	252	203	231	163	257	243	251	296	302	255	264	272	250	255	59661	2155

Continued

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Rural																				
state / ut	sex	mpce class													social group				persons reporting ailment*	
		0 – 225	225 – 255	255 – 300	300 – 340	340 – 380	380 – 420	420 – 470	470 – 525	525 – 615	615 – 775	775 – 950	950 +	all	ST	SC	OBC	others	estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
Madhya Pradesh	male	52	56	45	56	52	45	62	62	46	108	65	126	57	43	66	60	60	13403	425
	female	58	41	73	45	63	69	59	64	78	113	107	139	66	70	54	66	74	14328	423
Maharashtra	person	55	49	59	51	58	57	60	63	60	110	84	133	61	56	60	63	66	27731	848
	male	77	92	46	49	57	87	81	89	90	115	110	140	84	53	58	86	105	23624	685
	female	64	67	70	70	74	87	94	104	121	120	192	222	103	99	84	111	103	28651	764
Manipur	person	70	79	57	60	65	87	88	96	106	117	150	180	93	76	71	99	104	52275	1449
	male	0	0	0	50	4	19	12	8	12	56	53	19	27	7	0	44	0	196	73
	female	0	0	0	0	32	8	4	20	4	58	92	38	30	6	0	52	0	215	85
Meghalaya	person	0	0	0	23	17	13	8	13	8	57	72	28	28	6	0	48	0	411	158
	male	250	0	180	0	85	18	45	31	40	88	68	85	51	54	0	0	42	502	76
	female	0	0	42	29	45	12	62	52	30	40	171	146	51	53	0	8	40	468	78
Mizoram	person	111	0	110	14	64	15	53	42	35	64	115	115	51	54	0	4	41	970	154
	male	0	0	0	18	0	0	0	85	36	32	10	12	23	23	0	0	0	46	21
	female	0	0	0	0	0	0	0	0	39	32	0	18	18	18	0	0	0	33	13
Nagaland	person	0	0	0	10	0	0	0	36	38	32	5	15	20	21	0	0	0	80	34
	male	0	0	0	0	0	0	19	0	0	71	48	96	61	57	500	0	0	129	41
	female	0	0	0	0	0	0	0	0	0	44	85	80	63	64	0	0	0	128	33
Orissa	person	0	0	0	0	0	0	14	0	0	60	67	88	62	60	333	0	0	257	74
	male	61	98	63	65	55	108	84	96	88	150	86	199	79	70	87	79	81	11747	388
	female	76	88	66	66	79	67	79	51	87	107	188	148	76	60	115	64	86	11651	373
	person	69	93	64	66	67	88	82	73	88	128	136	175	77	65	101	72	83	23398	761

Continued

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Rural																				
state / ut	sex	mpce class													social group				persons reporting ailment*	
		0 – 225	225 – 255	255 – 300	300 – 340	340 – 380	380 – 420	420 – 470	470 – 525	525 – 615	615 – 775	775 – 950	950 +	all	ST	SC	OBC	others	estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
Punjab	male	225	0	21	47	140	46	108	89	28	95	186	155	114	0	119	100	115	9207	293
	female	62	0	51	91	242	73	78	129	162	175	153	228	160	0	157	123	177	11960	354
Rajasthan	person	143	0	38	70	187	60	94	108	89	134	170	190	136	0	138	110	144	21168	647
	male	13	77	58	38	36	75	45	40	45	65	60	122	52	33	49	57	56	10886	475
Sikkim	female	33	22	59	31	48	36	40	62	82	87	125	115	61	41	74	63	58	11962	446
	person	23	48	58	34	42	55	43	50	62	75	94	119	57	37	60	60	57	22848	921
Tamil Nadu	male	444	0	12	156	15	123	78	45	62	42	136	82	69	72	80	69	15	136	69
	female	0	0	6	35	17	161	85	31	28	5	11	0	40	61	15	28	77	76	55
Tripura	person	268	0	9	90	16	145	81	39	45	22	78	48	55	66	46	49	51	212	124
	male	82	64	62	74	87	61	60	65	93	127	130	132	86	15	78	92	90	16812	525
Uttaranchal	female	90	97	69	87	93	91	117	75	94	123	165	157	103	1	103	106	98	20770	577
	person	86	80	66	81	90	76	90	70	94	125	148	144	95	8	91	100	94	37581	1102
Uttar Pradesh	male	392	68	71	84	128	123	155	137	170	115	147	104	126	131	140	85	139	1754	251
	female	237	147	60	104	197	154	187	80	150	147	165	54	135	148	151	115	126	1654	250
Uttar Pradesh	person	312	104	66	93	159	138	171	110	162	129	156	82	130	139	145	99	133	3407	501
	male	0	0	0	27	54	23	22	79	164	65	166	38	54	73	22	69	63	1815	65
Uttar Pradesh	female	0	2	0	43	36	78	2	74	72	31	48	150	49	30	32	44	59	1479	55
	person	0	1	0	34	45	46	13	77	118	48	105	99	52	53	26	58	61	3293	120
Uttar Pradesh	male	69	63	76	96	87	93	104	116	102	106	121	147	96	18	92	89	120	63959	2176
	female	69	61	85	75	105	93	125	116	127	132	144	181	104	69	101	101	116	64737	2192
Uttar Pradesh		69	62	81	85	96	93	115	116	114	118	132	163	100	43	96	95	118	128696	4368

Continued

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Rural																				
state / ut	sex	mpce class													social group				persons reporting ailment*	
		0 – 225	225 – 255	255 – 300	300 – 340	340 – 380	380 – 420	420 – 470	470 – 525	525 – 615	615 – 775	775 – 950	950 +	all	ST	SC	OBC	others	estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
West Bengal	male	96	55	71	102	106	113	135	122	147	121	142	189	115	60	107	121	124	33754	908
	female	76	57	67	105	99	106	123	121	129	139	225	204	113	53	112	125	120	33046	931
A & N Islands	person	86	56	69	103	102	109	129	121	138	130	180	197	114	56	110	123	122	66800	1839
	male	0	0	0	0	3	186	21	4	114	30	22	48	41	17	0	0	45	52	23
	female	0	0	0	0	0	0	0	0	0	56	23	165	63	22	0	0	69	64	13
Chandigarh	person	0	0	0	0	2	97	6	2	64	39	22	108	51	20	0	0	56	115	36
	male	0	0	0	0	0	0	0	0	0	29	14	42	26	0	41	2	32	13	19
	female	0	0	0	0	186	0	0	0	18	115	29	89	89	250	76	72	94	34	21
Dadra & N. Haveli	person	0	0	0	0	102	0	0	0	11	57	21	60	52	200	56	17	61	47	40
	male	0	0	0	0	0	62	0	0	8	10	6	5	10	10	0	0	17	11	7
	female	0	0	0	0	0	52	10	51	81	0	0	0	21	17	0	0	83	23	6
Daman & Diu	person	0	0	0	0	0	58	5	26	47	5	3	4	15	13	0	0	47	35	13
	male	0	0	0	0	0	0	0	0	39	1	4	2	6	0	0	25	0	4	4
	female	0	0	0	0	0	0	0	0	26	79	84	26	43	0	0	102	0	14	10
Lakshadweep	person	0	0	0	0	0	0	0	0	34	20	48	9	19	0	0	62	0	18	14
	male	0	0	83	0	0	0	56	0	51	100	176	47	81	72	0	0	482	10	19
	female	0	0	0	0	96	280	108	108	39	126	121	292	142	140	0	500	0	18	39
Pondicherry	person	0	0	43	0	39	141	100	57	45	117	149	154	112	108	0	250	390	27	58
	male	1000	0	334	0	218	133	406	188	66	181	88	107	162	0	180	147	267	289	34
	female	0	0	515	19	45	250	102	0	266	112	59	92	132	0	117	141	0	201	24
	person	1000	0	423	13	156	202	238	94	142	159	74	101	149	0	154	144	211	490	58

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Rural																				
state / ut	sex	mpce class													social group				persons reporting ailment*	
		0 – 225	225 – 255	255 – 300	300 – 340	340 – 380	380 – 420	420 – 470	470 – 525	525 – 615	615 – 775	775 – 950	950 +	all	ST	SC	OBC	others	estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
ONES	male	181	56	66	73	95	87	85	66	54	76	64	67	73	60	140	60	107	3011	655
	female	132	152	56	79	124	99	100	48	40	65	94	66	73	61	143	67	101	2806	632
GUTs	person	157	101	61	76	108	93	92	57	47	71	78	66	73	60	141	63	104	5817	1287
	male	504	0	114	0	121	111	208	58	56	47	33	47	69	17	165	109	35	378	106
	female	0	0	186	19	61	169	58	22	134	52	32	107	79	27	112	127	72	354	113
	person	337	0	148	13	95	140	126	40	90	49	32	71	73	22	143	117	49	733	219
All India	male	65	57	61	65	72	79	80	88	88	106	123	142	83	52	83	82	98	305036	11287
	female	63	56	66	67	81	81	92	99	100	119	151	189	93	63	93	92	106	326898	11622
	person	64	56	64	66	77	80	86	93	94	112	137	165	88	58	88	87	102	631934	22909

\* during the last 15 days



Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Urban																				
state / ut	sex	mpce class													social group				persons reporting ailment*	
		0 – 300	300 – 350	350 – 425	425 – 500	500 – 575	575 – 665	665 – 775	775 – 915	915 – 1120	1120 – 1500	1500 – 1925	1925 +	all	ST	SC	OBC	others	estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
Andhra Pradesh	male	87	85	89	107	70	117	82	80	77	125	107	148	102	70	84	99	114	10278	499
	female	31	235	114	75	46	159	136	134	120	161	118	189	127	60	88	118	153	12295	653
Arunachal Pradesh	person	63	157	101	90	57	137	109	106	99	142	113	166	114	66	86	108	133	22574	1152
	male	0	0	5	7	42	6	138	37	45	0	12	0	46	68	0	0	25	24	35
	female	68	0	0	44	0	5	145	60	56	12	5	0	57	73	0	333	26	28	38
Assam	person	23	0	2	26	25	5	141	47	50	7	9	0	51	71	0	131	26	52	73
	male	8	13	334	45	125	91	152	60	68	31	56	48	72	19	113	93	67	862	91
	female	0	23	310	86	16	136	148	67	67	136	27	53	95	51	118	89	96	1006	94
Bihar	person	4	17	320	65	67	111	150	63	67	79	41	50	83	32	116	91	80	1868	185
	male	51	120	69	58	23	40	17	65	108	161	22	30	63	10	66	53	83	2497	126
	female	42	365	57	55	35	59	71	35	51	41	33	8	64	61	149	45	57	2134	117
Chhattisgarh	person	48	250	63	56	28	48	40	50	81	103	25	20	63	22	107	50	70	4631	243
	male	70	49	55	60	20	32	81	63	57	76	75	268	63	34	56	58	91	950	81
	female	51	74	52	34	138	16	67	101	167	89	32	139	81	41	64	91	84	1085	89
Delhi	person	60	58	54	46	83	25	75	79	109	82	55	208	72	37	60	73	88	2035	170
	male	0	27	7	11	55	3	9	32	9	14	5	21	15	0	13	23	13	812	58
	female	0	103	0	34	0	39	19	3	2	26	13	22	17	0	19	9	19	763	53
Goa	person	0	68	4	23	24	18	14	19	6	18	8	21	16	0	16	18	16	1575	111
	male	0	0	0	216	57	40	0	94	133	48	0	0	77	0	25	34	83	217	23
	female	0	0	0	92	403	0	45	219	7	58	128	126	115	0	273	213	101	315	28
	person	0	0	0	150	187	23	13	161	71	52	95	68	95	0	159	100	92	532	51

Continued

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Urban																				
state / ut	sex	mpce class												social group				persons reporting ailment*		
		0 – 300	300 – 350	350 – 425	425 – 500	500 – 575	575 – 665	665 – 775	775 – 915	915 – 1120	1120 – 1500	1500 – 1925	1925 +	all	ST	SC	OBC	others	estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
Gujarat	male	43	12	15	72	107	45	43	92	69	89	79	153	77	114	38	68	91	6535	299
	female	0	5	8	74	130	109	72	74	75	65	78	126	78	95	77	73	83	5800	306
Haryana	person	21	9	12	73	117	77	57	83	72	78	79	141	78	105	57	70	87	12335	605
	male	178	0	56	18	87	82	22	76	103	144	97	193	86	332	71	98	82	2195	139
	female	0	0	30	43	75	93	48	145	32	186	79	207	89	435	98	48	99	2007	138
Himachal Pradesh	person	146	0	44	30	82	87	35	109	72	163	89	200	87	396	84	76	90	4202	277
	male	0	0	0	30	16	83	12	10	78	89	33	15	39	0	10	80	46	110	38
Jammu & Kashmir	female	0	56	255	143	19	115	39	70	59	70	0	213	78	0	44	266	68	231	50
	person	0	26	127	81	17	102	27	41	68	80	15	103	59	0	28	152	58	341	88
Jharkhand	male	500	158	106	103	254	38	37	45	108	92	59	51	75	275	81	162	69	514	84
	female	0	107	141	80	57	79	66	84	115	73	0	39	81	667	128	75	75	548	82
Karnataka	person	200	127	122	88	190	57	50	64	112	82	36	45	78	413	103	113	72	1062	166
	male	21	28	33	36	61	66	12	14	43	110	19	68	42	14	7	50	46	855	76
Kerala	female	30	42	20	21	90	36	70	67	71	64	28	167	59	60	61	51	66	1113	76
	person	26	36	27	29	75	51	38	41	55	86	23	120	50	35	32	50	56	1968	152
Kerala	male	64	59	40	61	38	43	52	44	47	67	32	77	53	87	45	60	49	3699	296
	female	54	74	48	39	40	55	83	72	64	40	48	131	61	40	51	56	67	4058	299
Kerala	person	59	66	43	50	39	49	68	57	56	54	40	100	57	61	48	58	58	7758	595
	male	187	179	136	171	222	185	179	223	243	310	299	369	235	0	227	214	279	9126	480
Kerala	female	173	169	204	200	152	282	235	199	240	321	302	285	244	149	264	224	277	10520	583
	person	179	174	172	186	184	238	208	211	242	316	301	324	240	79	249	220	278	19647	1063

Continued

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Urban															social group				persons reporting ailment*	
state / ut	sex	mpce class													ST	SC	OBC	others	estd. no. (00)	sample
		0 – 300	300 – 350	350 – 425	425 – 500	500 – 575	575 – 665	665 – 775	775 – 915	915 – 1120	1120 – 1500	1500 – 1925	1925 +	all						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
Madhya Pradesh	male	80	57	37	45	42	48	86	62	71	42	90	199	60	69	82	54	58	4583	275
	female	55	70	60	78	68	66	65	66	78	102	204	73	71	63	75	69	73	5006	286
Maharashtra	person	68	64	48	60	54	57	76	64	75	69	144	138	65	66	78	61	65	9589	561
	male	45	129	112	92	73	50	123	100	101	136	163	170	115	78	79	79	141	22832	803
	female	12	45	85	75	18	55	144	127	159	134	126	210	122	61	84	93	146	22026	864
Manipur	person	27	91	97	84	44	52	133	113	126	135	144	190	118	69	81	85	143	44858	1667
	male	0	0	0	0	14	1	43	19	18	50	0	0	20	3	0	24	16	56	33
	female	0	0	4	20	0	10	58	19	64	103	0	0	34	60	0	38	7	95	46
Meghalaya	person	0	0	2	11	7	6	50	19	41	78	0	0	27	28	0	31	11	151	79
	male	0	200	0	104	19	96	11	4	5	32	10	6	20	27	0	99	4	27	22
	female	0	250	0	0	253	4	15	21	31	95	111	258	75	84	109	35	55	114	38
Mizoram	person	0	231	0	51	150	50	13	13	18	69	58	162	50	58	49	61	30	140	60
	male	45	0	0	0	0	6	25	2	9	17	30	58	17	17	0	0	0	23	48
	female	22	0	0	52	0	0	28	10	20	17	29	12	18	18	0	0	0	26	42
Nagaland	person	33	0	0	27	0	3	26	6	15	17	29	34	17	18	0	0	0	50	90
	male	0	0	0	0	0	250	36	47	59	61	36	133	58	66	3	0	78	74	21
	female	0	0	0	0	0	0	0	36	73	65	22	0	46	47	146	0	0	52	13
Orissa	person	0	0	0	0	0	167	22	41	64	63	28	68	52	57	57	0	53	125	34
	male	52	53	82	43	59	41	52	66	77	56	35	29	56	41	43	56	67	1176	98
	female	40	24	20	45	102	13	88	22	120	41	8	36	52	58	49	37	66	1019	79
	person	47	37	49	44	79	30	71	44	98	48	19	32	54	49	46	47	67	2195	177

Continued

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Urban															social group				persons reporting ailment*	
state / ut	sex	mpce class													ST	SC	OBC	others	estd. no. (00)	sample
		0 – 300	300 – 350	350 – 425	425 – 500	500 – 575	575 – 665	665 – 775	775 – 915	915 – 1120	1120 – 1500	1500 – 1925	1925 +	all						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
Punjab	male	41	51	92	55	45	77	182	98	120	78	131	139	100	0	101	107	97	4104	192
	female	0	0	36	76	109	72	103	142	162	142	232	171	115	0	82	109	139	4026	216
Rajasthan	person	23	24	62	65	78	75	147	118	135	108	180	153	107	0	92	108	117	8130	408
	male	0	157	59	55	84	74	46	73	97	58	100	37	69	80	71	77	61	3748	259
Sikkim	female	1	58	85	61	33	56	68	115	61	70	184	117	76	68	84	65	83	3841	261
	person	1	108	72	58	57	66	57	92	81	64	142	76	72	74	77	71	72	7589	520
Tamil Nadu	male	0	0	0	0	0	0	0	22	1	22	0	0	8	13	21	6	0	2	6
	female	0	0	0	0	0	0	5	45	10	18	0	0	18	39	64	3	0	5	7
Tripura	person	0	0	0	0	0	0	3	34	5	20	0	0	13	26	37	5	0	7	13
	male	91	70	85	69	75	64	114	94	99	111	54	71	87	5	84	89	76	9461	572
Uttaranchal	female	73	133	136	106	128	93	111	90	116	116	99	80	106	0	95	111	86	11192	683
	person	82	101	112	87	101	78	113	92	107	114	75	75	96	3	90	100	80	20654	1255
Uttar Pradesh	male	0	111	18	44	42	59	129	120	61	146	0	30	72	0	69	33	106	156	44
	female	0	0	112	58	124	15	116	113	101	26	10	101	71	17	37	65	98	148	49
Uttar Pradesh	person	0	65	53	51	74	34	123	116	83	83	5	66	72	10	55	48	102	305	93
	male	30	330	65	31	69	8	13	16	132	90	42	69	65	0	28	19	97	593	50
Uttar Pradesh	female	57	260	70	88	159	21	26	41	54	124	66	66	65	0	77	36	72	510	54
	person	45	296	67	54	103	14	18	29	93	104	56	68	65	0	50	26	85	1103	104
Uttar Pradesh	male	56	89	82	79	101	92	124	106	68	123	109	98	93	67	92	84	104	16435	893
	female	92	91	72	124	138	94	163	118	152	166	134	230	126	165	94	106	162	20021	931
	person	74	90	77	101	119	93	142	112	104	143	121	158	108	113	93	94	131	36455	1824

Continued

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Urban																				
state / ut	sex	mpce class												social group				persons reporting ailment*		
		0 – 300	300 – 350	350 – 425	425 – 500	500 – 575	575 – 665	665 – 775	775 – 915	915 – 1120	1120 – 1500	1500 – 1925	1925 +	all	ST	SC	OBC	others	estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
West Bengal	male	109	75	160	141	115	110	124	98	124	157	142	230	137	86	126	92	145	13306	613
	female	74	74	183	121	148	185	165	104	204	204	252	318	178	73	138	111	198	15693	723
A & N Islands	person	89	75	171	131	131	146	143	101	157	180	196	274	157	79	132	101	170	28999	1336
	male	0	0	0	0	0	257	22	5	62	118	27	124	58	0	0	0	58	32	18
	female	0	0	0	0	0	0	77	110	17	27	32	11	61	0	0	0	61	29	21
Chandigarh	person	0	0	0	0	0	166	46	58	41	81	29	62	59	0	0	0	59	61	39
	male	0	0	0	21	0	69	104	86	64	62	17	60	55	0	12	45	63	194	67
	female	25	0	0	17	0	3	4	65	100	58	117	102	89	0	113	54	89	258	78
Dadra & N. Haveli	person	9	0	0	19	0	31	59	75	83	61	58	81	71	0	54	49	74	452	145
	male	0	0	0	0	0	0	0	22	13	0	142	0	18	4	0	0	22	3	5
	female	0	0	0	0	0	0	0	225	0	0	26	0	34	0	0	0	57	4	2
Daman & Diu	person	0	0	0	0	0	0	0	99	10	0	88	0	24	2	0	0	34	7	7
	male	0	0	0	0	0	0	0	27	13	68	0	0	30	0	0	51	31	6	8
	female	0	0	0	0	0	0	0	75	38	57	0	0	41	0	250	55	38	7	7
Lakshadweep	person	0	0	0	0	0	0	0	51	25	63	0	0	35	0	125	53	34	13	15
	male	0	0	0	0	159	35	174	55	185	83	184	683	112	105	0	230	1000	16	30
	female	0	0	0	89	276	192	0	171	167	302	231	333	168	168	0	0	0	24	44
Pondicherry	person	0	0	0	43	221	109	87	111	175	175	205	513	140	137	0	230	1000	40	74
	male	446	148	89	99	160	65	103	283	41	78	171	377	149	95	94	145	219	484	72
	female	631	286	354	171	194	293	157	241	211	153	113	504	225	125	163	239	208	691	97
	person	532	224	220	137	177	156	130	261	124	115	140	427	186	115	124	191	214	1175	169

Continued

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

## Urban

state / ut	sex	mpce class												social group				persons reporting ailment*		
		0 – 300	300 – 350	350 – 425	425 – 500	500 – 575	575 – 665	665 – 775	775 – 915	915 – 1120	1120 – 1500	1500 – 1925	1925 +	all	ST	SC	OBC	others	estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
ONES	male	12	116	14	22	25	20	57	31	29	61	16	59	37	34	49	24	55	363	209
	female	13	35	76	39	72	9	60	37	53	54	45	85	48	48	39	41	60	467	233
GUTs	person	12	76	40	31	47	15	59	34	41	57	31	72	42	41	45	32	57	830	442
	male	311	145	63	85	153	67	91	162	51	69	70	102	94	84	36	140	74	735	200
	female	501	284	208	150	186	262	130	178	144	84	107	133	148	120	125	229	92	1013	249
	person	394	221	142	118	169	147	110	170	96	75	87	117	119	106	74	183	82	1748	449
all India	male	68	86	80	77	80	73	91	85	88	111	104	132	91	60	80	84	102	115986	6454
	female	61	92	85	89	90	98	113	102	115	126	127	168	108	63	91	98	125	126691	7147
	person	65	89	83	83	85	85	101	93	100	118	115	149	99	61	86	91	113	242677	13601

\* during the last 15 days

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Rural + Urban																				
state / ut	sex	mpce class													social group				persons reporting ailment*	
		0 – 235	235 – 265	265 – 320	320 – 365	365 – 410	410 – 460	460 – 520	520 – 605	605 – 730	730 – 980	980 – 1285	1285 +	all	ST	SC	OBC	others	estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
Andhra Pradesh	male	77	54	79	87	81	78	75	95	79	110	173	135	91	67	86	83	114	32624	1314
	female	43	69	83	90	73	97	103	120	99	115	120	211	102	72	80	98	134	36675	1457
Arunachal Pradesh	person	59	61	81	89	77	88	89	108	89	112	145	170	96	69	83	90	124	69299	2771
	male	72	0	1	64	28	55	107	89	47	47	62	45	59	70	194	0	23	272	159
	female	92	190	44	67	37	21	57	35	73	50	90	59	61	69	108	69	30	260	156
Assam	person	82	101	20	65	32	38	83	64	59	48	74	52	60	70	162	34	26	532	315
	male	117	51	146	69	68	91	99	62	56	69	84	69	78	66	69	90	78	9860	542
	female	193	30	135	73	104	92	87	73	71	83	48	129	87	66	90	85	93	9675	527
Bihar	person	156	40	140	71	86	91	94	67	63	76	67	97	82	66	79	87	85	19535	1069
	male	43	36	45	39	59	63	47	59	93	72	79	54	54	45	55	54	51	19394	691
	female	27	42	38	49	52	63	78	84	61	64	74	56	54	53	58	53	54	17957	653
Chhattisgarh	person	36	39	42	44	55	63	62	71	78	68	77	55	54	49	57	54	52	37351	1344
	male	96	55	68	51	54	59	88	64	65	88	15	125	68	57	89	71	69	6928	303
	female	68	67	63	38	71	63	87	142	112	147	71	61	71	43	95	87	70	7165	312
Delhi	person	82	61	66	44	63	61	88	100	87	115	41	94	70	50	92	79	69	14094	615
	male	0	27	7	11	55	3	9	28	8	14	4	15	13	0	13	16	12	846	59
	female	0	103	0	34	0	38	19	3	1	20	15	15	15	0	19	6	18	798	55
Goa	person	0	68	4	23	24	18	14	16	6	16	8	15	14	0	16	12	15	1644	114
	male	0	0	0	216	57	36	0	106	127	20	142	200	117	823	25	153	109	982	40
	female	0	0	0	92	403	0	91	148	80	90	81	171	131	478	273	303	118	1094	50
	person	0	0	0	150	187	21	42	126	102	50	107	184	124	625	159	216	113	2076	90

Continued

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Rural + Urban																social group				persons reporting ailment*	
state / ut	sex	mpce class													ST	SC	OBC	others	estd. no. (00)	sample	
(1)	(2)	0 – 235	235 – 265	265 – 320	320 – 365	365 – 410	410 – 460	460 – 520	520 – 605	605 – 730	730 – 980	980 – 1285	1285 – +	all	(16)	(17)	(18)	(19)	(20)	(21)	
Gujarat	male	25	5	42	46	75	76	56	74	73	85	79	110	72	54	71	69	84	17457	634	
	female	34	22	34	63	72	78	79	59	60	81	96	91	71	63	71	61	87	16208	603	
Haryana	person	29	13	38	54	74	77	68	67	67	83	87	101	72	59	71	65	85	33665	1237	
	male	145	21	67	28	104	38	49	63	85	130	83	101	86	241	97	97	72	8888	410	
	female	0	212	38	63	99	112	60	78	60	126	132	172	102	371	101	92	108	9049	375	
Himachal Pradesh	person	82	91	52	44	102	69	54	70	73	128	105	132	93	317	99	95	89	17937	785	
	male	0	14	86	52	30	63	79	61	60	88	87	69	70	85	60	86	68	2007	322	
	female	36	67	56	108	68	70	57	65	65	110	137	199	99	52	85	136	98	2944	421	
Jammu & Kashmir	person	20	38	69	80	49	67	67	63	63	99	112	131	84	68	73	113	83	4951	743	
	male	127	157	30	65	69	40	46	77	112	61	55	67	71	96	83	90	64	2673	258	
	female	0	107	132	36	136	32	54	66	68	83	64	89	72	5	99	38	71	2546	259	
Jharkhand	person	94	127	85	50	103	36	50	72	92	71	59	78	71	51	91	65	67	5219	517	
	male	25	19	23	29	17	31	23	26	20	65	25	71	27	21	16	27	45	3304	188	
	female	17	27	39	36	37	46	56	84	53	42	22	137	45	42	23	50	56	5062	213	
Karnataka	person	21	23	31	33	26	38	38	55	35	54	24	105	36	31	19	38	51	8366	401	
	male	41	58	38	50	84	60	60	60	57	62	55	110	60	56	61	69	54	14067	669	
	female	33	73	48	46	60	60	72	77	67	54	45	148	63	65	53	63	67	14609	633	
Kerala	person	37	66	43	48	72	60	66	68	62	58	50	127	62	61	57	66	60	28676	1302	
	male	267	154	214	213	186	225	171	220	246	258	278	280	240	190	242	234	252	36061	1446	
	female	194	221	196	206	203	241	184	269	239	270	314	328	261	282	292	249	271	43247	1772	
	person	228	189	204	210	195	234	178	246	243	264	297	305	251	238	268	242	261	79308	3218	

Continued



Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Rural + Urban																					
state / ut	sex	mpce class													social group				persons reporting ailment*		
		0 – 235	235 – 265	265 – 320	320 – 365	365 – 410	410 – 460	460 – 520	520 – 605	605 – 730	730 – 980	980 – 1285	1285 +	all	ST	SC	OBC	others	estd. no. (00)	sample	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	
Madhya Pradesh	male	56	56	43	52	49	46	67	62	52	92	68	158	58	44	69	58	59	17985	700	
	female	58	47	69	56	64	68	60	65	78	110	121	110	67	70	58	67	73	19334	709	
Maharashtra	person	57	52	56	54	57	57	64	63	64	100	92	135	62	56	64	63	66	37320	1409	
	male	69	106	63	68	60	76	98	94	96	126	129	159	97	56	67	84	125	46456	1488	
	female	49	60	75	72	62	78	112	113	138	127	167	214	110	95	84	106	126	50677	1628	
Manipur	person	58	83	69	70	61	77	105	103	116	126	148	186	103	75	75	95	126	97133	3116	
	male	0	0	0	7	11	6	27	10	13	55	51	18	25	7	0	37	12	252	106	
	female	0	0	3	17	10	10	31	20	10	62	88	38	31	9	0	47	6	310	131	
Meghalaya	person	0	0	2	13	10	8	29	15	11	59	69	28	28	8	0	42	9	562	237	
	male	250	200	172	2	77	30	42	27	37	81	51	76	48	52	0	4	29	529	98	
	female	0	250	39	29	74	11	56	48	30	49	153	166	54	57	35	9	46	582	116	
Mizoram	person	111	231	104	15	75	21	49	37	34	64	99	122	51	54	14	7	37	1111	214	
	male	23	0	0	7	0	3	17	29	24	25	14	19	20	21	0	0	0	70	69	
	female	11	0	0	36	0	0	21	6	30	26	5	17	18	18	0	0	0	59	55	
Nagaland	person	16	0	0	21	0	2	19	17	27	25	9	18	19	20	0	0	0	129	124	
	male	0	0	0	0	0	69	34	21	44	66	46	101	60	60	126	0	78	202	62	
	female	0	0	0	0	0	0	0	17	44	56	71	71	57	58	115	0	0	180	46	
Orissa	person	0	0	0	0	0	43	21	19	44	61	60	86	58	59	122	0	53	382	108	
	male	61	96	64	61	55	100	78	92	85	111	73	152	76	68	81	77	78	12923	486	
	female	75	84	63	64	81	63	81	47	97	82	125	118	73	60	106	61	81	12670	452	
	person	68	90	63	62	68	82	79	70	91	96	100	136	75	64	94	69	80	25592	938	

Continued

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Rural + Urban																social group				persons reporting ailment*	
state / ut	sex	mpce class													ST	SC	OBC	others	estd. no. (00)	sample	
(1)	(2)	0 – 235	235 – 265	265 – 320	320 – 365	365 – 410	410 – 460	460 – 520	520 – 605	605 – 730	730 – 980	980 – 1285	1285 – +	all	(16)	(17)	(18)	(19)	(20)	(21)	
Punjab	male	104	30	59	52	97	58	148	93	68	88	182	153	109	0	113	102	109	13311	485	
	female	25	0	44	81	175	73	91	134	162	163	159	223	146	0	136	119	163	15986	570	
Rajasthan	person	67	15	51	67	135	66	122	112	107	124	171	186	127	0	124	110	134	29297	1055	
	male	12	90	58	44	40	75	45	47	58	64	67	107	56	36	52	61	58	14634	734	
Sikkim	female	29	27	63	40	46	40	46	73	77	83	134	116	64	43	76	64	67	15803	707	
	person	21	57	61	42	43	58	46	59	67	73	102	111	60	39	63	62	62	30437	1441	
Tamil Nadu	male	444	0	12	144	15	115	73	42	47	39	112	73	61	68	59	65	4	139	75	
	female	0	0	6	33	17	149	78	33	24	7	8	0	37	59	26	26	29	81	62	
Tripura	person	84	83	80	84	93	77	99	77	98	121	126	111	95	8	91	100	85	58235	2357	
	male	370	71	63	75	117	119	152	135	153	121	115	94	118	127	127	77	134	1910	295	
Uttaranchal	female	218	138	66	92	190	141	179	84	138	118	132	62	126	144	131	108	120	1802	299	
	person	291	101	64	83	149	130	166	111	146	119	123	80	122	135	129	91	127	3712	594	
Uttar Pradesh	male	30	5	19	28	55	21	21	72	152	73	107	49	57	67	23	56	71	2408	115	
	female	57	6	18	51	37	67	5	71	65	58	58	131	53	28	39	42	62	1989	109	
Uttar Pradesh	person	45	5	19	37	46	41	14	71	109	66	80	90	55	49	30	50	67	4397	224	
	male	67	67	78	90	89	93	108	115	95	109	119	132	95	28	92	88	114	80394	3069	
Uttar Pradesh	female	74	67	82	91	111	93	133	117	131	138	143	196	109	87	100	102	131	84758	3123	
	person	70	67	80	91	100	93	120	116	112	123	130	161	102	57	96	95	122	165152	6192	

Continued

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Rural + Urban																				
state / ut	sex	mpce class													social group				persons reporting ailment*	
		0 – 235	235 – 265	265 – 320	320 – 365	365 – 410	410 – 460	460 – 520	520 – 605	605 – 730	730 – 980	980 – 1285	1285 +	all	ST	SC	OBC	others	estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
West Bengal	male	99	58	82	113	107	112	132	117	139	134	142	206	120	61	111	114	130	47060	1521
	female	75	60	80	109	106	120	132	118	150	162	233	253	128	54	118	122	141	48739	1654
A & N Islands	person	87	59	81	111	107	116	132	118	144	147	184	230	124	57	114	118	135	95799	3175
	male	0	0	0	0	3	195	22	5	90	56	22	59	46	17	0	0	49	84	41
	female	0	0	0	0	0	0	40	77	8	46	23	140	62	22	0	0	66	93	34
Chandigarh	person	0	0	0	0	2	104	32	43	53	52	23	101	53	20	0	0	57	177	75
	male	0	0	0	21	0	35	102	67	59	60	16	58	51	0	16	22	60	207	86
Dadra & N. Haveli	female	25	0	0	17	186	2	3	56	91	63	102	101	89	6	108	58	89	292	99
	person	9	0	0	19	102	19	57	62	76	61	52	79	68	5	54	35	73	499	185
Daman & Diu	male	0	0	0	0	0	62	0	3	10	9	17	5	11	10	0	0	20	14	12
	female	0	0	0	0	0	51	10	66	74	0	1	0	22	16	0	0	72	27	8
	person	0	0	0	0	0	58	5	34	40	4	8	4	16	13	0	0	41	41	20
Lakshadweep	male	0	0	0	0	0	0	0	20	28	19	3	2	12	0	0	28	8	10	12
	female	0	0	0	0	0	0	0	46	32	68	67	25	42	0	88	93	25	22	17
	person	0	0	0	0	0	0	0	34	29	34	36	9	23	0	44	61	12	32	29
Pondicherry	male	0	0	43	43	156	114	89	105	130	143	153	171	127	124	0	238	498	67	132
	female	511	148	187	81	187	83	185	262	53	118	142	218	154	95	161	146	222	773	106
	person	631	286	419	126	143	275	139	192	231	143	97	248	194	125	128	210	202	892	121
	person	563	224	302	106	168	171	161	226	132	129	119	230	173	115	147	177	214	1665	227

Continued

Table (36): Number per 1000 of persons reporting ailment during the last 15 days by mpce class and social group for each sex and State/UT

Rural + Urban																				
state / ut	sex	mpce class													social group				persons reporting ailment*	
		0 – 235	235 – 265	265 – 320	320 – 365	365 – 410	410 – 460	460 – 520	520 – 605	605 – 730	730 – 980	980 – 1285	1285 +	all	ST	SC	OBC	others	estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)
ONES	male	174	60	57	58	81	72	78	59	49	73	56	66	66	56	118	51	94	3374	864
	female	126	144	58	66	114	77	90	46	42	63	86	68	68	59	120	60	89	3274	865
GUTs	person	150	99	58	62	96	74	84	53	46	68	70	67	67	58	119	55	92	6647	1729
	male	341	123	93	72	134	85	133	129	53	61	51	79	83	29	105	129	61	1114	306
	female	448	257	196	115	119	214	100	127	140	71	67	124	121	50	118	196	86	1368	362
	person	386	194	145	96	127	144	116	128	93	65	58	100	101	40	110	161	72	2481	668
all India	male	66	62	65	69	74	77	83	87	88	107	119	139	85	53	83	82	99	421022	17741
	female	62	61	70	74	82	84	98	100	104	121	145	181	97	63	93	93	113	453589	18769
	person	64	62	67	71	78	81	90	93	96	114	132	159	91	58	88	88	106	874611	36510

\* during the last 15 days

Table (41): Number per 1000 of spells of ailment during last 15 days treated on medical advice and per 1000 distribution of untreated spells of ailments not given medical treatment by reason for not taking treatment for each mpce class and social-group

mpce class/ social group	Rural											Males			
	number per 1000 of spells ailments treated on medical advice during last 15 days from			spells of ailments not given medical treatment by reason								untreated spells of ailment		spells of ailment	
	government	private	all	no medical facilities available in the neighbourhood	facilities available but no treatment sought owing to					n.r.	total	estd. no. (00)	sample	estd. no. (00)	sample
					lack of faith	long waiting	financial reason	ailment not considered serious	others						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
0 – 225	204	523	727	229	49	0	431	64	115	111	1000	3897	108	14300	451
225 – 255	174	630	804	66	58	0	329	194	172	181	1000	1852	73	9454	312
255 – 300	186	602	787	22	33	8	341	321	115	161	1000	4937	171	23222	779
300 – 340	209	551	760	152	17	0	368	254	168	40	1000	5244	155	21865	733
340 – 380	181	626	807	139	27	0	414	259	93	69	1000	5294	177	27412	921
380 – 420	177	617	794	133	28	25	245	291	148	130	1000	6238	198	30282	1069
420 – 470	194	632	827	147	22	7	189	433	115	88	1000	5575	208	32143	1198
470 – 525	139	657	797	156	60	35	216	284	164	86	1000	7239	247	35617	1330
525 – 615	184	665	849	126	35	2	228	334	166	108	1000	5237	241	34649	1416
615 – 775	178	704	881	69	23	0	248	390	200	70	1000	4845	194	40836	1632
775 – 950	215	658	873	156	64	35	174	292	145	134	1000	2873	100	22606	863
950 +	140	749	889	45	10	0	54	543	126	221	1000	3009	115	26991	1134
all	179	645	824	125	34	11	272	307	144	107	1000	56241	1987	319377	11838
social group:															
ST	248	502	749	213	18	2	278	197	174	118	1000	4892	258	19511	1034
SC	200	600	800	146	23	0	348	270	103	110	1000	13647	416	68068	2261
OBC	165	663	828	93	42	6	266	325	160	108	1000	22554	775	131074	4821
others	171	679	850	125	39	30	210	350	148	98	1000	15147	538	100724	3722
all	179	645	824	125	34	11	272	307	144	107	1000	56241	1987	319377	11838

Table (41): Number per 1000 of spells of ailment during last 15 days treated on medical advice and per 1000 distribution of untreated spells of ailments not given medical treatment by reason for not taking treatment for each mpce class and social-group

mpce class/ social group	number per 1000 of spells ailments treated on medical advice during last 15 days from			spells of ailments not given medical treatment by reason								untreated spells of ailment		spells of ailment	
	government	private	all	no medical facilities available in the neighbourhood	facilities available but no treatment sought owing to					n.r.	total	estd. no. (00)	sample	estd. no. (00)	sample
					lack of faith	long waiting	financial reason	ailment not considered serious	others						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
0 – 225	246	545	791	131	35	0	405	196	170	64	1000	2853	83	13676	420
225 – 255	235	518	753	80	51	0	357	374	61	78	1000	2291	82	9287	318
255 – 300	212	554	766	114	38	7	409	248	100	83	1000	5756	187	24627	779
300 – 340	187	566	753	42	21	0	316	307	185	129	1000	5439	162	22035	765
340 – 380	160	626	786	103	16	1	375	261	153	91	1000	6210	173	28996	973
380 – 420	177	640	817	186	9	0	356	327	71	51	1000	5599	176	30553	1054
420 – 470	170	644	814	100	50	15	213	364	211	48	1000	6678	227	35942	1216
470 – 525	189	642	831	130	13	12	289	320	153	82	1000	6386	224	37794	1315
525 – 615	192	617	809	106	27	3	220	422	167	55	1000	6900	248	36180	1382
615 – 775	193	664	857	75	10	23	236	346	189	121	1000	6079	218	42567	1706
775 – 950	191	690	881	145	32	7	179	401	167	69	1000	3127	110	26282	960
950 +	176	722	897	48	33	5	131	440	146	197	1000	3450	134	33574	1285
all	188	634	822	106	26	7	290	333	153	86	1000	60768	2024	341512	12173
social group:															
ST	250	532	782	183	0	4	361	230	152	69	1000	5073	235	23253	1022
SC	217	579	796	120	26	2	382	294	141	35	1000	14627	429	71568	2340
OBC	175	658	833	68	24	5	249	408	147	99	1000	23760	794	142093	4995
others	173	662	835	123	37	14	245	292	170	118	1000	17308	566	104598	3816
all	188	634	822	106	26	7	290	333	153	86	1000	60768	2024	341512	12173

Table (41): Number per 1000 of spells of ailment during last 15 days treated on medical advice and per 1000 distribution of untreated spells of ailments not given medical treatment by reason for not taking treatment for each mpce class and social-group

mpce class/ social group	number per 1000 of spells ailments treated on medical advice during last 15 days from			spells of ailments not given medical treatment by reason								untreated spells of ailment		spells of ailment	
	government	private	all	no medical facilities available in the neighbourhood	facilities available but no treatment sought owing to					n.r.	total	estd. no. (00)	sample	estd. no. (00)	sample
					lack of faith	long waiting	financial reason	ailment not considered serious	others						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
0 – 225	225	534	759	188	43	0	420	120	138	91	1000	6750	191	27976	871
225 – 255	204	575	779	74	54	0	344	294	111	124	1000	4143	155	18741	630
255 – 300	200	577	777	72	36	7	378	282	107	119	1000	10693	358	47850	1558
300 – 340	198	558	757	96	19	0	341	281	177	85	1000	10683	317	43900	1498
340 – 380	170	626	796	119	21	0	393	260	125	81	1000	11505	350	56408	1894
380 – 420	177	629	805	158	19	13	298	308	112	93	1000	11837	374	60834	2123
420 – 470	182	638	820	121	37	11	202	395	167	66	1000	12253	435	68085	2414
470 – 525	165	650	814	144	38	24	250	301	159	84	1000	13625	471	73412	2645
525 – 615	188	641	829	115	31	3	223	384	167	78	1000	12137	489	70828	2798
615 – 775	186	683	869	72	16	13	241	365	194	98	1000	10925	412	83403	3338
775 – 950	202	676	877	150	47	21	177	349	156	100	1000	6000	210	48888	1823
950 +	160	734	893	47	23	2	95	488	137	208	1000	6459	249	60565	2419
all	184	639	823	115	30	9	281	321	148	96	1000	117009	4011	660890	24011
social group:															
ST	249	518	767	198	9	3	321	213	163	93	1000	9965	493	42764	2056
SC	209	589	798	133	24	1	366	283	123	71	1000	28274	845	139636	4601
OBC	170	660	830	80	33	6	258	368	153	103	1000	46315	1569	273167	9816
others	172	670	842	124	38	21	229	319	160	109	1000	32455	1104	205322	7538
all	184	639	823	115	30	9	281	321	148	96	1000	117009	4011	660890	24011

Table (41): Number per 1000 of spells of ailment during last 15 days treated on medical advice and per 1000 distribution of untreated spells of ailments not given medical treatment by reason for not taking treatment for each mpce class and social-group

mpce class/ social group	number per 1000 of spells ailments treated on medical advice during last 15 days from			spells of ailments not given medical treatment by reason								untreated spells of ailment		spells of ailment	
				no medical facilities available in the neighbour- hood	facilities available but no treatment sought owing to					n.r.	total	estd. no. (00)	sample	estd. no. (00)	sample
	government	private	all		lack of faith	long waiting	financial reason	ailment not considered serious	others						
0-300	217	620	837	6	32	0	372	428	111	52	1000	512	33	3134	163
300-350	181	675	856	0	136	2	310	473	45	34	1000	469	18	3248	129
350-425	200	663	863	0	3	10	297	322	151	217	1000	919	66	6690	364
425-500	202	657	859	19	20	11	310	480	68	91	1000	1766	108	12528	726
500-575	224	685	909	0	4	7	247	538	106	97	1000	552	53	6039	383
575-665	251	601	852	0	2	6	275	423	140	154	1000	1281	80	8641	532
665-775	153	761	914	52	9	0	161	384	196	196	1000	1206	90	14040	799
775-915	216	697	913	10	45	8	158	495	117	166	1000	1067	81	12207	775
915-1120	192	718	910	0	0	5	59	778	34	124	1000	1468	82	16341	913
1120-1500	118	788	906	2	7	8	74	655	173	82	1000	1984	108	21069	1093
1500-1925	171	720	891	0	19	16	0	885	0	81	1000	644	32	5914	381
1925+	96	840	936	0	4	0	13	498	228	258	1000	934	60	14701	727
all	172	725	897	9	17	6	176	538	120	133	1000	12802	811	124552	6985
social group:															
ST	205	689	895	39	2	4	129	384	373	69	1000	199	54	1890	254
SC	208	655	863	1	37	7	330	469	104	52	1000	2360	135	17238	914
OBC	188	716	904	0	24	14	142	524	102	194	1000	3922	271	40801	2403
others	152	750	902	16	5	2	141	578	130	128	1000	6321	351	64623	3414
all	172	725	897	9	17	6	176	538	120	133	1000	12802	811	124552	6985



Table (41): Number per 1000 of spells of ailment during last 15 days treated on medical advice and per 1000 distribution of untreated spells of ailments not given medical treatment by reason for not taking treatment for each mpce class and social-group

mpce class/ social group	number per 1000 of spells ailments treated on medical advice during last 15 days from			spells of ailments not given medical treatment by reason								untreated spells of ailment		spells of ailment	
	government	private	all	no medical facilities available in the neighbourhood	facilities available but no treatment sought owing to					n.r.	total	estd. no. (00)	sample	estd. no. (00)	sample
					lack of faith	long waiting	financial reason	ailment not considered serious	others						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
0-300	187	534	721	4	8	0	408	337	193	49	1000	777	47	2788	163
300-350	194	703	897	95	0	31	577	204	16	77	1000	309	26	2996	152
350-425	231	602	833	0	21	0	386	414	117	63	1000	1196	67	7165	401
425-500	230	619	848	11	19	2	312	401	189	66	1000	2085	117	13742	777
500-575	190	694	884	37	53	43	327	359	17	163	1000	752	53	6470	390
575-665	204	667	872	0	2	41	325	371	147	114	1000	1420	95	11064	607
665-775	157	741	898	12	43	78	194	351	166	156	1000	1690	106	16641	910
775-915	178	732	910	80	64	9	261	352	123	110	1000	1232	101	13655	881
915-1120	152	742	893	7	19	12	172	570	95	123	1000	1893	107	17770	1047
1120-1500	162	724	886	1	3	45	59	604	140	147	1000	2382	128	20930	1226
1500-1925	136	750	886	0	0	0	65	714	61	160	1000	775	40	6810	426
1925+	110	844	954	0	5	0	0	780	102	113	1000	806	48	17392	827
all	170	718	889	14	21	25	227	469	130	115	1000	15318	935	137425	7807
social group:															
ST	320	542	862	369	1	5	93	319	131	81	1000	268	52	1944	284
SC	208	663	871	17	10	32	373	336	180	53	1000	2409	144	18635	972
OBC	176	700	876	5	30	43	270	420	121	112	1000	5450	355	44013	2690
others	153	748	901	7	18	9	152	556	119	139	1000	7191	384	72833	3861
all	170	718	889	14	21	25	227	469	130	115	1000	15318	935	137425	7807

Table (41): Number per 1000 of spells of ailment during last 15 days treated on medical advice and per 1000 distribution of untreated spells of ailments not given medical treatment by reason for not taking treatment for each mpce class and social-group

mpce class/ social group	number per 1000 of spells ailments treated on medical advice during last 15 days from			spells of ailments not given medical treatment by reason								untreated spells of ailment		spells of ailment	
				no medical facilities available in the neighbour- hood	facilities available but no treatment sought owing to					n.r.	total	estd. no. (00)	sample	estd. no. (00)	sample
	government	private	all		lack of faith	long waiting	financial reason	ailment not considered serious	others						
0-300	203	579	782	5	17	0	394	373	160	50	1000	1289	80	5922	326
300-350	187	688	875	38	82	13	416	366	34	51	1000	779	44	6245	281
350-425	216	631	847	0	13	4	347	374	131	130	1000	2115	133	13854	765
425-500	216	637	853	15	20	6	311	437	134	78	1000	3852	225	26270	1503
500-575	206	690	896	22	32	28	293	435	55	135	1000	1304	106	12509	773
575-665	225	638	863	0	2	24	301	396	144	133	1000	2701	175	19705	1139
665-775	155	750	906	29	29	46	180	365	178	173	1000	2896	196	30682	1709
775-915	196	715	911	48	56	9	213	418	120	136	1000	2299	182	25862	1656
915-1120	171	730	901	4	11	9	123	661	68	124	1000	3361	189	34111	1960
1120-1500	140	756	896	1	5	28	66	627	155	117	1000	4366	236	42000	2319
1500-1925	152	736	889	0	9	7	36	791	33	124	1000	1419	72	12724	807
1925+	103	842	946	0	4	0	7	629	169	191	1000	1739	108	32093	1554
all	171	721	893	12	19	16	204	500	125	123	1000	28120	1746	261977	14792
social group:															
ST	264	614	878	228	2	5	109	347	234	76	1000	467	106	3834	538
SC	208	659	867	9	23	19	352	402	143	52	1000	4769	279	35873	1886
OBC	182	708	890	3	27	31	216	463	113	146	1000	9372	626	84814	5093
others	153	749	902	12	12	6	147	566	124	134	1000	13512	735	137456	7275
all	171	721	893	12	19	16	204	500	125	123	1000	28120	1746	261977	14792

Table (41): Number per 1000 of spells of ailment during last 15 days treated on medical advice and per 1000 distribution of untreated spells of ailments not given medical treatment by reason for not taking treatment for each mpce class and social-group

mpce class/ social group	number per 1000 of spells ailments treated on medical advice during last 15 days from			spells of ailments not given medical treatment by reason								untreated spells of ailment		spells of ailment	
	government	private	all	no medical facilities available in the neighbourhood	facilities available but no treatment sought owing to					n.r.	total	estd. no. (00)	sample	estd. no. (00)	sample
					lack of faith	long waiting	financial reason	ailment not considered serious	others						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
0 – 235	207	540	747	203	47	0	424	107	115	104	1000	4410	141	17434	614
235 – 265	176	641	817	53	74	0	325	251	146	151	1000	2321	91	12703	441
265 – 320	189	615	804	18	29	8	334	321	121	170	1000	5856	237	29912	1143
320 – 365	207	589	796	119	18	3	354	311	143	53	1000	7010	263	34392	1459
365 – 410	189	637	825	126	24	1	398	285	94	72	1000	5846	230	33451	1304
410 – 460	193	614	807	111	24	21	250	313	147	134	1000	7519	278	38923	1601
460 – 520	182	672	853	130	19	5	184	425	129	107	1000	6781	298	46183	1997
520 – 605	159	668	826	137	58	31	209	311	158	96	1000	8306	328	47824	2105
605 – 730	186	682	868	99	28	3	191	431	137	111	1000	6705	323	50990	2329
730 – 980	157	732	890	49	19	2	197	467	192	73	1000	6829	302	61906	2725
980 – 1285	206	671	877	127	56	31	142	401	119	124	1000	3517	132	28520	1244
1285 +	124	781	905	35	9	0	44	532	150	230	1000	3942	175	41692	1861
all	177	667	844	103	31	10	254	350	140	112	1000	69043	2798	443929	18823
social group:															
ST	244	518	762	206	17	2	272	204	182	116	1000	5092	312	21401	1288
SC	202	611	812	125	25	1	345	299	103	101	1000	16007	551	85306	3175
OBC	170	676	846	79	39	7	248	355	151	121	1000	26476	1046	171875	7224
others	164	707	870	93	29	22	190	417	143	107	1000	21468	889	165347	7136
all	177	667	844	103	31	10	254	350	140	112	1000	69043	2798	443929	18823

Table (41): Number per 1000 of spells of ailment during last 15 days treated on medical advice and per 1000 distribution of untreated spells of ailments not given medical treatment by reason for not taking treatment for each mpce class and social-group

mpce class/ social group	number per 1000 of spells ailments treated on medical advice during last 15 days from			spells of ailments not given medical treatment by reason								untreated spells of ailment		spells of ailment	
	government	private	all	no medical facilities available in the neighbourhood	facilities available but no treatment sought owing to					n.r.	total	estd. no. (00)	sample	estd. no. (00)	sample
					lack of faith	long waiting	financial reason	ailment not considered serious	others						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
0 – 235	236	543	780	104	29	0	405	226	175	61	1000	3630	130	16464	583
235 – 265	225	563	788	82	45	4	383	354	56	78	1000	2600	108	12283	470
265 – 320	217	565	781	95	35	5	405	277	103	80	1000	6952	254	31792	1180
320 – 365	203	586	790	33	21	0	315	333	186	112	1000	7525	279	35777	1542
365 – 410	165	639	804	96	20	5	369	272	139	99	1000	6963	226	35466	1363
410 – 460	184	647	831	148	8	8	350	336	86	64	1000	7019	271	41617	1661
460 – 520	166	675	841	82	49	28	209	361	202	70	1000	8367	333	52583	2126
520 – 605	186	666	852	122	22	12	285	325	148	87	1000	7618	325	51450	2196
605 – 730	179	658	837	85	25	5	210	454	152	70	1000	8793	355	53950	2429
730 – 980	183	684	867	54	8	30	186	418	175	129	1000	8461	346	63497	2932
980 – 1285	179	703	882	117	26	6	156	463	146	87	1000	3901	150	33092	1386
1285 +	153	763	916	39	28	4	106	505	137	181	1000	4256	182	50967	2112
all	183	658	841	87	25	10	277	360	148	92	1000	76086	2959	478938	19980
social group:															
ST	256	532	788	192	0	4	348	234	151	70	1000	5341	287	25197	1306
SC	215	596	811	105	23	6	381	300	147	37	1000	17036	573	90203	3312
OBC	175	668	843	56	25	13	253	410	142	101	1000	29210	1149	186106	7685
others	165	697	862	89	32	12	218	370	155	124	1000	24499	950	177431	7677
all	183	658	841	87	25	10	277	360	148	92	1000	76086	2959	478938	19980

Table (41): Number per 1000 of spells of ailment during last 15 days treated on medical advice and per 1000 distribution of untreated spells of ailments not given medical treatment by reason for not taking treatment for each mpce class and social-group

mpce class/ social group	number per 1000 of spells ailments treated on medical advice during last 15 days from			spells of ailments not given medical treatment by reason								untreated spells of ailment		spells of ailment	
	government	private	all	no medical facilities available in the neighbourhood	facilities available but no treatment sought owing to					n.r.	total	estd. no. (00)	sample	estd. no. (00)	sample
					lack of faith	long waiting	financial reason	ailment not considered serious	others						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
0 – 235	221	542	763	158	39	0	416	160	142	84	1000	8040	271	33898	1197
235 – 265	200	603	803	68	58	2	356	305	99	112	1000	4921	199	24985	911
265 – 320	203	589	792	60	32	7	373	297	111	121	1000	12808	491	61704	2323
320 – 365	205	588	793	75	19	2	333	322	166	83	1000	14535	542	70170	3001
365 – 410	177	638	814	110	22	3	382	278	118	87	1000	12809	456	68918	2667
410 – 460	188	631	819	129	16	15	298	324	118	100	1000	14538	549	80540	3262
460 – 520	173	673	847	103	36	18	198	390	169	87	1000	15149	631	98766	4123
520 – 605	173	667	840	130	41	22	245	318	153	92	1000	15924	653	99274	4301
605 – 730	182	670	852	91	26	4	202	444	146	88	1000	15498	678	104940	4758
730 – 980	170	708	878	52	13	17	191	440	183	104	1000	15291	648	125403	5657
980 – 1285	191	688	880	122	40	18	150	433	133	104	1000	7418	282	61612	2630
1285 +	140	771	912	37	19	2	76	518	144	205	1000	8198	357	92658	3973
all	180	663	843	95	28	10	266	355	144	101	1000	145129	5757	922867	38803
social group:															
ST	250	526	776	199	9	3	311	219	166	93	1000	10433	599	46597	2594
SC	208	603	812	115	24	4	364	300	125	68	1000	33042	1124	175509	6487
OBC	173	672	844	67	32	10	251	384	146	110	1000	55687	2195	357982	14909
others	164	702	866	91	30	17	205	392	149	116	1000	45967	1839	342779	14813
all	180	663	843	95	28	10	266	355	144	101	1000	145129	5757	922867	38803

Table (47): Per 1000 distribution of total household expenditure incurred during the last 15 days in connection with treatment (other than as inpatient of hospital) by source of finance for each mpce class and social group

all-India							Rural	
mpce class / social group	distn. of expenditure (Rs.) on treatment by source of finance					estd. total expen- diture (000) for treat- ment	persons medically treated during last 15 days	
	house- hold income/ savings	borro- wings	contri- bution from friends and relatives	other sources (incl.sale of ornaments and other physical assets, draught animals, etc.)	total		estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0 – 225	785	134	48	33	1000	353528	15647	494
225 – 255	688	214	80	18	1000	310049	11493	373
255 – 300	785	176	23	16	1000	684787	28799	918
300 – 340	689	262	28	22	1000	723704	25889	917
340 – 380	722	164	91	23	1000	924428	34654	1165
380 – 420	725	196	45	35	1000	1116262	36042	1285
420 – 470	740	177	53	30	1000	1244302	41610	1444
470 – 525	684	279	28	10	1000	1947329	43918	1596
525 – 615	806	147	40	7	1000	1438726	42540	1645
615 – 775	865	106	25	5	1000	1890425	50330	2039
775 – 950	869	116	14	1	1000	1183309	28874	1129
950 +	794	136	62	8	1000	1954718	35527	1473
all	772	172	42	14	1000	13771566	395324	14478
<u>social -group</u>								
SC	772	166	36	25	1000	573101	26793	1283
ST	736	202	50	12	1000	2440088	84121	2818
OBC	781	164	38	16	1000	5723570	164993	5901
others	778	168	42	12	1000	5027723	119326	4473
n.r.	1000	0	0	0	1000	7085	91	3
all	772	172	42	14	1000	13771566	395324	14478

Table (47): Per 1000 distribution of total household expenditure incurred during the last 15 days in connection with treatment (other than as inpatient of hospital) by source of finance for each mpce class and social group

all-India							Urban	
mpce class / social group	distn. of expenditure (Rs.) on treatment by source of finance					estd. total expen- diture (000) for treat- ment	persons medically treated during last 15 days	
	house- hold income/ savings	borro- wings	contri- bution from friends and relatives	other sources (incl.sale of ornaments and other physical assets, draught animals, etc.)	total		estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0 – 300	717	244	39	0	1000	99464	3776	185
300 – 350	778	127	96	0	1000	117792	3596	165
350 – 425	820	147	31	2	1000	208926	8266	458
425 – 500	732	201	61	7	1000	501101	15836	876
500 – 575	851	116	28	5	1000	244017	7836	451
575 – 665	856	125	15	4	1000	383118	12402	710
665 – 775	843	99	26	32	1000	606923	18622	1017
775 – 915	932	38	14	15	1000	645158	16661	1011
915 – 1120	911	47	32	10	1000	736651	22234	1221
1120 – 1500	871	60	29	40	1000	1253445	24903	1366
1500 – 1925	964	12	21	3	1000	291118	7239	455
1925 +	862	11	123	4	1000	1186002	18822	883
all	865	71	48	16	1000	6273716	160193	8798
<u>social -group</u>								
SC	805	74	42	80	1000	71222	2742	325
ST	878	99	21	3	1000	764931	21958	1143
OBC	827	136	25	12	1000	1766430	53461	3031
others	881	35	65	19	1000	3670783	82022	4297
n.r.	1000	0	0	0	1000	350	10	2
all	865	71	48	16	1000	6273716	160193	8798

Table (47): Per 1000 distribution of total household expenditure incurred during the last 15 days in connection with treatment (other than as inpatient of hospital) by source of finance for each mpce class and social group

all-India							Rural + Urban	
mpce class / social group	distn. of expenditure (Rs.) on treatment by source of finance					estd. total expen- diture (000) for treat- ment	persons medically treated during last 15 days	
	house- hold income/ savings	borro- wings	contri- bution from friends and relatives	other sources (incl.sale of ornaments and other physical assets, draught animals, etc.)	total		estd. no. (00)	sample
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0 – 235	771	157	46	26	1000	452992	19423	679
235 – 265	712	190	84	13	1000	427841	15089	538
265 – 320	793	170	25	13	1000	893713	37065	1376
320 – 365	706	237	41	16	1000	1224805	41725	1793
365 – 410	749	154	78	19	1000	1168445	42490	1616
410 – 460	759	177	37	27	1000	1499380	48444	1995
460 – 520	775	151	44	31	1000	1851225	60232	2461
520 – 605	751	213	24	11	1000	2592488	60579	2607
605 – 730	842	112	37	8	1000	2175377	64774	2866
730 – 980	867	87	27	19	1000	3143870	75233	3405
980 – 1285	888	95	15	2	1000	1474427	36113	1584
1285 +	821	87	86	6	1000	3140720	54349	2356
all	802	140	44	15	1000	20045282	555517	23276
<b>social -group</b>								
SC	776	156	37	32	1000	644323	29535	1608
ST	771	177	43	9	1000	3205019	106078	3961
OBC	792	157	35	15	1000	7490000	218454	8932
others	822	111	52	15	1000	8698506	201348	8770
n.r.	1000	0	0	0	1000	7434	101	5
all	802	140	44	15	1000	20045282	555517	23276



Table (48): Number per 1000 of treated persons getting reimbursement for treatment and per 1000 distribution of total amount of reimbursement by source of reimbursement for each sex, mpce class and social-group

all-India							Rural		
mpce class (Rs.) / social group	no. per 1000 of persons getting reimbursement	reimbursement of total expenses (Rs.) incurred on treatment during last 15 days receivable from					estd. total amt. of reimbursement (000)	treated persons getting reimbursement	
		employer		medical insurance companies	other agencies	total		estd. no. (00)	sample
		government	private						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
males									
mpce class									
0 – 225	0	0	0	0	0	0	0	0	0
225 – 255	0	0	0	0	0	0	0	0	0
255 – 300	7	250	250	250	250	1000	13218	121	2
300 – 340	0	0	0	0	0	0	0	0	0
340 – 380	2	0	1000	0	0	1000	1961	34	2
380 – 420	1	638	0	0	362	1000	74	12	2
420 – 470	2	840	53	53	53	1000	178	52	2
470 – 525	0	1000	0	0	0	1000	832	6	1
525 – 615	0	0	0	0	0	0	0	0	0
615 – 775	3	846	41	0	112	1000	1553	100	4
775 – 950	3	1000	0	0	0	1000	6515	53	3
950 +	6	999	1	0	0	1000	4835	129	7
all	2	583	183	114	121	1000	29166	507	23
social - group									
SC	2	962	38	0	0	1000	2403	32	3
ST	0	1000	0	0	0	1000	120	8	1
OBC	2	498	220	137	145	1000	23269	245	12
others	3	880	37	37	45	1000	3374	223	7
all	2	583	183	114	121	1000	29166	507	23
females									
mpce class									
0 – 225	0	0	0	0	0	0	0	0	0
225 – 255	0	0	0	0	0	0	0	0	0
255 – 300	1	250	250	250	250	1000	736	18	1
300 – 340	0	0	0	0	0	0	0	0	0
340 – 380	1	0	500	0	500	1000	56	28	1
380 – 420	5	204	174	174	449	1000	2140	106	5
420 – 470	1	97	593	97	214	1000	261	27	4
470 – 525	0	45	955	0	0	1000	85	14	2
525 – 615	2	250	250	250	250	1000	10552	59	2
615 – 775	2	491	14	14	482	1000	1549	56	7
775 – 950	6	934	22	22	22	1000	2358	128	5
950 +	2	995	0	0	5	1000	3066	57	4
all	2	447	170	158	225	1000	20803	495	31

Continued

Table (48): Number per 1000 of treated persons getting reimbursement for treatment and per 1000 distribution of total amount of reimbursement by source of reimbursement for each sex, mpce class and social-group

all-India							Rural		
mpce class (Rs.) / social group	no. per 1000 of persons getting reimbursement	reimbursement of total expenses (Rs.) incurred on treatment during last 15 days receivable from					estd. total amt. of reimbursement (000)	treated persons getting reimbursement	
		employer		medical insurance companies	other agencies	total		estd. no. (00)	sample
		government	private						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
social -					females				
group									
SC	1	0	1000	0	0	1000	81	14	1
ST	2	423	188	188	200	1000	14659	127	9
OBC	2	451	121	121	307	1000	3459	164	9
others	2	591	104	43	262	1000	2604	191	12
all	2	447	170	158	225	1000	20803	495	31
					persons				
mpce class									
0 - 225	0	0	0	0	0	0	0	0	0
225 - 255	0	0	0	0	0	0	0	0	0
255 - 300	4	250	250	250	250	1000	13954	139	3
300 - 340	0	0	0	0	0	0	0	0	0
340 - 380	1	0	986	0	14	1000	2017	62	3
380 - 420	3	218	168	168	446	1000	2214	118	7
420 - 470	2	398	374	79	149	1000	439	79	6
470 - 525	0	911	89	0	0	1000	917	20	3
525 - 615	1	250	250	250	250	1000	10552	59	2
615 - 775	2	669	27	7	297	1000	3102	156	11
775 - 950	5	983	6	6	6	1000	8873	182	8
950 +	4	997	1	0	2	1000	7900	186	11
all	2	526	178	132	164	1000	49969	1002	54
social -					persons				
group									
SC	1	931	69	0	0	1000	2485	45	4
ST	1	428	187	187	199	1000	14778	134	10
OBC	2	492	207	135	166	1000	26728	409	21
others	3	754	66	40	140	1000	5978	413	19
all	2	526	178	132	164	1000	49969	1002	54

Table (48): Number per 1000 of treated persons getting reimbursement for treatment and per 1000 distribution of total amount of reimbursement by source of reimbursement for each sex, mpce class and social-group

all-India							Urban		
mpce class (Rs.) / social group	no. per 1000 of persons getting reimbursement	reimbursement of total expenses (Rs.) incurred on treatment during last 15 days receivable from				estd. total amt. of reimbursement (000)	treated persons getting reimbursement		
		employer		medical insurance companies	other agencies		total	estd. no. (00)	sample
		government	private						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
males									
mpce class									
0-300	0	0	0	0	0	0	0	0	0
300-350	0	0	0	0	0	0	0	0	0
350-425	0	0	0	0	0	0	0	0	0
425-500	10	0	1000	0	0	1000	1046	95	1
500-575	0	1000	0	0	0	1000	11	0	1
575-665	0	0	0	0	0	0	0	0	0
665-775	1	929	24	24	24	1000	183	9	3
775-915	21	967	30	1	1	1000	5176	207	10
915-1120	9	999	0	0	0	1000	3379	115	6
1120-1500	8	272	435	146	146	1000	5723	128	8
1500-1925	19	441	253	306	0	1000	4650	82	7
1925+	21	391	116	6	487	1000	8752	223	17
all	9	539	204	81	177	1000	28920	860	53
social -group									
SC	12	990	3	3	3	1000	216	18	5
ST	3	248	0	0	752	1000	5669	42	8
OBC	9	500	223	257	19	1000	5985	296	12
others	10	644	267	46	43	1000	17050	504	28
all	9	539	204	81	177	1000	28920	860	53
females									
mpce class									
0-300	0	0	0	0	0	0	0	0	0
300-350	0	0	0	0	0	0	0	0	0
350-425	0	0	0	0	0	0	0	0	0
425-500	1	1000	0	0	0	1000	6	6	1
500-575	3	0	0	0	1000	1000	923	15	1
575-665	1	0	0	0	1000	1000	44	7	1
665-775	1	566	0	0	434	1000	865	13	3
775-915	16	796	204	0	0	1000	23450	167	4
915-1120	2	385	573	0	42	1000	417	22	5
1120-1500	13	530	445	0	25	1000	11718	206	16
1500-1925	18	771	229	0	0	1000	3081	83	8
1925+	19	896	102	1	1	1000	31952	235	12
all	7	781	196	0	23	1000	72456	755	51

Continued

Table (48): Number per 1000 of treated persons getting reimbursement for treatment and per 1000 distribution of total amount of reimbursement by source of reimbursement for each sex, mpce class and social-group

all-India							Urban		
mpce class (Rs.) / social group	no. per 1000 of persons getting reimbursement	reimbursement of total expenses (Rs.) incurred on treatment during last 15 days receivable from				total	estd. total amt. of reimbursement (000)	treated persons getting reimbursement	
		employer		medical insurance companies	other agencies			estd. no. (00)	sample
		government	private						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
social -group					females				
SC	0	1000	0	0	0	1000	37	0	1
ST	2	1000	0	0	0	1000	2180	27	4
OBC	3	806	111	6	77	1000	5242	118	13
others	11	771	209	0	20	1000	64997	611	33
all	7	781	196	0	23	1000	72456	755	51
					persons				
mpce class									
0 – 300	0	0	0	0	0	0	0	0	0
300 – 350	0	0	0	0	0	0	0	0	0
350 – 425	0	0	0	0	0	0	0	0	0
425 – 500	5	6	994	0	0	1000	1052	101	2
500 – 575	1	12	0	0	988	1000	934	15	2
575 – 665	0	0	0	0	1000	1000	44	7	1
665 – 775	1	629	4	4	362	1000	1048	22	6
775 – 915	18	827	172	0	0	1000	28626	375	14
915 – 1120	5	932	63	0	5	1000	3797	137	11
1120 – 1500	10	446	441	48	65	1000	17441	334	24
1500 – 1925	19	573	243	184	0	1000	7731	165	15
1925 +	20	788	105	2	105	1000	40704	458	29
all	8	712	198	23	67	1000	101375	1616	104
social -group									
SC	6	991	3	3	3	1000	253	18	6
ST	3	457	0	0	543	1000	7849	68	12
OBC	6	643	171	140	46	1000	11227	414	25
others	11	745	221	10	25	1000	82047	1115	61
all	8	712	198	23	67	1000	101375	1616	104

Table (48): Number per 1000 of treated persons getting reimbursement for treatment and per 1000 distribution of total amount of reimbursement by source of reimbursement for each sex, mpce class and social-group

all-India							Rural + Urban		
mpce class (Rs.) / social group	no. per 1000 of persons getting reim- burse- ment	reimbursement of total expenses (Rs.) incurred on treatment during last 15 days receivable from					estd. total amt. of reim- burse- ment (000)	treated persons getting reimbursement	
		employer		medical insurance companies	other agencies	total		estd. no. (00)	sample
		govern- ment	private						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
males									
mpce class									
0 – 235	0	0	0	0	0	0	0	0	0
235 – 265	0	0	0	0	0	0	0	0	0
265 – 320	6	250	250	250	250	1000	13218	121	2
320 – 365	4	0	1000	0	0	1000	1046	95	1
365 – 410	1	6	994	0	0	1000	1972	34	3
410 – 460	0	638	0	0	362	1000	74	12	2
460 – 520	2	885	38	38	38	1000	361	62	5
520 – 605	6	971	26	1	1	1000	6008	213	11
605 – 730	3	999	0	0	0	1000	3379	115	6
730 – 980	5	395	351	115	139	1000	7276	228	12
980 – 1285	6	767	105	127	0	1000	11165	135	10
1285 +	11	607	75	4	314	1000	13586	352	24
all	4	561	193	97	149	1000	58085	1367	76
social -group									
SC	3	964	35	0	0	1000	2620	50	8
ST	1	264	0	0	736	1000	5789	50	9
OBC	4	498	221	162	119	1000	29254	541	24
others	6	683	229	45	43	1000	20423	727	35
all	4	561	193	97	149	1000	58085	1367	76
females									
mpce class									
0 – 235	0	0	0	0	0	0	0	0	0
235 – 265	0	0	0	0	0	0	0	0	0
265 – 320	1	250	250	250	250	1000	736	18	1
320 – 365	0	1000	0	0	0	1000	6	6	1
365 – 410	2	0	29	0	971	1000	978	43	2
410 – 460	4	199	170	170	460	1000	2183	114	6
460 – 520	1	457	138	22	383	1000	1126	40	7
520 – 605	5	794	206	0	0	1000	23535	181	6
605 – 730	2	255	262	240	242	1000	10969	81	7
730 – 980	5	526	394	2	78	1000	13267	262	23
980 – 1285	8	842	139	9	9	1000	5440	212	13
1285 +	7	905	93	1	1	1000	35018	293	16
all	3	706	190	36	68	1000	93259	1250	82

Continued

Table (48): Number per 1000 of treated persons getting reimbursement for treatment and per 1000 distribution of total amount of reimbursement by source of reimbursement for each sex, mpce class and social-group

all-India								Rural + Urban	
mpce class (Rs.) / social group	no. per 1000 of persons getting reimbursement	reimbursement of total expenses (Rs.) incurred on treatment during last 15 days receivable from					estd. total amt. of reimbursement (000)	treated persons getting reimbursement	
		employer		medical insurance companies	other agencies	total		estd. no. (00)	sample
		government	private						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
social -group					females				
SC	1	310	690	0	0	1000	118	14	2
ST	2	498	164	164	174	1000	16838	153	13
OBC	2	665	115	51	169	1000	8701	282	22
others	6	764	205	2	29	1000	67601	802	45
all	3	706	190	36	68	1000	93259	1250	82
					persons				
mpce class									
0 – 235	0	0	0	0	0	0	0	0	0
235 – 265	0	0	0	0	0	0	0	0	0
265 – 320	3	250	250	250	250	1000	13954	139	3
320 – 365	2	6	994	0	0	1000	1052	101	2
365 – 410	1	4	674	0	322	1000	2950	76	5
410 – 460	2	214	165	165	456	1000	2258	126	8
460 – 520	1	561	113	26	299	1000	1487	102	12
520 – 605	5	830	170	0	0	1000	29543	394	17
605 – 730	2	430	201	184	185	1000	14349	196	13
730 – 980	5	479	379	42	100	1000	20542	491	35
980 – 1285	7	792	116	89	3	1000	16605	347	23
1285 +	9	822	88	2	89	1000	48604	645	40
all	4	650	191	59	99	1000	151344	2618	158
social -group									
SC	2	936	63	0	0	1000	2737	64	10
ST	2	438	122	122	318	1000	22627	203	22
OBC	3	537	197	136	130	1000	37955	823	46
others	6	745	211	12	32	1000	88025	1529	80
all	4	650	191	59	99	1000	151344	2618	158

Table (49): Number per 1000 of children (0 – 4 years) receiving any type of immunisation and average expenditure incurred by sex for each mpce class and social group

all-India							Rural			
mpce class (Rs.) / social group	number per 1000 of children (0 – 4 years) receiving any type of immunisation and average expenditure incurred						no. of children receiving any type of immunisation			
	boys		girls		children		estd. no. (00)		sample	
	no. per 1000 receiving any type of immunisation	average expenditure on immunisation (Rs. 0.0)	no. per 1000 receiving any type of immunisation	average expenditure on immunisation (Rs. 0.0)	no. per 1000 receiving any type of immunisation	average expenditure on immunisation (Rs. 0.0)	boys	girls	boys	girls
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
0 – 225	893	4.1	880	5.2	886	4.7	31070	32645	836	857
225 – 255	853	12.1	895	11.5	874	11.8	19830	22093	567	634
255 – 300	881	12	881	12.9	881	12.4	42862	44886	1260	1308
300 – 340	878	8.8	861	9.5	870	9.1	41333	38560	1251	1197
340 – 380	869	9.5	854	13.3	862	11.3	42150	37884	1270	1164
380 – 420	885	17.6	901	12.2	893	14.9	42999	42840	1358	1261
420 – 470	893	15	906	17.8	900	16.4	40916	40947	1364	1309
470 – 525	927	25.9	914	17.7	920	21.8	38570	38714	1358	1301
525 – 615	908	31	889	20.5	899	26	32882	29780	1341	1184
615 – 775	918	34	933	28.5	925	31.4	33323	29066	1341	1152
775 – 950	923	79.9	920	53.1	922	68.7	14262	10297	602	479
950 +	949	142	929	93.7	940	120.6	9774	7769	493	368
all	893	22.3	892	17.4	892	19.9	389970	375480	13041	12214
<u>social-group</u>										
ST	893	5.7	900	3.8	897	4.7	X	X	X	X
SC	896	11.8	888	10	892	10.9	X	X	X	X
OBC	886	28.5	881	19.5	883	24.1	X	X	X	X
others	905	28.9	909	27.2	907	28	X	X	X	X
all	893	22.3	892	17.4	892	19.9	X	X	X	X
<u>estimated</u>										
no. of children (00)	389970	X	375480	X	765450	X	X	X	X	X
sample children	13041	X	12214	X	25255	X	X	X	X	X

Table (49): Number per 1000 of children (0 – 4 years) receiving any type of immunisation and average expenditure incurred by sex for each mpce class and social group

mpce class (Rs.) / social group	number per 1000 of children (0 – 4 years) receiving any type of immunisation and average expenditure incurred						Urban no. of children receiving any type of immunisation			
	boys		girls		children		estd. no. (00)		sample	
	no. per 1000 receiving any type of immu- nisation	average expen- diture on immu- nisation (Rs. 0.0)	no. per 1000 receiving any type of immu- nisation	average expen- diture on immu- nisation (Rs. 0.0)	no. per 1000 receiving any type of immu- nisation	average expen- diture on immu- nisation (Rs. 0.0)	boys	girls	boys	girls
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
0 – 300	895	36.9	919	6.2	907	21.4	4939	5004	255	223
300 – 350	905	18.2	886	19.5	897	18.8	3706	2906	182	163
350 – 425	887	26.8	900	12.4	893	20.2	9639	8183	477	440
425 – 500	919	18	945	19.5	932	18.8	15954	15127	874	816
500 – 575	940	42.6	935	26	938	34.5	7188	6903	435	381
575 – 665	951	41.1	953	65	952	52.2	11757	10180	673	588
665 – 775	939	67	932	65.5	936	66.3	12996	11392	818	682
775 – 915	952	85.3	942	104.5	948	94	11011	9142	747	651
915 – 1120	963	178.6	944	148.2	954	165.2	12600	9937	810	674
1120 – 1500	944	207.5	949	359.6	946	275.6	11023	8931	739	633
1500 – 1925	978	389.8	941	447.7	962	414.6	3044	2276	215	188
1925 +	928	615.8	980	796.2	948	686.6	4386	2828	281	222
all	934	109.2	937	118.3	936	113.4	108243	92810	6506	5661
<u>social-group</u>										
ST	952	30	966	71.7	959	51.4	X	X	X	X
SC	928	34.7	926	54.7	927	44.2	X	X	X	X
OBC	932	79.1	948	75.9	940	77.6	X	X	X	X
others	938	171.8	930	194.8	935	182	X	X	X	X
all	934	109.2	937	118.3	936	113.4	X	X	X	X
estimated no. of children (00)	108243	X	92810	X	201053	X	X	X	X	X
sample children	6506	X	5661	X	12167	X	X	X	X	X



Table (49): Number per 1000 of children (0 – 4 years) receiving any type of immunisation and average expenditure incurred by sex for each mpce class and social group

all-India							Rural + Urban			
mpce class (Rs.) / social group	number per 1000 of children (0 – 4 years) receiving any type of immunisation and average expenditure incurred						no. of children receiving any type of immunisation			
	boys		girls		children		estd. no. (00)		sample	
	no. per 1000 receiving any type of immunisation	average expenditure on immunisation (Rs. 0.0)	no. per 1000 receiving any type of immunisation	average expenditure on immunisation (Rs. 0.0)	no. per 1000 receiving any type of immunisation	average expenditure on immunisation (Rs. 0.0)	boys	girls	boys	girls
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
0 – 235	893	8.6	885	5.3	889	6.9	36009	37649	1091	1080
235 – 265	861	13.1	894	12.4	877	12.7	23536	24999	749	797
265 – 320	882	14.7	884	12.8	883	13.7	52501	53069	1737	1748
320 – 365	889	11.3	884	12.3	886	11.8	57288	53687	2125	2013
365 – 410	879	14.3	865	15.2	872	14.7	49338	44787	1705	1545
410 – 460	898	22.7	910	22.4	904	22.5	54756	53020	2031	1849
460 – 520	904	27.6	912	28.2	908	27.9	53912	52339	2182	1991
520 – 605	933	39.1	919	34.3	926	36.7	49580	47855	2105	1952
605 – 730	923	71.9	902	52.5	913	62.8	45482	39717	2151	1858
730 – 980	925	77.1	937	106.3	930	90.6	44345	37997	2080	1785
980 – 1285	932	134.5	924	124.5	929	130.3	17306	12573	817	667
1285 +	942	288.7	942	281.2	942	285.5	14160	10597	774	590
all	902	41.2	900	37.4	901	39.3	498213	468290	19547	17875
<u>social-group</u>										
ST	897	7.2	904	8	900	7.6	X	X	X	X
SC	901	15.8	894	17.4	898	16.6	X	X	X	X
OBC	895	38.5	893	30.2	894	34.5	X	X	X	X
others	915	75.3	915	74.7	915	75	X	X	X	X
all	902	41.2	900	37.4	901	39.3	X	X	X	X
estimated no. of children (00)	498213	X	468290	X	966503	X	X	X	X	X
sample children	19547	X	17875	X	37422	X	X	X	X	X

Table (50): Per 1000 number of ever married women aged 15 - 49 yrs. who were pregnant any time during last 365 days, their distribution by status of pregnancy and place of childbirth, and average expenditure incurred per case of childbirth, separately for each age-group, mpce class and social group

all-India												Rural	
age-group of ever married women mpce class (Rs.)/ social group	no. per 1000 of women who were pregnant at some time during last 365 days	status of pregnancy of ever married women on the date of survey (and place of childbirth)						average expenditure on childbirth (Rs.)				ever married women (15-49 yrs) who were pregnant at some time during last 365 days	
		child-birth not taken place	childbirth taken place			n.r.	total	govt. hos-pital	pri- vate hos- pital	at home	all	estd. no. (00)	sample
			in govt. hospital	in private hospital	at home								
			(3)	(4)	(5)								
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
15 - 19	250	366	137	109	378	10	1000	1029	3323	330	1007	18363	618
20 - 24	289	268	141	142	439	11	1000	1145	4310	429	1333	73625	2622
25 - 29	175	272	138	115	458	17	1000	1168	4146	440	1181	49172	1826
30 - 34	99	226	123	109	537	5	1000	953	4343	424	1066	26565	908
35 - 39	45	232	62	45	622	39	1000	2050	3123	334	652	10381	371
40 - 44	19	128	100	67	575	131	1000	3249	3902	372	1077	3359	123
45 - 49	14	161	46	67	649	77	1000	705	1989	399	557	2055	69
all (15-49)	127	267	131	119	467	16	1000	1165	4137	414	1169	183521	6537
mpce class													
0 - 225	154	171	77	51	664	37	1000	765	2232	329	494	12004	340
225 - 255	142	215	76	52	642	16	1000	652	2886	418	606	8738	261
255 - 300	146	163	115	81	605	37	1000	990	1951	352	605	19712	593
300 - 340	133	247	139	64	532	18	1000	609	2801	444	679	16826	583
340 - 380	145	235	182	51	516	17	1000	607	3003	351	593	20455	620
380 - 420	119	241	125	117	509	9	1000	1234	2790	461	952	17818	631
420 - 470	126	241	165	109	480	5	1000	1231	3630	383	1037	19057	664
470 - 525	129	323	118	147	404	9	1000	1506	2825	462	1165	20330	728
525 - 615	115	320	146	153	367	14	1000	1432	4163	550	1573	17061	718
615 - 775	114	350	139	197	307	8	1000	1479	5505	433	2216	16873	711

Continued

Table (50): Per 1000 number of ever married women aged 15 - 49 yrs. who were pregnant any time during last 365 days, their distribution by status of pregnancy and place of childbirth, and average expenditure incurred per case of childbirth, separately for each age-group, mpce class and social group

all-India												Rural	
age-group of ever married women mpce class (Rs.)/ social group	no. per 1000 of women who were pregnant at some time during last 365 days	status of pregnancy of ever married women on the date of survey (and place of childbirth)						average expenditure on childbirth (Rs.)				ever married women (15-49 yrs) who were pregnant at some time during last 365 days	
		child-birth not taken place	childbirth taken place			n.r.	total	govt. hos-pital	pri- vate hos- pital	at home	all	estd. no. (00)	sample
			in govt. hospital	in private hospital	at home								
			(4)	(5)	(6)								
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
775 – 950	118	373	119	237	257	13	1000	2343	7611	522	3616	8674	381
950 +	85	473	79	327	111	10	1000	2628	6087	570	4371	5975	307
all	127	267	131	119	467	16	1000	1165	4137	414	1169	183521	6537
social group:													
ST	131	234	113	46	599	8	1000	675	3082	264	496	18968	946
SC	141	239	151	84	518	8	1000	935	3212	408	825	43212	1303
OBC	125	273	124	134	456	13	1000	1236	3673	446	1189	75889	2605
others	119	297	130	158	382	32	1000	1485	5385	456	1819	45453	1683
all	127	267	131	119	467	16	1000	1165	4137	414	1169	183521	6537

Table (50): Per 1000 number of ever married women aged 15 - 49 yrs. who were pregnant any time during last 365 days, their distribution by status of pregnancy and place of childbirth, and average expenditure incurred per case of childbirth, separately for each age-group, mpce class and social group

all-India												Urban	
age-group of ever married women mpce class (Rs.)/ social group	no. per 1000 of women who were pregnant at some time during last 365 days	status of pregnancy of ever married women on the date of survey (and place of childbirth)						average expenditure on childbirth (Rs.)				ever married women (15-49 yrs) who were pregnant at some time during last 365 days	
		child-birth not taken place	childbirth taken place			n.r.	total	govt. hos-pital	pri- vate hos- pital	at home	all	estd. no. (00)	sample
			in govt. hospital	in private hospital	at home								
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
15 - 19	293	445	184	212	159	0	1000	706	7240	391	3106	3480	183
20 - 24	323	308	226	279	185	2	1000	880	4961	556	2441	22983	1289
25 - 29	178	283	218	344	150	5	1000	965	5291	545	2968	15966	1037
30 - 34	69	254	192	339	202	14	1000	1696	6245	470	3462	6281	410
35 - 39	23	201	185	236	287	92	1000	979	7892	889	3245	2075	152
40 - 44	6	182	52	114	528	125	1000	470	13768	517	2689	459	36
45 - 49	6	149	465	221	42	123	1000	1341	3226	299	1852	347	20
all (15-49)	107	296	215	298	181	10	1000	994	5480	552	2806	51591	3127
mpce class													
0 - 300	157	170	309	53	429	39	1000	671	4845	466	841	2287	112
300 - 350	155	197	321	192	290	0	1000	628	1799	614	903	1736	95
350 - 425	115	200	268	233	297	2	1000	724	3633	447	1469	3396	206
425 - 500	137	294	228	201	270	6	1000	790	3790	512	1543	7819	428
500 - 575	145	291	186	235	279	10	1000	928	3058	591	1508	3911	202
575 - 665	110	239	343	190	224	4	1000	781	3837	488	1462	4722	306
665 - 775	112	298	265	247	188	1	1000	1021	7280	614	3119	6487	388
775 - 915	103	274	251	332	129	14	1000	949	4754	666	2673	5395	351
915 - 1120	99	357	130	413	75	25	1000	2653	4926	530	3913	6320	413
1120 - 1500	82	328	112	530	25	5	1000	989	6095	1566	5070	5365	362

Continued

Table (50): Per 1000 number of ever married women aged 15 - 49 yrs. who were pregnant any time during last 365 days, their distribution by status of pregnancy and place of childbirth, and average expenditure incurred per case of childbirth, separately for each age-group, mpce class and social group

all-India												Urban	
age-group of ever married women mpce class (Rs.)/ social group	no. per 1000 of women who were pregnant at some time during last 365 days	status of pregnancy of ever married women on the date of survey (and place of childbirth)						average expenditure on childbirth (Rs.)				ever married women (15-49 yrs) who were pregnant at some time during last 365 days	
		child-birth not taken place	childbirth taken place			n.r.	total	govt. hos-pital	pri- vate hos- pital	at home	all	estd. no. (00)	sample
			in govt. hospital	in private hospital	at home								
			(4)	(5)	(6)								
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
1500 – 1925	88	415	99	483	2	1	1000	1208	7976	1222	6807	1909	127
1925 +	57	486	51	439	16	8	1000	1470	10471	79	9239	2245	137
all	107	296	215	298	181	10	1000	994	5480	552	2806	51591	3127
social group:													
ST	143	218	357	162	252	11	1000	813	5458	388	1650	1663	215
SC	124	288	273	176	253	9	1000	737	5070	506	1741	9388	499
OBC	116	299	188	297	209	7	1000	852	5299	637	2691	20281	1136
others	92	305	204	367	113	12	1000	1312	5719	472	3539	20258	1277
all	107	296	215	298	181	10	1000	994	5480	552	2806	51591	3127

Table (50): Per 1000 number of ever married women aged 15 - 49 yrs. who were pregnant any time during last 365 days, their distribution by status of pregnancy and place of childbirth, and average expenditure incurred per case of childbirth, separately for each age-group, mpce class and social group

all-India												Rural + Urban	
age-group of ever married women mpce class (Rs.)/ social group	no. per 1000 of women who were pregnant at some time during last 365 days	status of pregnancy of ever married women on the date of survey (and place of childbirth)						average expenditure on childbirth (Rs.)				ever married women (15-49 yrs) who were pregnant at some time during last 365 days	
		child-birth not taken place	childbirth taken place			n.r.	total	govt. hos-pital	pri- vate hos- pital	at home	all	estd. no. (00)	sample
			in govt. hospital	in private hospital	at home								
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
15 - 19	256	379	145	125	343	8	1000	963	4376	334	1310	21843	801
20 - 24	297	277	161	174	378	8	1000	1056	4557	444	1587	96608	3911
25 - 29	175	274	157	171	383	14	1000	1099	4710	450	1619	65138	2863
30 - 34	91	231	136	153	473	7	1000	1154	5147	428	1507	32846	1318
35 - 39	39	227	82	77	566	48	1000	1650	5553	380	1073	12456	523
40 - 44	15	134	94	72	570	130	1000	3065	5767	388	1259	3818	159
45 - 49	12	159	106	89	562	84	1000	1107	2431	398	737	2402	89
all (15-49)	122	273	149	158	404	15	1000	1111	4692	428	1519	235113	9664
mpce class													
0 - 235	155	171	114	52	627	37	1000	724	2662	344	550	14291	452
235 - 265	144	212	117	75	583	13	1000	641	2424	434	657	10474	356
265 - 320	140	169	137	103	560	32	1000	914	2509	359	731	23108	799
320 - 365	134	262	167	107	449	15	1000	687	3388	457	944	24645	1011
365 - 410	145	244	182	80	478	15	1000	659	3029	373	732	24366	822
410 - 460	117	240	171	132	449	8	1000	1044	3106	464	1059	22540	937
460 - 520	122	255	190	144	406	4	1000	1157	5221	410	1537	25544	1052
520 - 605	123	313	146	186	346	10	1000	1304	3549	478	1497	25725	1079
605 - 730	110	330	142	223	288	17	1000	1734	4544	549	2172	23381	1131
730 - 980	104	344	132	278	239	7	1000	1379	5777	461	2924	22238	1073

Continued

Table (50): Per 1000 number of ever married women aged 15 - 49 yrs. who were pregnant any time during last 365 days, their distribution by status of pregnancy and place of childbirth, and average expenditure incurred per case of childbirth, separately for each age-group, mpce class and social group

all-India												Rural + Urban	
age-group of ever married women mpce class (Rs.)/ social group	no. per 1000 of women who were pregnant at some time during last 365 days	status of pregnancy of ever married women on the date of survey (and place of childbirth)						average expenditure on childbirth (Rs.)				ever married women (15-49 yrs) who were pregnant at some time during last 365 days	
		child-birth not taken place	childbirth taken place			n.r.	total	govt. hos-pital	pri- vate hos- pital	at home	all	estd. no. (00)	sample
			in govt. hospital	in private hospital	at home								
			(4)	(5)	(6)								
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
980 – 1285	111	381	116	282	211	11	1000	2167	7724	523	4168	10582	508
1285 +	75	477	71	357	85	9	1000	2403	7558	544	5680	8219	444
all	122	273	149	158	404	15	1000	1111	4692	428	1519	235113	9664
social group:													
ST	132	233	133	55	571	8	1000	705	3644	269	591	20631	1161
SC	138	248	173	100	471	9	1000	879	3796	418	979	52600	1802
OBC	123	278	138	169	404	11	1000	1125	4278	467	1498	96170	3741
others	109	300	153	223	299	26	1000	1414	5555	458	2357	65711	2960
all	122	273	149	158	404	15	1000	1111	4692	428	1519	235113	9664