

सर्वेक्षण

Sarvekshana

सर्वेक्षण

SARVEKSHANA

This issue contains :

1. Gender Effects in Indian Consumption Patterns
2. Progress in Literacy in India during 1983 to 1988.
3. Child and Maternity Care : NSS 42nd Round (1986-87).
4. Bibliography of National Sample Survey Results.

APRIL-
JUNE
1991

NATIONAL SAMPLE SURVEY ORGANISATION
DEPARTMENT OF STATISTICS
MINISTRY OF PLANNING
GOVERNMENT OF INDIA

शुभ कामनाओं सहित
मुख्य कार्यकारी अधिकारी
राष्ट्रीय प्रतिदर्श सर्वेक्षण संगठन
सांख्यिकी विभाग, योजना मंत्रालय
सरदार पटेल भवन, संसद मार्ग,
नई दिल्ली-110001, भारत

With the compliments of
CHIEF EXECUTIVE OFFICER
NATIONAL SAMPLE SURVEY ORGANISATION
Department of Statistics, Ministry of Planning
Sardar Patel Bhawan, Parliament Street, New Delhi-110001,
India

THE NATIONAL SAMPLE SURVEY ORGANISATION



Vol. XIV, No. 4

April—June 1991

Issue No. 47

Department of Statistics
Ministry of Planning
GOVERNMENT OF INDIA

EDITORIAL ADVISORY BOARD

1. Prof. P. Visaria
2. Prof. B. S. Minhas
3. Prof. V. M. Dandekar
4. Dr. K. L. Krishna
5. Prof. S. D. Tendulkar
6. Shri M. G. Sardana
7. Dr. S. N. Ray
8. Shri S. Ray
9. Shri P. Chattopadhyay

Price : Inland Rs. 40.00

Foreign £ 4.66 or 14.40 \$

Annual Subscription

Inland Rs. 160.00

Foreign £ 18.64 or 57.60 \$

CONTENTS

PART I—ARTICLES/NOTES

	PAGE
1. An article on gender effects in Indian consumption patterns by S. Subramanian & Angus Deaton	1
2. Progress in literacy in India during 1983 to 1988 by S. Sengupta	13
3. A note on Child and Maternity care	35
4. Bibliography of National Sample Survey results	53

PART II—SURVEY RESULTS

1. Results of child and maternity care : NSS 42nd round (July 86—June 87)	
---	--

PART III—HINDI SECTION

1. Hindi Section	हि०—1
----------------------------	-------

PART I
ARTICLES/NOTES

1. An article on gender effects in Indian consumption patterns by S. Subramanian & Angus Deaton.
2. Progress literacy in India during 1983 to 1988 by S. Sengupta.
3. A note on child and maternity care : NSS 42nd round (July 1986—June 1987).
4. Bibliography of National Sample Survey Results.

HIGHLIGHTS OF NEXT ISSUE :

- i) "Rural and urban consumer price indices by commodity groups" by L.R. Jain and B.S. Minhas
- ii) Results of the fourth quinquennial survey on consumer expenditure (Sub-Sample 1) :
NSS 43rd round (July 1987—June 1988)

PROGRESS IN LITERACY IN INDIA DURING 1983 TO 1988*

S. Sengupta

Section One

INTRODUCTION

1.0 The quinquennial surveys on Employment and Unemployment, conducted by the National Sample Survey Organisation (NSSO), not only throw up much useful data on employment and unemployment situation of the Indian population living in different areas and belonging to various socio-economic classes, but also provides a good amount of important information on demographic characteristics of the population at two points of time, in-between two decennial censuses.

1.1 Information on literacy and education are invariably collected as population characteristics in all the household enquiries carried out by the NSS. A survey on education was conducted in NSS 42nd round (1986-87) with a view to studying the extent of participation of the children and youths in the formal and informal education and to get estimates of dropouts at different levels of education and attrition rates. The survey data of this round basically provides a good amount of information on current enrolment of students in various levels and grades and also brings out the literacy status of the population by levels of educational attainment to assess the extent of social consumption of the available educational facilities in the country. In this study, however, the auxiliary information on literacy and education which had been collected in the employment and unemployment survey of the NSS 43rd round (1987-88) as well as of the NSS 38th round (1983) have been used. While the mid-point of the survey period of 38th round is the first day of July 1983, it is the first day of January 1988 for the 43rd round. That is, the time gap between these two consecutive quinquennial surveys is not exactly five years but may be taken to be four years and a half only. It may be mentioned here that of all the household enquiries of

NSS, the quinquennial survey rounds devoted to employment, unemployment and consumer expenditure cover relatively a larger number of sample households (second stage sample units). Apart from the expectation that such a larger sample size would throw up better (relatively more reliable) estimates, one great advantage of using data of two consecutive quinquennial NSS rounds, separated by a gap of nearly five years is that the progress in literacy by five-yearly age-groups could be assessed, as the group of population belonging to a five-year age-group in the 28th round (1983) would advance to the immediately succeeding five-year age-group after five years (1988). So, in an ideal situation the estimates should be identical with the estimates which would have been obtained had the same group of population been followed and surveyed once again after five years.

1.2 *Sampling design* : The sampling design adopted in the 38th round survey was a two-stage stratified one with census villages (in the rural areas) and urban frame survey (UFS) blocks (in the urban areas) as first stage units and households as second stage units. The sample villages were selected with probability proportional to population size and with replacement in the form of two independent samples, while the sample blocks were selected with equal probability, also in the form of two independent samples. After arranging all households of the first stage units in a specified manner, ten sample households from each first stage unit were selected following circular systematic method. Essentially, the sampling design for NSS 43rd round [1] was the same as that of NSS 38th round.

1.3 *Method of enquiry* : Information on demographic particulars and details of activity of each member of a sample household and the details of consumer expenditure of the household are collected by interview method in NSS. Trained field investigators at first list all the households in a sample

*Information on literacy and educational level, alongwith other demographic particulars of each member of a sample household is collected in the large scale Employment-Unemployment enquiries conducted by the NSS at five-yearly intervals, by trained field staff through direct interview. The present study is mainly based on the information collected in the NSS 38th (1983) and 43rd (1987-88) rounds.

[1] Sarvekshana, Special Number, September 1990—Results of the fourth quinquennial survey on Employment and Unemployment (All-India), NSS 43rd round (July 1987—June 1988), may be referred for further details of sample design and estimation procedure.

The views expressed in this report are exclusively of the author and not of the National Sample Survey Organisation.

village/block, select the sample households according to the laid down procedure and collect the required information by directly interviewing the head of the household or some other knowledgeable member. The schedule on which the collected information is recorded is of inscription type that is, the titles of the items of information are noted on the schedules and detailed explanatory notes on the items are provided in the instruction manual for the field staff. Quantitative information is recorded in numbers of specified unit and qualitative information is recorded in code numbers. For each of those items, a list of codes with the respective description is provided.

1.4 *Sample size* : In all, the survey covered about 129,000 households spread over about 8400 sample villages and 4600 sample blocks. Information on literacy and educational attainment was collected from 668,000 members of those sample households.

1.5 *Items of information and definition* : Information on literacy and education for each member of a sample household is collected through the item labelled as "highest level of general education" in the demographic block of the schedule of enquiry on employment and unemployment. For each person, the sex and age in completed years are also recorded. The code structure for the "level of education" is formulated in such a way that it primarily dichotomises the whole population into two groups—not literate and literate. The literate population are then provided with appropriate codes on the basis of their respective educational attainment. The following levels of general education have been coded separately : (i) literate but below primary level and literate through non-formal teaching, (ii) primary, (iii) middle, (iv) secondary and (v) graduation and above. The highest among the listed level successfully completed by a person is assigned to the person and is recorded in code number accordingly. *A person is considered as literate if he/she can read and write a simple message in any language.* It may be noted that an interviewee is not tested in any manner to establish his/her claim of ability to read and write. Entries are made in the schedules on the basis of the information provided by the interviewee. In this respect, there are some differences between the two apparently identical definitions of literacy, followed by the NSS and Indian censuses. According to the procedure adopted in the Census, the ability to read

and write should be with understanding and in case of any doubt about the ability to read or write, the enumerator may verify the person's reading ability by testing whether the person can read a small portion of his instruction manual. Similarly his writing ability may also be tested by requesting the person to write a simple letter. Some problem would arise when the language the person knows may not be known to the enumerator. In such cases the literacy status, as reported by the informant should be recorded [2]. Although a test has been prescribed in the census, it is not known as to what extent the test was applied, nor there is any information regarding the frequency of failure in the test. It is, however, expected that the level of literacy, based on direct reporting would be higher than the test based information.

1.6 Eventhough NSSO have been collecting information on literacy status of each individual member of a sample household under the demographic particulars in each round, its 47th round (July-Dec., 1991) enquiry on literacy will be slightly different from the normal information usually collected in earlier rounds. In this enquiry, efforts will be made to verify the literacy status of doubtful cases. More precisely, the persons who have claimed as *literate but below primary* or not having any formal schooling, will be given a simple test in any one of the 31 languages (except Sanskrit) prescribed in the Constitution, including at least one major language of each state. Their ability to read, to comprehend and to write will be determined on the basis of a uniform procedure of actually administering some simple exercises to this end. In order to have a ready comparison, the definition of literacy has been kept identical to that adopted in the Indian Population Census. The outcome of this test as proposed in 47th round will hopefully help to work out some adjustment factor which could profitably be applied to the usual literacy rates obtained through interview methods so as to arrive at more precise estimates of persons in different age-groups possessing the basic abilities of reading and writing.

Section Two

LITERACY AND ITS PROGRESS

2.0 Among the developing countries, India is conspicuous by its low literacy rate. The percentage of the literate population to the total population of the country was only 29.48 in 1971 which improved

[2] This must pose a serious problem in metropolitan cities where the mother tongue of a large chunk of population will be other than the vernacular of the state to which the city belongs.

to 36.23 after a decade in 1981, according to the Indian Population Censuses carried out in those two years. Progress in literacy during the decade was almost of the same order (6 to 7 percentage points) for either sex : from 39.52 per cent to 46.89 per cent for males and from 18.70 per cent to 24.82 per cent for females. With the literacy rates of 23.69 per cent for rural and 52.37 per cent for urban areas according to the Census of India 1971, the increase in the proportion of literate persons, that is, the literacy rate, showed an improvement of 5 to 6 percentage points in the two sectors in 1981 [3]. Literacy, though it is improving with the passage of time, the goal of achieving the level of full literacy was far away even in 1981.

2.1 Information on literacy and education of the population in India, collected in the very recently completed population census (1991) had just become available and it would enable to assess the extent of improvement in the progress of literacy in our country during the decade of eighties. In this regard, the importance of the role of NSS need not be emphasized. The NSS, through its two large scale sample surveys on employment and unemployment, carried out during January to December 1983 (NSS 38th round) and the next one during July 1987 to June 1988 (NSS 43rd round) has not only collected the activity details of the individuals of each sample household, but had also collected their demographic particulars like sex, age, marital status, literacy status and educational attainment. So far as the definition of literacy is concerned, there is slight difference between those adopted by the Census and the NSS. However, in NSS a person who claims to be able to read and write a simple message in any language is considered to be literate. Compared to this, the census definition is a little bit restrictive in the sense that (a) the ability to read and write should be with understanding and (b) in a "doubtful case", the claimant will have to undergo some test to establish his/her statement of being able to read and write.

To what extent this added restriction would reduce the literacy rate is, however, not known. Though in NSS, it is not explicitly mentioned "reading and writing with understanding" as is stated clearly in the census instructions, the presence or absence of the clause "with understanding" may not materially affect the answer to the question on literacy because one who is able to read and write a simple message in one's mother tongue, the understanding is obvious and very well implied. But it may be well imagined that provision of this test if known to the informant or even otherwise would definitely shift some marginally literate persons (who are just literate) to the illiterate group. Compared to the census, the NSS literacy rates for any group of population is, therefore, expected to be higher.

2.2 *Literacy rate* : Overall literacy rates (per 1000) by sex and rural/urban residence in the last two Indian Censuses and also those calculated from the data of the NSS 38th and 43rd rounds, are presented in Statement 2.1. Literacy rates (per 1000) for the total rural population as on 1st April, 1971 (Census), 1st March 1981 (Census), 1st July 1983 (NSS 38th round) and 1st January 1988 (NSS 43rd round) are 237, 297, 339 and 375 respectively. Considering the Census and NSS results independently, the increase in the literacy rate is 60 per thousand over the decade 1971-81, while from the two NSS surveys the increase turns out to be of the order of 36 per thousand in four years and a half. Similarly in the urban areas, the total increase in the rate of literacy is found to be 50 per thousand in the Census decade and 32 per thousand during the period between the survey rounds. Literacy base in rural is much lower than in urban but the progress in literacy in rural areas over the two periods has a slight edge over that for the urban areas. While for the females, the progress in literacy was quite slow in the rural areas during 1983 to 1988, it was much faster in the urban areas. The apparent big jump in the literacy rate from 1st March 1981 (Census of India) to 1st July

STATEMENT 2.1 : PER THOUSAND LITERATE ON 1ST APRIL 1971, 1ST MARCH 1981, 1ST JULY 1983 AND 1ST JANUARY 1988 BY SEX.

date	all-India : rural			all-India : urban		
	males	females	persons	males	females	persons
(1)	(2)	(3)	(4)	(5)	(6)	(7)
1st April, 1971	338	131	237	612	421	524
1st March, 1981	408	180	297	658	478	574
1st July, 1983	452	222	339	701	523	616
1st January, 1988	484	259	375	723	559	645

[3] Census of India, 1981 Part II B (i).

1983 (38th round) is not real. It may once again be pointed out that compared to the Census, the NSS definition being liberal to some extent, the literacy rate from the NSS would be higher than that of the Census at any point of time. Hence, a part of the visible difference between the literacy rates of 1981 and 1983 should be due to the differences in concepts and the other, of course, due to real progress.

2.3 School attendance : Most of the literate persons usually gain that status after a reasonable number of years of schooling. Though, cases may not be too infrequent where a person even without going to school would become literate with the help of family members or other tutors, the overall literacy rate of the population would be closely associated with the extent of school enrolment of children in school going age. Through adult literacy programme, only a very small population of the illiterate population can be trained and therefore with large proportion of adult in the illiterate category the target of achieving full literacy will require a long period and that too is possible only if all children of school going age attend school and leave school not before completion of primary level. This should be a continuing process over years to come so that cent-per-cent literacy

is reached only when the present generation is completely replaced. Hence, the progress in literacy is largely dependent on the propensity of children to go to school or on the urge of the parents to send their wards to schools.

Data on school attendance have been collected in some of the recent NSS rounds of enquiry of which the NSS 42nd round carried out during 1986-87 on social consumption, contains a good number of information on this aspect. The Statement 2.2 has been compiled from the estimates presented in the report on "Participation in Education", based on the results of this survey [4]. This statement shows the number of persons (i) currently attending, (ii) currently not attending but ever attended and (iii) never attended-educational institutional per 1000 persons by sex and age groups. While all children in the age group 6 to 11 years should be studying in primary schools, only 623 out of 1000 boys in the rural areas go to school, whereas 23 discontinued schooling and as many as 354 had never gone to school. Amongst girls of the same age group in the villages, the proportion attending school is much less and the proportion never attended any educational institution is as high as 548 per thousand.

STATEMENT 2.2 : PER THOUSAND DISTRIBUTION OF PERSONS OVER NATURE OF ATTENDANCE IN EDUCATIONAL INSTITUTION BY SEX AND AGE GROUP : ALL-INDIA RURAL AND URBAN : NSS 42ND ROUND (1986-87).

sex (1)	age group (years) (2)	all-India : rural				all-India : urban			
		ever attended		never attended	total	ever attended		never attended	total
		currently				currently			
		attending	not attending	attending	not attending	(7)	(8)	(9)	(10)
males	06-11	623	23	354	1000	811	31	158	1000
	12-14	616	119	265	1000	755	136	109	1000
	15-29	155	457	388	1000	241	626	133	1000
	06-29	382	261	357	1000	476	387	137	1000
	12-29	264	377	359	1000	345	527	128	1000
females	06-11	435	17	548	1000	751	21	228	1000
	12-14	337	155	508	1000	656	150	194	1000
	15-29	43	294	663	1000	149	556	295	1000
	06-29	208	187	605	1000	388	350	262	1000
	12-29	104	265	631	1000	250	475	275	1000
persons	06-11	534	20	446	1000	783	26	191	1000
	12-14	490	135	375	1000	708	143	149	1000
	15-29	99	376	525	1000	197	593	210	1000
	06-29	298	225	477	1000	435	370	195	1000
	12-29	185	323	492	1000	300	502	198	1000

(4) Sarvekshana Vd XIV, No. 3, Issue No. 46 (January-March, 1991).

The situation is better to some extent in the urban areas where the proportion of boys and girls in the age group of 6 to 11 years who had never attended an educational institution is found to be 158 and 228 per thousand respectively. In the next age group of three years span (12-14), both the proportions of "currently attending school" and "never attended school" slid down a little for all segments of population and the proportion "ever attended" but not "currently attending" swelled. This means that some boys and girls start schooling at higher ages, may be even after 12 years of age and some children of the 6-11 years age group, specially those at early ages in the group, start schooling later. The results further show that in the rural areas the 6-14 years age cohort registered a better record of school attendance as compared to that for the cohort of 15-29 years age group. Higher the number of school going children in an age group, higher will be the literacy among them. While this phenomenon is clearly observed in the rural areas for both males and females, in the urban areas some improvement is observed only for

the females of the lower age cohort. There is little difference among the "never attended" proportions of 137, 128 and 133 per thousand males in the age groups 6-29, 12-29 and 15-29 years respectively.

2.4 Age specific literacy rates : It has already been observed that the literacy rate (defined as the number of persons literate per 1000 persons) is much higher for males than for females and it is again higher in urban than in rural. The total stock of literates in a population at a point of time, comprises of literate persons of different ages at that point of time. Literacy is gained mostly in early ages—before entering into the labour force. Leaving school early or not even going to school, if a boy enters into the labour market at an early age there is very little chance of his becoming literate at any time in future. Hence, for any study on literacy the changes in the rates of literacy over small age groups at different points of time need be closely examined. The number of literate persons per thousand persons by quinquennial age groups and sex is prescribed in Statement 2.3, separately for all-India rural and

STATEMENT 2.3 : PER THOUSAND LITERATE BY QUINQUENNIAL AGE GROUP AND SEX : ALL INDIA (RURAL AND URBAN)

age group (years)	males		females		persons	
	NSS 38th round 1983	NSS 43rd round 1987-88	NSS 38th round 1983	NSS 43rd round 1987-88	NSS 38th round 1983	NSS 43rd round 1987-88
(1)	(2)	(3)	(4)	(5)	(6)	(7)
all-India : rural						
0-4	18	19	15	16	17	18
5-9	441	482	317	378	381	433
10-14	690	729	439	517	574	632
15-19	650	697	372	442	519	578
20-24	614	643	294	325	445	474
25-29	568	569	257	276	410	420
30-34	538	560	199	244	366	403
35-39	488	538	166	210	329	375
40-44	443	482	127	158	285	322
45-49	405	470	112	131	257	301
50-54	351	379	89	103	224	245
55-59	375	391	89	88	231	242
60 & above	314	341	57	67	185	206
all ages	452	484	222	259	339	375
all-India : urban						
0-4	56	60	50	54	53	57
5-9	658	685	619	654	639	670
10-14	867	879	776	816	824	849
15-19	862	876	736	778	803	831
20-24	851	864	661	689	761	780
25-29	843	837	631	658	741	750
30-34	842	827	602	623	733	731
35-39	797	829	525	564	668	703
40-44	761	800	465	546	627	683
45-49	746	802	413	442	591	638
50-54	708	745	373	407	550	586
55-59	716	752	325	390	528	572
60 & above	615	682	249	281	423	478
all ages	701	723	523	559	616	645

urban, derived from the survey data of NSS 38th and 43rd rounds. This is followed by two other similar statements relating to Tamil Nadu (Statement 2.4) and Uttar Pradesh (Statement 2.5). One who claims to be able to read and write a simple message in any language is considered to be literate according to NSS. There is a possibility of misclassifying the children who have just started going to school or even had one or two years of schooling. At the time of investigation, the informant who is generally the head of the household or a senior member of the household may, in such cases, wrongly report them as literate. Though small, the proportion of children in the age group 0-4 years shown as literate may not depict the true situation. Be it in the rural or in the urban areas or be it in either of the survey

rounds, the literacy rate is the highest among boys and girls in the age group 10-14 years. Reaching the peak at 10-14 years of age, it continuously decreases in the successive higher age groups. Secondly, age group by age group the 43rd round rates are higher than the corresponding rates derived from the NSS 38th round data with the exceptions in the rates for urban males in the age groups 25-29 and 30-34 years. The continuous fall in literacy with age advancing might partly be due to gradual improvement in school attendance rate of successive birth cohorts and partly due to increasing risk of lapsing into illiteracy due to lack of practice of reading and writing over a long period after leaving school.

STATEMENT 2.4 : PER THOUSAND LITERATE BY QUINQUENNIAL AGE GROUP AND SEX : TAMIL NADU (RURAL AND URBAN)

age group (years)	males		females		persons	
	NSS 38th round 1983	NSS 43rd round 1987-88	NSS 38th round 1983	NSS 43rd round 1987-88	NSS 38th round 1983	NSS 43rd round 1987-88
(1)	(2)	(3)	(4)	(5)	(6)	(7)
rural						
5-9	681	737	600	700	641	719
10-14	802	851	568	708	686	781
15-19	731	764	474	548	595	652
20-24	742	739	444	467	584	592
25-29	681	673	376	403	518	534
30-34	663	687	256	362	463	523
35-39	560	617	196	243	373	418
40-44	516	540	168	209	345	370
45-49	470	553	144	173	293	358
50-54	480	493	87	172	280	332
55-59	481	479	94	123	287	303
& above	412	431	55	75	237	257
all ages	559	588	312	370	434	478
urban						
5-9	733	822	749	805	741	814
10-14	929	917	840	856	887	886
15-19	882	904	794	821	835	860
20-24	915	888	744	763	829	826
25-29	895	899	679	756	788	831
30-34	858	908	702	729	787	826
35-39	853	868	512	593	675	827
40-44	820	867	529	572	676	728
45-49	799	820	394	441	609	736
50-54	795	782	348	488	572	645
55-59	757	799	335	454	552	614
60 & above	619	726	237	260	405	491
all ages	749	779	568	625	659	703

STATEMENT 2.5 : PER THOUSAND LITERATE BY QUINQUENNIAL AGE GROUP AND SEX : UTTAR PRADESH (RURAL AND URBAN)

age group (years)	males		females		persons	
	NSS 38th round 1983	NSS 43rd round 1987-88	NSS 38th round 1983	NSS 43rd round 1987-88	NSS 38th round 1983	NSS 43rd round 1987-88
(1)	(2)	(3)	(4)	(5)	(6)	(7)
rural						
5—9	364	409	200	260	289	343
10—14	662	680	325	390	516	555
15—19	654	688	244	341	480	543
20—24	583	636	193	218	374	417
25—29	540	562	158	174	352	367
30—34	468	528	108	146	279	331
35—39	410	474	84	114	250	290
40—44	353	396	82	79	215	239
45—49	316	389	58	64	185	225
50—54	274	303	49	43	170	180
55—59	286	317	43	50	168	187
60 & above	236	268	31	29	140	157
all ages	399	438	141	172	276	313
urban						
5—9	555	552	480	469	519	503
10—14	749	760	625	688	688	726
15—19	783	774	618	644	713	720
20—24	782	777	527	540	671	666
25—29	751	712	468	512	662	619
30—34	749	724	469	498	612	616
35—39	725	745	422	430	588	595
40—44	660	686	346	441	517	576
45—49	664	709	313	324	493	523
50—54	538	624	294	283	424	466
55—59	625	621	235	235	439	426
60 & above	489	513	174	210	346	372
all ages	605	603	410	427	513	522

The NSS 38th round (centered around 1st July 1983) and the NSS 43rd round (centered around 1st January 1988) are separated by a gap of four years and a half. The population in a five-year age group as estimated in 1983 had moved to the next five-year age group in the next survey (1987-88) and evidently the second estimate should ideally be less by the estimated persons of the cohort dying during the period between the two surveys. Likewise, the literacy rate in a five-year age group (above 15 years) of the NSS 38th round, should more or less be the same as the rate reported for the next five-year age group of NSS 43rd round^[5].

This is the same thing as following a group of population over five years and studying the change in any of its characteristics. A person's literacy status is not likely to change after 15 years of age. Some, of course, may become literate through adult literacy schemes and some on the other hand may lapse into illiteracy. The Statement 2.3 exhibits that the results of the two survey rounds are consistent in that respect. That is, the literacy rate in a five-year age group above 15 years, for any segment of the population estimated from NSS 38th round data is, in most cases, very close to that for the same section of population in the

[5] Sampling error apart, this identity may be vitiated to a small extent if there is any differential in the age specific mortality rates for the literate and illiterate population. Similarly, differential in rural to urban and urban to rural migration of the two groups of population may also be a disturbing factor. If at all these disturbing factors exist their net contribution should be very small.

next five-year age group of the NSS 43rd round. In a few cases, the difference is, however, large. The statements relating to the two selected states of Tamil Nadu and Uttar Pradesh also exhibit almost a similar pattern. The difference might be partly due to bias in the age reporting. Moreover, the interval between the two surveys being only four years and a half, instead of exactly five years, a part of the population enumerated at the lower end of a five-year age group in the first survey will still remain in the same group, though a major part of them would move to the next age group in the second survey. That higher age group of the second survey would contain a part of the population who were in the preceding age group and a small part who were at the lower end of the same age group in the first survey. While the absolute estimates might have been significantly affected on those counts, the ratio estimates are not likely to be sensitive enough to indicate large variations due to them. However, much of those effects would be diluted if the comparisons are made for the total population above specified ages. For example, all the survivors of the 1983 population in the open age group 15 and above, less deaths, during the period would move to the age group of 20 years and above in 1988.

2.5 Literacy rates of population above specified ages: That there is some progress in literacy over the period of nearly two decades from early 1971 to the beginning of 1988 is evident from Statement 2.6.

This statement shows the literacy rates for the population above 15 years and 35 years of age by sex in the 1971 and 1981 censuses and in the 1983 and 1987-88 NSS enquiries. Literacy rate of males and females aged 15 years and above in the rural areas, recorded improvements of 68 and 53 per thousand respectively in the decade between 1971 and 1981. While the gain was 34 (per thousand) for both males and females during the period elapsed between the two surveys, the improvement in literacy of the population aged 15 years and above in the urban areas was relatively slower for males: it was of the order of 40 per thousand, in the intercensal period and 21 per thousand, during the period intervening the two surveys. For urban females aged 15 years and above, the improvement was faster in both the periods—65 per thousand in the intercensal decade and 37 per thousand in the inter survey, triennium[6]. The other part of the statement relates to the population aged 35 years and above. For rural males aged 35 years and above, the progress in literacy exhibited a similar pattern as that for the rural males aged 15 years and above.

For the corresponding female population, the progress was, however, much less—only 21 per thousand between 1971 to 1981 and 22 per thousand between the two surveys. The picture was somewhat different in urban, where both for males and females as also for the two periods a uniform progress of about 50 per thousand is noted.

STATEMENT 2.6: PER THOUSAND LITERATE AMONG PERSONS AGED 15 AND ABOVE AND 35 YEARS AND ABOVE BY SEX

source	15 years & above			35 years & above		
	males	females	persons	males	females	persons
(1)	(2)	(3)	(4)	(5)	(6)	(7)
all-India : rural						
Census 1971	405	123	270	312	65	194
Census 1981	473	176	327	380	86	232
NSS 1983	502	202	352	396	107	252
NSS 1987-88	536	236	387	436	129	284
all-India : urban						
Census 1971	724	454	603	645	302	493
Census 1981	764	519	651	694	359	543
NSS 1983	798	548	680	727	395	568
NSS 1987-88	819	585	707	773	445	616

[6] Differential pace of progress in literacy for males versus females or urban versus rural generally dependent on the level already attained—the higher the level the more will be the efforts needed to raise it further.

2.6 In Statement 2.7 literacy rates (per 1000) are presented for the total population above specified ages by sex, as estimated from the NSS 38th and 43rd rounds of enquiry, separately for the rural and urban areas. The results presented in this table very clearly demonstrate the consistency of the two sets of survey data. There is hardly any need to give a commentary on the results. The purpose of compiling the statement is to examine whether there is any change in the literacy rate for population above 15 years of age. The results however do not show up any noteworthy change for any segment of population in the adult age group. Or, in other words, the literacy rate of a population in a five year age group at a point of time is found to be nearly equal to that of the population in the next five-year age group, after five years. For example,

the literacy rate for the rural females aged 15 years and above in the 1983 survey was 202 per thousand and it was as close as 201 per thousand for the rural females aged 20 years and above in the 1987-88 survey. All other sets of corresponding results are also sufficiently close.

2.7 *Educational attainment* : Even today a large number of children of our country do not go to school. Many of those who have ever gone to school, drop out at early stages before completion of the primary level of education and only a few complete higher levels of education. The distribution of per thousand literate persons over different levels of educational attainment as obtained in the rural and urban areas of the country in the 38th and 43rd round surveys are presented for the males

STATEMENT 2.7 : PER THOUSAND LITERATE AMONG PERSONS ABOVE SPECIFIED AGES BY SEX : ALL INDIA (RURAL AND URBAN), NSS 38TH AND 43RD ROUNDS

age group (years)	males		females		persons	
	NSS 38th round 1983	NSS 43rd round 1987-88	NSS 38th round 1983	NSS 43rd round 1987-88	NSS 38th round 1983	NSS 43rd round 1987-88
(1)	(2)	(3)	(4)	(5)	(6)	(7)
all-India : rural						
all ages	452	484	222	259	339	375
5 & above	521	556	254	295	390	429
10 & above	538	571	242	280	392	428
15 & above	502	536	202	236	352	387
20 & above	473	505	173	201	322	352
25 & above	447	479	148	174	297	327
30 & above	421	459	124	151	273	306
35 & above	396	436	107	129	252	284
40 & above	373	409	92	108	233	261
45 & above	354	390	83	94	219	244
50 & above	337	363	73	82	206	225
55 & above	332	356	66	73	198	217
60 & above	314	341	57	67	185	206
all-India : urban						
all ages	701	723	523	559	616	645
5 & above	789	808	590	625	694	721
10 & above	810	828	585	620	703	729
15 & above	798	819	548	585	680	707
20 & above	785	807	510	548	645	683
25 & above	770	794	476	516	630	661
30 & above	751	784	435	480	601	639
35 & above	727	773	395	445	568	616
40 & above	707	756	359	408	540	589
45 & above	689	742	329	367	513	560
50 & above	667	717	299	341	483	531
55 & above	648	705	271	316	455	508
60 & above	615	682	249	281	423	478

and the females in Statement 2.8. Compared to the 38th round, the increase in literacy rate for the rural males in the 43rd round is 32 per thousand. Out of this, the gain in "secondary and above" is 17 per thousand. The net gain of 24 per thousand in literacy for urban males is in the "secondary and above" category and the loss of 12 per thousand

from the middle standard is close to the sum of the gains in the two lower levels viz., "primary level" and the group "literate but below primary". For the rural females the gain in "secondary and above" category is about 8 per thousand while it is 29 per thousand for the urban females.

STATEMENT 2.8 : NUMBER OF LITERATE PERSONS WITH DIFFERENT LEVELS OF EDUCATIONAL ATTAINMENT PER 1000 PERSONS BY SEX : ALL INDIA (RURAL AND URBAN) NSS 38th AND 43RD ROUNDS

rural/urban	NSS round	level of education					all literate
		literate but below primary	primary	middle	secondary	graduate & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
males							
rural	38th	182	133	85	44	8	452
	43rd	190	135	90	57	12	484
urban	38th	186	165	145	145	60	701
	43rd	194	167	133	159	70	723
females							
rural	38th	105	71	32	12	2	222
	43rd	120	78	39	19	3	259
urban	38th	168	141	102	83	28	523
	43rd	177	145	97	102	38	559
persons							
rural	38th	144	102	59	29	5	339
	43rd	158	107	65	38	7	375
urban	38th	179	154	124	115	44	616
	43rd	185	157	116	132	55	645

2.8 Educational level above specified ages : Educational attainment of a person is primarily related to his age. Higher level of education can be reached only after a minimum number of years of schooling. To determine the proportion of population with any level of education, the base population, therefore, should be properly selected to ensure that every individual of that population gets the full exposure to achieve particular level of education. After a small number of years of schooling a person becomes literate but some of them leave school before completion of the primary standard. It would be of considerable interest to examine the size of this group of population with minimum level of education for different age cohorts. After completion of primary education, a section of children proceed for higher education. Out of those, a smaller number crosses the middle level and still fewer among them pass matriculation, SLC etc. or higher levels of education. The Statement 2.9 shows the proportion of persons (number per 1000) above specific ages who (i) are literate but have not completed the

primary level, (ii) have, at least, successfully completed the primary level and (iii) have, at least, successfully completed the matriculation or equivalent level, by sex for all-India rural and urban, derived from the NSS 38th and 43rd round survey data. The proportion of "literate but below primary" category is the largest for all segments of population in the age group 5 years and above and for males it drops to the minimum value at age 15 years and above and thereafter records a gradual but slow increase. The same trend is also observed for urban females. But, for rural females, the maximum proportion is in 5 years and above age group which continuously decreases with age advancing. At initial ages, more people belong to this category. Subsequently, a large number move out of this group by raising their level of education while the others discontinue and remain in the same category for the rest of their life and some of them may even forget whatever they might have learnt.

STATEMENT 2.9 : NUMBER OF PERSONS WITH LEVEL OF EDUCATION (I) LITERATE BUT BELOW PRIMARY, (II) PRIMARY AND ABOVE, AND (III) SECONDARY AND ABOVE PER THOUSAND PERSONS FOR POPULATION ABOVE SPECIFIED AGES BY SEX : ALL INDIA (RURAL & URBAN) : NSS 38TH AND 43RD ROUNDS

level of education	age (years)	all-India rural				all-India : urban			
		males		females		males		females	
		NSS 38th round	NSS 43rd round	NSS 38th round	NSS 43rd round	NSS 38th round	NSS 43rd round	NSS 38th round	NSS 43rd round
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
literate but below primary	5+	209	217	119	137	205	207	186	192
	10+	168	170	85	97	140	141	123	125
	15+	135	138	61	71	113	114	99	102
	20+	141	147	60	69	119	122	103	105
	25+	146	155	57	66	129	129	108	111
	30+	152	161	54	63	139	138	113	114
primary and above	5+	312	339	135	158	584	599	404	433
	10+	370	401	157	183	670	687	462	495
	15+	367	398	141	164	685	705	449	493
	20+	332	358	113	132	666	685	407	443
	25+	301	324	91	108	641	665	368	405
	30+	269	298	70	88	612	646	322	366
secondary and above	15+	90	114	29	34	321	355	174	216
	20+	86	111	18	27	332	368	163	204
	25+	73	93	12	19	319	353	135	176
	30+	61	82	8	13	300	341	106	152
	35+	48	70	6	9	270	326	84	126
	40+	38	64	4	6	246	303	66	99

For the category "primary and above", the proportion relating to any group of population in 15 years and above age group of the 38th round is very close to the proportion for the corresponding group of population in the 20 years and above age-group of NSS 43rd round. This expected pattern is noticed in the subsequent open ended age groups as well. A similar pattern is also expected for the category "matriculation and above", but the estimated proportion of the 43rd round for any segment of population is found to be higher, compared to that for the corresponding population of the 38th round. The proportion of population having higher education levels being very small in the rural areas, there would be larger sampling error. For males, the difference is high in both the sectors. Only for urban males the difference is relatively lower but as mentioned earlier, the 43rd round results are always on the higher side.

2.9 Educational level of population above specified ages in Tamil Nadu and Uttar Pradesh : Similar to the Statement 2.9 for all-India, Statements 2.10 and 2.11 for Tamil Nadu and Uttar Pradesh show the

respective state picture. Among the larger states, Tamil Nadu is one with relatively higher rate of literacy while Uttar Pradesh belongs to the group of states having low rate of literacy among the respective state population. A close observation of these two statements indicates that the patterns of the results for the two states are almost the same as that for all-India which has been discussed above, the only difference being the difference in the dimensions of the corresponding results of the three areas—all-India, Tamil Nadu and Uttar Pradesh. In absence of any plausible reason for the relatively higher estimates of the proportion in the well defined category of the educational level "secondary and above" in the 43rd round for any segment of population as compared to those of the 38th round, it would require further investigation to explain this phenomenon. It is however quite apparent from the results presented in this section that for any segment of the population above certain minimum age (required for adequate exposure to become literate or attain certain level of education), the more recent the cohort, the more is the level of literacy and higher is the proportion attaining any standard level of education (primary, matriculation etc.).

STATEMENT 2.10 : NUMBER OF PERSONS WITH LEVEL OF EDUCATION (I) LITERATE BUT BELOW PRIMARY, (II) PRIMARY AND ABOVE, AND (III) SECONDARY AND ABOVE PER THOUSAND PERSONS FOR POPULATION ABOVE SPECIFIED AGES BY SEX : NSS 38TH AND 43RD ROUNDS

TAMIL NADU

level of education	age (years)	rural								urban			
		males				females				males		females	
		38th round	43rd round	38th round	43rd round	38th round	43rd round	38th round	43rd round	38th round	43rd round		
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)				
(1)	(2)												
literate but below primary	5+	249	267	158	190	266	225	200	209				
	10+	184	195	95	119	158	147	127	137				
	15+	165	179	74	93	139	128	111	119				
	20+	172	188	68	86	142	133	110	117				
	25+	174	193	60	79	149	137	112	116				
	30+	179	207	55	75	158	144	113	117				
primary and above	5+	358	398	191	220	610	637	431	473				
	10+	444	458	216	249	692	721	488	530				
	15+	430	439	196	221	697	732	468	518				
	20+	400	406	165	189	686	720	423	481				
	25+	367	375	131	156	660	707	375	442				
	30+	335	340	99	124	630	686	330	395				
secondary and above	15+	81	108	28	40	286	310	141	184				
	20+	76	100	23	33	288	318	127	172				
	25+	67	88	15	27	273	314	103	149				
	30+	59	81	9	21	257	305	83	125				
	35+	41	70	4	15	235	288	61	104				
	40+	31	57	2	9	217	265	48	77				

STATEMENT 2.11 : NUMBER OF PERSONS WITH LEVEL OF EDUCATION (I) LITERATE BUT BELOW PRIMARY, (II) PRIMARY AND ABOVE, AND (III) SECONDARY AND ABOVE PER THOUSAND PERSONS FOR POPULATION ABOVE SPECIFIED AGES BY SEX : NSS 38TH AND 43RD ROUNDS

UTTAR PRADESH

level of education	age (years)	rural				urban			
		males		females		males		females	
		38th round	43rd round	38th round	43rd round	38th round	43rd round	38th round	43rd round
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
(1)	(2)								
literate but below primary	5+	183	184	84	95	203	203	172	156
	10+	146	138	61	65	143	157	121	104
	15+	101	95	40	40	111	116	93	74
	20+	106	101	39	35	121	123	96	77
	25+	111	107	38	32	129	131	100	79
	30+	116	113	37	31	136	140	109	83
primary and above	5+	280	321	76	102	481	494	292	362
	10+	340	388	90	120	565	576	342	423
	15+	340	394	78	105	588	604	329	420
	20+	292	346	60	79	560	585	290	392
	25+	256	306	43	61	530	563	257	370
	30+	218	270	32	46	503	544	224	350
secondary	15+	92	125	14	23	304	326	170	204
	20+	87	122	10	17	319	343	153	192
	25+	71	101	6	11	303	325	125	164
	30+	58	82	4	7	290	313	101	145
	35+	46	67	3	6	268	299	88	125
	40+	34	54	3	4	236	273	64	97

SECTION THREE

LEVEL OF LITERACY IN STATES

3.0 On the eve of the last decennial census of the twentieth century, conducted in 1991, we have only a dismal picture of the level of literacy of the population of our country. Lack of motivation for improving literacy level and interest of the people to educate themselves were deterrents against improvement of the quality of the country's human resources. It has been seen from the survey results that a large section of the population prefer to send their children of school going age to work in the field rather than to send them in schools, because of lack of faith in education as an instrument for improving the qualities of a child, to gain better earning potentiality. Much disparity obtains in the literacy rates among the different states of India. In this section the literacy rates for males and females in the larger states of India have been examined.

3.1 *Progress in literacy in rural areas of states :* The set of statistics presented in Statement 3.1 represent the literacy rates (per thousand) of the population in the rural areas of 14 states of India as derived from the last two decennial censuses and the two NSS enquiries conducted in the decade of eighties. Throughout this period of nearly two decades, Kerala maintained a good lead, both for the males and for the females, over all other states with very high rate of literacy. Amongst the rural males in Kerala, the proportion of literate was 656 per thousand in Census 1971 and it rose up to 808 per thousand in 1988. A literacy rate of over 800

(per thousand) is very close to full literacy if the population of 6 years and above is taken as base, instead of the total population. The rate of 730 per thousand for the rural females of Kerala is quite outstanding in comparison to that of the other states. The rate of progress in literacy for rural males, over the period, was perceptibly higher in Haryana and Punjab, whereas Bihar with a weak literacy base in 1971 recorded the least growth in literacy among the states. The Hindi speaking states of Bihar, Rajasthan, Madhya Pradesh and Uttar Pradesh along with Andhra Pradesh showed low literacy rate of less than 450 per thousand for males in 1988.

The results presented for the rural females in the second half of the Statement 3.1 is not at all encouraging. Even in 1988, the literacy rate for females is found to be only 98 per thousand in Rajasthan. That is, in the villages of Rajasthan, not even one out of every ten women was literate. Females of the Hindi speaking states of Bihar, Madhya Pradesh, Rajasthan and Uttar Pradesh, recorded literacy rates much below 100 per thousand in Census 1971. For these four states again, the female literacy rates were much lower than 200 per 1000 in 1988. While Kerala women registered the literacy level of 730 per thousand, women of no other states could even cross the 400 mark in 1988. It is Kerala again where females living in rural areas registered the maximum progress of 199 per thousand, from 1971 to reach the level of 730 per thousand in 1988 leaving all other states far behind. During this period, females in Haryana, Punjab and Tamil Nadu recorded a considerable progress of about 180 per thousand.

STATEMENT 3.1 : PER THOUSAND LITERATE BY SEX IN RURAL AREAS OF STATES : CENSUS OF INDIA 1971 & 1981 AND NSS 38TH ROUND & 43RD ROUND

RURAL

state	males				females			
	census 1971	census 1981	38th round	43rd round	census 1971	census 1981	38th round	43rd round
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Andhra Pradesh	273	323	370	410	109	141	172	208
Bihar	276	344	364	388	64	102	115	143
Gujarat	389	379	496	547	172	241	284	312
Haryana	326	434	492	537	92	154	174	268
Karnataka	354	421	427	486	145	198	221	286
Kerala	656	741	780	808	531	643	696	730
Madhya Pradesh	271	329	391	416	61	90	137	156
Maharashtra	432	513	537	575	178	249	275	327
Orissa	361	445	488	507	121	185	224	269
Punjab	347	419	459	520	199	276	327	381
Rajasthan	229	297	346	390	40	55	81	98
Tamil Nadu	451	512	559	588	190	258	312	370
Uttar Pradesh	280	352	399	438	70	95	141	172
West Bengal	358	436	507	499	510	221	281	308
All India	338	408	452	484	131	180	222	259

3.2 Progress in literacy in urban areas of states :

In urban India, the literacy rate for males advanced from 612 per thousand in 1971 to 723 in 1988. In this category, Kerala with the literacy rate of 857 in 1988 had significant lead over Maharashtra (781), Tamil Nadu (779), West Bengal (769), Haryana (744), Gujarat (742), Madhya Pradesh (728) and Orissa (726)—each of which had a literacy rate more than the all-India average (701). At the other end, Bihar (645) and Uttar Pradesh (603) had not only low rate of literacy, but had also slow progress in literacy of less than 100 per thousand in 17 years between 1971 to 1988.

Urban females in Kerala with a spurt in the decade of eighties had enhanced their literacy rate very close to the 800 mark. It may also be observed that while in all other states the difference between the rate of literacy for males and females in urban

areas were more than 125, it was only 61 in Kerala. This is a remarkable achievement of the state, very close to the target of full literacy. Immediately behind Kerala, the states where literacy rate for urban females are more than 600 per thousand are Delhi (685), Maharashtra (627), Tamil Nadu (625), West Bengal (619), Gujarat (604) and Punjab (601). At the other end, urban females in Bihar had the lowest literacy rate of 406, closely followed by Rajasthan (409) and Uttar Pradesh (427). In the Census of 1971 also, only these three states recorded literacy rates of less than four hundred per 1000 for females in the urban areas. It is Bihar and Uttar Pradesh again where the improvement in literacy rate for urban females were less than 100 (per thousand) during the period of 17 years between 1971 and 1988. The results discussed in this paragraph are presented in Statement 3.2.

STATEMENT 3.2 : PER THOUSAND LITERATE BY SEX IN URBAN AREAS OF STATES : CENSUS OF INDIA 1971 & 1981, AND NSS 38TH ROUND & 43RD ROUND

state	males				females			
	census	census	38th	43rd	census	census	38th	43rd
	1971	1981	round	round	1971	1981	round	round
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Andhra Pradesh	573	619	673	694	363	416	474	505
Bihar	554	625	611	645	319	398	366	406
Gujarat	640	686	720	742	448	511	550	604
Haryana	591	650	669	744	415	474	478	576
Karnataka	604	650	689	698	416	478	535	566
Kerala	720	801	840	857	606	722	772	796
Madhya Pradesh	605	644	691	728	370	423	474	540
Maharashtra	669	718	765	781	473	547	596	627
Orissa	599	651	699	726	361	427	473	535
Punjab	586	607	660	721	454	497	532	601
Rajasthan	555	606	606	677	297	345	331	409
Tamil Nadu	668	745	749	779	454	540	568	625
Uttar Pradesh	521	547	605	603	333	354	410	427
West Bengal	620	691	772	769	498	548	651	619
All-India	612	658	701	723	421	478	523	559

3.3 Literacy among children and total population :

Literacy is an attribute which a person generally acquires during childhood. Children who miss the opportunity of becoming literate at school going ages generally remain illiterate throughout their life. The current stock of literate population in a society is the aggregate of literate persons in different age cohorts and the size of the stock is the outcome of the extent of participation of those cohorts in education to become literate at their childhood. Thus the rate of literacy among older cohorts would by and large indicate the extent of participation in earlier years while that among younger ages would be a reflection of the more recent

experience. The child literacy rate for any cohort of population is steadily increasing over time. Thus, proportionately larger number of literate population is being added to the stock while depletion due to death, generally at older ages, reduce a proportionately much smaller number of literate persons. Therefore, the more literacy among children, the larger will be the stock and if a higher literacy rate for children is maintained over a long period, the literacy level of the total population will consequently tend to rise to a higher level. Hence, there should be some relationship between the overall literacy rate and the rate of literacy among children.

That there is some association between the general level of literacy and the level of literacy among children is seen clearly from the Statements 3.3 and 3.4 showing the per thousand literate by sex for the total population and for the children in the 5—9 years age group, for the rural and urban areas res-

pectively, of selected states. These two statements survey data. Both for the males and for the females, of rural as well as of urban areas, high general literacy is found in states having higher rate contain the results derived from NSS 38th round of literacy among children.

STATEMENT 3.3 : PER THOUSAND LITERATE BY SEX FOR THE TOTAL POPULATION AND THE POPULATION AGED 5—9 YEARS IN RURAL AREAS OF STATES IN INDIA, NSS 38TH ROUND (1983).

RURAL

state (1)	literate per thousand					
	males		females		persons	
	all ages (2)	5—9 years (3)	all ages (4)	5—9 years (5)	all ages (6)	5—9 years (7)
Andhra Pradesh	370	501	172	334	271	419
Assam	574	488	391	484	489	486
Bihar	364	320	115	170	240	248
Gujarat	496	461	284	396	393	431
Haryana	492	505	174	356	343	442
Himachal Pradesh	558	697	362	544	457	619
Jammu & Kashmir	379	404	164	247	276	330
Karnataka	427	443	221	314	325	377
Kerala	780	788	696	799	737	794
Madhya Pradesh	391	411	137	254	206	335
Maharashtra	537	572	275	432	406	503
Manipur	580	502	370	463	482	485
Meghalaya	516	588	454	522	485	556
Orissa	468	482	224	334	345	408
Punjab	459	493	327	477	396	485
Rajasthan	346	326	81	114	218	228
Tamil Nadu	559	681	312	600	434	641
Uttar Pradesh	399	364	141	200	276	289
West Bengal	507	360	281	305	397	333

STATEMENT 3.4 : PER THOUSAND LITERATE BY SEX FOR THE TOTAL POPULATION AND THE POPULATION AGED 5—9 YEARS IN URBAN AREAS OF STATES IN INDIA, NSS 38TH ROUND (1983).

URBAN

state (1)	literate per thousand					
	males		females		persons	
	all ages (2)	5—9 years (3)	all ages (4)	5—9 years (5)	all ages (6)	5—9 years (7)
Andhra Pradesh	673	735	474	696	576	716
Assam	793	725	725	730	762	727
Bihar	611	496	366	390	496	443
Gujarat	720	611	550	627	640	619
Haryana	669	706	478	642	580	677
Himachal Pradesh	826	796	652	763	749	780
Jammu & Kashmir	621	613	433	565	533	590
Karnataka	689	611	535	600	614	606
Kerala	840	856	772	867	804	861
Madhya Pradesh	691	680	474	601	590	643
Maharashtra	765	692	596	696	686	694
Manipur	753	746	564	795	667	766
Meghalaya	832	934	756	879	796	907
Orissa	699	694	473	662	591	679
Punjab	660	756	532	652	601	708
Rajasthan	606	534	331	413	475	475
Tamil Nadu	749	733	568	749	659	741
Uttar Pradesh	605	555	410	480	513	519
West Bengal	772	687	651	657	716	672
Delhi	747	822	618	837	689	829

3.4 The Statement 3.5 presents literacy rate for the total population and for children aged 10—14 years by sex as obtained from the NSS 43rd round data relating to the rural areas of selected states. Similarly Statement 3.6 contains the corresponding results for the urban areas of the selected states. As ex-

pected, the literacy rates of children and the general literacy rate is very closely associated, that is, high rate of literacy among children of either sex and residential status (rural/urban) in a state would also indicate high literacy among the corresponding total population.

STATEMENT 3.5 : PER THOUSAND LITERATE BY SEX FOR THE TOTAL POPULATION AND THE POPULATION AGED 10—14 YEARS IN RURAL AREAS OF STATES IN INDIA, NSS 43RD ROUND (1987-88)

state (1)	RURAL					
	literate per thousand					
	males		females		persons	
	all ages	10—14 years	all ages	10—14 years	all ages	10—14 years
	(2)	(3)	(4)	(5)	(6)	(7)
Andhra Pradesh	410	657	208	423	310	544
Assam	611	825	449	781	535	805
Bihar	388	595	143	341	269	485
Gujarat	547	782	312	609	432	702
Haryana	537	873	268	635	411	765
Himachal Pradesh	595	951	383	807	486	881
Jammu & Kashmir	451	787	235	497	345	646
Karnataka	486	742	286	558	388	650
Kerala	808	981	730	982	768	981
Madhya Pradesh	416	678	156	400	290	556
Maharashtra	575	863	327	682	453	781
Manipur	688	935	486	916	589	926
Meghalaya	482	736	394	753	440	744
Orissa	507	700	269	514	388	605
Punjab	520	765	381	688	455	731
Rajasthan	390	716	98	222	249	498
Tamil Nadu	588	851	370	708	478	781
Uttar Pradesh	438	680	172	390	313	555
West Bengal	499	690	308	607	406	650

STATEMENT 3.6 : PER THOUSAND LITERATE BY SEX FOR THE TOTAL POPULATION AND THE POPULATION AGED 10—14 YEARS IN URBAN AREAS OF STATES IN INDIA, NSS 42RD ROUND (1987-88)

state (1)	URBAN					
	literate per thousand					
	males		females		persons	
	all ages	10—14 years	all ages	10—14 years	all ages	10—14 years
	(2)	(3)	(4)	(5)	(6)	(7)
Andhra Pradesh	694	877	505	800	600	838
Assam	810	929	681	868	752	903
Bihar	645	805	406	710	535	763
Gujarat	742	875	604	833	677	856
Haryana	744	934	576	886	668	913
Himachal Pradesh	820	960	675	972	755	966
Jammu & Kashmir	624	836	466	795	549	817
Karnataka	698	868	566	859	634	864
Kerala	857	973	796	978	826	976
Madhya Pradesh	728	923	540	855	638	891
Maharashtra	781	947	627	907	707	928
Manipur	766	968	582	944	676	957
Meghalaya	864	973	821	963	843	968
Orissa	726	896	535	794	637	849
Punjab	721	895	601	873	665	884
Rajasthan	677	891	409	625	548	764
Tamil Nadu	779	917	625	856	703	886
Uttar Pradesh	603	760	427	688	522	726
West Bengal	769	874	619	822	699	850
Delhi	799	951	685	906	746	930

3.5 *Correlation between literacy rates of different segments of population over states*: The following Statement 3.7 is split into six parts (3.71 to 3.76) each of which contains the correlation coefficients between the literacy rates of selected pairs of population segments over the states. A part statement is based on eight sets of results divided into two groups and for each group the four components are males and females of rural and urban areas. All the relevant correlation coefficients of the inter-group and intra-group paired sets of results presented in the statement are quite high. Most of them are more than .8 and a few are close to unity. For any segment of population, the correlation between the literacy rates over states at two different points of time is always more than .9. Similarly, the literacy rate for any segment of population aged 15 years and above is highly correlated with the literacy rate in the age group 10–14 years of the same segment of population. For example, the figure .888 in column (3), line 6 of the sub-statement 3.74, is the coefficient of correlation between the literacy rate of rural and urban females aged 10–14 years. Similarly, the value .821 appearing in column (5), line 5 is for urban males, aged 10–14 years and 15 years and above.

3.6 As of today, more than 50 per cent of India's population are unable to read and write. Large majority of women are still illiterate. Only a small proportion of female children go to school and a big chunk of them had never gone to school. How the urge or interest to educate their children would grow within those would-be mothers of tomorrow? Illiteracy is being perpetuated and if at all it is declining, the rate is too slow and the target of reaching full literacy is a long way to go. Literacy level of the population can be improved through raising the literacy level of children over a long period. The target population are undoubtedly the children. It is not known to what extent and to what length of time an illiterate who becomes literate within a short period through some adult literacy programme, is able to retain his/her ability to read and write. Nevertheless, there must be some arrangement for non-formal teaching of adults but more emphasis need be given to enthruse all children of school going age to remain in school for a minimum number of years. The target groups of children (weak in literacy) are to be identified and special efforts need be given to raise their level of literacy.

SECTION FOUR

PROJECTIONS OF LITERATE POPULATION

4.1 With a low rate of literacy of the population of the country it will take a long time to achieve the goal of full literacy and that too will only be possible if the children of school going age go to school and continue schooling for the minimum number of years to become literate and to retain the ability to read and write throughout their life. This total participation of children in schooling will have to be maintained over years to come. Unfortunately, the proportion of children attending school in our country is still very low. Though there is an increasing trend in the rate of literacy in all age groups over the last three decades, the progress had been slow.

4.2 *Data Base for projection of literate population*: The ratio of the literate population to total population being the literacy rate, any one of the estimates of total population, literate population and literacy rate can be derived, provided the other two are known. The projected population by sex and quinquennial age groups at five yearly intervals are available from the report of the Standing Committee of Experts on Population Projections. Our approach to derive the projected literate population is to estimate the projected sex and age specific literacy rates from the series of available results for different points of time and applying them to the respective projected population estimates.

Five sets of results on sex-age specific literacy rates have been used for projections. The all-India literacy rates for males and females for the age groups (in years) 5–9, 10–14, 15–19, 20–24, 25–34 and 35 & above from the last three decennial censuses of 1961, 1971 and 1981 have been presented in an occasional paper of the census of India^[7]. For the other two points of time, 1983 and 1988, the results relate to the NSS 38th and 43rd round enquiries respectively.

The small proportion of children in the age group 0–4 years shown as literate might be due to the liberal definition of literacy followed in NSS. Children who just started going to school might be able to read and write a few simple words of the language taught. The question of comprehension or understanding is, at the same time very much dependent on age. A "simple message" for an adult is not always expected to be understood by a child. So the degree of comprehension may be a measure for categorising a person as literate or illiterate in case

[7] "Recent Literacy Trends in India" by O. P. Sharma and Robert D. Rutherford, Office of the Registrar General and Census Commissioner of India, New Delhi.

CHART-1

STATEMENT 3.71: CORRELATION COEFFICIENTS BETWEEN THE LITERACY RATES OF PAIRED SEGMENTS OF POPULATION OVER STATES: CENSUS OF INDIA 1971 AND NSS 38TH ROUND (BASED ON THE RESULTS OF 14 STATES)

	1971 RURAL MALES							
1.	.950	1971 RURAL FEMALES						
2.	.902		1971 URBAN MALES					
3.		.896	.882	1971 URBAN FEMALES				
4.	.978			38TH RURAL MALES				
5.		.991		.923	38TH RURAL FEMALES			
6.			.946	.838	38TH URBAN MALES			
7.			.971	.896	.950	38TH URBAN FEMALES		
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

STATEMENT 3.72: CORRELATION COEFFICIENTS BETWEEN THE LITERACY RATES OF PAIRED SEGMENTS OF POPULATION OVER STATES: CENSUS OF INDIA 1971 AND NSS 43RD ROUND (BASED ON THE RESULTS OF 14 STATES)

	1971 RURAL MALES							
1.	.950	1971 RURAL FEMALES						
2.	.902		1971 URBAN MALES					
3.		.896	.882	1971 URBAN FEMALES				
4.	.978			43RD RURAL MALES				
5.		.980		.942	43RD RURAL FEMALES			
6.			.947	.702	43RD URBAN MALES			
7.			.977	.825	.944	43RD URBAN FEMALES		
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

STATEMENT 3.73: CORRELATION COEFFICIENTS BETWEEN THE LITERACY RATES OF PAIRED SEGMENTS OF POPULATION OVER STATES: CENSUS OF INDIA 1981 AND NSS 43RD ROUND (BASED ON THE RESULTS OF 14 STATES)

	1981 RURAL MALES							
1.	.950	1981 RURAL FEMALES						
2.	.880		1981 URBAN MALES					
3.		.935	.912	1981 URBAN FEMALES				
4.	.989			43RD RURAL MALES				
5.		.991		.942	43RD RURAL FEMALES			
6.			.935	.702	43RD URBAN MALES			
7.			.968	.835	.944	43RD URBAN FEMALES		
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

CHART-2

STATEMENT 3.74: CORRELATION COEFFICIENTS BETWEEN THE LITERACY RATES OF PAIRED SEGMENTS OF POPULATION OVER STATES : NSS 43RD ROUND. (BASED ON THE RESULTS OF 19 STATES)

	RURAL MALES, AGED 10-14 YEARS								
1.	.702								RURAL MALES, AGED 15 YEARS AND ABOVE
2.	.849								RURAL FEMALES, AGED 10-14 YEARS
3.		.911	.898						RURAL FEMALES, AGED 15 YEARS AND ABOVE
4.	.742								URBAN MALES, AGED 10-14 YEARS
5.		.885			.821				URBAN MALES, AGED 15 YEARS AND ABOVE
6.			.888		.765				URBAN FEMALES, AGED 10-14 YEARS
7.				.901	.885	.830			URBAN FEMALES, AGED 15 YEARS AND ABOVE
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	

STATEMENT 3.75: CORRELATION COEFFICIENTS BETWEEN THE LITERACY RATES OF PAIRED SEGMENTS OF POPULATION OVER STATES : CENSUS OF INDIA 1971 AND 1981 (BASED ON THE RESULTS OF 14 STATES)

	1971 RURAL MALES								
1.	.950								1971 RURAL FEMALES
2.	.902								1971 URBAN MALES
3.		.896	.882						1971 URBAN FEMALES
4.	.992								1981 RURAL MALES
5.		.996			.950				1981 RURAL FEMALES
6.			.973		.880				1981 URBAN MALES
7.				.986	.935	.912			1981 URBAN FEMALES
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	

STATEMENT 3.76: CORRELATION COEFFICIENTS BETWEEN THE LITERACY RATES OF PAIRED SEGMENTS OF POPULATION OVER STATES : NSS 38TH AND 43RD ROUND. (BASED ON THE RESULTS OF 19 STATES)

	38TH RURAL MALES								
1.	.923								38TH RURAL FEMALES
2.	.838								38TH URBAN MALES
3.		.896	.950						38TH URBAN FEMALES
4.	.988								43RD RURAL MALES
5.		.991			.942				43RD RURAL FEMALES
6.			.934		.702				43RD URBAN MALES
7.				.962	.835	.944			43RD URBAN FEMALES
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	

of doubt, but for children, it may depend more on age. That is to say, comprehension test may not be good enough for determining his literacy status. It is therefore better to leave aside the children of 0–4 years age group from the question on literacy and they may be uniformly treated as illiterate. The effect of the liberal definition adopted in NSS is also apparent from the relatively higher rates of literacy in the age group 5–9 years as compared to the census rates. Putting it other way round, it is not known to what extent the literacy rates have been depressed in the censuses due to the relatively restrictive definition for literacy adopted there. It is, therefore, expected that the fitted regression line over the five sets of results would show us the literacy rates closer to the true ones.

4.3 *Combining the rural and urban literacy rates of the NSS* : Instead of making the projections separately for the rural and urban sectors, the components of the age-sex specific literacy rates for the two sectors were initially combined by using the proportions of urban population estimates by the Expert Committee. The urban proportions for the 38th and 43rd round were estimated at 2422 and 2608 respectively.

4.4 *Sex-age specific literacy rates and their projected values* : On the observed literacy rates at the five time points for each sex-age combination, a regression line [8] was fitted and from this line extended upto 1996, the sex-age specific literacy rates for 1st March 1996 have been estimated. The sex-specific (all ages) literacy rates were calculated from the respective literate population and total population (projection estimates). The set of expected sex-age specific literacy rates are shown in Statement 4.1 along with the values of the parameter "Lo", "b" and "r" of the respective fitted lines. The rates have been derived from the fitted regression line on the observed rates at the first five dates of which the first three are from the Censuses and the next two are from NSS. The last three lines show the projected rates.

The slope of the fitted line "b" indicating the rate of progress of literacy per thousand per year, assumes its largest value in the age group 5 to 9 years, for both males and females and gradually comes down with age advancing. This is expected because progress in literacy can only be achieved through schooling of more and more children at early ages. For males in the age group 25–34, however, the

gradient assumes a larger value than those of the two adjacent age-groups. It would be quite encouraging if the improvement in the age group 25–34 is a reflection of the impact of the adult literacy programme implemented in different parts of the country. The gradual improvement in the literacy rate over time for the total population, observed from the column (8) of the statement is the outcome of the improvement in literacy of the later cohorts.

Both for males and females, at any point of time, the highest literacy rate is observed in the age group 10–14. The literacy rates in the next two quinquennial age groups of 15–19 years and 20–24 years, though lower, are relatively closer to that in the age group 10–14 years for males. For females, the highest literacy rate in the age group 10–14 years is not only low compared to the corresponding rates for males but it also sharply declines in the successive higher age groups.

Most of the women in our country get married at early ages and after marriage very few of them get the opportunity to continue their reading and writing habits and with advanced age they gradually forget whatever they had learnt. As such, the sharp fall of literacy rate of (about 5 percentage points) among females in the age group 15–19 years in 1983 to that for the same cohort which moved to the age group 20–24 years in 1988 might, to a large extent, be due to lapsing into illiteracy of marginally literate females.

4.5 If the trend in the progress in literacy over the five points of time from 1961 to 1988 is maintained till 1996, it will rise to 598 per thousand for all-India males from its initial value of 333 in 1961, while the all-India female literacy rate for this 35 years period will change from 122 to 377. The projected rate of literacy with respect to the total population of India will be only 490 per thousand on March 1, 1996. Obviously this rate would have been still lower had only the census trend been followed.

4.6 *Projections of literate population* : Having projected the sex-age specific literacy rates, the projections of literate population have been worked out by applying the respective rates on the sex-age specific projected population estimates. In Statement 4.2, the projected total population and literacy rate (per thousand) by sex and age group for all India are shown. Out of the projected total population of 424 million on 1st March 1996, only 456 million will

[8] $L_t = L_0 + bt$, where L_0 is the literacy rate on 1st March 1960 and L_t is the literacy rate after t years from that date.

STATEMENT 4.1 : EXPECTED RATES OF LITERACY (PER THOUSAND) BY AGE GROUP ON DIFFERENT DATES : ALL INDIA

date/parameter	age group (years)/parameter value						
	5—9	10—14	15—19	20—24	25—34	35 & above	all ages
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
males							
1st March 1961	208	531	531	511	424	336	333
1st April 1971	318	615	608	586	514	400	409
1st March 1981	425	698	684	659	593	462	485
1st July 1983	450	717	702	676	613	477	502
1st Jan. 1988	499	755	736	710	651	505	537
1st March 1991	534	781	760	733	678	525	557
1st July 1993	559	800	778	751	697	540	576
1st March 1996	588	823	799	770	720	557	598
Lo	498	522	523	504	416	330	x
b	10.8335	8.3467	7.6576	7.3903	8.4894	6.2923	x
r	0.9036	0.9759	0.9747	0.9848	0.9900	0.9676	x
females							
1st March 1961	108	272	248	188	126	67	122
1st April 1971	221	383	349	277	212	116	194
1st March 1981	332	491	449	365	297	165	266
1st July 1983	358	517	472	386	317	176	283
1st Jan. 1988	409	566	518	426	355	199	316
1st March 1991	444	601	550	454	382	214	341
1st July 1993	470	625	573	475	402	226	358
1st March 1996	500	655	600	498	425	239	377
Lo	97	261	238	179	118	62	x
b	11.2011	10.9482	10.0573	8.8645	8.5273	4.9216	x
r	0.9212	0.9754	0.9849	0.9969	0.9900	0.9601	x
persons							
1st March 1961	159	410	396	348	278	210	230
1st April 1971	271	506	485	429	362	264	306
1st March 1981	380	601	574	509	446	318	381
1st July 1983	406	624	594	528	466	331	399
1st Jan. 1988	456	667	634	564	503	355	433
1st March 1991	491	693	658	600	536	373	452
1st July 1993	516	715	679	619	556	387	470
1st March 1996	546	741	702	639	580	401	490

The author gratefully acknowledges the editorial changes suggested by Partha Chatterjee and computational assistance rendered by C. Banerjee.

STATEMENT 4.2 : PROJECTED TOTAL POPULATION (P), LITERATE POPULATION (L) AND LITERACY RATE (R) PER THOUSAND BY SEX AND AGE GROUP : ALL INDIA.

date	** P/L/R	age group (years)								
		5-9	10-14	15-19	20-24	25-34	5+	10+	35 & above	all ages
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
males										
1-3-91	P	525	468	466	426	651	3781	3256	1243	4346
	L	280	365	354	313	441	2407	2127	653	2407
	R	534	781	760	733	678	637	653	525	554
1-7-93	P	527	470	468	428	654	3796	3269	1249	4364
	L	295	376	364	321	456	2486	2191	674	2486
	R	559	800	778	751	697	—	—	540	570
1-3-96	P	546	521	465	463	776	4187	3641	1415	4751
	L	321	429	372	357	559	2868	2547	830	2868
	R	588	823	799	770	720	685	700	587	604
Females										
1-3-91	P	496	445	439	387	600	3553	3057	1186	4090
	L	220	267	241	176	229	1388	1167	254	1388
	R	444	601	550	454	382	391	382	214	339
1-7-93	P	498	498	441	388	602	3568	3157	1192	4108
	L	234	312	253	184	242	1494	1260	269	1494
	R	470	626	573	475	402	419	399	226	364
1-3-96	P	517	492	442	435	703	3950	3433	1360	4486
	L	259	323	265	217	299	1687	1428	325	1687
	R	500	655	600	498	425	427	416	239	376
persons										
1-3-91	P	1021	913	905	813	1251	7334	6313	2429	8436
	L	501	633	595	488	671	3794	3293	906	3794
	R	491	693	658	600	536	517	521	373	450
1-7-93	P	1026	917	909	817	1256	7365	6339	2440	8472
	L	529	656	617	506	698	3950	3421	944	3950
	R	516	715	679	619	556	536	540	387	466
1-3-96	P	1063	1013	907	898	1479	8137	7074	2775	9237
	L	580	752	637	574	858	4555	3975	1155	4555
	R	546	742	702	639	580	560	562	406	493

*In lakhs.

be literate. From amongst the estimated female population of 435 million in the age group 20-24 years, only 217 million will be literate in 1966. Boys in the age group 10-14 years, will have the largest number of literates at all the three points of time as compared to that for any other sex-age (five year) combination. The differences in the rates of literacy for all ages in Statements 4.1 and 4.2 are due to the difference in the procedure or estimating the rates

for "all ages". While in Statement 4.1 the projected rate for "all ages" have been independently derived, the rates in Statement 4.2 have been derived by component method. It may, however, be mentioned here that the literacy rates for males, females and persons in the age group 7 years and above observed in 1991 census as 639, 394 and 521 per 1000 are comparable with the projected rates given in statement 4.2.

CHILD AND MATERNITY CARE (JULY 1986—JUNE 1987)

SECTION ONE

INTRODUCTION

1.0 The National Sample Survey Organisation (NSSO) had conducted a survey on social consumption in the 42nd round during the period from July 1986 to June 1987 in order to assess the benefits derived by the various sections of society from public expenditure incurred by the government with a view to providing necessary support for education, health care, family planning etc. The first report of this survey on the availability of drinking water, electricity and disinfection of dwellings etc. and the second report on the utilisation of public distribution system have already been released¹. The present report deals with the question of access to various services relating to child and maternity care and availed by different sections of population both in rural and urban sectors of 18 major states and all-India.

1.1 *Coverage* : The geographical coverage of the 42nd round survey was extended over the whole of rural and urban areas of Indian union excepting Ladakh and Kargil districts of Jammu and Kashmir and rural areas of Nagaland.

1.2 *Sample size* : The survey data collected through schedule 25.1 of 42nd round covered about 73,564 households spread over 8400 villages and 4465 blocks. The present report provides the results for some selected major states. The results of the states which have not been presented separately in this report are, however, included in the all India estimates.

1.3 *Participation of states* : In the 42nd round survey all the states and union territories (included in the geographical coverage) except Andaman & Nicobar Islands, Chandigarh, Dadra and Nagar Haveli and Lakshadweep participated in the survey on at least equal matching basis. The results presented in the report are, however, based on central samples only.

1.4 *Contents of the report* : The report contains tables separately for rural and urban sectors in respect of selected states as also for all-India. In addition to these tables, the other sections of the report contain (i) Concepts and Definitions, (ii) Sample Design and Estimation Procedure, (iii) Explanatory Note on Tables and (iv) Summary of Findings.

1. Sarvekshana, Issue No. 43, Vol. XIII, No. 4 (April—June, 1990).

SECTION TWO

CONCEPTS AND DEFINITIONS

2.0 Some of the concepts and definitions followed during 42nd round survey on social consumption are explained below.

2.1 *Household* : A household is a group of persons normally living together and taking food from a common kitchen. A boarding house or a hotel or a hostel is treated as a cluster of households where each individual boarder (with his dependant or guests) forms a separate household by itself. Households maintained and provided food directly by government, such as those in prisons, police quarters, cantonments, hospitals, asylums, relief camps are, however, excluded from the scope of the survey.

2.2 *Household size* : The total number of members in a household is considered to be the household size.

2.3 *Immunisation* : One of the most important public health services is immunisation of children in the form of inoculation or vaccination to procure immunity from developing certain infectious diseases. Accordingly, information were collected as to whether children between 0 and 15 years of age have ever been immunised with polio and triple-antigen which are administered generally as a course of several doses with one or more booster doses. Polio vaccine is given generally as oral liquid and sometimes as infection in 3 or 4 doses at an interval of 1 to 2 months. The first dose is given when the child is 3-9 months old and one or more booster doses are also given after the child attains the age of 18 months. The vaccine of triple-antigen is usually injected in three doses at an interval of 1-2 months for immunising the child from diphtheria, whooping cough and tetanus. First injection is usually given when the child is 3-9 months old and a booster dose is also injected when the child is generally of age 18 to 24 months.

2.4 *Registration for paediatric care* : New born children are often registered in hospitals, primary health centres, family welfare centres, maternity homes or with doctors, auxiliary nurses, lady health visitors etc. for periodic medical check up. Such services are rendered by these institutions and medical/para-medical persons upto a certain period after birth. In some cases, on receipt of information of a

child birth, an auxiliary nurse or lady health visitor visits the household for the health care of the newborn. These cases are regarded as registered for paediatric care. Information was collected as to whether the children aged between 0 and 4 years in a household were registered for such paediatric care and also on the institutions or personnels with whom they were registered to avail such services.

2.5 Pre-natal and post-natal care : Proper health care under medical advice is necessary for the expectant mothers for safe child-births and healthy babies apart from protecting the mothers from any possible hazards. Such advices which the mothers may like to have at regular intervals before the child-birth are known as pre-natal care. Similarly post-natal care is concerned with the medical advice necessary for the mother to regain her health after the strains of child-bearing. Usually when an expectant mother goes to the out patient department (O.P.D.) of a hospital for pre-natal care, her name is registered in the hospital and a card/ticket is issued to her on which the attending physician records his advice and next date of check-up. In case of consultation in a doctor's clinic such registration may not be necessary. Nevertheless, the doctor advises her as to when she is to report to him again for next check-up. Such cases were also treated as 'registered for pre-natal care'. The cases of a doctor attending the expectant mother at her residence was also treated as registered. However, occasional consultation with a doctor or in a hospital during pregnancy for some sudden complication or ailment was not treated as registered for pre-natal care. In case the mother was not registered in a hospital or with a doctor but was advised by auxiliary nurse/lady health visitor visiting the household regularly, then also the expectant mother was regarded as registered for pre-natal care. Similar cases of medical consultation and advice in respect of mothers after child-birth were regarded as post-natal care. Information for such pre-natal and post-natal care of mothers was collected in respect of births corresponding to infants born within a period of last 365 days preceding the day of survey and living on the day of enquiry.

2.6 Domiciliary births and hospital births : When a child was born at home it was considered as a domiciliary birth. 'At home' means a residential place which may be the residence of the mother, father, any other relative, or any other house. Similarly, when a child was born in a hospital it was considered as a hospital birth which also includes births in primary health centres, public dispensaries, nursing homes etc. Information was collected as to what extent the births took place at home and at hospital and also on the types of medical atten-

dance at the time of birth and the different reasons for non-hospitalisation.

SECTION THREE

SAMPLE DESIGN AND ESTIMATION PROCEDURE

3.0 Sampling design : The sampling design adopted in the 42nd round survey was a two-stage stratified one with census villages in rural areas and Urban Frame Survey(UFS) blocks in the urban areas as the first stage units and households as second stage units. The sample villages were selected with probability proportional to population with replacement in the form of two independent interpenetrating sub-samples while the sample blocks were selected by equal probability without replacement also in the form of two independent interpenetrating sub-samples. After arranging all the households in a specified manner four sample households from each first stage unit were selected following circular systematic sampling.

3.1 Sampling frame : The sampling frame for the rural areas was the list of villages as per 1981 decennial population census except for Assam where 1971 census list of villages had been used. For the urban areas the list of Urban Frame Survey (UFS) blocks had been used as frames.

3.2 Survey period and sub-round formation : The survey started from July 1986 and continued upto June 1987. The entire survey period of one year was divided into four sub-rounds each of three months duration as follows :

July 1986 to September 1986	Sub-round 1
October 1986 to December 1986	Sub-round 2
January 1987 to March 1987	Sub-round 3
April 1987 to June 1987	Sub-round 4

The samples were equally distributed over the four sub-rounds in a manner so as to provide equally valid estimates for each of the sub-round periods. The averages based on the pooled data for all the sub-rounds taken together would be free from seasonal effects.

3.3 Estimation procedure : The estimation procedure adopted in the 42nd round is based on weighted sum of sample values. Denoting by Y , the unbiased estimate of Y (the state total of any variate), it is given by

$$\hat{Y} = \sum_s \frac{P_s}{n_s} \sum_i \frac{D_{ci}}{P_{si} C_{si}} \frac{H_{ci}}{h_{si}} \sum_j y_{sij} \quad (i)$$

for rural sector

$$\text{and } \hat{Y} = \sum_s \frac{N_s}{n_s} \sum_j D_{sj} \frac{H_{sj}}{h_{sj}} \sum_i y_{sij} \quad (ii)$$

for urban sector

Where s , i and j stand for startum, village/block and household respectively;

P_s , N_s and n_s denote the population, number of villages/blocks in the frame and number of villages/blocks in the s th stratum respectively; D_{si} , C_{si} and P_{si} denote the number of hamlet groups/sub-blocks formed, number of census villages contained in a large revenue village and the population for the i th sample village in the s th stratum respectively.

H_{si} and h_{si} stand for total number of households listed and number of sample households for the i th village/block in the s th stratum respectively and finally Y_{sij} is the observed value of the variate for the j th sample household in the i th village/block belonging to the s th startum. Estimate of ratio of two characteristics is given by the ratio of the estimates of their aggregates.

SECTION FOUR

EXPLANATORY NOTES ON TABLES

4.0 The tables presented in this report give (i) percentage of children who took vaccine of polio and triple-antigen by age-group, fractile group and by adult female education class, (ii) percentage of children who took booster dose of polio and triple-antigen by fractile-group (iii) percentage of children (0-4 years) registered for paediatric care by type of medical institution/ personnel and fractile-group/adult female education class, (iv) percentage of children aged 0-4 years receiving supplementary food during last 365 days and their percentage distribution over fractile-group by type of feeding centres, (v) percentage distribution of mothers registered for pre-natal and post-natal care over fractile groups by type of medical institution/ personnel, (vi) percentage of domiciliary births and their percentage distribution over attendance types by fractile-group/adult female education class and (vii) percentage of hospital births, their percentage distribution by type of hospital and percentage distribution of non-hospitalised births by reason for non-hospitalised births by reason for non-hospitalisation for child-birth over fractile-groups separately for rural and urban sectors respectively.

4.1 *Fractile group*: All the households belonging to a state had been arranged in the ascending order of household monthly per capita consumer expenditure and then the estimated number of households corresponding to each sample household had been cumulated to arrive at the total of estimated number of households (M). Since the basic fractile classification is at 10 percent level, there will be 10 exclusive fractile groups each accounting for approximately

10 percent households (i.e. $M/10$ households). The fractile groups presented in this report are generally the percentile groups of 0-10, 10-20, 20-30, 30-40, 45-50, 50-60, 60-70, 70-80, 80-90 and 90-100.

4.2 *Adult female education class*: Adult female education class relates to the highest education level among all adult female members of the households. The classes are illiterate, literate but below primary, primary but below secondary and secondary and above.

SECTION FIVE

SUMMARY OF FINDINGS

5.0 It has already been stated in section two of this report that an important facility being made available to the children under public health measure is vaccination/inoculation to procure immunity from certain fatal diseases. Tables S1 and S2 give the percentage of children who had taken vaccine of polio and triple-antigen respectively by age-group and sector for states and all-India. It is seen that about 29 percent of children living in rural India were given vaccine of polio against a corresponding percentage of about 46 in the urban sector. Similarly, only about 16 percent of rural children were administered vaccine of triple-antigen, while 38 percent of children living in urban India received this vaccine. This indicates that the children living in urban sector have better access to vaccination than their rural counterparts and this pattern is also observed, in general, in respect of all the states. It is further evident from the results that while the rural areas of Goa (79.43), Pondicherry (72.13) and Delhi (70.27) exhibited a significantly higher percentage of children immunised against polio; the states of Maharashtra (55.10), Gujarat (50.70), Himachal Pradesh (49.18), Kerala (47.26), Tamil Nadu (42.25) and Punjab (43.84) recorded percentage varying between 44 and 55. In the remaining states, especially those in the eastern sector as well as Uttar Pradesh, Madhya Pradesh and Rajasthan, the extent of immunisation of rural children against polio is considerably low, varying between 4 and 13 percent. These states are also found to report lower percentage of children immunised in their urban sectors than those reported at all India level (46.32).

5.1 It is seen from Table S2 that the states reporting relatively higher/lower percentage of children immunised against polio also show more or less similar pattern in respect of vaccination with triple-antigen. Moreover, it is also observed that for each age-group the percentage of children immunised against polio is more than those who were administered the triple-antigen vaccine born in rural and urban sectors in respect of

TABLE (S1) : PERCENTAGE (0.00) OF CHILDREN TAKEN VACCINE OF POLIO BY AGE-GROUP AND SECTOR FOR STATES AND ALL-INDIA

state/union territory	rural					urban				
	age-group in years									
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh	29.01	47.72	32.64	21.96	32.52	36.59	66.30	56.67	47.77	54.50
Assam	18.66	13.86	8.18	2.95	7.59	55.87	49.74	27.90	15.05	27.73
Bihar	3.34	6.13	3.70	3.02	4.04	16.47	21.12	14.93	13.89	15.98
Gujarat	23.04	58.49	55.50	45.38	50.70	44.01	70.17	73.98	62.34	67.08
Haryana	28.05	47.54	31.10	16.30	29.73	27.73	65.62	49.24	25.40	44.18
Himachal Pradesh	46.66	65.54	53.74	34.96	49.18	34.30	74.22	79.29	73.24	74.25
Jammu & Kashmir	23.07	37.85	30.12	19.78	28.01	44.77	72.80	69.39	46.86	60.67
Karnataka	30.46	45.96	30.91	24.29	32.19	42.91	68.55	61.92	46.68	57.13
Kerala	44.39	67.42	50.46	33.44	47.26	56.72	74.89	67.96	42.42	57.57
Madhya Pradesh	11.94	17.41	13.32	8.66	12.66	30.09	49.04	41.51	32.41	39.28
Maharashtra	42.39	69.61	58.09	43.50	55.10	51.77	80.68	76.73	69.21	73.43
Meghalaya	7.76	12.91	4.38	2.41	6.64	20.07	44.20	26.32	11.07	24.35
Orissa	13.14	19.97	7.67	2.97	9.14	16.61	43.25	26.59	12.05	23.90
Punjab	29.76	56.25	51.44	31.51	43.84	45.68	72.16	67.21	51.87	61.95
Rajasthan	4.13	14.94	6.13	3.43	7.43	17.08	44.66	27.20	18.44	28.15
Tamil Nadu	44.13	64.45	43.95	30.11	44.25	58.06	77.21	69.36	53.77	64.35
Tripura	11.15	10.38	2.90	1.40	3.56	21.81	57.33	32.61	17.62	29.75
Uttar Pradesh	6.56	8.96	4.56	2.01	4.90	17.52	24.25	16.92	11.11	16.59
West Bengal	6.02	21.60	13.28	6.02	12.45	26.26	49.30	38.04	21.36	33.08
Delhi	63.36	75.05	84.84	52.49	70.27	46.80	67.27	68.13	60.96	63.87
Goa, Daman & Diu	71.80	97.87	87.77	65.21	69.43	45.45	72.57	77.01	84.96	76.87
Pondicherry	74.04	92.97	75.49	55.07	72.13	32.76	87.57	83.88	74.31	78.28
All-India	18.63	29.81	20.39	14.74	20.63	36.47	56.53	49.13	38.88	46.32

TABLE (S2) : PERCENTAGE (0.00) OF CHILDREN TAKEN VACCINE OF TRIPLE-ANTIGEN BY AGE-GROUP AND SECTOR FOR STATES AND ALL-INDIA

state/union territory	rural					urban				
	age-group in years									
	0	1—4	5—9	10—15	0—15	0	1—4	5—9	10—15	0—15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh . . .	17.71	29.41	20.27	17.14	21.31	25.82	46.63	41.97	35.52	39.82
Assam	8.30	10.53	6.66	2.97	6.11	43.13	36.38	18.94	10.70	19.67
Bihar	1.55	2.61	1.44	1.37	1.70	5.45	10.31	9.21	10.23	9.68
Gujarat	19.04	51.98	52.04	45.64	47.93	43.07	66.72	68.49	62.64	64.56
Haryana	13.64	29.43	17.94	12.26	18.47	12.71	42.61	38.97	20.66	32.04
Himachal Pradesh . .	34.61	52.16	37.91	27.04	37.08	47.73	62.43	68.63	60.42	63.25
Jammu & Kashmir	10.53	22.80	17.56	10.45	15.98	34.81	52.33	45.75	30.18	41.06
Karnataka	20.99	36.21	24.15	19.00	25.06	32.71	60.90	53.34	39.01	49.02
Kerala	36.42	61.51	46.28	30.70	43.06	44.01	69.96	64.08	37.36	52.49
Madhya Pradesh . . .	5.39	6.85	4.76	3.34	4.82	11.52	29.13	27.69	21.15	24.72
Maharashtra	32.68	59.76	51.31	39.77	48.43	45.58	70.70	70.13	65.15	67.06
Meghalaya	3.07	8.65	3.76	2.10	4.76	—	38.42	31.00	12.47	25.05
Orissa	2.79	5.61	3.90	4.84	4.59	1.77	16.46	10.22	7.23	9.95
Punjab	23.38	39.13	34.80	22.42	30.52	27.63	59.62	52.26	42.91	49.51
Rajasthan	0.59	3.46	1.43	1.62	1.97	7.68	16.87	12.04	11.41	12.84
Tamil Nadu	33.40	56.02	38.51	26.40	38.31	48.13	72.88	62.96	48.28	58.61
Tripura	7.82	4.45	2.22	2.02	2.59	—	31.25	18.23	15.09	17.95
Uttar Pradesh	3.21	3.60	2.45	0.95	2.27	6.87	14.37	10.77	6.19	9.75
West Bengal	6.60	16.31	10.73	5.77	10.18	19.72	36.02	29.54	19.48	26.35
Delhi	39.49	55.58	81.58	55.54	63.53	45.48	61.92	66.17	61.70	62.06
Goa, Daman & Diu	69.62	90.36	75.87	64.59	73.76	52.75	71.23	75.45	85.95	76.84
Pondicherry	64.04	86.11	73.27	51.70	67.57	32.76	74.21	77.71	69.18	71.46
All-India	12.37	21.07	15.21	12.25	15.47	26.73	44.37	40.32	33.25	37.89

almost all the states and all-India. In the rural sector, the extent of vaccination of triple-antigen among children was reported to be lowest for Bihar (1.70) followed by Rajasthan (1.97), Uttar Pradesh (2.27), Tripura (2.59), Orissa (4.50), Meghalaya (4.76), Madhya Pradesh (4.82), Assam (6.11) and West Bengal (10.18). The rural areas of Goa (73.76), Pondicherry (67.57) and Delhi (63.53) as also Maharashtra (48.43), Gujarat (47.93) and Kerala (43.06) continued to occupy the top positions also in regard to triple-antigen vaccination as they did in respect of vaccination of polio. Both in rural and urban sectors of most of the states and all-India, the percentage of children immunised increases with the decrease in age-group. This trend is indicative of the fact that with the passage of time, more and more children are availing this particular service of health care. In

other words, the children born during recent years, preceding the survey period, got immunised to a greater extent than those born earlier. The percentage of children administered polio and triple-antigen vaccines are observed to be maximum in the age-group 0-4 years, both in rural and urban sectors.

5.2 The booster dose of polio and triple-antigen is necessary to reinforce the effect of these two vaccines and thereby increase the degree of immunity against any possible later attacks. Table S3 gives the percentage of children who took booster dose of polio and triple-antigen by sector and state. At all-India level while about 11 percent of children were given booster dose of polio in the rural sector, the corresponding percentage was around 27 in the urban sector. Similarly, the percentages of children who received booster doses of triple-antigen were found to be of the order of only 8 and 21 in rural and urban India, respectively. Goa, Delhi, Pondicherry, Maharashtra and

TABLE (S3) : PERCENTAGE (0.00) OF CHILDREN TAKEN BOOSTER DOSE OF POLIO AND TRIPLE-ANTIGEN BY SECTOR & STATE AND ALL-INDIA.

state/union territory	rural		urban	
	polio	triple-antigen	polio	triple-antigen
	(2)	(3)	(4)	(5)
(1)				
Andhra Pradesh	13.04	7.98	23.97	17.32
Assam	5.34	4.60	18.84	12.45
Bihar	2.42	0.93	11.94	7.76
Gujarat	34.73	26.34	45.26	35.72
Haryana	14.66	9.36	25.87	21.51
Himachal Pradesh	39.71	29.78	63.27	55.83
Jammu & Kashmir	9.31	5.34	26.56	14.22
Karnataka	15.90	11.49	22.55	18.85
Kerala	23.44	21.74	31.73	29.39
Madhya Pradesh	6.36	1.89	23.88	12.79
Maharashtra	34.45	30.21	48.62	43.09
Meghalaya	1.70	1.96	12.38	11.61
Orissa	4.71	1.51	18.00	7.75
Punjab	24.42	15.92	43.84	32.03
Rajasthan	4.58	0.92	18.45	8.26
Tamil Nadu	14.32	10.90	22.95	17.44
Tripura	2.08	1.13	21.18	10.39
Uttar Pradesh	2.87	1.14	11.71	5.92
West Bengal	4.13	3.11	16.34	14.01
Delhi	66.12	58.04	59.23	55.38
Goa, Daman & Diu	78.89	72.97	76.87	75.91
Pondicherry	54.34	54.34	62.91	56.14
All-India	10.77	7.53	26.82	20.51

TABLE (S4) PERCENTAGE (0.00) OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE-ANTIGEN BY SECTOR & STATE AND ALL-INDIA.

fractile-group	percentage of children taken			
	polio	triple-antigen	booster dose of	
			polio	triple-antigen
	(1)	(2)	(3)	(4)
	rural			
0—10	14.89	10.38	7.24	4.41
10—20	15.58	10.92	7.45	4.39
20—40	17.66	13.23	8.38	5.98
40—60	20.62	15.04	10.52	7.51
60—80	24.95	19.59	14.26	10.20
80—90	31.40	24.44	17.01	12.02
90—100	40.60	32.74	25.76	20.44
all	20.63	15.47	10.77	7.53
	urban			
0—10	31.76	22.09	14.31	9.54
10—20	33.79	26.98	15.57	11.50
20—40	39.24	31.06	21.69	16.49
40—60	53.03	44.62	31.64	24.27
60—80	61.97	51.24	39.19	28.92
80—90	72.71	66.17	48.85	41.90
90—100	87.37	74.92	59.26	51.16
all	46.32	37.89	26.82	20.51

Gujarat, which showed relatively higher percentage of children receiving polio and triple-antigen vaccines were also found to exhibit similar pattern in both the sectors in respect of intake of booster dose of these two vaccines. On the other hand, the states reporting lower percentage of children receiving vaccine of polio and triple-antigen were also found to report low percentage in respect of booster doses. Also, in both sectors of all the states and all-India, the percentage of children reporting to have taken booster doses of polio and triple-antigen is substantially less than those reporting to have taken the primary dose of these two vaccines. While 21 per cent of children in rural India were vaccinated against polio, only 1 per cent reported to have taken its booster dose. Similarly, the corresponding percentages for the urban sector were observed to be 46 and 27 respectively. Likewise for, triple-antigen, the percentage of children vaccinated in the rural and urban sectors at all-India level was about 16 and 38, while for its booster dose the corresponding percentage was about 8 and 21. This indicates that, either due to ignorance or indifference, the necessary follow-up action of administering the booster dose was not taken in respect of most of the children.

5.3 Having observed the percentage of children immunised against polio and those receiving triple-antigen vaccine, it is of interest to know as to what extent the children belonging to different sections of

the population were benefited by this particular health service. Table S4 provides the percentage of children who took vaccine of polio and triple-antigen and their booster doses by fractile group and sector for all-India. It is seen that the percentage of children having taken the vaccine of polio and triple-antigen, as also their booster doses, increases as one moves up along the fractile classes and this increase is observed to be more rapid in urban than in the rural sector. While the percentage of children belonging to bottom ten percent of the households in rural sector who took vaccine of polio and triple-antigen was about 15 and 10 respectively, the corresponding percentage in urban sector was observed to be 32 and 22 which is more than double of what was reported in the rural sector. Similarly, for top ten percent of the households the corresponding percentage in the rural sector was about 41 and 33 as against 80 and 75 in the urban sector. Similar pattern is also observed for booster doses. This suggests that the children belonging to richer households are better cared even though the extent of such care is relatively more pronounced in urban than in rural areas.

5.4 In addition to the immunisation of children, one of the other services relating to child care is to serve food from food distribution centres to children to supplement the food they get at home with a view to raising their nutritional standard and thus improving their health. Table S5 gives the percentage of children (0-4 years) who received supplementary food

TABLE (S5) : PERCENTAGE OF CHILDREN (0-4 YEARS) RECEIVED SUPPLEMENTARY FOOD DURING THE LAST 365 DAYS BY TYPE OF FEEDING CENTRE AND SECTOR FOR STATES AND ALL-INDIA

state/union territory	type of feeding centre									
	rural					urban				
	govt.	private	not known	not recorded	all	govt.	private	not known	not recorded	all
Andhra Pradesh	1.10	0.10	—	—	1.20	0.59	—	—	0.11	0.70
Assam	3.47	0.36	—	—	3.83	—	0.98	—	0.31	1.29
Bihar	0.25	0.03	—	0.07	0.35	0.42	—	0.24	—	0.66
Gujarat	1.32	0.08	0.23	—	1.63	0.19	—	0.21	—	0.40
Haryana	1.27	—	—	—	1.27	—	—	—	—	—
Himachal Pradesh	1.78	0.11	0.44	—	2.33	—	1.58	—	—	1.58
Jammu & Kashmir	2.95	—	—	—	2.95	1.68	—	—	—	1.68
Karnataka	2.25	—	—	0.06	2.31	5.63	—	—	—	5.63
Kerala	6.86	1.16	0.08	0.11	8.21	5.37	—	0.51	—	5.88
Madhya Pradesh	1.49	—	—	—	1.49	0.66	—	0.20	—	0.86
Maharashtra	3.92	0.23	0.15	0.16	4.46	0.77	0.33	0.12	0.07	1.29
Meghalaya	3.02	0.15	—	—	3.17	0.23	—	—	—	0.23
Orissa	5.28	0.21	—	—	5.49	2.52	—	—	—	2.52
Punjab	0.95	—	—	—	0.95	0.56	—	—	—	0.56
Rajasthan	1.25	—	0.06	—	1.31	—	—	—	—	—
Tamil Nadu	24.46	1.19	—	0.12	25.77	6.72	0.56	—	0.22	7.50
Tripura	0.20	0.20	—	0.30	0.70	—	—	0.91	—	0.91
Uttar Pradesh	0.67	0.08	0.03	0.04	0.82	0.17	0.26	—	—	0.43
West Bengal	4.13	0.22	0.60	0.12	5.07	0.55	0.48	0.32	—	1.35
Delhi	3.12	6.23	—	—	9.35	3.89	1.19	0.10	—	5.18
Pondicherry	30.93	—	—	—	30.93	5.52	—	—	—	5.52
All-India	3.20	0.19	0.08	0.05	3.52	1.76	0.22	0.09	0.04	2.11

during last 365 days preceding the date of survey by type of feeding centre and sector for states and all-India. It is seen from this table that only about 4 per cent of children in rural India and 2 per cent in urban India received supplementary food during the last 365 days preceding the day of enquiry. Similar low percentage was observed in respect of most of the states except Pondicherry (30.93, 5.52), Tamil Nadu (25.77, 7.50), Delhi (9.35, 5.18) and Kerala (8.21, 5.88). This particular service of providing supplementary food to the children is found to be more in rural than in urban, and whatever supplementary food the children received during last 365 days, most of them were served from the feeding centres controlled by the Government while this service from other centres run by other agencies is virtually non-existent.

5.5 Some medical services are necessary for the new born babies upto a certain period after birth so that all possible measures could be taken by their

parents for their normal growth and these services are categorised under paediatric care as explained in section two of this report. Tables S6(R) and S6(U) give the percentage of children (0-4 years) registered for paediatric care and their percentage distribution over different types of medical institutions/personnels for rural and urban sectors respectively. At all-India level, while in the rural sector about 12 per cent of children were registered for paediatric care, the corresponding percentage in the urban sector was about 29. This percentage is observed to be low in respect of rural areas of all the states except Pondicherry (54.52), Goa (46.74), Tamil Nadu (38.76) and Kerala (32.19). In the rural areas of Bihar (2.75), Uttar Pradesh (3.21), Meghalaya (4.09), Rajasthan (4.41), Orissa (5.67), Madhya Pradesh (6.84), Haryana (8.02), Tripura (10.28) and West Bengal (10.83), the percentage is extremely low varying between 3 and 11 per cent. In the urban sector, more than half of the children were reported to have been registered for paediatric care in Pondicherry (57.56),

TABLE S6(R) : PERCENTAGE (0.00) OF CHILDREN REGISTERED FOR PAEDIATRIC CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF INSTITUTION/PERSONNEL REGISTERED WITH FOR STATES AND ALL-INDIA.

state/union territory	percent- age of children register- ed	type of institution/personnel								total
		public hospital	primary health centre	public dispen- sary	nursing home	charit- able institu- tion	private doctor	la y health visitor	others	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh .	18.21	16.49	4.62	—	1.24	1.64	7.37	27.23	36.15	100.00
Assam	12.89	33.04	12.05	8.04	—	—	3.79	5.26	28.46	100.00
Bihar	2.75	18.09	16.19	1.41	—	2.74	14.30	11.94	9.12	100.00
Gujarat	11.66	23.10	14.57	0.87	1.81	—	1.92	36.23	11.50	100.00
Haryana	8.02	35.15	2.25	2.03	3.57	2.04	28.82	19.90	3.51	100.00
Himachal Pradesh .	19.19	41.11	2.28	7.58	—	—	1.16	37.68	8.07	100.00
Jammu & Kashmir	10.35	62.07	5.19	0.53	—	—	8.19	1.74	11.08	100.00
Karnataka	21.34	22.98	5.74	0.36	1.75	—	6.41	43.59	13.04	100.00
Kerala	32.19	39.76	1.25	0.66	2.17	—	2.24	5.19	41.26	100.00
Madhya Pradesh .	6.84	24.02	11.44	—	2.53	—	6.07	44.07	7.06	100.00
Maharashtra	26.63	25.42	9.69	0.64	0.47	1.46	7.53	32.88	16.15	100.00
Meghalaya	4.09	29.97	8.91	—	—	—	16.44	26.56	18.12	100.00
Orissa	5.69	49.78	8.75	2.44	—	—	3.16	13.94	10.12	100.00
Punjab	9.67	44.47	3.06	—	4.23	33.35	6.35	20.76	15.40	100.00
Rajasthan	4.49	41.47	6.70	—	—	—	7.91	20.92	16.61	100.00
Tamil Nadu	38.76	36.34	5.72	0.56	1.01	0.12	5.38	24.40	23.01	100.00
Tripura	10.28	65.04	—	—	—	—	—	16.62	15.09	100.00
Utiar Pradesh	3.21	25.18	10.60	—	1.18	—	19.46	22.62	8.95	100.00
West Bengal	10.83	40.14	19.60	1.07	0.82	—	7.45	20.50	6.20	100.00
Delhi	28.62	65.15	13.08	—	—	—	—	—	21.77	100.00
Goa, Daman & Diu	46.74	50.27	—	—	—	—	9.27	40.46	—	100.00
Pondicherry	54.52	66.30	28.86	—	—	—	—	4.84	—	100.00
All-India	11.93	30.32	8.16	0.78	1.17	0.62	7.21	26.08	19.26	100.00

Note : Differences between the total of columns (3) to (10) and (11) are due to the percentage of children registered with type of institution not recorded.

TABLE S 6(U) : PERCENTAGE (0.00) OF CHILDREN REGISTERED FOR PAEDIATRIC CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF INSTITUTION/PERSONNEL REGISTERED WITH FOR STATES AND ALL-INDIA.

URBAN

state/union territory	percentage of children registered	type of institution/personnel								total
		public hospital	primary health centre	public dispensary	nursing home	charitable institution	private doctor	lady health visitor	other	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh . . .	35.85	38.96	1.34	0.77	2.49	2.56	8.81	6.15	35.63	100.00
Assam	34.33	46.29	4.55	—	11.32	3.64	2.21	10.52	4.80	100.00
Bihar	11.37	15.11	1.62	0.87	8.74	0.09	11.15	10.64	45.26	100.00
Gujarat	31.97	34.56	10.61	—	7.72	2.10	5.15	5.73	29.80	100.00
Haryana	9.57	44.16	1.21	—	5.86	—	15.79	7.49	25.49	100.00
Himachal Pradesh	44.94	77.71	—	—	—	—	—	7.68	7.77	100.00
Jammu & Kashmir	23.64	68.47	—	1.16	—	—	13.72	3.42	11.27	100.00
Karnataka	45.20	50.19	3.46	1.26	7.00	—	7.51	3.69	18.63	100.00
Kerala	32.64	43.44	0.58	—	1.99	—	12.88	2.79	36.28	100.00
Madhya Pradesh	20.13	63.51	2.87	2.40	9.84	0.87	6.82	5.84	6.83	100.00
Maharashtra	42.94	37.87	2.47	1.93	3.23	0.93	7.68	2.78	34.77	100.00
Meghalaya	31.04	42.43	5.31	—	—	7.66	3.31	4.05	26.56	100.00
Orissa	22.20	90.26	3.05	—	—	—	0.47	3.98	2.24	100.00
Punjab	15.52	40.31	2.34	—	5.21	0.99	9.09	16.06	26.00	100.00
Rajasthan	14.54	70.06	6.69	—	—	2.15	1.17	1.87	18.26	100.00
Tamil Nadu	53.90	48.92	3.02	1.62	5.49	0.50	4.47	3.56	30.65	100.00
Tripura	54.21	81.09	2.49	6.04	—	—	—	1.67	—	100.00
Uttar Pradesh	10.04	53.92	5.31	—	3.21	3.50	11.47	6.79	12.07	100.00
West Bengal	35.40	67.85	5.31	—	10.33	0.37	6.36	2.79	3.16	100.00
Delhi	37.17	46.50	2.25	1.43	4.76	—	8.20	22.06	13.53	100.00
Goa, Daman & Diu	39.40	85.02	3.36	—	—	—	5.81	—	5.81	100.00
Pondicherry	57.56	29.38	—	—	27.74	—	2.89	—	29.29	100.00
All-India	29.24	47.99	3.46	1.08	5.32	1.00	7.10	5.38	24.25	100.00

Note : Differences between the total of columns (3) to (10) and (11) are due to the percentage of children with type of institution not recorded.

Tripura (54.21) and Tamil Nadu (53.90), while more than one-third but less than half of the children were registered in Karnataka (45.20), Himachal Pradesh (44.94), Maharashtra (42.94), Goa (39.40), Andhra Pradesh (35.85), West Bengal (35.40), Assam (34.33) and Kerala (32.64). The urban areas of Bihar, Haryana, Madhya Pradesh, Punjab, Rajasthan and Uttar Pradesh exhibited same pattern of low percentage like their corresponding rural sectors. From among the rural children registered for paediatric care, about 30 per cent were registered with public hospital, followed by registration with the lady health visitor (26%), primary health centres (8%) and private doctors (7%). While more than half of children were registered with public hospital in respect of rural areas of Pondicherry (66.30), Delhi (65.15), Jammu & Kashmir (62.07) and Goa (50.27),

the percentage of registration with the lady health visitors is quite significant in rural areas of Madhya Pradesh (44.07), Karnataka (43.59), Goa (50.27), Himachal Pradesh (37.68) and Gujarat (36.23). As against 30.32 per cent of children registered with public hospital in rural India, corresponding percentage in urban India was observed to be 47.99. However, the extent of registration with the lady health visitor in urban areas is found to be very low (5.38 per cent) in comparison to the corresponding percentage in the rural sector (26.08) and this low percentage of children registered for paediatric care with lady health visitors is also observed in respect of the urban sector of all the states. In general, it is seen that of all the institutions with which the children were registered for

paediatric care, the public hospital has been found to dominate even though extent of dominance is little less in rural than in urban India.

5.6 The concept of pre-natal and post-natal care of the mothers has already been explained in section two of this report. Table S7 (R) and S7 (U) give the percentage of mothers registered for pre-natal care and their percentage distribution over different types of medical institutions/personnels for rural and urban sectors respectively. It is seen from the results that while 21 percent of mothers were registered for pre-natal care in the rural sector at all-India level, the corresponding percentage in the urban India was about 47. In the rural sector of the states, a high percentage of registration is observed in respect of Pondicherry (100.00), Kerala (72.68) and Tamil Nadu (68.50), while Meghalaya (4.96), Rajasthan (5.98),

Bihar (6.31), Uttar Pradesh (6.70), Orissa (7.93) and Madhya Pradesh (7.98) reported very low percentage of mothers registered for pre-natal care. In contrast with the rural sector, the urban sector exhibited a greater percentage of mothers registered for pre-natal care, both at all-India level and in most of the states. While more than half of the mothers were reported to have been registered in the urban sectors of Pondicherry (100.00), Tamil Nadu (79.92), Meghalaya (70.79), Himachal Pradesh (68.31), Kerala (65.24), Karnataka (64.43), Maharashtra (63.06), West Bengal (60.47), Assam (60.44), Gujarat (56.01), Andhra Pradesh (55.76) and Delhi (51.22), the states of Bihar, Orissa, Rajasthan and Uttar Pradesh reported a very low percentage of less than 20. Among the different types of institutions with which the expectant mothers were registered for pre-natal care, it is found that in rural India about 25 percent of mothers were

TABLE S 7(R) : PERCENTAGE (0.00) OF MOTHERS REGISTERED FOR PRE-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTIONS BY STATE AND ALL-INDIA.

state/union territory	percentage of mothers registered	type of institution registered with										total
		public hospital	primary health centre	public dispensary	private hospital	nursing home	charitable institution	private doctor	lady health visitor	others		
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	
Andhra Pradesh	33.40	12.35	8.27	—	34.02	0.76	0.99	12.36	30.63	0.62	100.00	
Assam	12.74	30.70	39.29	19.01	—	—	—	—	11.00	—	100.00	
Bihar	6.31	14.30	9.15	—	13.85	—	5.60	18.99	21.98	—	100.00	
Gujarat	21.66	24.33	8.62	—	17.52	—	—	7.54	31.52	—	100.00	
Haryana	11.36	31.99	10.63	—	—	—	—	45.76	11.62	—	100.00	
Himachal Pradesh	27.44	46.88	—	13.14	—	—	—	—	30.83	—	100.00	
Jammu & Kashmir	13.78	59.59	20.46	—	3.58	—	2.14	8.27	5.96	—	100.00	
Karnataka	36.97	22.79	13.11	—	15.88	1.93	—	6.28	34.75	—	100.00	
Kerala	72.68	36.33	6.27	0.81	44.15	—	—	7.66	2.29	0.81	100.00	
Madhya Pradesh	7.98	25.85	6.96	—	1.93	3.12	—	12.63	40.00	1.15	100.00	
Maharashtra	34.31	15.10	11.39	0.63	25.83	0.88	—	8.16	37.10	—	100.00	
Meghalaya	4.96	27.43	19.43	—	—	—	—	—	53.14	—	100.00	
Orissa	7.93	53.82	—	5.43	—	—	—	—	31.67	—	100.00	
Punjab	23.72	31.87	3.32	4.21	17.83	2.60	5.02	6.76	23.72	—	100.00	
Rajasthan	5.98	39.59	11.41	—	5.29	—	—	—	21.22	4.30	100.00	
Tamil Nadu	68.50	28.34	8.96	—	25.52	1.46	—	12.73	21.37	—	100.00	
Tripura	16.95	68.60	15.84	—	15.56	—	—	—	—	—	100.00	
Uttar Pradesh	6.70	22.33	9.56	—	6.03	2.63	—	10.98	19.23	17.83	100.00	
West Bengal	25.52	28.59	29.12	—	2.68	1.01	—	15.25	19.28	2.93	100.00	
Delhi	29.30	100.00	—	—	—	—	—	—	—	—	100.00	
Goa, Daman & Diu	45.26	54.26	—	—	2.42	—	—	43.32	—	—	100.00	
Pondicherry	100.00	51.98	16.60	—	—	—	—	—	31.42	—	100.00	
All-India	21.15	25.42	11.01	0.60	20.71	1.09	0.45	10.75	24.51	1.72	100.00	

Note : Differences between the total of columns (4) to (12) and (13) are due to the percentage of mothers registered with type of institution not recorded.

TABLE S 7(U) : PERCENTAGE (0.00) OF MOTHERS REGISTERED FOR PRE-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTIONS BY STATE AND ALL-INDIA.

URBAN

state/union territory	percent- age of mothers regis- tered	type of institution registered with									total
		public hospital	primary health centre	public dis- pensary	private hospital	nursing home	charit- able insti- tution	private doctor	lady health visitor	others	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(17)	(11)	(12)
Andhra Pradesh	55.76	39.28	0.80	1.17	37.83	1.78	2.29	11.68	4.83	—	100.00
Assam	60.44	47.17	—	—	—	38.82	—	—	6.24	—	100.00
Bihar	19.38	1.00	—	—	32.49	8.29	3.23	40.44	14.55	—	100.00
Gujarat	56.01	29.85	14.30	—	19.01	12.42	2.30	10.88	4.86	—	100.00
Haryana	20.50	67.11	—	—	—	—	—	16.17	—	16.72	100.00
Himachal Pradesh	68.31	60.67	—	39.33	—	—	—	—	—	—	100.00
Jammu & Kashmir	33.57	71.82	1.12	—	—	—	—	25.28	—	1.78	100.00
Karnataka	64.43	62.60	4.47	2.12	9.92	10.36	1.14	4.33	4.20	—	100.00
Kerala	65.24	48.18	1.89	—	38.23	1.26	—	5.39	—	—	100.00
Madhya Pradesh	45.51	78.96	3.42	—	7.65	3.03	1.81	4.18	—	0.95	100.00
Maharashtra	63.06	36.43	3.15	1.23	39.23	6.19	1.14	10.25	—	1.28	100.00
Meghalaya	70.79	73.41	9.94	—	16.65	—	—	—	—	—	100.00
Nagaland	65.17	72.25	—	—	—	27.75	—	—	—	—	100.00
Orissa	17.16	76.06	4.08	—	—	6.55	—	3.24	10.07	—	100.00
Punjab	25.99	45.07	5.57	—	10.61	4.98	—	5.51	28.26	—	100.00
Rajasthan	13.13	89.78	7.24	—	—	—	—	—	2.98	—	100.00
Tamil Nadu	79.92	50.06	0.30	—	32.81	4.99	0.45	4.00	5.63	0.35	100.00
Tripura	38.99	100.00	—	—	—	—	—	—	—	—	100.00
Uttar Pradesh	16.85	50.79	3.81	1.11	21.44	5.15	2.11	9.86	4.99	—	100.00
West Bengal	60.47	62.38	7.72	—	—	19.96	0.50	6.78	1.92	—	100.00
Andaman & Nicobar Islands	—	—	—	—	—	—	—	—	—	—	—
Chandigarh	—	—	—	—	—	—	—	—	—	—	—
Delhi	51.22	54.41	8.54	—	13.94	11.07	—	—	8.13	3.91	100.00
Goa, Daman & Diu	17.60	62.00	8.20	—	—	29.80	—	—	—	—	100.00
Lakshadweep	—	—	—	—	—	—	—	—	—	—	—
Pondicherry	100.00	26.48	—	—	32.78	28.43	—	12.31	—	—	100.00
All-India	46.83	50.33	3.92	0.68	22.81	7.45	1.10	7.52	4.09	0.79	100.00

Note : Differences between the total of columns (3) to (11) and (12) are due to the percentage of mothers with type of institution not recorded.

registered, each with public hospital and lady health visitor, followed by private hospital (20.71), primary health centre (11.01) and private doctors (10.75). Compared to this, in urban India, 50 per cent of mothers were registered with public hospital and about 23 per cent in private hospital while 8 per cent were registered each with private doctors and nursing homes. There is a wide variation observed among different states with regard to the extent of registration in various institutions. While Delhi, Tripura, Jammu & Kashmir, Orissa and Pondicherry reported more than half of the mothers registered with public hospital in their corresponding rural sectors, the extent of registration in private hospitals was found to be relatively high in the rural sector of the southern states of Kerala (44.15), Andhra Pradesh (34.02) and

Tamil Nadu (25.52). It is further evident that in the urban sector public hospital was favoured by quite a large proportion of mothers for receiving pre-natal care in the states of Rajasthan (89.78), Madhya Pradesh (78.96), Orissa (76.06), Meghalaya (73.41) and Jammu & Kashmir (71.82), but in the urban areas of Maharashtra, Kerala, Andhra Pradesh and Tamil Nadu the private hospital was found to be quite dominant, much like the pattern observed in their corresponding rural sectors. In general, it is seen that the expectant mothers living in urban areas are better cared in their pre-natal stages than their rural counterparts. The services of lady health visitors are as much in use as those of public hospitals in rural India; the pre-natal care is dominantly public hospital based in the urban sector.

5.7 As pre-natal care is necessary for the expectant mothers for safe child births and healthy babies, post-natal care is also equally important for the mothers to regain their health after the strains of child bearing. Tables 8(R) and 8(U) give the percentage of mothers registered for post-natal care and their percentage distribution over different types of medical institutions/personnels for rural and urban sectors respectively. It is seen that only about 13 per cent of mothers were registered for post-natal care in rural India as against 24 per cent in urban India. Among the rural sectors of the states, except Pondicherry (42.37), Goa (41.17), Tamil Nadu (41.01) and Kerala (38.07), the percentage of mothers registered for post-natal care is observed to be quite low in respect of all others states. Though the extent of registration for post-natal care

in urban sector is relatively better than what is observed in rural sector, still it is on the low side in most of the states except Pondicherry (73.53), Tamil Nadu (49.05), Tripura (47.91), Himachal Pradesh (45.32), Assam (41.65), Kerala (34.59) and Maharashtra (33.50). The percentage distribution of mothers registered for post-natal care over different types of medical institutions/personnels is observed to follow a similar pattern as in case of pre-natal care both in rural and urban sectors. Moreover, the mothers registered for post-natal care are found to be less than those registered for pre-natal care in both sectors of all the states and all-India indicating that in most cases the necessary medical advice is not availed by the mothers after child birth.

TABLE 8(R) : PERCENTAGE (0.00) OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTIONS BY STATE AND ALL-INDIA.

state/union territory	percentage of mothers registered	type of institution registered with									
		public hospital	primary health centre	public dispensary	primary hospital	nursing home	charitable institution	private doctor	lady health visitor	others	total
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
Andhra Pradesh	19.91	5.85	11.59	—	31.89	—	8.65	8.44	19.57	1.04	100.00
Assam	5.44	8.05	56.00	—	—	—	—	16.53	—	—	100.00
Bihar	7.12	10.52	10.11	2.90	1.48	—	2.14	13.55	17.66	—	100.00
Gujarat	15.70	25.18	9.83	—	16.93	—	—	2.06	41.32	—	100.00
Haryana	5.75	13.56	—	—	—	—	—	45.08	7.91	—	100.00
Himachal Pradesh	21.22	46.40	—	—	—	—	—	—	36.68	8.96	100.00
Jammu & Kashmir	3.87	68.25	—	—	—	—	—	—	13.64	18.11	100.00
Karnataka	21.69	16.95	21.88	—	5.73	3.28	—	5.99	38.13	—	100.00
Kerala	38.07	20.91	3.71	—	59.61	—	—	6.18	1.29	—	100.00
Madhya Pradesh	5.43	18.57	12.23	—	12.80	4.59	—	10.21	22.85	—	100.00
Maharashtra	22.44	17.52	16.38	1.65	13.77	—	—	8.36	17.63	—	100.00
Meghalaya	6.37	29.96	—	—	—	—	—	—	41.39	—	100.00
Orissa	7.52	24.43	10.72	5.73	—	—	—	—	40.60	5.07	100.00
Punjab	11.58	29.84	—	—	8.32	—	—	5.05	38.70	12.58	100.00
Rajasthan	2.81	37.66	—	—	—	—	—	20.33	26.77	15.24	100.00
Tamil Nadu	41.01	30.88	5.14	1.51	16.25	2.44	—	8.19	32.03	—	100.00
Tripura	6.22	100.00	—	—	—	—	—	—	—	—	100.00
Uttar Pradesh	4.46	8.91	11.84	2.58	—	—	—	13.88	3.50	10.40	100.00
West Bengal	7.82	34.12	8.98	3.71	—	—	—	34.20	7.48	—	100.00
Delhi	21.11	100.00	—	—	—	—	—	—	—	—	100.00
Goa, Daman & Diu	41.17	49.71	—	—	2.66	—	—	47.63	—	—	100.00
Pondicherry	42.37	37.22	39.18	—	—	—	—	—	23.60	—	100.00
All-India	12.60	20.51	10.44	1.16	16.44	0.92	0.34	9.97	21.85	1.71	100.00

Note : Differences between the total of columns (3) to (11) and (12) are due to the percentage of mothers registered with 'type of institution' not recorded.

TABLE S 8(U) : PERCENTAGE (0.00) OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTIONS BY STATE AND ALL-INDIA.

state/union territory	percent- age of mothers regis- tered	type of institution registered with									total
		public	primary	public	private	nursing	charit- able	private	lady	others	
		hospital	health centre	dispen- sary	hospital	home	insti- tution	doctor	health visitor		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
Andhra Pradesh	25.76	28.73	—	—	31.41	1.55	—	19.98	5.04	—	100.00
Assam	41.65	37.36	—	—	—	20.35	—	33.23	9.06	—	100.00
Bihar	20.19	40.94	—	3.10	26.09	2.60	—	5.73	3.89	—	100.00
Gujarat	32.35	15.95	5.79	—	17.86	11.03	2.45	21.64	18.19	—	100.00
Haryana	19.76	74.02	—	—	—	4.24	—	—	—	21.74	100.00
Himachal Pradesh	45.32	100.00	—	—	—	—	—	—	—	—	100.00
Jammu & Kashmir	11.08	83.86	—	—	—	—	—	16.14	—	—	100.00
Karnataka	21.56	44.57	6.66	—	12.94	12.92	1.45	12.25	2.57	—	100.00
Kerala	34.59	59.76	—	—	37.45	—	—	2.79	—	—	100.00
Madhya Pradesh	17.92	77.02	—	0.48	7.08	0.95	—	5.53	4.32	2.26	100.00
Maharashtra	33.50	20.83	6.51	0.31	32.61	—	0.68	12.09	—	1.28	100.00
Meghalaya	18.77	—	37.47	—	62.53	—	—	—	—	—	100.00
Orissa	8.58	100.00	—	—	—	—	—	—	—	—	100.00
Punjab	13.11	25.13	1.98	—	18.92	9.87	—	4.19	20.26	12.80	100.00
Rajasthan	9.16	77.17	—	—	—	—	—	—	12.02	4.15	100.00
Tamil Nadu	49.05	44.03	1.04	1.07	35.68	7.81	0.45	1.16	5.06	—	100.00
Tripura	47.91	100.00	—	—	—	—	—	—	—	—	100.00
Uttar Pradesh	8.16	47.26	3.34	—	12.24	2.71	4.36	18.36	—	3.88	100.00
West Bengal	22.20	28.52	9.02	—	2.51	34.48	—	20.74	—	—	100.00
Delhi	25.40	38.13	4.55	1.52	11.77	22.33	—	3.32	6.89	11.49	100.00
Goa, Daman & Diu	8.74	100.00	—	—	—	—	—	—	—	—	100.00
Pondicherry	73.53	—	—	—	44.59	38.67	—	16.74	—	—	100.00
All-India	23.76	39.37	3.30	0.53	22.95	7.68	0.73	9.88	4.40	1.92	100.00

Note : Differences between the total of columns (3) to (11) and (12) are due to the percentage of mothers registered with 'type of institution' not recorded.

5.8 In order to help the expectant mothers to meet their nutritional requirements, supplementary food and medicines are served to them free of cost from different centres. Such food and medicines are also served to the mothers after child birth during their post-natal care. Table S 9 gives the percentage of mothers receiving free food and free medicine during pre-natal and post-natal care period by sector and states. It may be seen that the service of providing free food to the mothers, whether during pre-natal or post-natal care period, in both the sectors of all the states and all-India is practically non-existent. So far as supply of free medicine is concerned, only about 10 per cent of mothers received this service during pre-natal care in rural India as against the corresponding percentage

of about 19 observed in urban India. Among the states, rural Pondicherry reported 84 per cent of mothers who had received free medicine during their pre-natal care period, followed by rural Tamil Nadu (35.47), rural Kerala (23.74) and rural Maharashtra (19.66), while the corresponding percentage in respect of other states is less than 20. The percentage of such mothers in urban areas is reported to be higher in Himachal Pradesh (37.32), Tamil Nadu (37.22), Karnataka (35.63) and Meghalaya (34.45). The percentage of mothers receiving free food or free medicine is generally more in urban than in rural areas and also to a greater extent during the pre-natal care than the post-natal care period.

TABLE S 9 : PERCENTAGE (0.00) OF MOTHERS RECEIVING FREE FOOD AND FREE MEDICINE DURING PRE-NATAL AND POST-NATAL CARE PERIOD BY STATE AND SECTOR.

state/union territory	rural					urban				
	percentage of mothers receiving free									
	food	medicine	food	medicine	estd. no. of mothers (000)	food	medicine	food	medicine	estd. no. of mothers (000)
	during pre-natal care	during post natal care	during pre-natal care	during post natal care		during pre-natal care	during post natal care			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh	0.97	14.58	—	5.20	1046	1.52	21.19	1.56	6.81	251
Assam	4.39	9.17	1.43	4.96	115	7.87	6.80	—	15.56	14
Bihar	0.24	1.36	0.23	0.19	1210	1.40	6.81	3.65	7.79	171
Gujarat	2.70	11.41	1.81	9.20	453	3.51	15.58	—	9.77	173
Haryana	1.75	3.37	0.46	0.46	348	—	10.33	—	3.93	100
Himachal Pradesh	—	16.33	3.37	12.53	99	—	37.32	—	10.43	4
Jammu & Kashmir	0.81	6.79	—	0.89	125	1.07	4.98	0.53	4.16	23
Karnataka	1.76	15.83	1.40	9.92	663	4.85	35.63	—	8.92	277
Kerala	3.56	23.74	2.53	7.08	355	1.95	13.80	3.81	12.81	79
Madhya Pradesh	0.52	4.41	0.66	2.16	1044	2.81	21.21	0.62	9.62	249
Maharashtra	3.04	19.66	1.24	9.49	927	1.87	17.67	0.69	8.03	419
Meghalaya	0.73	6.21	1.91	3.89	19	13.04	24.45	5.29	—	7
Orissa	3.45	4.24	1.22	1.42	486	0.70	6.72	1.07	1.72	59
Punjab	0.60	3.18	0.60	0.52	294	—	5.27	0.90	3.17	112
Rajasthan	0.56	0.83	0.56	0.44	792	—	2.40	1.65	1.21	140
Tamil Nadu	4.61	35.47	4.14	21.69	673	2.56	37.22	5.41	20.96	351
Tripura	2.42	10.73	5.06	7.69	15	4.41	18.76	4.03	32.91	4
Uttar Pradesh	0.36	2.49	0.36	1.13	2524	0.76	6.57	0.40	2.45	515
West Bengal	2.17	18.63	3.53	6.95	911	7.24	27.68	3.97	11.23	216
Delhi	—	8.20	9.99	9.99	26	1.51	20.75	1.47	9.53	162
Goa, Daman & Diu	1.09	21.56	1.09	21.56	16	7.31	8.74	—	8.74	8
Pondicherry	43.11	84.34	26.37	32.37	7	—	26.47	—	26.47	3
All-India	1.50	9.95	1.17	4.79	12167	2.28	18.64	1.62	8.46	3349

5.9 It is of interest to learn as to what extent the children are born at home and also to what extent these births are attended by various medical and para-medical personnels. Tables S 10(R) and S 10(U) give the percentage of domiciliary births and their percentage distribution over type of attendance by state and all India for rural and urban sectors respectively. It is seen that quite a high percentage of child-births take place at home. In the rural sector at all-India level, this percentage is as high as 81 compared to 47 per cent in urban India. Also, as expected, most of the states reported a large percentage of domiciliary births in their rural sectors, except Goa, Kerala and Pondicherry where such births vary from about 6 per cent to 26 per cent. Though extent of domiciliary births is comparatively less in urban sector, still it is found to be very high in both the

sectors of Punjab (80.67, 81.07), Rajasthan (88.71, 78.76) and Uttar Pradesh (91.98, 74.08). It is further observed that out of these child births taking place at home in rural India, about one in every three such births took place without any assistance, while about 27 per cent of the births were attended by non-government nurses/mid-wives etc. Similarly, in urban India, while about 26 percent of the domiciliary births took place without any assistance, about 35 percent of such births took place with the assistance of other nurses/mid-wives etc. In general, the occurrence of domiciliary births was relatively higher in rural areas and such domiciliary births occurring both in rural and urban sectors either remained unattended or were attended by private nurses/mid-wives etc.

TABLE S 10(R) : PERCENTAGE (0.00) OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY STATE AND ALL-INDIA.

RURAL

state/union territory	percentage of domiciliary births	attendance type							total
		no attendance	govt. doctor	other doctor	govt. nurse/midwife	other nurse/midwife	others	not recorded	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
Andhra Pradesh	77.86	32.85	0.90	3.40	5.68	25.27	31.90	—	100.00
Assam	80.14	47.05	—	—	—	8.70	42.56	1.69	100.00
Bihar	82.33	37.02	1.51	2.36	2.89	15.18	38.03	3.01	100.00
Gujarat	80.63	21.67	—	0.76	6.65	46.24	24.28	0.47	100.00
Haryana	93.22	4.47	—	2.47	6.82	75.36	10.88	—	100.00
Himachal Pra desh	80.73	5.56	5.32	—	7.05	56.09	25.98	—	100.00
Jam nu & Kash mir	86.10	28.02	2.10	0.49	5.91	46.51	16.97	—	100.00
Karnataka	78.22	25.85	0.69	3.98	7.31	17.63	43.89	0.65	100.00
Kerala	20.02	27.24	14.39	—	2.93	4.84	50.60	—	100.00
Madhya Pradesh	87.07	40.74	1.41	0.86	4.70	28.74	22.54	1.01	100.00
Maharashtra	77.80	32.50	1.55	6.09	5.59	13.88	38.36	2.03	100.00
Meghalaya	89.35	25.31	—	10.47	—	11.19	53.03	—	100.00
Orissa	83.48	54.51	0.52	1.23	6.59	8.47	28.68	—	100.00
Punjab	80.67	6.76	1.73	3.56	15.47	66.26	6.22	—	100.00
Rajasthan	88.71	39.90	2.05	2.03	8.98	24.77	22.27	—	100.00
Tamil Nadu	56.12	29.08	1.40	1.98	12.01	15.59	39.94	—	100.00
Tripura	82.53	31.32	—	—	—	2.55	60.09	6.04	100.00
Uttar Pradesh	91.98	38.62	1.19	2.61	5.57	29.05	22.64	0.32	100.00
West Bengal	74.91	25.49	—	2.95	1.69	28.30	40.84	0.73	100.00
Delhi	84.99	—	23.96	—	—	66.39	9.65	—	100.00
Goa, Daman & Diu	6.45	80.75	—	—	—	19.25	—	—	100.00
Pondicherry	26.36	19.13	—	—	—	21.46	59.41	—	100.00
All-India	80.52	33.43	1.28	2.58	5.82	26.99	29.16	0.74	100.00

TABLE S 10(U) : PERCENTAGE (0.00) OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY STATE AND ALL-INDIA

state/union territory	percentage of domiciliary births	attendance type							total
		no attendance	govt. doctor	other doctor	govt. nurse/midwife	other nurse/midwife	others	not recorded	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
Andhra Pradesh	44.92	29.48	—	5.95	5.91	23.47	34.26	0.93	100.00
Assam	30.31	56.57	—	8.79	—	9.89	24.75	—	100.00
Bihar	65.36	29.70	3.31	5.84	3.74	30.17	24.20	3.04	100.00
Gujarat	39.08	20.88	2.91	—	3.68	48.81	21.91	1.81	100.00
Haryana	62.31	6.32	—	8.82	6.34	58.66	19.86	—	100.00
Himachal Pradesh	49.05	—	—	—	—	83.00	17.00	—	100.00
Jammu & Kashmir	67.03	29.43	—	0.89	6.36	43.47	19.85	—	100.00
Karnataka	35.08	31.54	13.83	2.07	3.05	9.57	39.94	—	100.00
Kerala	7.64	55.76	—	—	—	—	44.24	—	100.00
Madhya Pradesh	51.71	33.15	3.24	3.47	7.01	22.86	29.43	0.84	100.00
Maharashtra	28.31	24.21	1.14	6.21	7.97	13.60	45.51	1.36	100.00
Meghalaya	34.54	15.30	—	—	—	45.14	39.56	—	100.00
Orissa	66.60	33.01	2.59	1.81	6.19	23.80	32.60	—	100.00
Punjab	81.07	6.26	—	0.97	5.39	70.59	15.84	0.95	100.00
Rajasthan	78.76	31.98	1.28	2.08	10.09	34.69	19.88	—	100.00
Tamil Nadu	22.81	17.48	4.01	5.04	5.23	24.28	43.96	—	100.00
Tripura	27.95	—	34.32	—	—	65.68	—	—	100.00
Uttar Pradesh	74.08	27.46	2.34	1.96	13.76	42.70	11.78	—	100.00
West Bengal	32.60	48.77	—	—	—	20.40	30.83	—	100.00
Delhi	33.90	2.49	3.39	6.32	7.94	77.38	2.48	—	100.00
Goa, Daman & Diu	42.00	41.06	—	—	—	—	58.94	—	100.00
Pondicherry	—	—	—	—	—	—	—	—	—
All-India	46.85	25.89	2.64	3.32	7.64	35.27	24.65	0.59	100.00

5.10 Table S 11 provides the percentage of hospital births and their percentage distribution over types of hospitals by state and sector. It is seen that percentage of children born in hospitals is significantly more in urban than in rural sector at all India level with respective percentages being 48 and 14. Moreover, while higher percentage of hospital births were reported in both the sectors of Goa (93.55, 58.00), Kerala (77.58, 78.75) and Pondicherry (73.64, 100.00), a very low percentage was observed in both the sectors of Haryana (2.47, 34.86), Uttar Pradesh (4.23, 22.44), Bihar (4.99, 27.61), Rajasthan (6.78, 13.90), and Orissa (7.09, 14.51). It is further evident from the results that most of the hospital births took place in government hospitals in both the sectors of all-India and most of the states except Andhra Pradesh, Maharashtra and Punjab, where the percentage of children born in government hospitals fell little short of those born in other hospitals.

5.11 Since the extent of domiciliary births and hospital births is found to vary over the states as also

between sectors, it is of interest to know the various reasons given for those child births which occurred in places other than hospitals. Table S12 provides the percentage distribution of non-hospital births over reasons for non-hospitalisation by state and sector. The most dominant reason for non-hospital births is the choice or preference of the households both in rural and urban areas—44 per cent in rural and 51 per cent in urban India. The non-availability of hospitals was reported as the reason for non-hospital births by 20% of such cases in rural as against 4% in urban India, as a whole. This particular reason was also reported to be operative to a greater extent in the rural sector of each state individually. The reason that hospital was "too expensive" was adduced both by the rural and urban people, without much difference among the states and at the all-India level. Besides these specified reasons, a considerable percentage of non-hospital births in rural and urban areas was attributable to "other" reasons, accounting for approximately 19 per cent of such births in rural and 24 per cent in urban areas.

TABLE S 11 : PERCENTAGE (0.00) OF HOSPITAL BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF HOSPITALS BY STATE & SECTOR.

state/union territory	rural				urban			
	percentage of hospital births	type of hospital			percentage of hospital births	type of hospital		
		govt.	others	total		govt.	others	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Andhra Pradesh . . .	15.69	44.39	55.61	100.00	52.67	47.07	52.93	100.00
Assam	15.24	92.80	7.20	100.00	57.22	56.42	43.58	100.00
Bihar	4.99	68.64	31.36	100.00	27.61	52.63	47.37	100.00
Gujarat	14.75	52.83	47.17	100.00	56.37	52.72	47.28	100.00
Haryana	2.47	100.00	—	100.00	34.56	48.59	51.41	100.00
Himachal Pradesh . . .	8.44	100.00	—	100.00	41.44	100.00	—	100.00
Jammu & Kashmir . . .	8.88	88.64	11.36	100.00	29.72	92.19	7.81	100.00
Karnataka	19.09	66.31	33.69	100.00	61.89	74.18	25.82	100.00
Kerala	77.58	49.60	50.40	100.00	78.75	65.39	34.61	100.00
Madhya Pradesh	5.07	79.41	20.59	100.00	45.69	81.25	18.75	100.00
Maharashtra	14.91	47.66	52.34	100.00	68.07	45.54	54.46	100.00
Meghalaya	2.49	56.87	43.13	100.00	65.50	82.01	17.99	100.00
Orissa	7.09	94.04	5.96	100.00	27.38	93.86	6.14	100.00
Punjab	11.09	34.69	65.31	100.00	14.51	58.85	41.15	100.00
Rajasthan	6.78	85.96	14.04	100.00	13.90	95.00	5.00	100.00
Tamil Nadu	43.26	65.78	34.22	100.00	75.17	51.86	48.14	100.00
Tripura	10.52	100.00	—	100.00	72.05	100.00	—	100.00
Uttar Pradesh	4.23	88.27	11.73	100.00	22.44	62.81	37.19	100.00
West Bengal	18.86	94.63	5.37	100.00	58.51	74.34	25.66	100.00
Delhi	—	—	—	—	49.55	73.12	26.88	100.00
Goa, Daman & Diu . . .	93.55	98.52	1.48	100.00	58.00	86.82	13.18	100.00
Pondicherry	73.64	100.00	—	100.00	100.00	26.47	73.53	100.00
All-India	13.53	65.88	34.12	100.00	48.20	60.23	39.77	100.00

TABLE S 12 : PERCENTAGE (0.00) DISTRIBUTION OF NON-HOSPITAL BIRTHS OVER REASONS FOR NON-HOSPITALISATION BY STATE & SECTOR

state/union territory	rural					urban				
	reason for non-hospitalisation					reasons for non-hospitalisation				
	preferred	too expensive	not available	others	total	preferred	too expensive	not available	others	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
Andhra Pradesh	30.43	16.38	18.40	30.31	100.00	33.46	17.49	5.71	38.45	100.00
Assam	14.12	7.99	12.13	60.31	100.00	27.38	7.82	—	25.18	100.00
Bihar	32.27	19.94	24.07	15.72	100.00	53.81	17.52	1.57	16.10	100.00
Gujarat	51.32	3.35	11.43	28.22	100.00	57.94	—	4.21	24.12	100.00
Haryana	66.94	2.42	14.67	15.01	100.00	83.02	—	—	7.19	100.00
Himachal Pradesh	30.50	4.82	27.51	28.92	100.00	69.66	—	—	20.72	100.00
Jammu & Kashmir	48.83	8.52	20.46	18.67	100.00	61.89	5.97	2.12	30.02	100.00
Karnataka	43.40	13.27	16.65	19.32	100.00	43.10	14.30	0.69	21.69	100.00
Kerala	47.55	6.65	9.55	23.29	100.00	20.03	3.72	—	47.46	100.00
Madhya Pradesh	57.41	9.97	17.25	11.99	100.00	60.74	17.99	2.36	18.16	100.00
Maharashtra	33.95	13.73	23.35	24.55	100.00	44.02	20.20	11.13	17.88	100.00
Meghalaya	37.74	—	29.13	24.14	100.00	39.56	—	—	60.44	100.00
Orissa	39.14	10.90	17.06	26.61	100.00	50.71	11.98	3.32	27.65	100.00
Punjab	53.96	20.30	9.08	13.61	100.00	46.73	23.79	3.10	21.30	100.00
Rajasthan	51.00	9.60	25.06	10.63	100.00	65.23	7.12	6.51	12.23	100.00
Tamil Nadu	44.16	13.06	16.28	24.59	100.00	41.25	9.53	3.79	38.94	100.00
Tripura	17.76	—	16.85	52.17	100.00	—	—	34.32	65.68	100.00
Uttar Pradesh	48.81	16.79	19.10	11.91	100.00	60.29	14.34	4.86	18.61	100.00
West Bengal	33.41	3.25	33.20	26.75	100.00	29.20	6.28	2.35	47.30	100.00
Delhi	56.26	18.18	—	—	100.00	20.81	22.53	4.16	42.15	100.00
Goa, Daman & Diu	—	—	13.89	86.11	100.00	—	—	—	100.00	100.00
Pondicherry	40.59	—	37.95	21.46	100.00	—	—	—	—	—
All-India	43.60	12.92	20.08	18.82	100.00	50.66	13.98	4.15	23.91	100.00

Note : Differences between the total of columns (2) to (5) & (6) for rural and columns (7) to (10) & (11) for urban are due to the percentage of non-hospital births with reasons not recorded.

PART II
SURVEY RESULTS

Results of child and maternity care :
NSS 42nd Round (July 1986—June 1987)

S-1- S-2

PART II

Table No.	Table Heading	Page Number	
		Rural	Urban
Table 1	Percentage of children Taken Vaccine of Polio and Triple Antigen by Age Group/Fractile Group/Adult Female—Education Class.		S-4
Table 2	Percentage (00,00) of children Taken booster dose of Polio and Triple Antigen Vaccine by Fractile Group.		S-24
Table 3	Percentage distribution of children (0—4) years Registered for Paediatric care over Fractile Groups by Type of Medical Institution—Personnel Registered with and sex.		S-30
Table 4	Percentage of children aged (0—4) years Receiving Supplementary Food during last 365 days and their Percentage distribution over Fractile Groups by type of Feeding Centre.		S-68
Table 5	Percentage of Mothers Registered for prenatal care and their Percentage distribution over Types of Medical—Institution/Personnel Registered with by Fractile Group/Adult Female—Education Class.		S-86
Table 6	Percentage of Mothers Registered for post-natal care and their Percentage distribution over Types of Medical Institution/ Personnel Registered with by Fractile Group/Adult Female—Education Class.		S-124
Table 7	Percentage of domiciliary births and their Percentage—distribution over Attendance Types by Fractile Group/Adult Female Education Class.		S-162
Table 8	Percentage of hospital births, their Percentage distribution of Types of Hospital and Percentage distribution of Non-Hospitalised births by Reason For non Hospitalisation over Fractile Group.		S-200

TABLE 1.0(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

ALL INDIA						RURAL				
classification	polio: age group(years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-14	11.12	22.65	14.16	10.20	14.89	7.21	14.84	9.67	8.24	10.38
10-20	14.99	24.07	14.30	10.08	15.58	9.26	16.23	10.12	7.75	10.92
20-40	15.75	26.38	17.10	12.08	17.66	9.83	18.25	12.95	10.35	13.23
40-60	18.72	29.61	21.55	13.76	20.62	13.58	20.89	15.40	10.85	15.04
60-80	23.87	35.74	25.77	17.60	24.95	16.21	27.12	19.78	15.14	19.59
80-90	32.64	45.26	31.38	23.15	31.40	20.89	31.94	25.11	19.94	24.44
90-100	38.68	55.48	44.67	31.22	40.60	27.83	42.23	36.69	26.21	32.74
n.r.	21.05	22.71	9.48	13.31	14.39	9.44	18.57	3.29	12.18	10.16
adult female edu. class										
illiterate	13.10	21.98	14.78	10.28	15.01	8.29	14.57	10.42	8.20	10.61
lit. but below primary	20.17	39.97	25.94	17.98	26.18	13.93	29.09	18.37	15.64	19.73
primary but below secondary	33.26	50.92	37.94	24.29	35.48	22.65	38.66	30.31	20.73	28.17
secondary & above	38.81	59.42	44.07	32.96	42.99	27.78	45.11	37.69	27.91	34.93
n.r.	35.70	43.55	30.86	14.02	28.39	31.04	35.41	23.59	11.41	22.69
all	18.63	29.81	20.39	14.74	20.63	12.37	21.07	15.21	12.25	15.47
estd. no. of children taken vaccine (00)	22423	168777	168611	118754	478565	148869	119284	125791	98735	358696

TABLE 1.1(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

ANDHRA PRADESH										
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
fractile group										
0-10	16.63	34.23	25.15	18.72	24.79	7.44	14.74	11.86	12.83	12.51
10-20	27.80	39.60	21.64	13.20	24.89	14.75	22.21	14.50	9.21	15.23
20-40	32.84	45.00	27.18	16.91	28.71	18.88	28.25	17.92	15.62	19.81
40-60	25.35	55.16	33.30	20.58	34.53	12.76	36.26	20.83	12.17	21.67
60-80	48.43	58.27	46.22	26.21	40.93	36.83	39.55	29.83	22.76	29.44
80-90	26.39	61.58	49.57	29.90	42.70	35.93	37.18	29.09	24.03	28.75
90-100	25.64	80.66	80.50	51.72	63.63	25.64	65.62	55.18	41.48	48.79
n.r.	—	—	—	74.91	74.91	—	—	—	63.55	63.55
adult female edu. class										
illiterate	26.79	41.65	26.44	16.53	27.09	15.15	25.29	15.69	12.57	17.07
lit. but below primary	37.08	61.34	51.89	38.71	49.12	30.85	45.13	30.16	29.65	33.61
primary but below secondary	38.23	70.68	59.11	41.42	54.32	23.63	43.87	41.06	30.83	36.94
secondary & above	15.09	70.26	65.87	47.18	56.20	6.96	44.65	44.55	33.30	37.50
n.r.	46.91	63.62	60.34	20.47	44.54	46.91	27.09	40.40	17.49	28.39
all	29.01	47.72	32.64	21.96	32.52	17.71	29.41	20.27	17.14	21.31
estd. no. of children taken vaccine (00)	3004	20623	20372	13037	57036	1833	12711	12653	10179	37376

TABLE 1.2(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

ASSAM										
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
fractile group										
0-10	8.44	14.88	9.68	1.37	8.02	—	9.34	7.57	3.16	6.26
10-20	11.56	10.78	4.31	1.37	4.78	—	8.51	2.74	1.37	3.50
20-40	30.82	12.22	7.38	1.71	6.42	24.10	9.99	6.68	2.12	5.77
40-60	12.18	13.43	8.62	3.60	7.85	—	8.84	7.82	2.86	6.06
60-80	12.16	12.43	9.69	5.31	8.41	4.88	8.66	6.99	4.22	6.10
80-90	49.05	20.59	7.26	3.10	9.71	38.07	19.96	5.99	1.76	8.33
90-100	30.61	20.92	13.91	6.80	13.49	—	20.59	10.72	9.95	12.70
n.r.	—	39.93	—	—	5.39	—	—	—	—	—
adult female edu. class										
illiterate	8.28	7.56	6.23	1.08	4.80	—	4.79	4.84	1.26	3.52
lit. but below primary	—	7.02	11.05	4.02	7.52	—	3.65	8.32	3.66	5.63
primary but below secondary	32.33	22.09	8.38	4.37	10.15	20.20	17.05	6.17	4.13	7.91
secondary & above	32.83	38.73	21.76	5.90	16.97	—	40.02	26.84	6.67	18.43
n.r.	—	—	—	—	—	—	—	—	—	—
all	18.86	13.86	8.18	2.95	7.59	8.30	10.53	6.66	2.97	6.11
estd. no. of children taken vaccine(00)	215	1730	1863	662	4470	95	1315	1519	668	3597

TABLE 1.3(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

BIHAR						RURAL				
classification	polio : age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	—	6.32	2.70	1.17	3.07	—	1.48	0.87	0.45	0.86
10-20	2.07	4.74	4.35	3.53	4.08	3.61	0.99	1.11	1.87	1.44
20-40	4.97	5.68	3.14	2.78	3.73	0.81	1.97	0.95	1.14	1.25
40-60	2.20	5.02	4.97	4.69	4.78	—	3.69	1.47	1.88	2.07
60-80	4.43	6.11	3.37	1.84	3.50	1.13	3.44	2.31	1.32	2.17
80-90	5.51	8.39	1.85	2.43	3.61	2.48	0.69	1.07	0.20	0.70
90-100	29.36	16.10	6.48	5.59	8.12	29.36	10.87	3.70	3.17	5.07
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	2.25	4.50	2.70	2.29	2.99	1.28	1.51	0.85	1.05	1.09
lit. but below primary	—	6.05	7.29	3.90	5.63	—	2.31	1.31	2.52	1.88
primary but below secondary	9.64	14.66	7.81	3.46	7.93	4.97	7.98	3.76	1.94	4.15
secondary & above	20.75	25.63	12.50	14.86	16.41	—	15.31	9.33	5.07	8.60
n.r.	—	—	3.54	—	1.29	—	—	3.54	—	1.29
all	3.34	6.13	3.70	3.02	4.04	1.55	2.61	1.44	1.37	1.70
estd. no. of children taken vaccine (00)	399	4198	4130	2844	11571	184	1786	1607	1295	4872

TABLE 1.4(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

GUJARAT						RURAL				
classification	polio : age group (years)					triple antigen : age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	20.00	48.66	45.38	38.48	42.06	10.14	38.84	37.27	35.93	35.53
10-20	9.60	48.08	44.26	40.14	41.41	11.45	45.33	43.22	40.92	40.83
20-40	24.30	61.27	55.16	47.42	52.30	23.78	58.22	52.73	44.65	49.68
40-60	22.04	52.13	46.43	33.58	41.62	17.30	47.34	44.62	34.79	40.09
60-80	27.64	68.22	72.59	55.11	62.70	21.70	60.54	70.08	59.69	61.43
80-90	54.08	66.80	74.77	61.62	66.82	42.29	49.08	69.17	62.51	60.51
90-100	33.39	85.32	65.60	55.98	62.61	33.39	73.20	53.87	54.59	56.70
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	17.90	51.26	47.64	39.59	44.20	14.86	46.98	45.33	40.82	42.65
lit. but below primary	—	54.01	69.49	44.89	53.43	—	48.77	69.45	49.62	54.42
primary but below secondary	35.66	76.58	75.79	51.78	63.98	27.72	67.98	69.41	51.62	59.55
secondary & above	34.64	92.54	80.19	80.14	80.13	34.64	64.10	68.79	69.53	66.06
n.r.	—	20.39	18.85	20.04	18.61	—	16.88	17.19	20.04	17.34
all	23.04	58.49	55.50	45.38	50.70	19.04	51.98	52.04	45.64	47.93
estd. no. of children taken vaccine (00)	1014	12398	16391	15812	45615	838	11018	15370	15902	43128

TABLE 1.5(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

HARYANA						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1—4	5—9	10—15	0—15	0	1—4	5—9	10—15	0—15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0—10	13.86	39.01	31.58	17.94	27.05	9.23	29.33	17.00	13.12	17.73
10—20	19.15	45.92	29.94	19.19	29.67	—	21.76	16.01	10.82	14.78
20—40	16.08	43.59	32.09	14.90	28.31	9.23	31.01	19.35	10.22	18.56
40—60	47.79	38.66	20.50	11.46	22.49	22.89	22.72	17.33	11.46	16.45
60—80	36.80	51.92	31.45	16.44	33.98	16.69	29.20	11.01	9.55	17.01
80—90	38.65	75.85	50.01	22.10	42.31	38.65	43.47	23.50	15.28	24.25
90—100	56.90	86.22	56.11	20.68	46.19	37.59	65.96	56.87	31.54	45.37
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	24.27	41.00	30.30	14.73	26.97	11.35	23.95	17.74	11.50	16.58
lit. but below primary	26.88	61.36	8.31	—	20.74	—	46.47	8.31	13.81	19.12
primary but below secondary	41.35	56.48	36.26	22.05	35.76	28.13	30.08	18.59	11.97	19.26
secondary & above	32.31	67.22	36.32	20.31	45.09	—	58.06	24.87	20.31	36.63
n.r.	—	—	—	—	—	—	—	—	—	—
all	28.05	47.54	31.10	16.30	29.73	13.64	29.43	17.94	12.26	18.47
estd. no. children taken vaccine(00)	989	5959	5295	2919	15162	481	3690	3054*	2195	9420

TABLE 1.6(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

HIMACHAL PRADESH						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1—4	5—9	10—15	0—15	0	1—4	5—9	10—15	0—15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0—10	51.71	74.00	78.36	53.01	67.33	45.16	58.12	34.12	22.21	36.81
10—20	34.62	62.21	41.56	21.21	39.23	22.85	48.17	29.31	12.99	27.93
20—40	44.82	54.41	48.51	33.29	43.64	30.59	43.11	42.45	31.99	57.83
40—60	46.31	68.17	44.98	31.17	46.27	29.87	59.80	40.84	31.27	41.79
60—80	48.02	65.69	57.45	43.22	53.82	46.61	47.77	41.81	30.68	39.57
80—90	69.86	100.00	63.11	34.45	51.92	38.27	54.85	45.52	28.21	36.68
90—100	100.00	93.88	72.92	36.98	63.37	67.82	81.63	14.65	29.67	41.35
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	28.59	54.16	46.29	33.95	42.70	20.35	43.97	33.60	27.07	32.92
lit. but below primary	—	58.58	49.42	29.83	42.33	—	51.99	32.64	16.64	30.19
primary but below secondary	56.79	76.24	63.77	36.81	56.25	40.58	58.66	14.81	27.65	41.44
secondary & above	68.51	83.78	75.36	33.41	63.20	59.19	66.39	44.46	26.25	46.75
n.r.	—	—	—	—	—	—	—	—	—	—
all	46.66	65.54	53.74	34.96	49.18	34.61	52.16	37.91	27.04	37.08
estd. no. of children taken vaccine(00)	459	2558	2944	2124	8085	340	2035	2077	1643	6095

TABLE 1.7(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

JAMMU & KASHMIR						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	9.34	15.78	18.20	7.28	13.62	3.89	11.76	7.77	3.35	7.21
10-20	22.58	28.89	19.16	11.64	19.32	7.09	18.86	11.05	2.94	10.16
20-40	11.97	34.36	23.93	13.02	21.86	9.58	21.15	13.86	5.82	12.48
40-60	23.32	42.36	28.75	21.10	29.14	11.22	25.51	18.56	9.81	16.78
60-80	36.06	47.21	44.08	31.07	40.06	10.91	24.32	22.98	14.92	19.94
80-90	46.72	69.33	58.84	34.61	50.79	27.41	41.39	37.32	24.70	32.70
90-100	43.75	58.70	37.92	36.35	41.84	15.05	37.85	28.58	31.70	30.93
n.r.	100.00	—	100.00	—	100.00	100.00	—	100.00	—	100.00
adult female edu. class										
illiterate	21.28	35.73	28.51	18.57	26.66	9.04	21.61	16.16	9.51	14.96
lit. but below primary	—	29.32	29.84	7.26	20.36	—	31.54	23.15	7.26	19.07
primary but below secondary	24.33	42.96	41.11	21.63	32.54	10.27	26.22	28.01	13.37	20.53
secondary & above	56.28	77.34	26.31	37.49	45.95	39.10	33.71	7.52	19.01	21.32
n.r.	—	6.24	12.20	19.33	12.79	—	—	8.82	13.98	6.13
all	23.07	37.85	30.12	19.78	28.01	10.53	22.80	17.56	10.45	15.98
estd. no. of children taken vaccine(00)	287	2165	2450	1615	6517	131	1304	1429	853	3717

TABLE 1.8(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

KARNATAKA						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	11.70	36.29	20.28	20.45	24.00	9.54	28.09	15.80	18.63	19.58
10-20	22.56	44.74	26.01	14.64	27.18	15.89	31.95	19.13	12.54	20.24
20-40	26.84	42.40	29.36	20.71	29.60	16.23	31.05	22.34	15.42	21.84
40-60	29.85	44.34	32.36	27.82	33.45	18.14	33.01	23.74	17.25	23.34
60-80	39.29	52.93	34.49	23.15	34.89	24.64	47.27	28.79	19.30	29.30
80-90	40.88	70.81	48.45	36.66	48.01	40.88	63.82	45.20	29.13	42.37
90-100	84.69	64.51	56.15	44.23	53.67	65.08	57.27	42.56	41.36	45.72
n.r.	100.00	100.00	—	—	31.00	100.00	100.00	—	—	31.00
adult female edu. class										
illiterate	22.11	39.01	25.25	17.80	26.14	16.21	30.53	19.14	11.90	19.51
lit. but below primary	40.98	59.83	34.71	31.72	39.36	48.27	50.73	20.45	27.44	31.44
primary but below secondary	48.34	64.14	49.26	39.54	48.41	24.64	49.63	42.23	35.14	39.82
secondary & above	33.74	84.88	59.72	48.07	59.40	21.10	70.31	55.77	43.85	51.79
n.r.	85.06	32.69	31.48	10.52	24.99	67.88	28.36	17.99	6.12	16.81
all	30.46	45.96	30.91	24.29	32.19	20.99	36.21	24.15	19.00	25.06
estd. no. of children taken vaccine (00)	1959	12184	11788	9394	35325	1350	9600	9210	7349	27509

TABLE 1.9(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

KERALA						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	24.98	52.84	35.00	20.01	32.60	19.91	45.36	29.71	19.03	28.51
10-20	48.34	64.37	46.64	22.83	42.69	32.12	58.52	45.74	21.77	39.59
20-40	42.34	57.60	49.28	30.84	43.82	38.68	48.41	41.38	28.29	37.86
40-60	51.65	72.25	51.51	32.41	49.84	39.38	68.88	48.35	29.09	46.07
60-80	55.36	78.51	55.48	36.35	51.08	46.91	78.13	50.58	33.79	47.70
80-90	53.79	94.46	72.85	47.94	65.16	53.79	86.40	72.85	45.10	62.10
90-100	42.10	96.23	79.92	82.87	82.25	42.10	93.17	86.98	72.07	78.16
n.r.	—	100.00	100.00	—	68.51	—	100.00	—	—	37.02
adult female edu. class										
illiterate	39.82	32.23	18.17	7.58	18.07	27.05	25.65	16.94	5.18	14.76
lit. but below primary	32.41	73.54	48.47	27.06	45.68	32.41	63.47	45.81	28.45	42.90
primary but below										
secondary	41.50	67.31	54.70	34.37	48.98	32.57	61.83	49.38	31.01	44.19
secondary & above	62.54	90.28	70.50	55.28	67.57	56.24	85.46	66.54	51.70	63.42
n.r.	—	76.31	67.52	11.62	47.17	—	76.31	67.52	11.62	47.17
all	44.39	67.42	50.46	33.44	47.26	36.42	61.51	46.28	30.70	43.06
estd. no. of children taken										
vaccine (00)	1560	10799	10787	9229	32375	1280	9852	9894	8472	29498

TABLE 1.10(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

MADHYA PRADESH						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	1-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	4.89	10.85	9.15	5.58	8.23	1.75	2.82	3.76	2.23	2.92
10-20	7.17	15.30	11.04	9.37	11.39	—	4.81	2.77	1.95	2.88
20-40	15.10	15.44	10.04	6.26	10.45	5.17	6.57	3.84	3.16	4.39
40-60	12.93	17.26	11.54	7.99	11.78	7.92	5.43	3.61	3.10	4.10
60-80	13.37	17.68	18.93	9.34	14.75	10.98	8.26	6.84	3.15	5.94
80-90	17.69	29.53	18.13	12.02	18.22	4.17	10.81	5.85	4.45	6.31
90-100	24.11	37.38	30.72	21.47	28.67	11.55	23.39	15.04	10.32	15.27
n.r.	—	56.34	15.47	—	11.56	—	—	—	—	—
adult female edu. class										
illiterate	9.40	13.64	11.01	7.51	10.38	4.57	5.08	3.87	2.61	3.78
lit. but below primary	19.03	31.66	20.46	11.33	19.89	7.23	14.96	8.42	6.77	9.37
primary but below										
secondary	26.15	29.69	25.52	14.30	22.63	10.92	11.50	8.09	5.19	8.08
secondary & above	44.93	54.59	22.81	12.16	28.83	13.20	25.92	18.98	5.28	15.56
n.r.	—	—	—	12.14	4.48	—	—	—	—	—
all	11.94	17.41	13.32	8.66	12.66	5.39	6.85	4.76	3.34	4.82
estd. no. of children taken										
vaccine (00)	1233	8142	9097	5655	24127	557	3205	3251	2180	9193

TABLE 1.11(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

MAHARASHTRA						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	32.01	65.40	45.08	29.94	46.34	25.48	54.08	39.98	29.78	40.57
10-20	30.00	64.29	54.66	36.99	50.58	18.47	50.50	14.36	30.85	40.56
20-40	37.79	67.72	53.45	39.03	51.50	29.72	56.35	47.37	36.39	45.03
40-60	49.70	70.42	67.27	52.81	61.83	42.53	61.34	58.49	46.94	54.12
60-80	56.65	73.69	65.22	44.61	58.45	30.94	66.05	60.24	41.11	52.67
80-90	49.63	77.24	52.90	51.95	58.45	49.08	70.72	46.38	49.98	53.99
90-100	50.74	87.41	74.09	50.28	65.02	46.01	90.77	74.41	45.15	63.28
n.r.	100.00	—	100.00	—	72.15	—	—	—	—	—
adult female edu. class										
illiterate	38.93	59.67	48.34	35.49	46.41	29.07	47.18	40.13	31.51	38.45
lit. but below primary	42.87	73.10	60.14	42.55	56.76	29.11	69.31	58.83	39.96	53.63
primary but below secondary	48.82	83.01	74.61	53.96	67.94	38.44	75.54	69.44	49.89	62.25
secondary & above	36.32	96.12	88.65	67.02	76.76	35.34	91.35	81.95	66.01	73.89
n.r.	45.66	86.28	53.71	27.78	56.51	37.52	83.59	44.93	24.74	51.33
all	42.39	69.61	58.09	43.50	55.10	32.68	59.76	51.31	39.77	48.43
estd. no. of children taken vaccine (00)										
	3925	29148	33325	24788	91185	3026	25024	29437	22658	80145

TABLE 1.12(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

ORISSA						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	—	7.42	2.68	0.64	2.87	—	1.50	1.50	2.06	1.61
10-20	4.16	16.54	9.77	5.97	10.35	—	6.53	1.12	3.58	3.29
20-40	17.97	16.79	5.48	1.79	7.78	8.36	7.63	3.94	4.66	5.37
40-60	10.63	22.53	8.26	4.34	10.26	—	4.36	5.25	7.04	5.41
60-80	17.12	29.50	9.89	3.08	11.99	—	5.72	4.43	4.65	4.62
80-90	27.44	18.85	10.17	2.35	8.97	6.77	3.22	5.80	2.53	3.87
90-100	28.01	33.48	11.81	3.32	12.98	7.50	12.61	7.18	9.77	9.28
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	7.74	15.75	6.26	3.32	7.66	1.70	3.89	3.67	4.52	3.91
lit. but below primary	20.96	29.10	5.73	4.11	10.92	8.03	15.47	3.46	5.67	7.05
primary but below secondary	31.56	27.33	13.89	1.96	12.92	4.23	5.00	4.74	5.53	5.09
secondary & above	—	41.61	6.90	1.63	12.85	—	14.59	5.43	7.24	8.18
n.r.	—	—	—	—	—	—	—	—	—	—
all	13.14	19.97	7.67	2.97	9.14	2.79	5.61	3.90	4.84	4.59
estd. no. of children taken vaccine (00)										
	636	4632	2702	1053	9023	135	1302	1374	1717	4528

TABLE 1.13(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/
FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

PUNJAB						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	32.96	41.13	28.89	24.25	30.62	22.07	22.32	14.64	11.24	15.96
10-20	24.82	50.02	59.99	28.84	45.41	24.82	25.83	38.31	21.72	28.81
20-40	27.29	50.86	49.70	20.24	38.34	24.65	40.91	33.27	14.89	28.29
40-60	23.97	68.52	59.97	36.20	50.20	11.68	45.33	43.82	26.88	35.59
60-80	39.08	61.82	54.48	39.31	48.84	28.88	47.36	35.56	27.59	34.30
80-90	32.06	81.24	58.48	44.32	56.16	32.06	72.34	47.62	37.89	48.17
90-100	26.81	68.92	59.02	43.15	52.18	26.81	42.73	49.57	31.43	38.33
n.r.	—	—	100.00	—	100.00	—	—	—	—	—
adult female. edu. class										
illiterate	17.25	43.80	47.36	24.79	37.08	14.57	28.07	30.59	17.08	24.45
lit. but below primary	16.43	69.81	46.86	20.26	40.65	16.43	53.45	34.89	11.89	29.47
primary but below										
secondary	32.01	71.33	59.99	41.78	52.89	19.64	55.48	40.60	30.32	38.16
secondary & above	66.41	90.97	70.70	47.45	66.70	54.83	62.56	57.33	37.64	50.99
n.r.	—	—	—	46.28	17.72	—	—	—	—	—
all	29.76	56.25	51.44	31.51	43.84	23.38	39.13	34.80	22.42	30.52
estd. no. of children taken vaccine (00)	858	6681	8161	5810	21510	674	4648	5520	4133	14975

TABLE 1.14(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/
FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

RAJASTHAN						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	—	8.55	1.97	1.21	3.28	—	2.85	0.42	0.44	1.02
10-20	—	7.64	2.13	1.30	3.12	—	3.84	1.93	0.43	1.83
20-40	5.65	13.72	4.55	2.03	6.17	1.20	1.76	0.80	0.60	1.01
40-60	1.41	15.10	7.47	4.07	7.96	1.41	4.57	1.54	1.36	2.26
60-80	6.52	19.09	9.30	4.69	10.21	—	3.09	1.99	2.31	2.26
80-90	11.62	25.96	14.13	5.62	14.10	—	2.51	3.10	6.46	4.03
90-100	22.16	26.71	12.09	9.11	14.99	—	10.04	1.14	3.36	3.91
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	5.21	10.80	4.97	3.10	5.86	0.28	2.60	1.28	1.50	1.64
lit. but below primary	—	30.40	14.32	1.94	13.86	—	1.91	2.32	1.94	1.95
primary but below										
secondary	3.24	47.07	19.04	7.66	22.13	3.24	10.79	3.50	2.88	5.41
secondary & above	—	50.48	15.12	8.95	20.25	—	21.12	—	4.04	6.72
n.r.	—	—	—	—	—	—	—	—	—	—
all	4.83	14.94	6.13	3.43	7.43	0.59	3.46	1.43	1.62	1.97
estd. no. of children taken vaccine (00)	378	5101	2765	1520	9764	46	1182	643	719	2593

TABLE 1.15(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/
FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

TAMIL NADU						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	42.65	54.35	36.76	25.87	37.65	28.21	47.67	31.68	22.45	32.27
10-20	30.54	62.75	33.29	21.66	35.96	21.09	55.12	29.19	18.46	31.10
20-40	29.81	60.16	40.94	27.60	41.27	23.54	50.11	37.08	25.48	36.14
40-60	44.91	71.00	54.91	28.94	48.79	34.97	61.02	43.71	23.70	40.27
60-80	68.64	72.94	51.61	38.83	53.55	50.50	66.19	47.96	33.74	47.66
80-90	59.09	75.11	40.70	40.29	49.44	51.60	55.59	33.68	34.77	40.33
90-100	66.77	87.82	83.81	51.04	66.94	56.64	85.09	81.33	49.03	64.32
n.r.	—	65.82	—	52.53	54.82	—	83.95	—	52.53	63.37
adult female edu. class										
illiterate	36.07	58.49	37.76	25.98	39.37	27.72	50.92	33.33	22.96	34.35
lit. but below primary	38.44	65.82	42.60	34.83	45.25	29.44	50.82	30.96	29.43	35.23
primary but below										
secondary	60.05	76.60	56.81	32.91	57.94	45.42	68.22	51.92	28.28	45.69
secondary & above	50.84	80.38	67.75	42.69	59.97	33.86	68.32	61.22	38.53	52.40
n.r.	—	57.99	100.00	51.85	69.15	—	57.99	100.00	51.85	69.15
all	44.13	64.75	43.95	30.11	44.25	33.40	56.02	38.51	26.40	38.31
estd. no. of children taken										
vaccine (00)	2943	20514	17490	13543	54490	2227	17749	15325	11875	47176

TABLE 1.16(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE
GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

TRIPURA						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	15.53	8.04	1.36	1.11	.53	—	8.04	5.03	3.31	4.45
10-20	—	19.99	5.92	0.90	4.58	50.61	12.50	1.05	2.33	2.97
20-40	—	7.16	1.24	0.63	1.98	—	1.17	1.05	—	0.61
40-60	20.49	8.04	2.01	1.55	3.38	8.88	1.26	2.37	3.12	2.66
60-80	—	11.45	3.17	0.98	3.86	—	5.32	1.49	0.98	2.00
80-90	—	16.04	2.63	4.75	5.71	—	6.25	—	2.44	2.04
90-100	59.25	27.16	11.54	8.42	13.67	59.25	17.29	11.54	8.42	12.32
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	—	8.18	1.27	1.04	2.12	—	1.08	1.33	0.96	1.12
lit. but below primary	—	5.21	8.12	2.78	4.51	24.53	3.36	2.57	5.24	4.17
primary but below										
secondary	24.05	13.53	3.28	0.84	4.34	10.29	7.27	2.74	1.70	3.18
secondary & above	—	38.84	14.5	9.38	16.70	—	27.54	14.56	9.38	14.60
n.r.	—	—	—	—	—	—	—	—	—	—
all	11.15	10.38	2.90	1.40	3.56	7.82	4.45	2.22	2.02	2.59
estd. no. of children taken										
vaccine (00)	17	114	84	44	259	12	49	64	63	188

TABLE 1.17(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

UTTAR PRADESH						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	2.62	4.99	3.03	1.30	3.02	1.95	1.78	1.12	0.14	1.05
10-20	2.98	8.25	1.99	0.61	3.15	0.89	1.46	1.24	0.48	1.02
20-40	6.21	6.92	3.86	1.75	4.08	3.40	2.75	1.94	1.02	1.93
40-60	5.71	7.05	3.89	1.22	3.80	4.14	2.41	1.61	0.94	1.69
60-80	6.88	13.75	5.34	2.62	6.52	3.24	7.24	2.75	0.94	3.24
80-90	24.18	21.16	10.95	4.94	11.64	5.62	10.10	7.04	2.48	5.91
90-100	26.65	22.72	30.76	10.98	20.67	12.56	9.65	25.70	2.84	12.17
n.r.	—	—	—	—	8.74	—	—	—	—	—
adult female edu. class										
illiterate	4.73	6.63	3.02	1.50	3.52	2.67	2.44	1.56	0.80	1.59
lit. but below primary	5.43	9.62	4.35	1.65	4.82	1.43	3.60	—	—	1.00
primary but below secondary	13.06	20.69	11.48	3.37	10.65	5.35	10.30	6.55	1.95	5.63
secondary & above	28.46	20.77	22.56	7.09	16.09	11.18	6.80	15.30	1.30	7.06
n.r.	—	12.70	7.11	—	5.42	—	—	—	—	—
all	6.56	8.96	4.56	2.01	4.90	3.21	3.60	2.45	0.95	2.27
estd. no. of children taken vaccine (00)	1639	10409	7904	3165	23117	802	4186	4242	1490	10720

TABLE 1.18(R): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

WEST BENGAL						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	1.80	11.94	9.77	4.73	8.33	—	13.37	12.63	6.58	10.26
10-20	10.10	13.41	5.50	1.46	6.37	10.10	8.76	2.30	0.35	3.63
20-40	8.33	19.55	8.91	5.27	10.32	7.74	15.75	8.59	6.34	9.57
40-60	1.93	20.02	15.59	5.96	12.75	4.00	10.96	6.15	2.78	6.08
60-80	3.55	26.94	20.17	7.63	16.39	8.83	20.47	14.66	6.54	12.81
80-90	17.17	38.43	24.47	12.35	23.33	12.54	33.12	30.82	14.46	24.71
90-100	7.40	52.17	20.45	8.12	19.62	7.40	38.45	20.42	10.18	18.16
n.r.	—	46.36	—	—	4.96	—	—	30.81	—	18.92
adult female edu. class										
illiterate	4.42	15.00	9.23	3.67	8.68	5.09	11.98	7.94	4.50	7.72
lit. but below primary	8.34	29.35	15.33	7.93	16.45	5.38	17.41	11.27	4.69	10.61
primary but below secondary	8.39	36.86	22.80	10.21	20.08	10.63	27.67	16.67	8.28	15.36
secondary & above	14.20	47.22	34.26	12.95	27.38	14.20	36.40	33.29	13.68	25.13
n.r.	—	—	—	—	—	—	—	—	—	—
all	6.02	21.60	13.28	6.02	12.45	6.60	16.31	10.73	5.77	10.18
estd. no. of children taken vaccine(00)	542	9742	8850	3843	22977	594	7360	7153	3686	18793

TABLE 1.0(U): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

ALL INDIA

URBAN

classification (1)	polio: age group (years)					triple antigen: age group (years)				
	0 (2)	1-4 (3)	5-9 (4)	10-15 (5)	0-15 (6)	0 (7)	1-4 (8)	5-9 (9)	10-15 (10)	0-15 (11)
fractile group										
0-10	23.29	41.96	32.13	25.47	31.76	18.12	29.67	22.60	16.77	22.09
10-20	25.33	46.26	34.34	25.19	33.79	15.01	35.22	27.79	22.04	26.98
20-40	31.79	49.99	42.55	30.66	39.24	22.95	37.72	33.56	25.80	31.06
40-60	43.71	64.79	57.40	43.44	53.03	34.38	52.55	48.06	38.26	44.62
60-80	52.75	72.98	68.18	52.17	61.97	37.25	58.82	57.72	43.66	51.24
80-90	61.30	82.64	79.58	64.62	72.71	45.21	70.90	70.84	62.96	66.17
90-100	70.16	87.64	84.35	74.54	80.37	55.70	79.61	79.89	70.09	74.92
80-100	63.84	84.73	81.56	68.58	75.80	48.21	74.54	74.60	65.81	69.70
n.r.	76.10	13.74	33.23	12.58	25.30	76.10	13.74	30.24	13.91	24.70
adult female edu. class										
illiterate	22.01	37.04	29.68	23.71	29.10	16.19	26.24	22.04	18.48	21.58
lit. but below primary	39.25	57.36	45.89	35.41	44.26	28.72	42.33	35.05	29.32	34.24
primary but below secondary	41.82	66.29	59.25	43.74	53.83	28.59	53.29	49.72	37.97	44.83
secondary & above	58.40	80.83	75.02	56.67	68.02	45.99	67.97	65.41	50.59	58.97
n.r.	20.79	50.20	38.44	26.49	36.10	8.06	41.15	34.26	27.76	31.83
all	36.47	56.53	49.13	38.88	46.32	26.73	44.37	40.32	33.25	37.89
estd. no. of children taken vaccine(00)	12128	81919	105058	91448	290553	8888	64288	86234	7822	237631

TABLE 1.1(U): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

ANDHRA PRADESH

URBAN

classification	polio: age group (years)					triple antigen: age group (years)				
	0	1—4	5—9	10—15	0—15	0	1—4	5—9	10—15	0—15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0—10	12.58	55.96	42.77	33.58	41.43	13.29	36.89	27.86	22.95	27.83
10—20	26.87	50.62	38.16	33.11	38.44	11.37	27.57	22.07	23.88	23.33
20—40	30.41	61.72	57.47	38.05	50.09	18.66	38.21	41.06	29.23	35.14
40—60	67.63	62.90	45.91	42.21	48.63	39.80	44.14	32.42	25.68	32.47
60—80	40.18	83.01	78.35	61.86	70.81	40.18	68.31	65.05	46.35	56.93
80—90	72.86	97.57	81.26	73.61	80.51	34.56	76.95	60.97	62.49	63.61
90—100	100.00	95.53	90.15	79.22	86.30	100.00	81.20	86.52	69.55	78.28
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	21.72	55.09	43.80	37.63	43.47	12.87	37.95	29.72	24.46	29.19
lit. but below primary	34.82	74.99	59.83	38.58	54.44	20.34	43.93	38.70	30.89	36.28
primary but below secondary	49.61	68.31	60.90	47.55	56.57	36.26	45.70	46.68	36.71	42.13
secondary & above	56.62	94.84	84.73	74.78	81.07	46.01	78.83	70.05	60.88	66.66
n.r.	32.36	46.77	67.43	49.83	54.72	32.36	31.31	56.17	49.83	45.64
all	36.59	66.30	56.67	47.77	54.50	25.82	46.63	41.97	35.52	39.82
estd. no. of children taken vaccine (00)	907	7714	11061	9616	29298	640	5425	8192	7150	21407

TABLE 1.2(U): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

ASSAM

URBAN

classification	polio: age group (years)					triple antigen: age group (years)				
	0	1—4	5—9	10—15	0—15	0	1—4	5—9	10—15	0—15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0—10	20.31	34.22	16.00	8.51	17.05	20.31	16.02	9.38	6.22	9.85
10—20	82.41	42.84	12.62	—	15.79	65.66	23.71	11.13	—	10.91
20—40	21.06	37.26	30.47	18.26	26.34	5.72	16.39	12.66	4.08	9.56
40—60	91.60	50.27	37.62	17.44	32.47	57.76	42.01	23.03	14.33	23.68
60—80	87.70	78.54	46.46	28.29	46.96	87.70	76.95	49.56	28.29	47.55
80—90	—	94.38	20.73	25.24	43.29	—	94.38	20.73	34.81	46.85
90—100	—	—	19.13	60.71	40.23	—	—	19.13	60.71	40.23
n.r.	—	—	100.00	—	100.00	—	—	100.00	—	100.00
adult female edu. class										
illiterate	18.85	20.04	7.43	0.62	8.72	18.85	11.09	5.07	0.62	5.68
lit. but below primary	—	22.31	9.14	12.52	14.09	—	5.88	—	—	1.82
primary but below secondary	34.69	46.56	24.86	12.39	23.10	—	35.80	17.44	8.26	16.40
secondary & above	97.56	79.05	51.82	27.30	49.01	78.98	60.32	34.81	21.24	36.18
n.r.	—	100.00	100.00	—	42.82	—	100.00	100.00	—	42.82
all	55.87	49.74	27.90	15.06	27.73	43.13	36.38	18.94	10.70	10.67
estd. no. of children taken vaccine (00)	73	593	594	360	1620	56	434	404	256	1150

TABLE 1.3(U): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

BIHAR						URBAN				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	5.26	10.33	0.81	0.72	3.55	5.26	2.83	0.54	0.06	1.23
10-20	14.45	6.52	8.24	2.80	6.43	13.53	—	0.62	—	1.09
20-40	6.52	15.86	6.61	4.27	8.10	—	6.31	2.91	0.72	2.86
40-60	18.27	30.20	15.73	8.42	17.31	4.85	19.05	10.78	5.70	11.08
60-80	40.43	30.74	27.51	22.75	25.93	—	9.37	16.46	15.69	14.68
80-90	50.32	41.88	47.90	45.00	45.75	10.26	25.22	46.03	49.66	44.77
90-100	77.92	68.63	53.04	45.13	52.44	21.08	56.72	38.92	32.64	38.17
	—	—	28.17	—	11.42	—	—	—	—	—
adult female edu. class										
illiterate	8.80	10.44	5.41	5.12	6.75	6.53	2.35	1.95	1.52	2.12
lit. but below primary	36.86	11.07	4.73	6.05	8.61	—	9.63	—	4.81	3.64
primary but below secondary	14.65	37.94	20.04	17.17	22.48	1.46	20.30	12.48	14.56	14.54
secondary & above	46.54	45.75	41.12	27.88	35.76	16.21	29.03	30.85	22.01	26.08
n.r.	—	11.22	—	10.58	6.82	—	11.22	—	10.58	6.82
all	16.47	21.12	14.93	13.89	15.98	5.45	10.31	9.21	10.23	9.68
estd. no. of children taken vaccine (00)	273	1855	2137	2051	6316	90	906	1318	1511	3825

TABLE 1.4 (U): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

GUJARAT						RURAL				
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	27.91	63.86	68.91	63.18	63.31	27.91	56.08	56.66	61.70	56.63
10-20	33.77	60.97	62.75	49.12	55.52	25.64	54.63	51.50	49.56	49.83
20-40	35.06	55.06	58.88	49.90	53.31	38.10	52.48	55.92	50.56	52.19
40-60	71.67	83.07	86.70	71.17	79.21	70.49	81.11	86.26	71.99	78.86
60-80	54.27	88.19	92.91	74.84	82.77	60.48	85.19	86.90	73.38	79.84
80-90	31.65	70.73	84.38	63.15	70.71	25.48	75.32	82.12	68.86	73.48
90-100	70.96	100.00	91.62	87.12	89.15	58.93	100.00	91.62	86.98	88.43
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	20.30	54.72	59.55	47.40	52.45	25.32	49.45	50.89	47.83	48.39
lit. but below primary	42.47	70.27	88.65	79.53	78.70	31.90	66.64	76.99	73.67	71.03
primary but below secondary	40.67	70.75	78.28	61.38	67.62	44.06	67.91	75.76	62.85	67.01
secondary & above	83.71	92.14	90.66	77.10	85.19	67.40	90.21	86.01	77.10	82.63
n.r.	68.79	22.75	29.24	67.53	35.41	68.79	17.37	25.84	45.95	28.72
all	44.01	70.17	73.98	62.34	67.08	43.07	66.72	68.49	62.64	64.56
estd. no. of children taken vaccine (00)	753	5649	8839	8936	24177	737	5372	8184	8978	83271

TABLE 1.5 (U) : PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

HARYANA						URBAN				
classification	polio : age group (years)					triple antigen : age group (years)				
	0	1—4	5—9	10—15	0—15	0	1—4	5—9	10—15	0—15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0—10	10.58	51.12	19.51	21.64	31.84	—	17.08	18.38	21.64	17.43
10—20	66.39	52.73	31.88	8.68	30.71	18.24	50.06	18.58	4.80	20.47
20—40	31.56	65.67	42.08	18.09	37.88	25.44	48.92	33.52	18.09	30.79
40—60	8.11	69.28	80.40	46.31	56.15	—	47.24	75.17	30.41	43.28
60—80	30.95	90.99	77.68	43.47	65.29	27.86	74.36	58.42	33.98	51.22
80—90	—	95.98	89.11	22.35	67.94	—	48.56	61.73	22.35	43.17
90—100	—	100.00	100.00	—	78.65	—	100.00	52.58	—	54.21
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	25.82	46.94	19.09	13.95	27.17	—	24.41	11.65	8.88	14.16
lit. but below primary	—	100.00	34.92	21.24	36.17	—	43.77	29.72	11.49	21.73
primary but below secondary	14.44	61.64	52.07	26.87	41.49	4.87	40.58	38.82	26.87	31.88
secondary & above	42.77	98.73	89.02	37.85	70.65	36.27	76.34	77.50	30.22	58.23
n.r.	—	—	—	—	—	—	—	—	—	—
all	27.73	65.62	49.24	25.40	44.18	12.71	42.61	38.97	20.66	32.04
estd. no. of children taken vaccine (00)	271	2283	2230	1101	5885	124	1482	1765	896	4267

TABLE 1.6 (U) : PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

HIMACHAL PRADESH						URBAN				
classification	polio : age group (years)					triple antigen : age group (years)				
	0	1—4	5—9	10—15	0—15	0	1—4	5—9	10—15	0—15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0—10	37.43	55.21	53.31	29.83	44.19	53.93	45.05	40.21	9.22	34.22
10—20	—	75.96	70.15	59.25	66.41	—	64.61	61.28	49.23	56.79
20—40	—	79.12	75.43	76.62	75.42	—	70.23	57.29	54.99	56.38
40—60	100.00	93.59	61.60	66.73	75.82	100.00	86.68	61.60	56.29	69.31
60—80	—	81.22	97.95	95.77	95.87	—	27.51	81.87	95.77	87.18
80—90	—	—	100.00	—	100.00	—	—	100.00	—	100.00
90—100	—	—	100.00	100.00	100.00	—	—	100.00	93.79	96.80
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	48.03	45.93	49.27	34.83	41.50	48.03	41.44	46.75	17.71	37.82
lit. but below primary	—	36.21	17.07	72.06	43.81	—	36.21	17.07	47.49	33.43
primary but below secondary	—	81.17	77.61	55.22	66.56	—	61.91	56.17	33.67	45.37
secondary and above	28.67	90.55	85.19	88.00	84.26	47.61	77.57	74.78	79.21	75.90
n.r.	—	—	—	—	—	—	—	—	—	—
all	34.30	74.22	79.29	73.24	74.25	47.73	62.43	68.63	60.42	63.25
estd. no. of children taken vaccine (00)	14	141	346	401	902	20	119	299	331	769

TABLE 1.7 (U) : PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP /FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

JAMMU & KASHMIR						URBAN				
classification	polio : age group (years)					triple antigen : age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	29.20	65.31	42.15	18.01	39.48	26.38	45.24	23.62	12.00	25.09
10-20	12.35	76.22	55.34	35.44	49.55	5.36	54.40	36.35	27.67	34.89
20-40	49.48	68.53	77.04	40.79	60.54	35.28	41.76	45.11	26.59	37.20
40-60	58.24	82.28	79.06	52.63	69.00	34.48	58.58	50.73	32.89	45.20
60-80	78.24	80.13	87.16	66.53	77.23	78.24	70.08	68.80	43.41	59.97
80-90	40.33	66.27	68.97	68.04	67.63	40.33	31.24	56.20	34.54	42.38
90-100	78.85	39.35	89.96	84.55	72.65	59.96	39.35	68.84	44.84	50.24
n.r.	—	—	100.00	100.00	100.00	—	—	100.00	100.00	100.00
adult female edu. class										
illiterate	40.57	67.67	59.53	41.98	54.36	30.92	46.38	33.93	23.64	33.20
lit. but below Primary	—	57.00	50.72	25.25	38.69	—	31.14	16.20	13.07	16.12
Primary but below secondary	37.99	80.35	85.43	55.17	68.93	27.81	57.70	71.58	43.06	54.77
secondary & above	73.85	79.87	84.75	56.68	78.26	63.00	62.67	58.90	37.08	52.73
n. r.	—	100.00	45.92	—	52.80	—	—	—	—	—
all	44.77	72.80	69.23	46.86	60.67	34.81	52.33	45.75	30.18	41.06
estd. no. of children taken vaccine(00)	105	752	1098	759	2714	8181	541	726	489	1837

TABLE 1.8 (U) : PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

KARNATAKA						URBAN				
classification	polio : age group (years)					triple antigen : age group (Years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	17.25	45.22	43.06	34.52	38.32	4.19	25.92	23.80	13.02	18.56
10-20	33.28	71.81	66.07	44.46	59.36	20.47	65.16	59.67	35.08	51.59
20-40	29.06	59.22	52.49	31.93	45.82	23.45	54.51	43.38	28.32	39.86
40-60	64.30	70.77	60.18	51.62	60.33	56.34	66.22	54.62	46.96	55.22
60-80	63.25	81.51	79.61	61.16	72.39	47.86	68.01	71.80	55.41	63.33
80-90	20.69	90.01	91.93	78.02	82.74	20.69	86.55	91.93	76.47	81.30
90-100	100.00	99.03	90.57	77.50	86.27	100.00	90.03	90.57	77.50	86.27
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	36.23	54.33	51.10	40.45	47.23	27.53	47.31	39.44	29.02	37.05
lit. but below Primary	73.30	81.16	61.67	31.25	54.61	62.33	76.13	56.15	24.36	48.41
primary but below secondary	40.33	69.15	66.23	51.14	60.46	27.06	60.88	57.84	43.72	52.01
secondary & above	62.92	86.68	75.25	57.71	71.63	58.75	78.83	71.90	55.12	67.27
n. r.	26.48	91.40	41.17	12.64	48.81	—	76.41	20.60	15.16	34.23
all	42.91	68.55	61.92	46.68	57.13	32.71	60.90	53.34	39.01	49.02
estd. no. of children taken vaccine(00)	1177	8083	9544	7567	26371	897	7181	8222	6324	22624

TABLE 1.9 (U): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

KERALA										
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	23.55	49.36	45.93	40.50	42.96	23.55	46.61	42.82	30.20	37.30
10-20	80.18	87.21	66.09	30.83	53.80	48.83	77.34	60.49	25.27	46.18
20-40	42.60	83.31	69.11	30.39	52.92	42.60	73.43	64.40	25.45	47.16
40-60	53.47	80.42	63.76	35.15	54.18	62.37	76.86	61.15	33.93	52.29
60-80	91.80	70.88	77.15	67.63	72.99	49.24	70.88	68.76	64.87	66.09
80-90	42.49	100.00	76.06	72.50	76.43	42.49	89.98	76.06	62.60	69.26
90-100	58.40	87.66	94.13	87.98	89.09	58.40	100.00	100.00	87.97	94.78
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	—	37.30	25.89	17.59	22.79	—	20.15	17.91	17.59	18.01
lit. but below primary	27.19	91.62	74.03	66.21	70.57	27.19	64.19	53.38	49.38	51.80
primary but below secondary	50.09	72.25	66.32	36.99	54.95	38.00	65.57	61.31	29.74	48.36
secondary & above	66.36	80.56	81.28	48.56	64.89	51.98	82.27	84.35	48.23	64.64
n.r.	—	—	100.00	49.82	66.47	—	—	100.00	49.82	66.47
all	56.72	74.89	67.96	42.42	57.57	44.01	69.96	64.08	37.36	52.49
estd. no. of children taken vaccine(00)	439	2392	2979	2805	8615	341	2234	2809	2470	7854

TABLE 1.01(U): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

MADHYA PRADESH										
classification	polio: age group (years)					triple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	25.35	36.16	20.13	22.77	25.17	2.73	13.13	10.69	8.03	9.89
10-20	37.96	40.67	31.35	18.86	29.55	8.38	22.26	18.51	10.36	15.98
20-40	20.14	46.08	38.31	26.25	34.97	7.25	29.44	24.67	18.45	22.73
40-60	20.50	56.83	42.35	33.63	40.63	16.19	29.56	25.59	21.44	24.26
60-80	41.10	54.82	52.52	43.00	48.73	22.49	38.03	42.44	23.71	32.92
80-90	52.17	63.59	77.26	62.27	66.86	10.05	41.34	62.50	51.55	50.15
90-100	59.78	80.90	80.48	49.14	66.36	7.57	76.43	50.93	55.71	54.26
n.r.	—	—	100.00	54.51	50.55	—	—	100.00	54.51	50.55
adult female edu. class										
illiterate	11.77	35.59	26.27	20.43	25.83	5.84	21.47	18.36	11.98	16.32
lit. but below primary	38.50	54.16	47.37	44.89	47.65	15.23	27.62	28.58	26.46	26.64
primary but below secondary	33.46	50.03	42.23	34.46	40.48	10.70	30.19	24.00	20.80	23.41
secondary & above	47.04	73.04	72.82	45.65	60.29	18.05	45.02	53.98	34.00	41.61
n.r.	—	36.71	—	—	8.82	—	—	—	28.22	10.08
all	30.09	49.04	41.51	32.41	39.28	11.52	29.13	27.69	21.15	24.72
estd. no of children taken vaccine(00)	743	4941	6255	5155	17094	284	2935	4172	3365	10756

TABLE 1.11 (U): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

MAHARASHTRA						URBAN				
classification	polio: age group (years)					Tripple antigen age group (years)				
	0	1-4	5-9	10-15	0-15	1-4	5-9	10-15	0-15	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	35.33	69.70	53.50	44.16	53.94	29.08	58.26	42.26	39.25	44.95
10-20	31.43	69.19	61.09	45.81	55.92	26.23	60.47	55.47	38.54	49.07
20-40	57.02	88.68	81.67	69.81	77.31	54.68	73.42	73.11	65.66	69.37
40-60	58.21	84.24	85.36	78.60	80.90	50.14	76.19	79.97	74.77	75.37
60-80	70.10	81.77	91.73	88.62	87.19	58.67	74.86	87.63	85.36	82.43
80-90	50.74	99.24	93.10	86.04	89.82	46.63	97.85	92.37	87.48	89.75
90-100	93.34	92.19	92.36	93.70	92.97	90.01	84.47	92.32	93.70	91.38
n.r.	—	17.65	72.24	43.52	51.14	—	17.65	72.24	43.52	51.14
adult female edu. class										
illiterate	44.72	64.94	64.45	49.71	58.32	40.06	53.46	52.72	42.27	48.54
lit. but below primary	14.58	80.60	37.83	73.25	73.51	14.58	70.48	69.89	72.52	69.81
primary but below secondary	49.78	84.07	78.70	72.86	76.18	40.98	72.88	74.28	69.92	70.43
secondary & above	65.68	94.17	89.41	85.86	87.65	61.89	88.62	85.44	82.94	83.79
n.r.	—	64.44	73.04	56.15	63.89	—	64.44	73.04	56.15	63.89
all	51.77	80.68	76.73	69.21	73.43	45.58	70.70	70.13	65.15	67.06
estd. no. of children taken vaccine (00)	2160	14117	20452	20379	57108	1902	12370	18695	19185	52152

TABLE 1.12 (U): PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

ORISSA						URBAN				
classification	polio: age group (years)					tripple antigen: age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	12.16	3*12	21.04	—	16.07	—	6.92	6.36	—	3.70
10-20	—	45.57	21.64	8.14	18.79	—	23.81	3.54	2.05	5.83
20-40	10.83	34.17	20.48	11.01	19.51	—	11.27	9.16	7.07	8.47
40-60	2.57	46.12	24.16	8.38	23.69	—	15.74	6.05	3.38	7.54
60-80	30.81	55.99	37.36	16.03	30.87	6.56	37.21	17.23	5.57	14.66
80-90	63.92	53.17	66.26	38.95	50.02	—	16.82	37.68	35.14	29.90
90-100	100.00	78.03	87.56	76.39	80.64	—	16.47	67.69	76.39	62.24
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	1.93	28.67	15.72	7.03	15.01	—	9.47	3.98	6.74	6.06
lit. but below primary	36.35	44.22	6.63	3.34	13.24	—	—	—	0.67	0.30
primary but below secondary	17.72	43.03	30.97	12.37	25.60	—	13.09	12.47	3.28	8.49
secondary & above	47.33	87.36	64.84	28.33	51.21	12.18	56.83	31.40	23.01	31.84
n.r.	—	—	—	—	—	—	—	—	—	—
all	16.61	43.25	26.59	12.05	23.90	1.77	16.46	10.22	7.23	9.95
estd. no. of children taken vaccine (00)	98	1072	1018	548	2738	1011	408	391	329	1139

TABLE 1.13 (U) : PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

PUNJAB						URBAN				
classification	polio : age group year					trippie antigens : age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	35.51	54.04	48.73	43.67	47.58	29.88	39.80	34.45	29.56	34.07
10-20	44.63	76.99	71.63	53.49	66.87	19.46	62.97	51.71	34.22	48.66
20-40	28.26	70.81	57.51	52.24	57.08	7.92	63.19	45.73	48.31	48.79
40-60	68.44	75.90	78.79	47.55	69.36	36.70	58.84	71.18	42.52	57.56
60-80	67.43	82.46	91.69	47.63	65.77	59.60	74.13	73.00	43.02	56.80
80-90	52.53	80.65	85.95	60.53	72.13	24.12	71.49	66.56	55.29	61.82
90-100	—	100.00	95.54	95.84	97.00	—	82.36	43.98	65.10	64.34
n.r.	—	100.00	100.00	100.00	100.00	—	100.00	100.00	100.00	100.00
adult female edu class										
illiterate	42.87	51.24	46.56	44.74	46.92	27.74	41.22	34.03	34.88	35.60
lit. but below primary	—	71.11	69.57	32.68	50.41	—	61.12	58.93	27.17	42.63
primary but below secondary & above	29.30	72.16	71.81	57.63	65.03	8.93	61.50	53.70	48.28	51.78
n. r.	—	—	100.00	—	100.00	—	—	100.00	—	100.00
all	45.68	72.16	67.21	51.87	61.95	27.63	59.62	52.26	42.91	49.51
estd. no. of children taken vaccine (00)										
	511	3529	4147	3304	11491	309	2916	3224	2733	9182

TABLE 1.14 (U) : PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

RAJASTHAN						URBAN				
classification	polio : age groups (year)					trippie antigen : age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	—	25.50	14.91	8.39	14.50	—	7.45	3.47	4.95	4.72
10-20	—	23.24	7.51	7.85	11.28	—	5.48	4.72	7.38	5.51
20-40	32.57	42.16	23.13	11.03	23.68	18.26	21.24	13.11	11.43	14.66
40-60	23.90	53.78	34.48	15.50	33.20	7.59	15.86	12.92	11.89	13.22
60-80	29.71	68.36	53.40	32.07	47.10	11.37	27.53	18.28	10.11	16.80
87-90	48.73	51.52	69.68	36.45	50.32	—	19.52	38.44	23.68	27.68
90-100	—	80.42	26.08	69.89	67.16	—	40.66	26.08	37.65	37.02
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu class										
illiterate	7.23	29.70	15.70	8.89	16.48	3.46	10.83	4.87	5.08	6.33
lit. but below primary	—	36.34	22.61	19.44	23.46	—	17.44	13.61	8.39	11.72
primary but below secondary & above	47.73	61.97	42.78	25.81	41.27	21.41	24.94	23.15	19.87	22.26
n.r.	100.00	—	21.72	—	20.88	—	—	21.72	—	16.90
all	17.08	44.66	27.60	18.44	28.15	7.68	16.87	12.04	11.41	12.84
estd. no. of children taken vaccine (00)										
	233	3475	290	2043	8651	105	1313	1266	1264	3948

TABLE 1.15 (U) : PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

TAMILNADU						URBAN				
classification	polio : age group (years)					triple antigen : age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	51.06	56.56	41.96	33.96	43.31	46.32	56.32	35.73	22.86	36.89
10-20	48.38	76.48	64.38	39.11	57.55	37.92	68.48	53.87	33.50	49.35
20-40	59.11	70.69	75.78	56.51	66.11	44.45	67.20	69.32	51.59	60.40
40-60	47.88	84.26	67.34	50.39	63.58	38.20	77.44	63.77	47.53	59.15
60-80	78.35	86.09	80.15	62.85	73.92	66.63	84.45	73.34	57.34	68.54
80-90	79.80	96.07	84.01	59.18	80.95	67.54	90.68	79.91	64.11	75.94
90-100	84.99	98.88	96.86	86.90	91.73	84.99	91.25	89.05	83.42	86.43
n. r.	100.00	100.00	—	64.83	59.52	100.00	100.00	36.50	100.00	85.14
adult female edu. class										
illiterate	43.54	63.79	57.94	42.12	52.87	39.85	57.89	51.69	40.83	48.62
lit. but below primary	78.05	75.78	65.68	48.96	62.54	78.05	72.47	58.36	44.38	57.58
primary but below secondary & above	59.80	81.04	72.48	56.57	67.40	51.10	77.81	65.11	47.07	59.39
n. r.	—	—	—	—	—	—	—	—	—	—
all	58.06	77.21	69.36	53.70	64.35	48.13	72.88	62.96	48.28	58.61
estd. no. of children taken vaccine (00)	2000	10618	13462	12719	38799	1058	10023	12220	11434	35335

TABLE 1.16(U) : PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

TRIPURA						URBAN				
classification	polio : age group (years)					triple antigen : age group (years)				
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-10	—	46.65	6.90	20.79	17.74	—	—	3.60	22.57	12.58
10-20	—	—	5.54	9.19	5.84	—	—	—	—	—
20-40	—	61.71	19.81	10.68	22.27	—	35.24	19.81	6.06	15.26
40-60	70.60	70.88	50.48	13.37	41.15	—	32.38	18.96	9.41	16.10
60-80	—	76.28	64.86	16.78	41.64	—	76.28	45.92	16.78	35.06
80-90	—	—	13.77	58.58	42.15	—	—	—	58.58	37.87
90-100	—	50.46	61.38	15.94	42.30	—	25.70	40.07	15.94	25.65
n. r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	—	—	—	48.64	21.06	—	—	—	40.83	17.68
lit. but below primary	—	—	17.72	29.10	15.49	—	—	17.72	29.10	15.49
primary but below secondary & above	34.03	59.14	24.61	6.56	22.75	—	21.38	16.01	2.99	10.11
n. r.	—	—	13.77	—	13.77	—	—	13.77	—	13.77
all	21.81	57.33	32.61	17.62	29.75	—	31.25	18.23	15.09	17.95
estd. no. of children taken vaccine (00)	8	58	69	45	180	—	31	39	39	109

TABLE 1.17 (U) : PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

UTTAR PRADESH											
classification	polio : age group (years)					triple antigen : age group (years)					
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group											
0-10	11.75	14.57	8.90	6.08	9.50	9.59	8.31	4.73	2.07	4.97	
10-20	7.56	15.24	9.69	7.59	10.24	2.71	9.48	6.77	5.86	6.89	
20-40	11.80	18.66	6.47	3.71	8.89	2.34	6.82	3.76	2.34	3.96	
40-60	18.80	22.16	16.70	8.53	14.78	6.01	11.60	8.18	4.36	7.32	
60-80	36.09	49.77	45.12	27.95	39.12	13.75	35.86	29.53	15.32	24.78	
80-90	64.89	55.03	45.94	23.75	36.12	23.76	37.21	33.47	13.73	23.20	
97-100	57.32	65.42	65.69	38.56	55.39	57.32	59.89	54.58	20.44	43.41	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class											
illiterate	9.30	11.90	5.75	4.49	7.10	2.90	5.90	2.91	1.56	3.21	
lit. but below primary	22.46	27.03	15.48	3.32	14.88	5.81	12.89	4.09	0.85	5.39	
primary but below secondary	30.43	34.41	22.53	11.50	21.21	12.52	19.60	14.18	6.82	12.41	
secondary & above	39.09	53.62	48.13	27.95	40.40	18.93	37.33	35.20	17.59	27.51	
n.r.	—	—	—	—	—	—	—	—	—	—	
all	17.52	24.25	16.92	11.11	16.29	6.87	14.37	10.77	6.19	9.75	
estd. no. of children taken vaccine (00)	899	5542	5438	3863	15742	353	3284	3459	2152	9248	

TABLE 1.18 (U) : PERCENTAGE OF CHILDREN TAKEN VACCINE OF POLIO AND TRIPPLE ANTIGEN BY AGE GROUP/FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

WEST BENGAL											
classification	polio : age group (years)					triple antigen : age group (years)					
	0	1-4	5-9	10-15	0-15	0	1-4	5-9	10-15	0-15	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group											
0-10	4.69	29.25	23.50	9.18	19.10	4.69	15.54	12.63	6.34	10.80	
10-20	24.76	36.18	27.49	12.96	23.84	9.28	29.52	16.46	5.80	15.00	
20-40	9.42	47.56	31.16	17.89	28.26	10.29	28.04	18.30	14.51	18.44	
40-60	34.31	60.37	49.03	22.28	38.46	23.47	47.10	43.53	19.26	32.38	
60-80	29.75	67.07	56.90	24.88	43.50	19.04	57.51	55.77	30.09	42.87	
80-90	78.56	83.21	74.29	47.83	62.67	78.56	67.24	71.81	52.49	61.55	
90-100	77.68	93.38	68.17	61.45	70.47	66.76	83.03	69.00	64.83	69.49	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class											
illiterate	14.57	29.15	16.95	5.85	16.06	9.70	14.26	10.02	5.06	9.39	
lit. but below primary	3.70	56.67	30.22	17.44	30.86	3.70	34.50	20.14	14.00	20.67	
primary but below secondary	21.00	56.47	45.47	21.76	35.52	5.90	45.19	33.26	18.61	27.62	
secondary & above	54.12	71.64	74.07	48.28	61.99	50.85	61.38	70.33	48.23	58.28	
n.r.	—	63.57	—	4.56	11.08	—	63.57	—	4.56	11.00	
all	26.26	49.30	38.04	21.36	33.08	19.72	26.02	29.54	19.48	26.35	
estd. no. of children taken vaccine (00)	568	4475	5773	3787	14603	427	3269	4483	3453	11632	

TABLE 2(R): PERCENTAGE (0.00) OF CHILDREN TAKEN BOOSTER DOSE OF POLIO AND TRIPPLE ANTIGEN VACCINE BY FRACTILE GROUP

Table 2.0(R): All India

fractile group	vaccine	
	polio	triple antigen
(1)	(2)	(3)
0—10	7.24	4.41
10—20	7.45	4.39
20—40	8.38	5.98
40—60	10.52	7.51
60—80	14.26	10.20
80—90	17.01	12.02
90—100	25.76	20.44
all	10.77	7.56
n.r.	5.10	1.95
estd. no. of children take booster dose (000)	24955	17499

fractile group	vaccine	
	polio	triple antigen
(1)	(2)	(3)
0—10	10.19	4.35
10—20	10.77	4.99
20—40	11.48	7.36
40—60	10.02	6.36
60—80	20.52	13.65
80—90	12.81	9.39
90—100	30.71	23.49
all	13.04	7.98
n.r.	—	—
estd. no. of children taken booster dose (000)	2284	1398

TABLE 2.1(R): ANDHRA PRADESH

fractile group	vaccine	
	polio	triple antigen
(1)	((2))	(3)
0—10	6.42	5.09
10—20	2.29	1.96
20—40	4.73	4.84
40—60	5.83	5.05
60—80	5.95	4.55
80—90	5.02	2.92
90—100	10.29	10.57
all	5.34	4.60
n.r.	5.39	—
estd. no. of children taken booster dose (000)	315	270

TABLE 2.2(R): ASSAM

TABLE 2(R): PERCENTAGE (0.00) OF CHILDREN TAKEN BOOSTER DOSE OF POLIO AND TRIPLE ANTIGEN VACCINE BY FRACTILE GROUP

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.3(R): BIHAR		
0—10	1.24	0.68
10—20	2.63	0.54
20—40	1.92	0.65
40—60	2.87	1.00
60—80	2.63	1.49
80—90	1.60	0.24
90—100	6.02	2.36
all	2.42	0.93
n.r.	—	—
estd. no. of children taken booster dose (000)	690	264

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.4(R): GUJARAT		
0—10	32.42	25.48
10—20	23.27	19.83
20—40	36.38	26.66
40—60	30.41	23.08
60—80	41.22	30.54
80—90	42.53	25.92
90—100	47.00	34.71
all	34.73	26.34
n.r.	—	—
estd. no. of children taken booster dose(000)	3122	2368

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.5(R): HARYANA		
0—10	16.23	10.25
10—20	11.52	4.76
20—40	9.50	5.82
40—50	13.65	10.56
60—80	17.13	8.80
80—90	28.70	17.30
90—100	22.85	31.24
all	14.66	0.36
n.r.	—	—
estd. no. of children taken booster dose(000)	743	475

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.6(R): HIMACHAL PRADESH		
0—10	56.16	28.00
10—20	33.88	23.36
20—40	34.49	31.39
40—60	39.00	34.39
60—80	41.04	31.26
80—90	46.62	22.59
90—100	60.00	32.38
all	39.71	20.78
n.r.	—	—
estd. no. of children taken booster dose (000)	652	489

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.7(R): JAMMU & KASHMIR		
0—10	5.66	2.00
10—20	7.29	5.06
20—40	7.11	4.41
40—60	7.54	5.05
60—80	13.39	6.57
80—90	18.33	9.81
90—100	16.07	10.65
all	9.31	5.34
n.r.	—	—
estd. no. of children taken booster dose(000)	216	124

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.8(R): KARNATAKA		
0—10	14.21	9.91
10—20	12.74	8.91
20—40	14.45	10.50
40—60	15.93	8.90
60—80	17.37	14.16
80—90	20.60	16.64
90—100	27.46	25.84
all	15.90	11.49
n.r.	31.00	31.00
estd. no. of children taken booster dose(000)	1747	1263

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.9(R) : KERALA		
0—10	14.17	12.02
10—20	19.05	15.12
20—40	18.73	18.97
40—60	23.27	21.98
60—80	28.69	26.30
80—90	35.32	33.10
90—100	63.90	61.20
all	23.44	21.74
n.r.	68.51	37.02
estd. no. of children taken booster dose (000)	1609	1400

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.10(R) : MADHYA PRADESH		
0—10	4.67	1.24
10—20	6.71	0.57
20—40	4.90	1.68
40—60	5.85	1.37
60—80	6.37	2.18
80—90	10.05	2.76
90—100	14.55	7.93
all	6.36	1.89
n.r.	11.56	—
estd. no. of children taken booster dose (000)	1216	359

TABLE 2(R) : PERCENTAGE (0.00) OF CHILDREN TAKEN BOOSTER DOSE OF POLIO AND TRIPPLE ANTIGEN VACCINE BY FRACTILE GROUP.

fractile group (1)	vaccine		fractile group (1)	vaccine	
	polio (2)	tripple antigen (3)		polio (2)	tripple antigen (3)
TABLE 2.11(R): MAHARASHTRA			TABLE 2.15(R): TAMILNADU		
0-10	27.54	23.22	0-10	10.48	8.07
10-20	26.82	21.67	10-20	8.08	5.01
20-40	32.34	28.27	20-40	10.31	7.93
40-60	40.29	35.56	40-60	16.34	11.96
60-80	37.72	32.44	60-80	22.88	17.24
80-90	40.47	38.67	80-90	23.35	26.74
90-100	40.25	40.14	90-100	34.82	30.32
all	34.45	30.21	all	14.32	10.90
n.r.	—	—	n.r.	6.82	6.82
estd. no. of children taken booster dose (000)			estd. no. of children taken booster dose(000)		
	5696	4994		1761	1341
TABLE 2.12(R):ORISSA			TABLE 2.16(R): TRIPURA		
0-10	1.70	0.86	0-10	1.53	2.04
10-20	5.95	1.12	10-20	3.85	0.85
20-40	3.04	2.13	20-40	0.61	0.22
40-60	5.12	1.61	40-60	1.54	1.06
60-80	5.60	1.30	60-80	1.96	0.72
80-90	5.51	0.62	80-90	2.62	1.02
90-100	10.67	2.99	90-100	10.93	8.40
all	4.71	1.51	all	2.08	1.13
n.r.	—	—	n.r.	—	—
estd. no. of children taken booster dose (000)			estd. no. of children taken booster dose(000)		
	465	149		15	8
TABLE 2.13(R): PUNJAB			TABLE 2.17(R): UTTAR PRADESH		
0-10	14.24	5.16	0-10	1.99	0.45
10-20	25.03	15.57	10-20	1.67	0.43
20-40	18.83	12.90	20-40	2.29	0.93
40-60	28.17	17.79	40-60	1.94	0.82
60-80	27.78	18.99	60-80	3.77	1.59
80-90	35.72	29.58	80-90	7.29	3.34
90-100	43.74	31.44	90-100	15.12	7.45
all	24.42	15.92	all	2.87	1.14
n.r.	100.00	—	n.r.	8.74	—
estd. no. of children taken booster dose(000)			estd. no. of children taken booster dose(000)		
	1199	781		1354	538
TABLE 2.14(R): RAJASTHAN			TABLE 2.18(R): WEST BENGAL		
0-10	1.84	1.02	0-10	1.63	2.02
10-20	0.96	0.14	10-20	2.34	1.38
20-40	4.79	0.40	20-40	3.42	3.00
40-60	5.27	1.47	40-60	4.28	1.78
60-80	6.73	0.39	60-80	5.54	4.13
80-90	7.38	1.90	80-90	7.21	5.90
90-100	6.58	2.86	90-100	9.15	9.64
all	4.58	0.92	all	4.13	3.11
n.r.	—	—	n.r.	—	—
estd. no. of children taken booster dose (000)			estd. no. of children taken booster dose(000)		
	601	121		762	574

TABLE (2U): PERCENTAGE (0.00) OF CHILDREN TAKEN BOOSTER DOSE OF POLIO AND TRIPPLE ANTIGEN VACCINE BY FRACTILE GROUP

fractile group	vaccine	
	polio	tripple antigen
(1)	(2)	(3)
TABLE 2.0(U): ALL INDIA		
0—10	14.31	9.54
10—20	15.57	11.50
20—40	21.69	16.49
40—60	31.64	24.27
60—80	39.19	28.92
80—90	48.85	41.90
90—100	59.26	51.16
all	26.82	20.51
n.r.	20.47	20.77
estd. no. of children taken booster dose (000)	16810	12864

fractile group	vaccine	
	polio	tripple antigen
(1)	(2)	(3)

TABLE 2.1(U): ANDHRA PRADESH

0—10	16.33	11.13
10—20	14.35	9.77
20—40	21.04	13.68
40—60	19.89	12.70
60—80	34.60	28.55
80—90	40.15	29.11
90—100	42.04	35.52
all	23.07	17.32
n.r.	—	—
estd. no. of children taken booster dose(000)	1289	931

fractile group	vaccine	
	polio	tripple antigen
(1)	(2)	(3)

TABLE 2.2(U): ASSAM

0—10	14.68	7.81
10—20	7.23	5.32
20—40	19.66	6.76
40—60	22.99	14.16
60—80	27.82	28.50
80—90	31.43	37.39
90—100	32.32	32.32
all	18.84	12.45
n.r.	100.00	100.00
estd. no. of children taken booster dose(000)	111	74

TABLE 2(U): PERCENTAGE (0.00) OF CHILDREN TAKEN BOOSTER DOSE OF POLIO AND TRIPLE ANTIGEN VACCINE BY FRACTILE GROUP

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.3(U): BIHAR		
0-10	0.55	0.66
10-20	5.45	0.85
20-40	4.78	1.16
40-60	12.40	7.86
60-80	20.27	12.25
80-90	38.87	38.92
90-100	44.52	35.87
all	11.94	7.76
n.r.	11.42	—
estd. no. of children taken booster dose(000)	472	304

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.4(U): GUJARAT		
0-10	30.04	26.77
10-20	32.08	26.17
20-40	41.92	33.99
40-60	58.46	46.78
60-80	56.46	30.39
80-90	40.76	33.25
90-100	68.79	51.82
all	45.26	35.72
n.r.	—	—
estd. no. of children taken booster dose (000)	1631	1287

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.5(U): HARYANA		
0-10	19.31	16.61
10-20	8.27	6.80
20-40	21.98	17.62
40-60	39.77	31.77
60-80	42.47	39.75
80-90	34.16	23.23
90-100	78.65	54.21
all	25.87	21.51
n.r.	—	—
estd. no. of children taken booster dose(000)	345	286

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.6(U): HIMACHAL PRADESH		
0-10	37.72	26.32
10-20	40.49	46.38
20-40	68.65	47.56
40-60	74.53	68.02
60-80	89.00	77.59
80-90	—	100.00
90-100	96.80	96.80
all	63.27	55.83
n.r.	—	—
estd. no. of children taken booster dose(000)	77	68

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.7(U): JAMMU & KASHMIR		
0-10	11.64	5.39
10-20	20.45	14.60
20-40	28.05	10.66
40-60	30.74	16.60
60-80	37.81	19.44
80-90	35.58	28.55
90-100	23.15	23.12
all	26.56	14.22
n.r.	—	—
estd. no. of children taken booster dose(000)	119	64

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.8(U): KARNATAKA		
0-10	14.48	8.62
10-20	13.65	10.65
20-40	17.10	16.09
40-60	22.89	18.19
60-80	32.88	26.61
80-90	42.35	40.89
90-100	56.21	53.45
all	22.55	18.85
n.r.	—	—
estd. no. of children taken booster dose(000)	1041	870

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.9(U): KERALA		
0-10	17.36	17.24
10-20	28.43	22.34
20-40	29.08	26.99
40-60	31.68	28.51
60-80	43.31	42.66
80-90	45.67	45.67
90-100	55.14	51.15
all	31.73	29.39
n.r.	—	—
estd. no. of children taken booster dose (000)	475	440

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.10(U): MADHYA PRADESH		
0-10	10.01	4.59
10-20	19.79	9.05
20-40	19.14	11.47
40-60	25.91	12.10
60-80	31.90	19.17
80-90	45.39	25.09
90-100	43.42	23.56
all	23.88	12.79
n.r.	—	50.55
estd. no. of children taken booster dose(000)	1038	558

TABLE 2(U): PERCENTAGE (0.00) OF CHILDREN TAKEN BOOSTER DOSE OF POLIO AND TRIPPLE ANTIGEN VACCINE BY FRACTILE GROUP.

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.11(U): MAHARASHTRA		
0-10	28.23	23.54
10-20	36.44	33.57
20-40	51.67	43.20
40-60	53.50	48.21
60-80	62.58	57.64
80-90	63.61	57.63
90-100	68.45	66.08
all	48.62	43.09
n.r.	35.90	51.14
estd. no. of children taken booster dose (000)	3778	3352

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.12(U): ORISSA		
0-10	15.55	3.70
10-20	15.09	3.00
20-40	12.06	8.00
40-60	14.68	5.58
60-80	24.59	9.94
80-90	46.01	22.04
90-100	65.54	49.19
all	18.00	7.75
n.r.	—	—
estd. no. of children taken booster dose (000)	205	88

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.13(U): PUNJAB		
0-10	32.23	25.07
10-20	42.74	31.43
20-40	39.64	30.96
40-60	52.58	35.53
60-80	46.08	33.79
80-90	60.79	45.35
90-100	76.76	43.56
all	43.84	32.03
n.r.	31.20	31.20
estd. no. of children taken booster dose (000)	813	594

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.14(U): RAJASTHAN		
0-10	8.55	2.03
10-20	5.89	3.42
20-40	16.02	9.13
40-60	22.59	7.10
60-80	26.81	9.62
80-90	41.40	27.68
90-100	56.66	33.22
all	18.45	8.26
n.r.	—	—
estd. no. of children taken booster dose (000)	567	254

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.15(U): TAMILNADU		
0-10	15.34	8.85
10-20	20.67	16.32
20-40	22.54	15.50
40-60	25.10	20.29
60-80	22.23	19.19
80-90	29.29	21.47
90-100	41.24	34.25
all	22.95	17.44
n.r.	40.53	40.53
estd. no. of children taken booster dose(000)	1386	1055

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.16(U): TRIPURA		
0-10	17.74	12.59
10-20	—	—
20-40	14.23	6.85
40-60	22.76	5.70
60-80	33.00	26.41
80-90	42.15	37.87
90-100	42.30	3.30
all	21.18	10.39
n.r.	—	—
estd. no. of children taken a booster dose (000)	13	6

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.17(U): UTTAR PRADESH		
0-10	4.44	1.68
10-20	3.96	2.39
20-40	5.59	2.91
40-60	11.78	5.22
60-80	30.60	14.05
80-90	28.35	19.28
90-100	49.58	28.55
all	11.71	5.92
n.r.	—	—
estd. no. of children taken booster dose (000)	1106	559

fractile group (1)	vaccine	
	polio (2)	triple antigen (3)
TABLE 2.18(U): WEST BENGAL		
0-10	9.62	5.42
10-20	7.51	5.53
20-40	9.99	8.92
40-50	20.60	16.65
60-80	25.58	22.72
80-90	34.29	37.05
90-100	47.56	47.21
all	16.34	14.01
n.r.	—	—
d. no. of children taken booster dose (000)	719	616

TABLE 3.0 (R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0.4) YEARS REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

ALL-INDIA										RURAL
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd.(00)	
	0-10	10-20	20-40	47-60	60-80	80-90	90-100	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	8.83	10.48	23.22	20.90	16.99	11.30	8.28	100.00	12850	
primary health centre	19.85	8.53	21.21	17.47	17.07	9.87	5.99	100.00	3528	
public dispensary	27.87	—	28.32	18.19	8.53	14.30	2.80	100.00	331	
nursing home	34.44	—	18.31	19.26	13.21	—	19.79	100.00	479	
charitable institution	—	6.74	29.31	5.23	41.59	17.14	—	100.00	318	
private doctor	6.53	16.21	20.16	21.72	17.12	6.81	11.45	100.00	3234	
others	10.19	7.38	22.19	25.04	19.29	5.04	10.88	100.00	9171	
lady health visitor	16.54	11.24	28.29	17.80	12.60	9.25	4.29	100.00	10838	
n.r.	13.42	23.22	18.76	24.82	11.55	4.62	3.62	100.00	2698	
all	12.41	10.85	23.57	20.87	16.13	8.54	7.62	100.00	43449	
female										
public hospital	8.69	10.89	22.30	19.51	17.63	13.45	7.53	100.00	12123	
primary health centre	20.64	17.15	16.96	19.02	13.66	6.20	6.37	100.00	3190	
public dispensary	6.68	5.50	41.80	14.93	15.52	7.23	8.36	100.00	313	
nursing home	20.99	13.62	4.89	10.22	20.45	16.92	12.92	100.00	485	
charitable institution	—	13.34	—	—	34.90	37.32	14.44	100.00	195	
private doctor	10.49	11.59	14.46	22.63	23.21	7.91	9.70	100.00	2703	
others	7.90	7.36	18.42	19.05	24.60	11.74	10.93	100.00	6597	
lady health visitor	13.61	18.60	27.25	16.60	15.53	5.80	2.61	100.00	10644	
n. r.	12.17	14.07	18.17	28.23	15.29	8.43	3.65	100.00	2574	
all	11.31	13.15	21.51	19.15	18.39	9.84	6.65	100.00	38924	
persons										
public hospital	8.76	10.68	22.77	20.23	17.30	12.34	7.92	100.00	24973	
primary health centre	20.22	12.63	19.19	18.21	15.45	8.13	6.17	100.00	6718	
public dispensary	17.58	2.67	34.87	16.61	11.92	10.86	5.50	100.00	644	
nursing home	27.67	6.85	9.07	14.71	16.85	8.51	16.33	100.00	964	
charitable instituion	—	9.24	18.17	3.24	39.05	24.81	5.49	100.00	513	
private doctor	8.33	14.11	17.56	22.14	19.89	7.31	10.66	100.00	5937	
others	9.23	7.37	20.62	22.54	21.50	7.84	10.90	100.00	15768	
lady health visitor	15.09	14.88	27.78	17.20	14.05	7.54	3.46	100.00	21482	
n. r.	12.81	18.75	18.47	26.48	13.37	6.48	3.64	100.00	5272	
all	11.89	11.93	2.60	20.06	17.20	9.15	7.16	100.00	82373	

TABLE 3.1 (R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

ANDHRA PRADESH										RURAL
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd. (00)	
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	9.98	21.96	24.54	34.08	9.44	—	—	100.00	712	
primary health centre	—	16.96	—	83.04	—	—	—	100.00	168	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	100.00	—	—	100.00	22	
charitable institution	—	—	—	—	100.00	—	—	100.00	99	
private doctor	8.59	27.13	32.77	15.32	16.19	—	—	100.00	358	
others	9.48	11.93	9.99	45.15	13.08	2.44	7.93	100.00	2382	
lady health visitor	17.24	10.55	38.39	18.25	5.68	7.39	2.50	100.00	1250	
n. r.	8.49	46.35	28.29	—	9.81	7.06	—	100.00	263	
all	10.76	15.61	20.64	33.13	12.45	3.22	4.19	100.00	5254	
female										
public hospital	9.80	20.37	27.57	13.54	22.29	4.27	2.16	100.00	905	
primary health centre	17.58	20.15	5.37	35.36	21.54	—	—	100.00	285	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	49.69	23.66	—	26.65	—	—	100.00	100	
charitable institution	—	—	—	—	54.98	—	45.04	100.00	63	
private doctor	—	24.15	22.57	21.38	15.04	7.22	9.64	100.00	365	
others	10.62	4.03	19.25	13.91	21.82	15.51	14.86	107.00	1164	
lady health visitor	13.82	20.92	40.52	8.67	12.06	4.01	—	100.00	1421	
n. r.	—	32.74	8.44	—	22.49	7.33	28.99	100.00	253	
all	10.07	17.71	26.17	12.88	18.91	7.04	7.23	100.00	4556	
persons										
public hospital	9.88	21.07	26.24	22.58	16.63	2.39	1.21	100.00	1617	
primary health centre	11.07	18.97	3.38	53.01	13.57	—	—	100.00	453	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	40.89	19.48	—	39.63	—	—	100.00	122	
charitable institution	—	—	—	—	82.53	—	17.48	100.00	162	
private doctor	4.26	25.63	27.62	18.38	15.61	3.64	4.86	100.00	723	
others	9.85	9.34	13.03	34.90	15.95	6.73	10.20	100.00	3546	
lady health visitor	15.42	16.07	39.52	13.15	9.07	5.59	1.17	100.00	2671	
n. r.	4.33	39.68	18.55	—	16.03	7.19	14.22	100.00	516	
all	10.44	16.58	23.21	23.72	15.45	5.00	5.60	100.00	9810	

TABLE 3.2 (R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

ASSAM										RURAL
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd (00)	
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	—	—	12.01	12.99	26.00	31.91	17.09	100.00	203	
primary health centre	—	46.09	13.13	—	8.90	31.88	—	100.00	71	
public dispensary	—	—	18.84	—	38.13	43.05	—	100.00	74	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	16.40	—	—	—	—	83.60	100.00	44	
others	21.96	36.58	14.75	4.96	4.79	5.00	11.95	100.00	252	
lady health visitor	—	12.64	—	60.17	—	27.19	—	100.00	36	
n. r.	34.08	—	54.48	—	11.46	—	—	100.00	85	
all	11.04	17.85	17.17	7.91	14.27	18.51	13.25	100.00	765	
female										
public hospital	12.69	—	5.61	27.44	33.65	20.61	—	100.00	379	
primary health centre	—	24.42	15.43	4.76	15.86	12.40	27.12	100.00	141	
public dispensary	25.40	—	41.20	—	—	33.41	—	100.00	68	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	—	—	—	100.00	100.00	23	
others	—	37.06	16.67	27.12	—	15.00	4.15	100.00	250	
lady health visitor	14.44	21.59	20.73	—	19.60	—	23.63	100.00	57	
n. r.	10.33	18.15	28.67	17.76	12.34	12.76	—	100.00	79	
all	8.19	15.41	14.76	19.31	17.15	16.63	8.55	100.00	997	
persons										
public hospital	8.26	—	7.85	22.39	30.98	24.56	5.97	100.00	582	
primary health centre	—	31.66	14.66	3.17	13.54	18.91	18.06	100.00	212	
public dispensary	12.13	—	29.51	—	19.92	38.44	—	100.00	141	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	10.72	—	—	—	—	89.30	100.00	67	
others	11.04	36.18	15.71	15.98	2.41	9.97	8.08	100.00	802	
lady health visitor	8.82	18.11	12.67	23.40	11.98	10.57	14.44	100.00	93	
n. r.	22.64	8.74	42.05	8.55	11.88	6.14	—	100.00	165	
all	9.43	16.47	15.80	14.36	15.90	17.45	10.59	100.00	1762	

TABLE 3.2 (R) PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION PERSONNEL REGISTERED WITH AND SEX.

BIHAR										RURAL
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd.(00)	
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	49.47	16.17	13.89	20.46	—	—	—	100.00	99	
primary health centre	—	—	30.32	30.80	22.80	—	16.08	100.00	205	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	100.00	100.00	30	
private doctor	—	12.88	15.01	54.03	10.77	7.31	—	100.00	231	
others	29.83	—	—	17.60	12.41	—	40.16	100.00	15	
lady health visitor	20.68	12.89	8.89	46.08	11.47	—	—	100.00	191	
n. r.	26.90	—	8.11	9.27	22.41	20.47	12.85	100.00	287	
all	17.66	5.87	12.60	29.23	14.79	6.32	13.54	100.00	1197	
female										
public hospital	38.97	—	34.02	14.25	8.25	4.51	—	100.00	304	
primary health centre	—	38.01	11.45	18.84	15.11	—	16.58	100.00	155	
public dispensary	—	—	—	100.00	—	—	—	100.00	32	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	100.00	100.00	30	
private doctor	19.33	—	80.67	—	—	—	—	100.00	87	
others	—	—	46.67	53.30	—	—	—	100.00	49	
lady health visitor	—	33.26	39.70	27.04	—	—	—	100.00	74	
n. r.	47.50	16.21	5.97	12.98	17.34	—	—	100.00	296	
all	26.85	12.80	25.48	18.37	9.71	1.33	5.47	100.00	1027	
persons										
public hospital	41.54	3.96	29.09	15.77	6.23	3.40	—	100.00	403	
primary health centre	—	16.35	22.20	25.66	19.49	—	16.30	100.00	360	
public dispensary	—	—	—	100.00	—	—	—	100.00	32	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	100.00	100.00	60	
private doctor	5.31	9.34	33.04	39.19	7.82	5.30	—	100.00	318	
others	22.58	—	11.34	26.29	9.39	—	30.40	100.00	203	
lady health visitor	14.90	18.57	17.49	40.76	8.27	—	—	100.00	265	
n. r.	37.35	8.22	7.02	11.15	19.84	10.08	6.33	100.00	583	
all	21.90	9.07	18.55	24.21	12.44	4.02	9.81	100.00	2224	

TABLE 3.4 (R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0.—4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION PERSONNEL REGISTERED WITH AND SEX

GUJARAT										RURAL
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd.(00)	
	0—10	10—20	20—40	40—60	60—80	80—90	90—100	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	—	25.76	—	—	32.83	26.77	14.64	100.00	389	
primary health centre	—	—	7.84	17.10	75.06	—	—	100.00	345	
public dispensary	—	—	100.00	—	—	—	—	100.00	26	
nursing home	—	—	100.00	—	—	—	—	100.00	40	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	—	—	—	100.00	100.00	29	
others	—	—	10.70	31.03	—	—	58.27	100.00	162	
lady health visitor	—	10.37	22.87	22.03	5.48	27.74	11.50	100.00	518	
n. r.	26.97	—	14.87	18.15	29.45	10.56	—	100.00	212	
all	3.32	8.94	15.14	15.22	27.75	15.69	13.95	100.00	1721	
female										
public hospital	—	21.37	19.37	25.93	17.31	—	16.02	100.00	307	
primary health centre	—	51.11	—	48.89	—	—	—	100.00	94	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	100.00	—	—	100.00	15	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	—	100.00	—	—	100.00	29	
others	—	—	—	38.44	52.90	—	8.65	100.00	184	
lady health visitor	17.99	7.86	5.64	30.22	28.14	10.15	—	100.00	573	
n. r.	—	—	22.24	42.93	34.83	—	—	100.00	89	
all	7.99	12.28	8.65	31.60	29.93	4.50	5.05	100.00	1291	
persons										
public hospital	—	23.82	8.55	11.45	25.98	14.95	15.25	100.00	696	
primary health centre	—	10.89	6.17	23.87	59.06	—	—	100.00	439	
public dispensary	—	—	100.00	—	—	—	—	100.00	26	
nursing home	—	—	73.20	—	26.80	—	—	100.00	55	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	—	49.47	—	50.53	100.00	58	
others	—	—	5.00	34.98	28.17	—	31.85	100.00	346	
lady health visitor	9.45	9.05	13.82	26.33	17.38	18.50	5.46	100.00	1091	
n. r.	18.95	—	17.06	25.52	31.05	7.42	—	100.00	301	
all	5.32	10.37	12.36	22.24	28.68	10.90	10.13	100.00	3012	

TABLE 3.5 (R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION PERSONNEL REGISTERED WITH AND SEX

HARYANA									RURAL
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd.(00)
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
male									
public hospital	13.27	8.53	11.67	—	13.61	15.46	37.46	100.00	245
primary health centre	—	—	—	—	—	—	—	—	—
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	100.00	—	—	—	—	—	100.00	46
charitable institution	—	—	—	—	—	—	—	—	—
private doctor	13.39	—	34.96	—	27.53	24.13	—	100.00	195
others	—	—	100.00	—	—	—	—	100.00	45
lady health visitor	—	—	54.15	—	21.85	24.00	—	100.00	114
n. r.	—	—	100.00	—	—	—	—	100.00	35
all	8.62	9.80	35.08	—	16.47	16.52	13.52	100.00	680
female									
public hospital	15.87	15.87	21.95	—	—	14.11	32.19	100.00	205
primary health centre	—	—	—	—	—	—	100.00	100.00	29
public dispensary	—	—	—	100.00	—	—	—	100.00	26
nursing home	—	—	—	—	—	—	—	—	—
charitable institution	100.00	—	—	—	—	—	—	100.00	26
private doctor	14.95	—	27.34	17.97	21.76	17.97	—	100.00	174
others	—	—	—	—	—	—	—	—	—
lady health visitor	37.06	—	15.01	—	—	47.93	—	100.00	141
n. r.	—	—	—	—	—	—	—	—	—
all	22.77	5.41	18.93	9.54	6.31	21.25	15.77	100.00	601
persons									
public hospital	14.45	11.87	16.35	—	7.41	14.85	35.06	100.00	450
primary health centre	—	—	—	—	—	—	100.00	100.00	20
public dispensary	—	—	—	100.00	—	—	—	100.00	26
nursing home	—	100.00	—	—	—	—	—	100.00	46
charitable institution	100.00	—	—	—	—	—	—	100.00	26
private doctor	14.13	—	31.36	8.49	24.80	21.22	—	100.00	369
others	—	—	100.00	—	—	—	—	100.00	45
lady health visitor	20.46	—	32.54	—	9.79	37.21	—	100.00	254
n. r.	—	—	100.00	—	—	—	—	100.00	35
all	15.26	7.74	27.50	4.48	11.70	18.74	14.58	100.00	1281

TABLE 3.6 (R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION PERSONNEL REGISTERED WITH AND SEX.

HIMACHAL PRADESH									RURAL
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd.(00)
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
male									
public hospital	30.40	5.81	29.52	15.26	19.01	—	—	100.00	193
primary health centre	—	—	—	—	—	100.00	—	100.00	12
public dispensary	100.00	—	—	—	—	—	—	100.00	71
nursing home	—	—	—	—	—	—	—	—	—
charitable institution	—	—	—	—	—	—	—	—	—
private doctor	—	100.00	—	—	—	—	—	100.00	11
others	28.73	—	35.63	35.63	—	—	—	100.00	31
lady health visitor	—	31.73	24.85	20.52	22.90	—	—	100.00	175
n. r.	—	61.72	—	38.28	—	—	—	100.00	9
all	27.61	16.66	22.16	15.91	15.28	2.39	—	100.00	502
female									
public hospital	5.59	10.60	37.76	29.43	12.10	4.53	—	100.00	194
primary health centre	—	100.00	—	—	—	—	—	100.00	9
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	—	—	—	—	—	—	—	—
charitable institution	—	—	—	—	—	—	—	—	—
private doctor	—	—	—	—	—	—	—	—	—
others	38.67	13.35	23.98	23.98	—	—	—	100.00	45
lady health visitor	9.93	8.99	29.48	25.27	19.07	3.65	3.60	100.00	180
n. r.	—	—	—	—	—	—	100.00	100.00	10
all	10.54	11.89	31.25	25.84	13.16	3.50	3.83	100.00	438
persons									
public hospital	17.94	8.21	33.66	22.37	15.54	2.27	—	100.00	387
primary health centre	—	43.84	—	—	—	56.11	—	100.00	21
public dispensary	100.00	—	—	—	—	—	—	100.00	71
nursing home	—	—	—	—	—	—	—	—	—
charitable institution	—	—	—	—	—	—	—	—	—
private doctor	—	100.00	—	—	—	—	—	100.00	11
others	34.69	7.98	28.67	28.67	—	—	—	100.00	76
lady health visitor	5.03	20.22	27.20	22.92	20.96	1.85	1.82	100.00	355
n. r.	—	29.75	—	18.45	—	—	51.75	100.00	19
all	19.65	14.43	26.40	20.54	14.29	2.91	1.79	100.00	940

TABLE 3.7 (R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX

JAMMU & KASHMIR										RURAL
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								all	estd. no. of children regd.(00)
	0-10	10-20	20-40	40-60	60-80	80-90	90-100			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	14.38	6.72	16.56	23.90	20.63	10.20	7.62	100.00	262	
primary health centre	—	—	—	—	53.20	46.67	—	100.00	8	
public dispensary	—	—	—	—	—	100.00	—	100.00	4	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	54.22	10.20	23.43	12.18	—	100.00	32	
others	36.35	11.94	40.84	—	10.76	—	—	100.00	46	
lady health visitor	—	—	100.00	—	—	—	—	100.00	8	
n. r.	—	—	28.82	71.18	—	—	—	100.00	18	
all	14.44	6.12	24.45	20.78	18.78	10.15	5.28	100.00	378	
female										
public hospital	—	7.15	13.17	19.74	28.64	21.46	9.85	100.00	188	
primary health centre	—	67.69	—	17.99	14.35	—	—	100.00	29	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	12.65	11.91	—	68.23	7.21	—	100.00	27	
others	23.65	—	32.26	18.22	25.89	—	—	100.00	34	
lady health visitor	—	—	—	—	100.00	—	—	100.00	5	
n. r.	11.76	17.67	27.38	—	33.03	—	10.18	100.00	63	
all	4.46	13.83	16.22	14.00	32.10	12.19	7.19	100.00	346	
persons										
public hospital	8.38	6.90	15.14	22.16	23.97	14.90	8.55	100.00	450	
primary health centre	—	52.84	—	14.05	22.89	10.25	—	100.00	37	
public dispensary	—	—	—	—	—	100.00	—	100.00	40	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	5.76	34.96	5.56	43.81	9.93	—	100.00	59	
others	31.04	6.90	37.22	7.69	17.14	—	—	100.00	80	
lady health visitor	—	—	59.13	—	40.87	—	—	100.00	13	
n. r.	9.18	13.80	27.69	15.61	25.79	—	7.95	100.00	81	
all	9.67	9.80	20.52	17.54	25.15	11.12	6.20	100.00	724	

TABLE 3.8 (R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX .

KARNATAKA										RURAL
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no of children regd.(00)	
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	9.14	8.11	6.63	34.51	25.68	7.46	8.47	100.00	776	
primary health centre	—	48.02	—	16.60	16.35	—	19.04	100.00	135	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	73.30	—	—	26.70	—	—	—	100.00	89	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	8.21	8.06	7.89	31.39	39.43	5.02	—	100.00	321	
others	15.70	3.10	43.68	3.33	24.62	—	9.58	100.00	624	
lady health visitor	5.24	13.79	36.17	17.20	14.79	7.12	5.69	100.00	1877	
n. r.	26.26	13.41	30.81	15.10	14.42	—	—	100.00	180	
all	10.15	11.40	27.07	19.63	20.11	5.19	6.45	100.00	4002	
female										
public hospital	2.91	9.70	29.10	27.43	19.30	8.70	2.78	100.00	892	
primary health centre	—	43.48	22.72	—	7.71	16.95	9.15	100.00	282	
public dispensary	—	—	—	—	—	—	100.00	100.00	26	
nursing home	61.55	—	—	—	—	—	38.47	100.00	38	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	17.94	26.12	13.77	42.17	—	—	100.00	144	
others	5.98	11.00	35.66	19.75	14.19	8.15	5.87	100.00	324	
lady health visitor	12.63	8.34	39.22	13.58	11.62	12.87	1.75	100.00	1288	
n. r.	17.46	—	10.64	39.96	22.34	—	9.60	100.00	265	
all	8.53	11.59	31.01	18.64	15.63	9.74	4.86	100.00	3259	
persons										
public hospital	5.81	8.96	18.69	30.73	22.27	8.12	5.43	100.00	1668	
primary health centre	—	44.95	15.34	5.39	10.52	11.44	12.36	100.00	417	
public dispensary	—	—	—	—	—	—	100.00	100.00	26	
nursing home	69.76	—	—	18.68	—	—	11.55	100.00	127	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	5.66	11.13	13.54	25.93	40.28	3.46	—	100.00	465	
others	12.38	5.80	48.94	8.74	21.05	2.78	8.31	100.00	948	
lady health visitor	8.25	11.57	37.41	15.72	13.50	9.46	4.09	100.00	3165	
n. r.	21.01	5.42	18.78	29.92	19.14	—	5.72	100.00	445	
all	9.42	11.48	28.84	19.19	18.10	7.23	5.74	100.00	7261	

TABLE 3.9 (R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0—4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION PERSONNEL REGISTERED WITH AND SEX.

KERALA										RURAL
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd.(00)	
	0—10	10—20	20—40	40—60	60—80	80—90	90—100	all		
(1)	(2)	(3)	(3)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	7.79	14.44	14.77	41.36	11.62	3.52	6.51	100.00	1432	
primary health centre	52.12	—	47.88	—	—	—	—	100.00	42	
public dispensary	100.00	—	—	—	—	—	—	100.00	21	
nursing home	39.06	—	—	—	—	—	60.94	100.00	59	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	44.76	—	55.24	—	100.00	142	
others	12.73	11.93	15.00	22.90	20.78	9.25	7.41	100.00	1266	
lady health visitor	8.33	8.91	44.23	20.68	17.86	—	—	100.00	209	
n. r.	20.16	6.94	28.05	17.09	20.98	6.78	—	100.00	251	
all	11.88	11.51	17.07	30.15	15.18	7.69	6.52	100.00	3422	
female										
public hospital	12.15	14.64	19.41	25.39	17.44	9.41	1.57	100.00	1100	
primary health centre	38.75	—	—	41.25	—	—	—	100.00	37	
public dispensary	100.00	—	—	—	—	—	—	100.00	21	
nursing home	58.40	20.54	—	21.07	—	—	—	100.00	79	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	—	—	—	—	—	—	
others	15.49	10.40	11.54	18.93	15.54	18.49	9.60	100.00	1361	
lady health visitor	14.28	—	54.84	13.33	17.55	—	—	100.00	122	
n. r.	—	15.52	36.70	38.66	9.12	—	—	100.00	225	
all	15.31	12.02	17.70	22.85	15.11	12.01	4.99	100.00	2945	
persons										
public hospital	9.68	14.52	16.78	34.42	14.15	6.08	4.36	100.00	2532	
primary health centre	55.24	—	25.37	19.39	—	—	—	100.00	79	
public dispensary	100.00	—	—	—	—	—	—	100.00	42	
charitable institution	50.13	11.75	—	12.06	—	—	26.07	100.00	138	
private doctor	—	—	—	44.76	—	55.24	—	100.00	142	
others	14.15	11.15	13.22	20.86	18.09	14.00	8.53	100.00	2627	
lady health visitor	10.52	5.63	40.14	17.97	17.74	—	—	100.00	331	
n. r.	10.64	10.99	32.13	27.28	15.38	3.58	—	100.00	476	
all	13.46	11.74	17.36	26.79	15.15	9.68	5.81	100.00	6367	

TABLE 3.10 (R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX

MADHYA PRADESH										RURAL
type of institution/ personnel registered with	percentage distribution of the children registered by fractile group								estd. no of children regd.(00)	
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	21.77	6.84	14.78	15.83	24.77	7.34	8.66	100.00	546	
primary health centre	9.93	39.78	23.30	2.51	16.28	8.20	—	100.00	218	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	100.00	—	—	100.00	50	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	23.00	—	77.00	—	—	—	—	100.00	69	
others	10.42	26.46	31.35	10.71	8.53	—	12.53	100.00	189	
lady health visitor	5.05	26.03	21.60	15.88	21.86	7.30	2.29	100.00	860	
n.r.	—	—	50.89	18.07	16.34	—	14.71	100.00	115	
all	10.72	19.44	23.06	13.16	21.66	5.90	5.26	100.00	2047	
female										
public hospital	11.88	11.19	18.78	17.63	20.64	19.87	—	100.00	396	
primary health centre	9.42	11.27	48.25	—	31.06	—	—	100.00	230	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	100.00	—	—	100.00	50	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	11.24	—	—	17.44	—	51.24	20.09	100.00	169	
others	—	47.49	18.27	—	—	—	34.25	100.00	88	
lady health visitor	3.00	13.68	32.73	23.62	17.52	—	9.45	100.00	870	
n.r.	—	—	40.12	—	25.77	—	34.11	100.00	73	
all	6.07	12.31	27.48	16.24	19.94	8.81	9.13	100.00	1876	
persons										
public hospital	17.61	8.67	16.46	16.59	23.04	12.61	5.02	100.00	942	
primary health centre	9.67	25.15	36.11	1.22	23.87	3.99	—	100.00	448	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	100.00	—	—	100.00	100	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	14.65	—	22.31	12.39	—	36.39	14.27	100.00	238	
others	7.10	33.15	27.19	7.30	5.82	—	19.44	100.00	277	
lady health visitor	4.02	19.82	27.20	19.77	19.67	3.63	5.89	100.00	1730	
n.r.	—	—	46.71	11.06	19.99	—	22.24	100.00	188	
all	8.50	16.03	25.59	14.64	20.84	7.29	7.11	100.00	3923	

TABLE 3.11 (R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION PERSONNEL/REGISTERED WITH AND SEX.

MAHARASHTRA									RURAL
type of institution/personnel registered with	percentage distribution of the children registered by fractile group							all	estd. no. of children regd. (00)
	0-10	10-20	20-40	40-60	60-80	90-80	90-100		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
male									
public hospital	5.54	15.83	27.66	8.49	15.67	14.04	12.78	100.00	1829
primary health centre	38.02	5.35	24.28	3.26	2.65	9.13	17.30	100.00	753
public dispensary	—	—	—	48.97	—	51.03	—	100.00	41
nursing home	100.00	—	—	—	—	—	—	100.00	32
charitable institution	12.99	36.10	30.50	—	20.42	—	—	100.00	165
private doctor	9.54	4.29	23.62	20.07	11.33	7.46	23.68	100.00	584
others	3.19	5.59	11.47	30.94	21.80	13.05	13.95	100.00	1248
lady health visitor	18.26	8.15	25.84	17.43	6.61	15.21	8.51	100.00	2127
n. r.	21.75	18.78	30.11	29.36	—	—	—	100.00	407
all	14.10	10.21	23.55	16.61	11.40	12.20	11.93	100.00	7186
female									
public hospital	2.27	7.38	36.20	13.22	14.93	11.66	14.35	100.00	1641
primary health centre	51.05	6.09	17.02	11.78	3.51	—	10.55	100.00	568
public dispensary	—	—	55.54	—	44.46	—	—	100.00	47
nursing home	100.00	—	—	—	—	—	—	100.00	32
charitable institution	—	—	—	—	100.00	—	—	100.00	34
private doctor	15.12	—	6.57	59.99	5.38	—	12.94	100.00	444
others	3.22	—	17.49	29.57	17.89	28.52	3.30	100.00	957
lady health visitor	21.67	10.70	28.88	11.76	20.49	5.08	1.41	100.00	2360
n. r.	11.77	20.18	48.64	19.41	—	—	—	100.00	378
all	15.68	7.50	27.53	18.33	15.45	9.04	6.47	100.00	6461
persons									
public hospital	3.99	11.83	31.70	10.73	15.32	12.91	13.52	100.00	3470
primary health centre	43.63	5.67	21.16	6.92	3.02	5.21	14.40	100.00	1321
public dispensary	—	—	29.68	22.80	23.76	23.76	—	100.00	88
nursing home	100.00	—	—	—	—	—	—	100.00	64
charitable institution	10.78	29.97	25.33	—	33.92	—	—	100.00	199
private doctor	11.95	2.44	16.26	37.31	8.76	4.24	19.04	100.00	1028
others	3.21	3.16	14.08	30.35	20.11	19.77	9.33	100.00	2205
lady health visitor	20.05	9.49	27.44	14.45	13.91	9.89	4.78	100.00	4487
n. r.	16.94	19.45	39.04	24.57	—	—	—	100.00	785
all	14.85	8.93	25.44	17.42	13.32	10.70	9.34	100.00	13647

TABLE 3.12 (R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

ORISSA										RURAL
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd. (00)	
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	—	—	22.48	45.13	28.72	—	3.67	100.00	509	
primary health centre	—	—	27.45	—	—	72.55	—	100.00	76	
public dispensary	—	—	—	100.00	—	—	—	100.00	21	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	—	—	100.00	—	100.00	26	
others	—	—	—	54.62	—	—	45.37	100.00	102	
lady health visitor	—	65.08	15.73	19.19	—	—	—	100.00	125	
n. r.	—	—	82.98	17.02	—	—	—	100.00	102	
all	—	8.48	24.94	36.13	15.19	8.49	6.77	100.00	961	
female										
public hospital	—	7.49	29.41	29.76	13.35	4.86	15.13	100.00	293	
primary health centre	—	—	61.16	38.84	—	—	—	100.00	65	
public dispensary	—	—	—	—	100.00	—	—	100.00	69	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	—	100.00	—	—	100.00	25	
others	—	—	—	—	—	28.86	71.14	100.00	60	
lady health visitor	29.06	29.06	—	—	41.87	—	—	100.00	99	
n. r.	—	—	59.05	20.69	20.26	—	—	100.00	88	
all	4.44	7.83	27.39	20.12	21.86	4.89	13.47	100.00	649	
persons										
public hospital	—	2.74	25.01	39.52	23.11	1.77	7.85	100.00	802	
primary health centre	—	—	42.91	17.81	—	39.28	—	100.00	141	
public dispensary	—	—	—	52.26	47.76	—	—	100.00	40	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	—	48.21	51.79	—	100.00	51	
others	—	—	—	34.36	—	10.71	54.94	100.00	162	
lady health visitor	12.82	49.20	8.79	10.73	18.47	—	—	100.00	224	
n. r.	—	—	71.94	18.72	9.35	—	—	100.00	190	
all	1.79	8.22	25.93	29.69	17.87	7.04	9.47	100.00	1610	

TABLE 3.13 (R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION PERSONNEL REGISTERED WITH AND SEX.

type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd. (00)
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all	
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
PUNJAB									
male									
public hospital	—	6.89	35.02	21.48	27.87	8.74	—	100.00	350
primary health centre	—	—	—	—	—	—	—	—	—
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	—	—	49.48	—	50.52	—	100.00	37
charitable institution	—	—	—	100.00	—	—	—	100.00	24
private doctor	—	58.13	41.87	—	—	—	—	100.00	43
others	11.66	15.31	26.00	14.41	7.89	8.17	16.57	100.00	168
lady health visitor	25.43	—	36.18	19.52	8.17	10.70	—	100.00	203
n.r.	—	100.00	—	—	—	—	—	100.00	21
all	8.41	11.40	30.46	21.41	15.05	9.99	3.29	100.00	846
female									
public hospital	3.72	8.64	19.06	44.04	6.54	13.32	4.68	100.00	290
primary health centre	—	56.93	43.09	—	—	—	—	100.00	44
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	—	—	—	—	100.00	—	100.00	24
charitable institution	—	—	—	100.00	—	—	—	100.00	24
private doctor	—	43.57	—	—	56.43	—	—	100.00	48
others	52.42	47.60	—	—	—	—	—	100.00	54
lady health visitor	17.66	31.60	15.02	16.94	—	18.78	—	100.00	96
n.r.	—	—	—	100.00	—	—	—	100.00	13
all	9.43	21.42	14.94	30.48	7.78	13.66	2.29	100.00	593
persons									
public hospital	1.69	7.68	27.78	31.72	18.19	10.82	2.12	100.00	640
primary health centre	—	56.93	43.09	—	—	—	—	100.00	44
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	—	—	29.67	—	70.33	—	100.00	61
charitable institution	—	—	—	100.00	—	—	—	100.00	48
private doctor	—	50.43	19.76	—	29.80	—	—	100.00	91
others	21.57	23.16	19.67	10.90	5.97	6.19	12.54	100.00	222
lady health visitor	22.93	10.18	29.37	18.69	5.54	13.30	—	100.00	299
n.r.	—	62.68	—	37.30	—	—	—	100.00	34
all	8.83	15.53	24.05	25.15	12.05	11.50	2.87	10.000	1439

TABLE 3.14(R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION PERSONNEL REGISTERED WITH AND SEX

RAJASTHAN									RURAL	
type of institution/personnel registered with	percentage distribution of the children registered by fractile group							estd. children all	no. of regd. (00)	
	0-10	10-20	20-40	40-60	60-80	80-90	90-100			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	—	—	29.73	5.09	17.62	20.64	26.92	100.00	457	
primary health centre	—	18.36	24.61	—	—	28.73	28.31	100.00	84	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	—	100.00	—	—	100.00	66	
others	—	58.43	—	—	19.38	22.19	—	100.00	111	
lady health visitor	40.12	21.50	—	24.64	13.73	—	—	100.00	226	
n.r.	81.42	—	—	—	18.58	—	—	100.00	121	
all	17.79	12.08	14.70	7.42	20.80	13.43	13.78	100.00	1065	
female										
public hospital	—	—	24.77	15.81	23.21	17.34	18.87	100.00	328	
primary health centre	—	—	—	—	—	100.00	—	100.00	43	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	34.88	—	—	—	65.12	—	100.00	84	
others	9.83	10.37	11.64	30.25	—	13.69	24.22	100.00	179	
lady health visitor	18.26	54.48	—	27.25	—	—	—	100.00	170	
n.r.	—	—	—	—	—	—	—	—	—	
all	5.87	16.95	15.29	18.38	9.19	21.63	12.70	100.00	829	
persons										
public hospital	—	—	27.65	9.57	19.96	19.26	23.55	100.00	785	
primary health centre	—	12.11	16.24	—	—	52.98	18.67	100.00	127	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	19.56	—	—	43.93	36.52	—	100.00	150	
others	6.08	28.70	7.20	18.71	7.39	16.93	14.98	100.00	290	
lady health visitor	30.74	35.65	—	25.76	7.84	—	—	100.00	396	
n.r.	81.42	—	—	—	18.58	—	—	100.00	121	
all	12.57	14.21	14.96	12.22	15.71	17.02	13.31	100.00	1894	

TABLE 3.15(R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX

TAMIL NADU								RURAL	
type of institution/personnel registered with	percentage distribution of the children registered by fractile group							estd. no. of children regd. (00)	
	0-10	10-20	20-40	40-60	60-80	80-90	90-100		all
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
male									
public hospital	14.84	11.76	29.76	23.08	18.01	0.96	1.59	100.00	2826
primary health centre	13.35	13.78	36.56	21.75	5.62	8.95	—	100.00	389
public dispensary	—	—	100.00	—	—	—	—	100.00	42
nursing home	68.34	—	—	31.66	—	—	—	100.00	65
charitable institution	—	—	—	—	—	—	—	—	—
private doctor	4.83	4.81	40.75	26.26	23.36	—	—	100.00	403
others	7.11	6.77	15.68	31.11	27.01	5.13	7.17	100.00	1691
lady health visitor	24.73	15.72	24.36	27.85	5.69	1.65	—	100.00	1763
n.r.	10.57	10.78	25.95	39.59	—	13.11	—	100.00	248
all	15.05	11.10	26.24	26.63	15.90	2.84	2.23	100.00	7436
female									
public hospital	9.61	15.86	31.16	17.16	12.16	7.39	6.66	100.00	2579
primary health centre	9.42	13.21	23.82	21.67	20.64	11.23	—	100.00	453
public dispensary	—	—	100.00	—	—	—	—	100.00	42
nursing home	—	—	—	—	20.53	79.46	—	100.00	85
charitable institution	—	—	—	—	—	100.00	—	100.00	18
private doctor	15.13	7.51	24.68	6.39	31.18	15.11	—	100.00	396
others	8.62	4.31	23.88	18.16	34.84	5.04	6.15	100.00	1658
lady health visitor	19.27	23.43	26.38	17.42	13.22	0.18	—	100.00	1866
n.r.	—	17.76	13.28	55.32	—	13.64	—	100.00	266
all	11.43	14.14	26.33	18.01	19.50	6.89	3.70	100.00	7437
persons									
public hospital	42.34	13.72	30.43	20.25	15.22	4.03	4.01	100.00	5405
primary health centre	11.26	13.47	29.77	21.71	13.62	10.16	—	100.00	851
public dispensary	—	—	100.00	—	—	—	—	100.00	84
nursing home	29.78	—	—	13.79	11.58	44.84	—	100.00	150
charitable institution	—	—	—	—	—	100.00	—	100.00	18
private doctor	9.93	6.15	32.78	16.11	27.23	7.49	—	100.00	799
others	7.86	5.55	19.25	24.70	30.89	5.09	6.67	100.00	3349
lady health visitor	21.94	19.65	25.39	22.53	9.58	0.90	—	100.00	3629
n.r.	5.10	14.39	19.39	47.73	—	13.39	—	100.00	514
all	13.25	12.61	26.29	22.33	17.70	4.86	2.97	100.00	14873

TABLE 3.16(R) : PERCENTAGE DISTRIBUTION OF CHILDREN(0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX

TRIPURA		percentage distribution of the children registered by fractile group							RURAL	
type of institution/personnel registered with		0-10	10-20	20-40	40-60	60-80	80-90	90-100	estd. no. of children regd. (00)	
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
male										
public hospital		14.83	—	5.49	33.48	20.41	15.29	10.48	100.00	35
primary health centre		—	—	—	—	—	—	—	—	—
Public dispensary		—	—	—	—	—	—	—	—	—
nursing home		—	—	—	—	—	—	—	—	—
charitable institution		—	—	—	—	—	—	—	—	—
private doctor		—	—	—	—	—	—	—	—	—
others		—	—	100.00	—	—	—	—	100.00	2
lady health visitor		—	—	100.00	—	—	—	—	100.00	15
n.r.		—	—	—	—	—	100.00	—	100.00	5
all		9.30	—	32.63	26.98	12.79	17.72	6.57	100.00	57
female										
public hospital		9.28	19.20	24.90	17.06	21.43	—	8.12	100.00	56
primary health centre		—	—	—	—	—	—	—	—	—
public dispensary		—	—	—	—	—	—	—	—	—
nursing home		—	—	—	—	—	—	—	—	—
charitable institution		—	—	—	—	—	—	—	—	—
private doctor		—	—	—	—	—	—	—	—	—
others		—	—	—	—	54.84	45.16	—	100.00	19
lady health visitor		—	—	—	100.00	—	—	—	100.00	9
n.r.		—	—	—	—	—	—	—	—	—
all		6.18	12.79	16.59	21.80	26.86	10.36	5.41	100.00	84
persons										
public hospital		11.42	11.81	17.43	23.38	21.04	5.88	9.03	100.00	91
primary health centre		—	—	—	—	—	—	—	—	—
public dispensary		—	—	—	—	—	—	—	—	—
nursing home		—	—	—	—	—	—	—	—	—
charitable institution		—	—	—	—	—	—	—	—	—
private doctor		—	—	—	—	—	—	—	—	—
others		—	—	8.60	—	50.07	41.24	—	100.00	21
lady health visitor		—	—	62.26	37.74	—	—	—	100.00	24
n.r.		—	—	—	—	—	100.00	—	100.00	5
all		7.43	7.68	23.00	21.48	21.24	13.29	5.87	100.00	141

TABLE 3.17(R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0—4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION PERSONNEL REGISTERED WITH AND SEX.

UTTAR PRADESH									RURAL	
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no of children regd. (00)	
	0—10	10—20	20—40	40—60	60—80	80—90	90—100	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	4.89	24.31	16.75	13.57	8.08	28.24	4.16	100.00	629	
primary health centre	—	8.74	7.47	32.41	51.39	—	—	100.00	310	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	100.00	—	100.00	16	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	8.11	46.14	6.66	24.57	5.13	9.39	—	100.00	446	
others	27.43	—	54.62	6.05	11.90	—	—	100.00	352	
lady health visitor	5.89	5.81	32.49	19.46	29.71	—	6.65	100.00	466	
n.r.	14.60	24.78	32.02	17.77	10.83	—	—	100.00	194	
all	9.08	19.30	23.25	18.36	17.91	9.74	2.35	100.00	2431	
female										
public hospital	5.10	20.69	28.84	11.91	7.27	15.97	10.21	100.00	520	
primary health centre	43.00	—	13.38	—	43.62	—	—	100.00	173	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	23.92	19.18	14.32	15.02	7.00	20.56	—	100.00	424	
others	—	—	51.51	48.47	—	—	—	100.00	57	
lady health visitor	—	—	39.45	22.89	22.27	5.78	9.61	100.00	566	
n.r.	16.50	—	15.56	23.39	44.55	—	—	100.00	354	
all	12.24	8.86	25.40	17.14	20.02	9.51	6.83	100.00	2132	
persons										
public hospital	4.99	22.67	22.22	12.82	7.71	22.69	6.90	100.00	1149	
primary health centre	15.40	5.61	9.58	20.80	48.61	—	—	100.00	483	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	15.65	33.28	10.32	20.01	6.02	14.72	—	100.00	888	
others	23.63	—	54.19	11.94	10.25	—	—	100.00	409	
lady health visitor	2.66	2.63	36.31	21.34	25.63	3.17	8.27	100.00	1032	
n.r.	15.83	8.77	21.39	21.40	32.61	—	—	100.00	548	
all	10.55	14.42	24.25	17.79	18.90	9.64	4.45	100.00	4563	

TABLE 3.18 (R) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION PERSONNEL REGISTERED WITH AND SEX.

WEST BENGAL		RURAL							
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children (00)
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
male									
public hospital	7.15	9.19	16.40	18.45	23.35	15.38	10.07	100.00	1033
primary health centre	25.24	15.29	22.30	18.44	14.85	3.87	—	100.00	668
public dispensary	—	—	—	—	—	—	—	100.00	31
nursing home	—	—	—	—	—	—	100.00	—	25
charitable institution	—	—	—	—	—	—	—	—	—
private doctor	11.83	—	34.46	16.04	—	23.81	13.86	100.00	215
others	—	9.01	58.30	13.42	9.76	9.51	—	100.00	275
lady health visitor	—	5.29	22.46	2.39	44.76	14.28	5.11	100.00	590
n.r.	—	—	61.39	38.61	—	—	—	100.00	136
all	10.14	8.51	26.93	15.20	21.22	11.65	6.34	100.00	2973
female									
public hospital	1.47	8.94	22.60	20.52	26.58	14.02	5.86	100.00	1328
primary health centre	21.97	20.71	18.95	14.99	—	12.97	10.40	100.00	485
public dispensary	—	—	100.00	—	—	—	—	100.00	31
nursing home	—	—	—	100.00	—	—	—	100.00	24
charitable institution	—	—	—	—	—	—	—	—	—
private doctor	12.13	9.92	25.65	41.31	10.98	—	—	100.00	223
others	50.75	19.54	—	—	29.70	—	—	100.00	89
lady health visitor	11.39	9.00	25.52	28.76	21.70	—	3.63	100.00	617
n.r.	30.36	—	22.66	—	23.39	—	23.58	100.00	112
all	10.40	10.80	22.81	21.95	19.39	8.57	6.09	100.00	2909
persons									
public hospital	3.95	9.05	19.89	19.62	25.17	14.62	7.70	100.00	2361
primary health centre	23.87	17.57	20.90	16.99	8.60	7.70	4.37	100.00	1153
public dispensary	—	—	100.00	—	—	—	—	100.00	62
nursing home	—	—	—	48.82	—	—	51.16	100.00	49
charitable institution	—	—	—	—	—	—	—	—	—
private doctor	11.98	5.05	29.98	28.90	5.59	11.69	6.80	100.00	438
other	12.41	11.59	44.04	10.14	14.64	7.18	—	100.00	364
lady health visitor	8.62	7.18	24.02	15.88	32.97	6.98	4.35	100.00	1207
n.r.	13.68	—	43.94	21.21	10.54	—	10.63	100.00	248
all	10.27	9.64	24.89	18.54	20.32	10.12	6.22	100.00	5882

TABLE 3.0(U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

ALL-INDIA									URBAN	
type of institution/personnel registered with	percentage distribution of thr registered by fractile group								All	std. no. of child- ren regd (00)
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	(9)		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	16.84	12.85	25.27	22.54	15.03	4.07	3.41	100.00	12887	
primary health centre	42.38	8.77	16.13	14.77	8.52	1.13	8.30	100.00	1034	
public dispensary	2.70	14.59	51.21	24.05	5.47	—	1.98	100.00	332	
nursing home	4.40	7.03	19.62	24.24	26.06	12.99	5.64	100.00	1651	
charitable institution	30.51	3.82	15.72	10.76	25.83	6.53	6.84	100.00	277	
private doctor	3.46	11.32	20.51	24.84	22.17	8.99	8.72	100.00	2049	
others	8.49	9.76	21.18	26.85	16.56	10.30	6.86	100.00	6400	
lady health visitor	20.49	23.08	30.50	10.19	8.71	5.10	1.93	100.00	1498	
n.r.	25.13	3.11	16.29	23.18	25.85	4.88	1.55	100.00	1077	
all	14.51	11.55	23.30	22.98	16.52	6.37	4.78	100.00	27339	
female										
public hospital	15.62	13.68	26.81	18.74	18.69	4.16	2.30	100.00	12541	
primary health centre	44.80	2.91	18.50	8.08	20.27	0.32	5.12	100.00	802	
public dispensary	3.76	29.32	29.22	35.73	—	1.97	—	100.00	238	
nursing home	0.57	2.76	16.42	18.23	32.88	17.38	11.71	100.00	1167	
charitable institution	24.52	5.83	16.61	14.42	9.67	19.99	8.95	100.00	254	
private doctor	3.48	6.43	19.14	16.48	25.92	13.48	15.06	100.00	1712	
others	7.25	9.50	19.73	23.38	18.89	10.94	10.31	100.00	6204	
lady health visitor	23.27	11.50	17.78	18.45	23.03	3.69	2.27	100.00	1356	
n.r.	18.36	1.39	13.89	31.95	26.16	6.32	1.93	100.00	1266	
all	13.47	10.65	22.64	20.29	20.24	7.09	5.61	100.00	25648	
persons										
public hospital	16.24	13.26	26.03	20.66	16.84	4.11	2.86	100.00	25428	
primary health centre	43.43	6.21	17.16	11.85	13.65	0.78	6.91	100.00	1836	
public dispensary	3.14	20.75	42.02	28.93	3.19	0.82	1.15	100.00	570	
nursing home	2.83	5.29	18.31	21.81	28.85	14.79	8.12	100.00	2818	
charitable institution	27.66	4.77	16.15	12.50	18.16	12.92	7.84	100.00	528	
private doctor	3.47	0.09	19.89	21.04	23.88	11.04	11.61	100.00	3761	
others	7.88	9.63	20.46	25.14	17.71	10.61	8.56	100.00	12604	
lady health visitor	21.81	17.58	24.46	14.11	15.51	4.43	2.09	100.00	2854	
n.r.	21.47	2.18	14.99	27.92	26.02	5.66	1.76	100.00	2343	
all	14.01	11.11	22.98	21.68	18.32	6.72	5.18	100.00	52987	

TABLE 3.1 (U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0—4) YEARS REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

ANDHRA PRADESH									URBAN
type of institution/personnel registered with	percentage distribution of the children registered by fractile group							all	estd. no. of children regd. (00)
	0—10	10—20	20—40	40—60	60—80	80—90	90—100		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
male									
public hospital	24.54	5.72	18.37	20.57	28.25	0.55	2.01	100.00	869
primary health centre	76.15	—	23.85	—	—	—	—	100.00	55
public dispensary	—	—	100.00	—	—	—	—	100.00	40
nursing home	9.10	—	9.08	34.16	20.05	27.61	—	100.00	100
charitable institution	66.38	—	33.62	—	—	—	—	100.00	100
private doctor	—	—	36.57	—	55.87	7.56	—	100.00	192
others	10.68	6.96	23.46	15.23	19.34	18.80	5.54	100.00	867
lady health visitor	61.43	—	—	—	38.57	—	—	100.00	50
n. r.	92.55	—	—	—	—	—	7.45	100.00	48
all	21.49	4.74	22.78	14.86	24.12	9.04	2.98	100.00	2321
female									
public hospital	27.85	11.94	22.11	15.92	15.93	6.26	—	100.00	1123
primary health centre	—	—	100.00	—	—	—	—	100.00	13
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	—	—	27.13	72.87	—	—	100.00	28
charitable institution	—	—	29.14	—	—	—	70.86	100.00	31
private doctor	1.61	—	48.10	19.84	15.16	7.34	7.96	100.00	258
others	4.47	1.38	15.02	30.26	21.95	20.70	6.22	100.00	955
lady health visitor	60.18	6.82	4.28	3.73	21.60	3.39	—	100.00	264
n. r.	52.98	—	—	—	10.26	36.75	—	100.00	120
all	20.85	5.92	19.68	19.20	18.52	12.18	3.66	100.00	2792
persons									
public hospital	26.40	9.23	20.47	17.95	21.31	3.77	0.88	100.00	1992
primary health centre	61.49	—	38.51	—	—	—	—	100.00	68
public dispensary	—	—	100.00	—	—	—	—	100.00	40
nursing home	7.14	—	7.12	32.63	31.45	21.66	—	100.00	128
charitable institution	50.57	—	32.56	—	—	—	16.88	100.00	131
private doctor	0.92	—	43.19	11.38	32.52	7.43	4.57	100.00	450
others	7.42	4.03	19.03	23.11	20.71	19.79	5.90	100.00	1822
lady health visitor	60.38	5.73	3.60	3.14	24.30	2.85	—	100.00	314
n. r.	64.33	—	—	—	7.32	26.21	2.14	100.00	168
all	21.14	5.38	21.09	17.23	21.06	10.75	3.35	100.00	5113

TABLE 3.2 (U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX

ASSAM										URBAN
type of institution/ personnel registered with	percentage distribution of the children registered by fractile group								all	estd. no. of children regd.(00)
	0-10	10-20	20-40	40-60	60-80	80-90	90-100			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	8.27	38.34	5.51	23.82	22.97	—	1.10	100.00	107	
primary health centre	—	—	—	38.63	—	61.44	—	100.00	16	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	12.84	56.48	30.68	—	—	100.00	34	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	—	100.00	—	—	100.00	5	
others	100.00	—	—	—	—	—	—	100.00	4	
lady health visitor	—	20.48	27.36	—	52.15	—	—	100.00	40	
n. r.	—	—	—	20.94	79.06	—	—	100.00	30	
all	5.50	20.84	8.98	24.29	35.74	4.13	0.50	100.00	236	
female										
public hospital	8.93	47.64	4.98	30.59	7.86	—	—	100.00	105	
primary health centre	—	—	—	—	100.00	—	—	100.00	5	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	32.54	—	67.40	—	—	—	100.00	17	
charitable institution	—	—	—	—	—	100.00	—	100.00	17	
private doctor	—	—	—	—	100.00	—	—	100.00	5	
others	—	—	—	—	59.27	—	—	100.00	18	
lady health visitor	—	—	100.00	—	—	—	—	100.00	8	
n. r.	15.56	2.46	7.18	16.57	49.62	8.64	—	100.00	47	
all	7.50	28.84	7.69	23.20	23.44	9.33	—	100.00	222	
persons										
public hospital	8.60	42.94	5.25	27.17	15.49	—	0.56	100.00	212	
primary health centre	—	—	—	29.44	23.78	46.83	—	100.00	21	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	10.89	8.55	60.14	20.42	—	—	100.00	51	
charitable institution	—	—	—	—	—	100.00	—	100.00	17	
private doctor	—	—	—	—	100.00	—	—	100.00	10	
others	18.75	33.09	—	—	48.16	—	—	100.00	22	
lady health visitor	—	16.87	40.15	—	42.95	—	—	100.00	48	
n.r.	9.54	1.51	4.40	18.26	61.00	5.29	—	100.00	77	
all	6.47	24.73	8.36	23.76	29.78	6.65	0.26	100.00	458	

TABLE 3.3 (U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4) YEARS REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX

BIHAR										URBAN
type of institution/ personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd.(00)	
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	—	—	73.00	18.51	—	8.49	—	100.00	104	
primary health centre	100.00	—	—	—	—	—	—	100.00	19	
public dispensary	—	—	100.00	—	—	—	—	100.00	10	
nursing home	—	—	—	44.26	27.86	11.47	16.39	100.00	85	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	33.96	55.94	10.11	—	—	100.00	102	
others	—	—	45.51	26.11	3.04	23.32	2.01	100.00	205	
lady health visitor	13.94	23.27	62.79	—	—	—	—	100.00	85	
n.r.	—	—	—	—	—	100.00	—	100.00	14	
all	4.98	3.15	42.85	26.84	6.43	12.86	2.88	100.00	624	
female										
public hospital	—	62.67	24.61	12.71	—	—	—	100.00	76	
primary health centre	—	—	—	—	—	—	—	—	—	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	50.00	50.00	—	100.00	19	
charitable institution	—	—	—	100.00	—	—	—	100.00	1	
private doctor	—	—	31.48	—	68.52	—	—	100.00	30	
others	—	—	2.94	27.55	26.27	3.38	39.86	100.00	333	
lady health visitor	17.24	—	—	69.80	—	12.96	—	100.00	42	
n.r.	—	—	—	40.99	37.09	21.94	—	100.00	64	
all	1.28	8.40	6.71	27.93	25.04	7.14	23.51	100.00	565	
persons										
public hospital	—	26.41	52.62	16.06	—	4.91	—	100.00	180	
primary health centre	100.00	—	—	—	—	—	—	100.00	19	
public dispensary	—	—	100.00	—	—	—	—	100.00	10	
nursing home	—	—	—	36.00	31.99	18.66	13.33	100.00	104	
charitable institution	—	—	—	100.00	—	—	—	100.00	1	
private doctor	—	—	33.39	43.20	23.41	—	—	100.00	132	
others	—	—	19.16	27.00	17.42	10.98	25.44	100.00	538	
lady health visitor	15.03	15.56	41.99	23.12	—	4.29	—	100.00	127	
n.r.	—	—	—	33.62	30.42	35.97	—	100.00	78	
all	3.22	5.64	25.68	27.36	15.27	10.14	12.63	100.00	1189	

TABLE 3.4 (U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

GUJARAT									URBAN
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd.(00)
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
male									
public hospital	11.55	21.28	29.47	20.73	13.54	—	3.42	100.00	529
primary health centre	74.41	—	15.01	7.79	2.79	—	—	100.00	90
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	—	—	19.41	31.72	25.20	23.66	100.00	146
charitable institution	—	—	23.10	23.10	—	35.76	18.07	100.00	37
private doctor	8.44	—	24.44	8.50	35.82	22.80	—	100.00	121
others	10.37	4.52	23.21	36.73	20.35	—	4.81	100.00	643
lady health visitor	14.36	41.73	38.52	—	—	5.40	—	100.00	115
n.r.	—	61.12	23.14	—	—	15.73	—	100.00	37
all	12.38	12.36	23.86	23.28	17.15	5.22	5.25	100.00	1718
female									
public hospital	15.94	37.28	23.14	3.38	17.69	—	2.56	100.00	561
primary health centre	88.44	4.83	2.94	—	3.80	—	—	100.00	245
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	—	—	26.90	49.24	—	23.85	100.00	98
charitable institution	28.55	—	48.40	—	—	—	23.05	100.00	29
private doctor	—	24.20	29.80	—	19.82	—	26.21	100.00	41
others	7.12	9.89	14.96	15.83	45.99	2.39	3.84	100.00	296
lady health visitor	6.29	11.00	34.44	9.55	21.27	17.45	—	100.00	65
n.r.	—	22.76	29.47	—	47.79	—	—	100.00	99
all	23.67	20.21	18.08	6.86	25.26	1.29	4.63	100.00	1434
persons									
public hospital	13.81	29.52	26.21	11.80	15.68	—	2.98	100.00	1090
primary health centre	84.67	3.53	6.18	2.09	3.53	—	—	100.00	335
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	—	—	22.42	38.76	15.08	23.74	100.00	244
charitable institution	12.54	—	34.22	12.95	—	20.05	20.26	100.00	66
private doctor	6.32	6.07	25.79	6.36	31.80	17.07	6.58	100.00	162
others	9.34	6.21	20.61	30.14	28.43	0.75	4.50	100.00	939
lady health visitor	11.43	30.62	37.05	3.45	7.69	9.75	—	100.00	180
n.r.	—	33.17	27.75	—	34.82	4.27	—	100.00	136
all	17.79	15.93	21.23	15.81	20.84	3.43	4.97	100.00	3152

TABLE 3.5 (U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX

HARYANA										URBAN
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								all	ested. no. of children regd.(00)
	0-10	10-20	20-40	40-60	60-80	80-90	90-100			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	11.50	—	33.57	9.63	45.30	—	—	100.00	123	
primary health centre	—	—	—	—	—	—	—	—	—	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	100.00	—	—	100.00	25	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	50.28	12.34	37.36	—	—	100.00	54	
others	34.23	—	—	—	65.77	—	—	100.00	43	
lady health visitor	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	
all	11.76	—	27.94	7.56	52.74	—	—	100.00	245	
female										
public hospital	—	—	—	—	89.32	10.68	—	100.00	67	
primary health centre	—	—	—	—	100.00	—	—	100.00	5	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	100.00	—	—	—	100.00	13	
others	—	—	—	100.00	—	—	—	100.00	66	
lady health visitor	—	—	100.00	—	—	—	—	100.00	32	
n.r.	—	—	—	—	—	—	—	—	—	
all	—	—	17.49	43.42	35.22	3.87	—	100.00	183	
persons										
public hospital	7.45	—	21.76	6.25	60.79	3.76	—	100.00	190	
primary health centre	—	—	—	—	100.00	—	—	100.00	5	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	100.00	—	—	100.00	25	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	40.32	29.70	29.96	—	—	100.00	67	
others	13.46	—	—	60.66	25.88	—	—	100.00	109	
lady health visitor	—	—	100.00	—	—	—	—	100.00	32	
n.r.	—	—	—	—	—	—	—	—	—	
all	6.73	—	23.47	22.91	45.24	1.66	—	100.00	428	

TABLE 3.6 (U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0—4 YEAR) REGISTERED FOR PEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX

HIMACHAL PRADESH										URBAN
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd.(00)	
	0—10	10—20	20—40	40—60	60—80	80—90	90—100	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	32.34	21.87	30.32	15.51	—	—	—	100.00	26	
primary health centre	—	—	—	—	—	—	—	—	—	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	—	—	—	—	—	—	
others	—	100.00	—	—	—	—	—	100.00	8	
lady health visitor	—	100.00	—	—	—	—	—	100.00	4	
n.r.	—	—	—	—	—	—	—	—	—	
all	21.34	47.24	20.48	10.47	—	—	—	100.00	38	
female										
public hospital	29.22	18.19	8.51	36.02	8.06	—	—	100.00	55	
primary health centre	—	—	—	—	—	—	—	—	—	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	—	—	—	—	—	—	
others	—	—	—	—	—	—	—	—	—	
lady health visitor	—	—	—	—	100.00	—	—	100.00	4	
n.r.	95.64	—	4.36	—	—	—	—	100.00	7	
all	34.78	15.21	7.59	30.12	12.31	—	—	100.00	66	
persons										
public hospital	30.21	19.37	15.48	29.46	5.49	—	—	100.00	81	
primary health centre	—	—	—	—	—	—	—	—	—	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	—	—	—	—	—	—	
others	—	100.00	—	—	—	—	—	100.00	8	
lady health visitor	—	54.26	—	—	45.85	—	—	100.00	7	
n.r.	95.64	—	4.36	—	—	—	—	100.00	7	
all	30.02	26.98	12.33	22.89	7.78	—	—	100.00	104	

TABLE 3.7 (U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4 YEARS) REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION PERSONNEL REGISTERED WITH AND SEX.

JAMMU & KASHMIR										URBAN
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								all	estd. no. of children regd.(00)
	0-10	10-20	20-40	40-60	60-80	80-90	90-100			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	4.01	6.55	43.16	19.42	16.77	6.31	3.77	100.00	96	
primary health centre	—	—	—	—	—	—	—	—	—	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	17.27	31.01	45.49	—	6.24	100.00	27	
others	—	100.00	—	—	—	—	—	100.00	2	
lady health visitor	—	43.37	—	56.63	—	—	—	100.00	4	
n.r.	—	—	100.00	—	—	—	—	100.00	4	
all	2.89	7.72	37.62	22.07	21.20	4.54	3.97	100.00	133	
female										
public hospital	1.10	3.90	21.32	32.98	24.51	9.60	6.59	100.00	109	
primary health centre	—	—	—	—	—	—	—	—	—	
public dispensary	—	—	100.00	—	—	—	—	100.00	3	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	7.44	19.17	24.65	18.96	29.78	100.00	14	
others	5.33	—	4.70	—	89.97	—	—	100.00	32	
lady health visitor	100.00	—	—	—	—	—	—	100.00	6	
n.r.	100.00	—	—	—	—	—	—	100.00	2	
all	6.27	2.56	17.63	23.31	35.42	7.93	6.88	100.00	166	
persons										
public hospital	2.47	5.15	31.56	26.61	20.88	8.06	5.27	100.00	205	
primary health centre	—	—	—	—	—	—	—	—	—	
public dispensary	—	—	100.00	—	—	—	—	100.00	3	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	13.87	26.90	38.29	6.56	14.36	100.00	41	
others	5.00	6.21	4.41	—	84.39	—	—	100.00	34	
lady health visitor	56.67	18.79	—	24.54	—	—	—	100.00	10	
n.r.	28.79	—	71.04	—	—	—	—	100.00	6	
all	4.76	4.87	26.56	22.75	29.06	6.42	5.58	100.00	299	

TABLE 3.8 (U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4) YEARS REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

KARNATAKA										URBAN
type of institution/personnel registered with	percentage distribution of children registered by fractile group								estd. no. of children regd.(00)	
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	5.63	25.90	38.68	17.67	11.44	—	0.67	100.00	1569	
primary health centre	31.12	—	—	23.48	21.93	—	23.48	100.00	186	
public dispensary	—	—	—	100.00	—	—	—	100.00	12	
nursing home	5.52	7.17	27.95	25.99	12.94	10.89	9.54	100.00	332	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	34.49	30.65	25.32	—	9.54	100.00	180	
others	6.85	11.85	26.60	33.36	19.31	2.03	—	100.00	604	
lady health visitor	—	16.46	70.34	4.09	—	9.10	—	100.00	140	
n.r.	32.40	17.98	1.09	4.28	38.15	—	6.10	100.00	287	
all	9.03	17.42	30.94	20.97	16.16	1.85	3.64	100.00	3310	
female										
public hospital	3.21	26.95	27.48	34.53	7.01	0.82	—	100.00	1756	
primary health centre	—	—	—	100.00	—	—	—	100.00	44	
public dispensary	—	34.82	—	12.06	53.11	—	—	100.00	71	
nursing home	—	—	16.56	25.46	17.11	6.56	34.31	100.00	132	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	4.02	20.00	13.81	19.71	12.00	30.45	100.00	317	
others	8.91	32.30	15.14	7.87	10.43	3.90	21.45	100.00	629	
lady health visitor	2.32	—	1.15	53.91	17.44	22.14	3.03	100.00	105	
n.r.	32.67	3.01	—	17.22	47.09	—	—	100.00	261	
all	9.03	21.78	20.04	26.75	13.66	3.28	8.45	100.00	3315	
persons										
public hospital	4.35	26.45	32.77	26.58	9.10	0.43	0.32	100.00	3324	
primary health centre	25.20	—	—	38.03	17.76	—	19.01	100.00	229	
public dispensary	—	29.82	—	24.70	45.47	—	—	100.00	83	
nursing home	3.95	5.13	24.71	25.84	14.12	9.66	16.57	100.00	464	
Charitable institutions	—	—	—	—	—	—	—	—	—	
private doctor	—	2.57	25.24	19.90	21.74	7.66	22.89	100.00	497	
others	7.90	22.28	20.76	20.35	14.78	2.98	17.94	100.00	1234	
lady health visitor	0.99	9.41	40.70	25.44	7.47	14.69	1.30	100.00	244	
n.r.	32.53	10.85	0.57	10.44	42.41	—	3.19	100.00	547	
all	7.53	19.60	25.49	23.86	14.91	2.57	6.05	100.00	6625	

TABLE 3.9 (U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4) YEARS & REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

type of institution/personnel registered with	percentage distribution of children registered by fractile group								URBAN	
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all	estd. no. of children regdj(00)	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
male										
public hospital	14.66	18.09	29.00	25.24	5.82	4.79	2.42	100.00	266	
primary health centre	100.00	—	—	—	—	—	—	—	7	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	107.00	—	—	—	—	—	—	100.00	19	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	8.71	—	9.26	25.56	56.48	—	—	100.00	76	
others	18.13	12.55	17.38	10.27	25.88	7.98	7.81	100.00	284	
lady health visitor	—	100.00	—	—	—	—	—	100.00	36	
n.r.	100.00	—	—	—	—	—	—	—	15	
all	19.68	17.04	18.97	16.46	18.76	5.03	4.07	100.00	703	
female										
public hospital	33.98	8.66	6.80	11.28	5.67	22.51	11.10	100.00	298	
primary health centre	—	—	—	—	—	—	—	—	—	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	100.00	—	—	—	—	—	—	100.00	6	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	7.76	55.92	7.11	29.20	—	100.00	91	
others	4.82	21.43	12.91	33.60	15.55	0.59	11.11	100.00	187	
lady health visitor	—	—	—	—	—	—	—	—	—	
n.r.	41.17	—	—	—	58.83	—	—	100.00	12	
all	20.46	11.08	8.66	24.79	10.00	15.94	9.06	100.00	594	
persons										
public hospital	24.86	13.11	17.27	17.87	5.74	14.15	7.00	100.00	564	
primary health centre	100.00	—	—	—	—	—	—	100.00	7	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	100.00	—	—	—	—	—	—	100.00	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	3.97	—	8.44	42.08	29.62	15.89	—	100.00	167	
others	12.84	16.07	15.60	19.54	21.78	5.05	9.12	100.00	471	
lady health visitor	—	100.00	—	—	—	—	—	100.00	36	
n.r.	73.48	—	—	—	26.52	—	—	100.00	27	
all	20.04	14.31	14.25	20.27	14.75	10.03	6.35	100.00	1297	

TABLE 3.10 (U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4) YEARS REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

KERALA										URBAN
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd.(00)	
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(17)	
male										
public hospital	11.20	11.59	13.59	17.72	26.87	13.70	5.34	100.00	955	
primary health centre	16.43	16.05	37.06	30.46	—	—	—	100.00	49	
public dispensary	26.21	—	73.79	—	—	—	—	100.00	34	
nursing home	—	—	41.14	35.47	23.40	—	—	100.00	129	
charitable institution	—	—	—	—	100.00	—	—	100.00	11	
private doctor	—	25.68	6.61	—	58.57	—	9.13	100.00	135	
others	—	—	34.38	9.78	43.85	11.99	—	100.00	76	
lady health visitor	15.26	39.91	44.84	—	—	—	—	100.00	84	
n.r.	—	—	—	—	—	—	—	—	—	
all	9.28	12.66	20.30	16.12	27.84	9.50	4.29	100.00	1473	
female										
public hospital	8.57	10.01	21.63	22.78	25.66	6.67	4.69	100.00	650	
primary health centre	34.11	65.89	—	—	—	—	—	100.00	24	
public dispensary	33.77	—	—	66.23	—	—	—	100.00	27	
nursing home	—	—	45.20	10.65	17.04	11.86	15.26	100.00	120	
charitable institution	—	—	—	—	100.00	—	—	100.00	11	
private doctor	—	—	11.82	—	32.66	—	55.50	100.00	38	
others	—	25.31	37.55	24.76	—	—	12.37	100.00	96	
lady health visitor	35.90	30.21	—	33.91	—	—	—	100.00	64	
n.r.	—	—	—	—	5.57	—	94.43	100.00	26	
all	9.07	11.79	22.31	21.23	20.09	5.46	10.05	100.00	1056	
persons										
public hospital	10.13	10.95	16.84	19.77	26.38	10.86	5.07	100.00	1605	
primary health centre	22.18	32.25	25.01	20.55	—	—	—	100.00	73	
public dispensary	29.51	—	41.55	28.94	—	—	—	100.00	61	
nursing home	—	—	43.08	23.55	20.35	5.69	7.32	100.00	249	
charitable institution	—	—	—	—	107.00	—	—	100.00	22	
private doctor	—	20.07	7.74	—	52.91	—	19.27	100.00	173	
others	—	14.13	36.15	18.14	19.37	5.30	6.91	100.00	172	
lady health visitor	24.17	35.71	25.47	14.65	—	—	—	100.00	148	
n.r.	—	—	—	—	5.30	—	94.43	100.00	26	
all	9.19	12.30	21.14	18.25	24.61	7.82	6.69	100.00	2529	

TABLE 3.11 (U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4) YEARS REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

MAHARASHTRA									URBAN
type of institution/personnel registered with	percentage distribution of the children registered by fractile group							all	estd. no. of children regd. (00)
	0-10	10-20	20-40	40-60	60-80	80-90	90-100		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
male									
public hospital	17.65	5.68	35.62	22.47	12.17	5.23	1.18	100.00	1876
primary health centre	10.53	18.22	28.90	42.35	—	—	—	100.00	77
public dispensary	33.57	20.28	3.05	43.10	—	—	—	100.00	144
nursing home	—	30.83	23.07	24.48	3.05	5.11	13.45	100.00	141
charitable institution	—	—	—	49.24	—	10.64	40.10	100.00	47
private doctor	1.15	17.38	13.14	31.97	29.25	2.12	4.99	100.00	319
others	5.11	8.84	26.94	25.66	20.78	9.10	3.57	100.00	648
lady health visitor	37.20	12.97	10.21	—	36.67	2.95	—	100.00	167
n.r.	2.22	9.48	24.06	51.15	9.28	—	3.81	100.00	437
all	11.14	9.32	28.07	27.18	15.68	5.54	3.08	100.00	4913
female									
public hospital	14.91	13.99	28.04	28.47	10.90	2.45	1.24	100.00	1670
primary health centre	23.84	—	9.56	19.39	33.90	—	13.31	100.00	154
public dispensary	38.91	48.83	12.23	—	—	—	—	100.00	36
nursing home	—	8.00	37.88	21.53	28.10	4.50	—	100.00	161
charitable dispensary	—	—	19.81	—	24.30	—	55.89	100.00	40
private doctor	4.90	2.71	17.58	16.68	24.09	25.07	8.97	100.00	400
others	3.73	8.44	30.27	23.36	15.18	14.11	4.41	100.00	1489
lady health visitor	27.76	—	18.76	13.44	33.18	6.87	—	100.00	93
n.r.	—	6.19	45.94	35.19	12.69	—	—	100.00	344
all	9.02	9.49	29.05	24.63	15.91	8.19	3.71	100.00	4448
persons									
public hospital	16.36	9.59	32.05	25.30	11.57	3.92	1.21	100.00	3546
primary health centre	19.39	6.09	16.03	27.07	22.57	—	8.86	100.00	231
public dispensary	34.64	25.98	4.88	34.50	—	—	—	100.00	180
nursing home	—	18.68	30.95	22.91	16.38	4.78	6.29	100.00	302
charitable dispensary	—	—	9.10	26.63	11.15	5.75	47.35	100.00	87
private doctor	3.24	9.22	15.61	23.47	26.38	14.88	7.21	100.00	719
others	4.46	8.65	28.52	24.81	18.13	11.47	3.96	100.00	3137
lady health visitor	33.84	8.35	13.25	4.78	35.42	4.35	—	100.00	260
n.r.	1.25	8.03	33.69	44.12	10.78	—	2.13	100.00	781
all	10.13	9.40	28.54	25.97	15.79	6.80	3.38	100.00	9361

TABLE 3 12 (U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4) YEARS REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX

ORISSA										URBAN
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								all	estd. no. of children regd.(00)
	0-10	10-20	20-40	40-60	60-80	80-90	90-100			
1	2	3	4	5	6	7	8	9	10	
male										
public hospital	14.01	5.82	15.85	37.45	17.63	1.80	3.44	100.00	231	
primary health centre	—	—	—	100.00	—	—	—	100.00	21	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	100.00	—	—	—	—	100.00	3	
others	—	—	34.38	65.62	—	—	—	100.00	16	
lady health visitor	—	—	—	66.47	33.53	—	—	100.00	24	
n.r.	—	—	—	—	—	—	—	—	—	
all	10.97	4.56	18.47	45.38	16.52	1.41	2.69	100.00	295	
female										
public hospital	17.20	8.70	21.77	15.28	22.01	14.00	1.04	100.00	397	
primary health centre	—	—	—	—	—	—	—	—	—	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	—	—	—	—	—	—	—	
others	—	—	—	—	—	—	—	—	—	
lady health visitor	—	—	—	—	100.00	—	—	100.00	3	
n.r.	—	—	—	—	—	—	—	—	—	
all	17.03	8.62	21.56	15.13	22.75	13.87	1.06	100.00	400	
persons										
public hospital	16.03	7.64	21.06	23.42	20.40	9.52	1.92	100.00	628	
primary health centre	—	—	—	100.00	—	—	—	100.00	21	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private doctor	—	—	100.00	—	—	—	—	100.00	3	
others	—	—	34.38	65.62	—	—	—	100.00	16	
lady health visitor	—	—	—	57.28	42.72	—	—	100.00	28	
n.r.	—	—	—	—	—	—	—	—	—	
all	14.47	6.90	20.25	27.94	20.11	8.60	1.74	100.00	695	

TABLE 3.13(U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4) YEARS REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX

PUNJAB									
type of institution/personnel registered with	Percentage distribution of the children registered by fractile group								estd. no. of children regd. (00)
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	
male									
public hospital	18.02	5.57	39.72	1.85	21.73	13.12	—	100.00	224
primary health centre	—	—	—	—	—	—	100.00	100.00	22
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	—	50.00	—	50.00	—	—	100.00	14
charitable institution	—	—	—	—	—	100.00	—	100.00	5
private doctor	—	—	45.87	54.13	—	—	—	100.00	36
others	—	—	39.39	19.62	13.47	7.07	20.45	100.00	111
lady health visitor	28.57	58.48	—	—	12.95	—	—	100.00	100
n.r.	—	—	—	—	—	—	—	—	—
all	13.45	13.85	30.56	8.90	16.36	8.18	8.69	100.00	512
female									
public hospital	14.59	18.15	25.73	29.87	5.41	—	6.24	100.00	152
primary health centre	—	—	—	—	—	—	—	—	—
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	—	—	49.61	21.06	29.36	—	100.00	34
charitable institution	—	—	—	—	—	100.00	—	100.00	5
private doctor	—	12.68	7.34	39.47	40.54	—	—	100.00	49
others	—	—	33.10	28.66	—	28.68	9.56	100.00	132
lady health visitor	—	53.11	—	20.97	25.90	—	—	100.00	50
n.r.	—	—	—	—	—	—	—	—	—
all	5.27	14.31	20.50	30.82	11.40	12.45	5.25	100.00	422
persons									
public hospital	16.63	10.67	34.05	13.20	15.11	7.80	2.53	100.00	376
primary health centre	—	—	—	—	—	—	100.00	100.00	22
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	—	14.82	34.90	29.64	20.66	—	100.00	48
charitable institution	—	—	—	—	—	100.00	—	100.00	10
private doctor	—	7.25	23.82	45.74	23.19	—	—	100.00	85
others	—	—	35.97	24.53	6.15	18.81	14.53	100.00	243
lady health visitor	19.04	56.69	—	6.99	17.27	—	—	100.00	149
n.r.	—	—	—	—	—	—	—	—	—
all	9.76	14.06	26.02	18.30	14.12	10.11	7.14	100.00	934

TABLE 3.14(U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0—4) YEARS REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

RAJASTHAN										URBAN
type of institution /personnel registered with	percentage distribution of the children registered by fractile group							all	std. no. of children regd. (00)	
	0—10	10—20	20—40	40—60	60—80	80—90	90—100			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	16.38	5.20	15.18	17.38	29.29	4.33	12.25	100.00	474	
primary health centre	—	—	75.00	25.00	—	—	—	100.00	72	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	100.00	—	—	—	100.00	29	
private doctor	—	—	—	—	—	—	—	—	—	
others	7.02	17.38	19.68	10.24	20.98	—	24.70	100.00	117	
lady health visitor	—	—	100.00	—	—	—	—	100.00	5	
n.r.	—	—	—	—	—	—	—	—	—	
all	12.31	6.45	22.15	20.25	23.43	2.95	12.47	100.00	697	
female										
public hospital	3.82	9.69	13.68	32.73	19.17	17.07	3.84	100.00	468	
primary health centre	—	—	100.00	—	—	—	—	100.00	18	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	—	—	—	—	—	—	
private docto	—	—	—	—	100.00	—	—	100.00	16	
others	—	15.83	47.50	15.28	11.58	—	9.79	100.00	129	
lady health visitor	—	—	32.45	—	67.55	—	—	100.00	17	
n.r.	—	—	—	—	—	—	—	—	—	
all	2.76	10.15	22.95	26.71	20.37	12.35	4.72	100.00	648	
persons										
public hospital	10.14	7.43	14.43	25.00	24.26	10.66	8.07	100.00	942	
primary health centre	—	—	80.01	20.00	—	—	—	100.00	90	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	—	—	—	—	—	—	
charitable institution	—	—	—	100.00	—	—	—	100.00	29	
private doctor	—	—	—	—	100.00	—	—	100.00	16	
others	3.35	16.57	34.25	12.88	16.06	—	16.90	100.00	246	
lady health visitor	—	—	48.95	—	51.00	—	—	100.00	22	
n.r.	—	—	—	—	—	—	—	—	—	
all	7.71	8.23	22.53	23.36	21.95	7.47	8.74	100.00	1345	

TABLE 3.15(U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4) YEARS REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

TAMIL NADU									
type of institution/personnel registered with.	percentage distribution of the children registered by fractile group								URBAN
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all	estd. no. of children regd. (00)
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
male									
public hospital	13.78	22.27	18.73	25.96	12.34	6.15	0.77	100.00	2548
primary health centre	36.55	1.69	—	22.25	9.90	13.72	15.88	100.00	129
public dispensary	—	—	54.65	—	45.35	—	—	100.00	69
nursing home	9.13	8.41	4.10	7.38	36.84	27.62	6.51	100.00	283
charitable institution	—	—	62.10	—	—	37.90	—	100.00	16
private doctor	8.25	9.23	23.21	29.62	10.80	—	18.89	100.00	293
others	10.60	4.53	25.87	22.18	17.02	11.05	8.75	100.00	396
lady health visitor	21.55	30.31	15.21	—	22.19	10.74	—	100.00	135
n.r.	14.98	16.14	23.92	30.05	14.91	—	—	100.00	69
all	12.83	14.85	20.24	22.77	15.90	8.63	4.77	100.00	4953
female									
public hospital	17.96	28.81	16.92	15.93	11.71	8.66	—	100.00	2003
primary health centre	6.37	5.65	—	18.14	56.33	—	13.51	100.00	152
public dispensary	—	38.25	45.44	—	16.31	—	—	100.00	81
nursing home	—	4.16	—	14.22	—	61.31	20.31	100.00	227
charitable institution	52.79	—	—	—	47.21	—	—	100.00	31
private doctor	19.54	9.48	—	4.70	50.21	9.74	6.34	100.00	124
others	10.01	5.84	22.80	20.93	23.09	8.23	9.10	100.00	1419
lady health visitor	17.78	15.35	15.63	27.84	10.57	12.83	—	100.00	197
n.r.	18.67	—	28.39	8.39	44.56	—	—	100.00	95
all	13.98	17.34	18.01	17.13	18.52	10.43	4.59	100.00	4350
persons									
public hospital	15.62	25.15	17.93	21.55	12.06	7.25	0.43	100.00	4551
primary health centre	20.24	3.83	—	20.03	34.99	6.31	14.60	100.00	281
public dispensary	—	20.64	49.68	—	29.68	—	—	100.00	150
nursing home	5.34	6.65	2.40	10.22	21.55	41.59	12.24	100.00	510
charitable institution	34.48	—	21.53	—	30.84	13.14	—	100.00	47
private doctor	11.60	9.31	16.32	22.22	22.50	2.89	15.17	100.00	417
others	10.30	5.19	24.32	21.55	20.08	9.62	8.93	100.00	2815
lady health visitor	19.31	21.43	15.46	16.51	15.30	11.98	—	100.00	332
n.r.	17.12	6.80	26.50	17.52	32.06	—	—	100.00	164
all	13.37	16.02	19.20	20.15	17.12	9.47	4.68	100.00	9303

TABLE 3.16(U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0—4) YEARS REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

TRIPURA									URBAN
type of institution/personnel registered with	percentage distribution of the children registered by fractile group							all	estd. no. of children regd. (00)
	0—10	10—20	20—40	40—60	60—80	80—90	90—100		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
male									
public hospital	11.83	—	7.62	40.84	18.32	—	21.44	100.00	21
primary health centre	—	—	—	—	100.00	—	—	100.00	2
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	—	—	—	—	—	—	—	—
charitable institution	—	—	—	—	—	—	—	—	—
private doctor	—	—	—	—	—	—	—	—	—
others	—	—	—	—	—	—	—	—	—
lady health visitor	—	—	100.00	—	—	—	—	100.00	1
n.r.	—	—	100.00	—	—	—	—	100.00	3
all	9.01	—	22.69	31.09	20.93	—	16.32	100.00	27
female									
public hospital	3.84	3.84	27.47	23.06	5.96	3.10	32.78	100.00	42
primary health centre	—	—	—	—	—	—	—	—	—
public dispensary	—	—	—	—	100.00	—	—	100.00	5
nursing home	—	—	—	—	—	—	—	—	—
charitable institution	—	—	—	—	—	—	—	—	—
private doctor	—	—	—	—	—	—	—	—	—
others	—	—	—	—	—	—	—	—	—
lady health visitor	—	—	—	—	—	—	—	—	—
n.r.	—	—	100.00	—	—	—	—	100.00	3
all	3.21	3.21	29.79	19.33	14.38	2.60	27.48	100.00	50
persons									
public hospital	6.51	2.55	20.82	29.00	10.09	2.06	28.98	100.00	63
primary health centre	—	—	—	—	100.00	—	—	100.00	2
public dispensary	—	—	—	—	100.00	—	—	100.00	5
nursing home	—	—	—	—	—	—	—	—	—
charitable institution	—	—	—	—	—	—	—	—	—
private doctor	—	—	—	—	—	—	—	—	—
others	—	—	—	—	—	—	—	—	—
lady health visitor	—	—	100.00	—	—	—	—	100.00	1
n.r.	—	—	100.00	—	—	—	—	100.00	6
all	5.28	2.07	27.26	23.51	16.71	1.67	23.50	100.00	77

TABLE 3.17 (U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0-4) YEARS REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUPS BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

UTTAR PRADESH									URBAN	
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd.(00)	
	0-10	10-20	20-40	40-60	60-80	80-90	90-100	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
male										
public hospital	7.52	7.68	18.48	40.61	25.71	—	—	100.00	716	
primary health centre	89.06	—	10.94	—	—	—	—	100.00	117	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	30.56	44.08	—	25.32	100.00	33	
charitable institution	63.52	36.44	—	—	—	—	—	100.00	29	
private doctor	—	22.90	38.60	13.26	—	10.62	14.63	100.00	188	
others	—	7.36	34.33	13.76	29.76	14.79	—	100.00	96	
lady health visitor	36.64	—	49.62	13.74	—	—	—	100.00	89	
n.r.	—	30.11	—	45.80	24.08	—	—	100.00	29	
all	16.11	9.60	22.74	28.11	18.04	2.63	2.76	100.00	1297	
female										
public hospital	6.03	5.46	18.12	16.81	48.06	5.52	—	100.00	806	
primary health centre	—	—	100.00	—	—	—	—	100.00	38	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	37.07	—	31.47	31.47	100.00	58	
charitable institution	52.92	—	26.45	20.61	—	—	—	100.00	70	
private doctor	—	22.18	11.56	8.95	9.45	44.88	2.98	100.00	135	
others	—	2.87	9.55	1.08	39.51	5.76	41.24	100.00	245	
lady health visitor	6.27	—	—	12.01	70.92	10.80	—	100.00	102	
n.r.	—	11.56	—	17.58	22.09	48.78	—	100.00	76	
all	6.02	5.89	15.52	13.87	38.43	12.17	8.09	100.00	1525	
persons										
public hospital	6.73	6.50	18.29	28.00	37.55	2.92	—	100.00	1522	
primary health centre	69.27	—	30.72	—	—	—	—	100.00	150	
public dispensary	—	—	—	—	—	—	—	—	—	
nursing home	—	—	—	34.72	15.89	20.12	29.25	100.00	90	
charitable institution	56.04	10.71	18.68	14.55	—	—	—	100.00	99	
private doctor	—	22.60	27.30	11.46	3.95	24.94	9.76	100.00	324	
others	—	4.13	16.49	4.63	36.78	8.29	29.68	100.00	341	
lady health visitor	20.43	—	23.14	12.81	37.85	5.77	—	100.00	192	
n.r.	—	16.70	—	25.41	22.64	35.25	—	100.00	105	
all	10.66	7.60	18.84	20.41	29.06	7.79	5.64	100.00	2822	

TABLE 3-18(U) : PERCENTAGE DISTRIBUTION OF CHILDREN (0.4) YEARS REGISTERED FOR PAEDIATRIC CARE OVER FRACTILE GROUP BY TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH AND SEX.

WEST BENGAL									URBAN
type of institution/personnel registered with	percentage distribution of the children registered by fractile group								estd. no. of children regd.(00)
	0—10	10—20	20—40	40—60	60—80	80—90	90—100	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
male									
public hospital	19.89	16.75	18.14	22.48	15.95	3.62	3.15	100.00	1272
primary health centre	46.66	38.28	7.41	7.65	—	—	—	100.00	152
Public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	6.31	17.91	19.25	47.35	—	9.18	100.00	202
charitable institution	—	—	—	—	—	—	—	—	—
private doctor	10.58	8.07	8.04	18.33	28.39	17.24	9.34	100.00	118
others	—	—	35.19	35.80	11.42	17.59	—	100.00	104
lady health visitor	—	69.09	—	30.91	—	—	—	100.00	62
n.r.	24.28	39.18	—	—	36.56	—	—	100.00	51
all	17.79	18.19	16.53	21.13	18.50	4.32	3.55	100.00	1961
female									
public hospital	6.15	18.27	32.54	17.78	15.11	4.73	5.43	100.00	1431
primary health centre	73.40	—	17.37	—	9.23	—	—	100.00	59
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	11.04	11.23	40.09	6.52	14.00	17.12	100.00	209
charitable institution	—	100.00	—	—	—	—	—	100.00	15
private doctor	—	—	9.53	20.00	30.44	14.98	25.06	100.00	136
others	—	—	46.55	53.45	—	—	—	100.00	22
lady health visitor	74.37	25.63	—	—	—	—	—	100.00	49
n.r.	36.60	—	18.87	44.54	—	—	—	100.00	102
all	10.13	15.41	26.80	20.90	13.68	5.80	7.29	100.00	2023
persons									
public hospital	12.60	17.56	25.78	19.99	15.51	4.21	4.36	100.00	2703
primary health centre	54.12	27.60	10.19	5.52	2.58	—	—	100.00	211
public dispensary	—	—	—	—	—	—	—	—	—
nursing home	—	8.71	14.52	29.84	26.60	7.12	13.21	100.00	411
charitable institution	—	100.00	—	—	—	—	—	100.00	15
private doctor	4.92	3.75	8.84	19.22	29.48	16.03	17.75	100.00	254
others	—	—	37.18	38.90	9.41	14.50	—	100.00	126
lady health visitor	32.71	49.98	—	17.31	—	—	—	100.00	111
n.r.	32.49	13.05	12.58	29.71	12.18	—	—	100.00	153
all	13.89	16.78	21.75	21.01	16.05	5.07	5.45	100.00	3984

TABLE 4.0(R) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

ALL INDIA						RURAL	
fractile group	type of feeding centre				all	estimated no. of children receiving supplementary food (000)	
	government	private	not known	n.r.			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
percent receiving supplementary food	3.20	0.19	0.08	0.05	3.52	2432	
percentage distribution over fractile group							
0-5	11.47	14.63	—	—	11.20	272	
5-10	9.78	9.82	—	21.92	9.73	236	
10-20	15.84	14.25	—	8.48	15.28	371	
20-30	12.30	7.15	3.81	6.36	11.74	285	
30-40	12.67	4.39	4.44	5.86	11.93	290	
40-50	9.38	8.31	—	10.49	9.12	221	
50-60	9.44	6.22	23.36	34.93	9.95	242	
60-70	8.08	11.19	24.60	5.91	8.60	209	
70-80	5.79	4.84	14.31	—	5.86	142	
80-90	4.18	13.26	29.32	6.05	5.29	129	
90-95	0.57	5.94	—	—	0.84	20	
95-100	0.50	—	0.16	—	0.46	12	
all	100.00	100.00	100.00	100.00	100.00	2429	
n.r.	0.13	—	—	—	0.12	3	
estd. no. of children receiving supplementary food (000)	2209	131	57	35	2432	2432	

TABLE 4.1(R) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

ANDHRA PRADESH						RURAL	
fractile group	type of feeding centre				all	estimated no. of children receiving supplementary food (000)	
	government	private	not known	n.r.			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
percentage receiving supplementary food	1.10	0.10	—	—	1.20	65	
percentage distribution over fractile group							
0-5	32.35	—	—	—	29.61	19	
5-10	7.80	—	—	—	7.14	5	
10-20	8.71	—	—	—	7.97	5	
20-30	27.53	—	—	—	25.19	16	
30-40	7.39	—	—	—	6.77	4	
40-50	—	—	—	—	—	—	
50-60	8.81	—	—	—	8.06	5	
60-70	3.72	—	—	—	3.40	2	
70-80	3.69	—	—	—	3.38	2	
80-90	—	100.00	—	—	8.47	7	
90-95	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	
all	100.00	100.00	—	—	100.00	65	
n.r.	—	—	—	—	—	—	
estd. no. of children receiving supplementary food (000)	59	6	—	—	65	65	

TABLE 4.2(R) : PERCENTAGE OF CHILDREN AGED 0—4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

ASSAM						RURAL
fractile group	type of feeding centre				all	estimated no. of children receiving supplementary food (000)
	government	private	not known	n.r.		
(1)	(2)	(3)	(4)	(5)	(6)	(7)
percentage receiving supplementary food	3.47	0.36	—	—	3.83	52
percentage distribution over fractile group						
0—5	4.28	14.40	—	—	5.24	3
5—10	13.29	—	—	—	12.04	6
10—20	5.92	—	—	—	5.36	3
20—30	2.76	—	—	—	2.50	1
30—40	14.62	14.40	—	—	14.60	8
40—50	4.52	—	—	—	4.09	2
50—60	13.41	37.69	—	—	15.71	8
60—70	31.77	16.75	—	—	30.35	16
70—80	2.03	16.75	—	—	3.42	2
80—90	1.68	—	—	—	1.52	1
90—95	2.56	—	—	—	2.31	1
95—100	3.14	—	—	—	2.85	1
all	100.00	100.00	—	—	100.00	52
n.r.	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	47	5	—	—	52	52

TABLE 4.3(R) : PERCENTAGE OF CHILDREN AGED 0—4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

BIHAR						RURAL
fractile group	type of feeding centre				all	estimated no. of children receiving supplementary food (000)
	government	private	not known	n.r.		
(1)	(2)	(3)	(4)	(5)	(6)	(7)
percentage receiving supplementary food	0.25	0.03	—	0.07	0.35	29
percentage distribution over fractile group						
0—5	—	—	—	—	—	—
5—10	27.76	—	—	47.84	29.31	8
10—20	27.76	—	—	52.16	30.18	8
20—30	18.16	—	—	—	12.90	4
30—40	—	—	—	—	—	—
40—50	13.49	—	—	—	9.59	3
50—60	—	—	—	—	—	—
60—70	—	100.00	—	—	8.90	3
70—80	—	—	—	—	—	—
80—90	—	—	—	—	—	—
90—95	—	—	—	—	—	—
95—100	12.83	—	—	—	9.12	3
all	100.00	100.00	—	100.00	100.00	29
n.r.	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	20	3	—	6	29	29

TABLE 4.4(R) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE

GUJARAT						RURAL
fractile group	type of feeding centre				all	estimated no. of children receiving supplementary food (000)
	government	private	not known	n.r.		
(1)	(2)	(3)	(4)	(5)	(6)	(7)
percentage receiving supplementary food	1.32	0.08	0.23	—	1.63	42
percentage distribution over fractile group						
0-5	7.25	—	—	—	5.88	2
5-10	10.43	—	—	—	8.47	4
10-20	8.09	—	—	—	6.56	3
20-30	15.09	—	—	—	12.25	5
30-40	—	—	—	—	—	—
40-50	12.86	—	—	—	10.44	4
50-60	11.37	—	—	—	9.23	4
60-70	8.35	—	—	—	6.78	3
70-80	15.34	—	100.00	—	26.33	11
80-90	11.21	100.00	—	—	14.08	6
90-95	—	—	—	—	—	—
95-100	—	—	—	—	—	—
all	100.00	100.00	100.00	—	100.00	42
n.r.	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	34	2	6	—	42	42

TABLE 4.5(R) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

HARYANA						RURAL
fractile group	type of feeding centre				all	estimated no. of children receiving supplementary food (000)
	government	private	not known	n.r.		
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Percentage receiving supplementary food	1.27	—	—	—	1.27	20
percentage distribution over fractile group						
0-5	9.77	—	—	—	9.77	2
5-10	—	—	—	—	—	—
10-20	—	—	—	—	—	—
20-30	60.18	—	—	—	60.18	12
30-40	22.14	—	—	—	22.14	4
40-50	—	—	—	—	—	—
50-60	—	—	—	—	—	—
60-70	—	—	—	—	—	—
70-80	—	—	—	—	—	—
80-90	—	—	—	—	—	—
90-95	—	—	—	—	—	—
95-100	7.90	—	—	—	7.90	2
all	100.00	—	—	—	100.00	20
n.r.	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	20	—	—	—	20	20

TABLE 4.6(R): PERCENTAGE OF CHILDREN AGED 0—4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

HIMACHAL PRADESH						RURAL	
fractile group	type of feeding centre				all	estimated no. of children receiving supplementary food (000)	
	government	private	not known	n.r.			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
percentage receiving supplementary food	1.78	0.11	0.44	—	2.33	12	
percentage distribution over fractile group							
0—5	40.88	—	—	—	31.09	4	
5—10	—	—	—	—	—	—	
10—20	—	—	100.00	—	19.02	2	
20—30	—	—	—	—	—	—	
30—40	12.27	100.00	—	—	14.25	2	
40—50	7.21	—	—	—	5.48	1	
50—60	29.98	—	—	—	22.80	—	
60—70	—	—	—	—	—	—	
70—80	9.67	—	—	—	7.35	1	
80—90	—	—	—	—	—	—	
90—95	—	—	—	—	—	—	
95—100	—	—	—	—	—	—	
all	100.00	100.00	100.00	—	100.00	12	
n.r.	—	—	—	—	—	—	
estd. no. of children receiving supplementary food (000)	9	1	2	—	12	12	

TABLE 4.7(R): PERCENTAGE OF CHILDREN AGED 0—4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

JAMMU & KASHMIR						RURAL	
fractile group	type of feeding centre				all	estimated no. of children receiving supplementary food (000)	
	government	private	not known	n.r.			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
percentage receiving supplementary food	2.95	—	—	—	2.95	21	
percentage distribution over fractile group							
0—5	15.17	—	—	—	15.17	3	
5—10	20.02	—	—	—	20.02	4	
10—20	7.90	—	—	—	7.90	2	
20—30	1.77	—	—	—	1.77	1	
30—40	14.85	—	—	—	14.85	3	
40—50	7.79	—	—	—	7.79	—	
50—60	7.22	—	—	—	7.22	2	
60—70	8.88	—	—	—	8.88	1	
70—80	7.11	—	—	—	7.11	2	
80—90	7.28	—	—	—	7.28	1	
90—95	2.01	—	—	—	2.01	2	
95—100	—	—	—	—	—	1	
all	100.00	—	—	—	100.00	23	
n.r.	—	—	—	—	—	—	
estd. no. of children receiving supplementary food (000)	23	—	—	—	23	23	

TABLE 4.8 (R) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

KARNATAKA						RURAL
fractile group	type of feeding centre				all	estimated no. of children receiving supplementary food (000)
	government	private	not known	n.r.		
(1)	(2)	(3)	(4)	(5)	(6)	(7)
percent receiving supplementary food	2.25	—	—	0.06	2.31	77
percentage distribution over fractile group						
0-05	—	—	—	—	—	—
5-10	13.81	—	—	—	13.43	10
10-20	18.85	—	—	100.00	21.11	16
20-30	8.45	—	—	—	8.22	6
30-40	8.49	—	—	—	8.26	6
40-50	14.01	—	—	—	13.62	11
50-60	15.43	—	—	—	15.00	12
60-70	—	—	—	—	—	—
70-80	3.37	—	—	—	3.28	3
80-90	10.45	—	—	—	10.16	8
90-95	7.13	—	—	—	6.93	53
95-100	—	—	—	—	—	—
all	100.00	—	—	100.00	100.00	77
n.r.	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	75	—	—	2	77	77

TABLE 4.9 (R) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

KERALA						RURAL
fractile group	type of feeding centre				all	estimated no. of children receiving supplementary food (000)
	government	private	not known	n.r.		
(1)	(2)	(3)	(4)	(5)	(6)	(7)
per cent receiving supplementary food	6.86	1.16	0.08	0.11	8.21	162
percentage distribution over fractile group						
0-5	11.92	24.12	—	—	13.37	22
5-10	6.88	—	—	—	5.75	9
10-20	19.72	41.99	—	—	22.42	36
20-30	23.30	—	—	—	19.49	32
30-40	8.59	33.88	—	—	11.97	19
40-50	9.13	—	100.00	—	8.60	14
50-60	10.03	—	—	—	8.39	14
60-70	3.09	—	—	—	2.59	4
70-80	6.00	—	—	—	5.02	8
80-90	1.34	—	—	100.00	2.41	4
90-95	—	—	—	—	—	—
95-100	—	—	—	—	—	—
all	100.00	100.00	100.00	100.00	100.00	162
n. r.	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	136	23	1	2	162	162

TABLE 4.10 (R) : PERCENTAGE OF CHILDREN AGED 0—4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

MADHYA PRADESH							RURAL
fractile group	type of feeding centre				all	estimated no. of children receiving supplementary food (000)	
	government	private	now known	n.r.			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
percent receiving supplementary food	1.49	—	—	—	1.49	86	
percentage distribution over fractile group							
0—5	4.57	—	—	—	4.57	4	
5—10	3.80	—	—	—	3.80	3	
10—20	—	—	—	—	—	—	
20—30	26.89	—	—	—	26.89	23	
30—40	9.29	—	—	—	9.29	8	
40—50	28.05	—	—	—	28.05	24	
50—60	9.31	—	—	—	9.31	8	
60—70	12.36	—	—	—	12.36	11	
70—80	2.64	—	—	—	2.64	2	
80—90	3.10	—	—	—	3.10	3	
90—95	—	—	—	—	—	—	
95—100	—	—	—	—	—	—	
all	100.00	—	—	—	100.00	86	
n. r.	—	—	—	—	—	—	
estd. no. of children receiving supplementary food (000)	86	—	—	—	86	86	

TABLE 4.11 (R) : PERCENTAGE OF CHILDREN AGED 0—4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

MAHARASHTRA							RURAL
fractile group	type of feeding centre				all	estimated no. of children receiving supplementary food (000)	
	government	private	not known	n.r.			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
per cent receiving supplementary food	3.92	0.23	0.15	0.16	4.46	229	
percentage distribution over fractile group							
0—5	20.12	—	—	—	17.66	40	
5—10	14.15	—	—	34.36	13.63	31	
10—20	16.35	—	—	27.49	15.32	35	
20—30	17.69	—	—	—	15.53	36	
30—40	4.04	19.63	—	—	4.58	10	
40—50	2.25	37.69	—	38.16	5.30	12	
50—60	14.29	23.05	38.75	—	15.10	35	
60—70	6.39	—	—	—	5.61	13	
70—80	2.61	—	—	—	3.94	5	
80—90	0.90	19.63	61.25	—	3.94	9	
90—95	1.20	—	—	—	1.05	3	
95—100	—	—	—	—	—	—	
all	100.00	100.00	100.00	100.00	100.00	229	
n. r.	—	—	—	—	—	—	
estd. no. of children receiving supplementary food (000)	201	12	8	8	229	229	

TABLE 4.12 (R) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

ORISSA							RURAL
fractile group	type of feeding centre					all	estimated no. of children receiving supplementary food (000)
	government	private	not known	n.r.			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
percent receiving supplementary food	5.28	0.21	—	—	5.49	155	
percentage distribution over fractile group							
0-5	11.26	—	—	—	10.83	17	
5-10	7.03	—	—	—	6.76	10	
10-20	25.38	—	—	—	24.40	38	
20-30	10.69	—	—	—	10.27	16	
30-40	8.75	100.00	—	—	12.29	19	
40-50	9.63	—	—	—	9.26	14	
50-60	11.27	—	—	—	10.83	17	
60-70	5.53	—	—	—	5.31	8	
70-80	5.64	—	—	—	5.42	9	
80-90	2.84	—	—	—	2.73	4	
90-95	1.26	—	—	—	1.21	2	
95-100	0.73	—	—	—	0.70	1	
all	100.00	100.00	—	—	100.00	155	
n. r.	—	—	—	—	—	—	
estd. no. of children receiving supplementary food (000)	149	6	—	—	155	155	

TABLE 4.13(R) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

PUNJAB							RURAL
fractile group	type of feeding centre					all	estimated no. of children receiving supplementary food (000)
	government	private	not known	n.r.			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
per cent receiving supplementary food	0.95	—	—	—	0.95	14	
percentage distribution over fractile group							
0-5	18.08	—	—	—	18.08	3	
5-10	—	—	—	—	—	—	
10-20	—	—	—	—	—	—	
20-30	—	—	—	—	—	—	
30-40	57.08	—	—	—	57.08	8	
40-50	—	—	—	—	—	—	
50-60	—	—	—	—	—	—	
60-70	13.51	—	—	—	13.51	2	
70-80	—	—	—	—	—	—	
80-90	11.34	—	—	—	11.34	1	
90-95	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	
all	100.00	—	—	—	100.00	14	
n.r.	—	—	—	—	—	—	
estd. no. of children receiving supplementary food (000)	14	—	—	—	14	14	

TABLE 1.14 (R) : PERCENTAGE OF CHILDREN AGED 0—4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

RAJASTHAN		type of feeding centre					RURAL
fractile group		government	private	not known	n.r.	all	estimated no. of children receiving supplementary food (000)
(1)		(2)	(3)	(4)	(5)	(6)	(7)
per cent receiving supplementary food		1.25	—	0.06	—	1.31	55
percentage distribution over fractile group :							
0—5		17.00	—	—	—	16.25	9
5—10		15.15	—	—	—	14.49	8
10—20		—	—	—	—	—	—
20—30		5.82	—	—	—	3.57	3
30—40		8.50	—	—	—	8.13	4
40—50		6.76	—	—	—	6.46	4
50—60		15.62	—	—	—	14.94	8
60—70		24.96	—	—	—	23.87	13
70—80		—	—	—	—	—	—
80—90		6.19	—	100.00	—	10.29	6
90—95		—	—	—	—	—	—
95—100		—	—	—	—	—	—
all		100.00	—	100.00	—	100.00	55
n.r.		—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)		53	—	2	—	55	55

TABLE 4.15 (R) : PERCENTAGE OF CHILDREN AGED 0—4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

TAMILNADU		type of feeding centre					RURAL
fractile group		government	private	not known	n.r.	all	estimated no. of children receiving supplementary food (000)
(1)		(2)	(3)	(4)	(5)	(6)	(7)
per cent receiving supplementary food		24.46	1.19	—	0.12	25.77	990
percentage distribution over fractile group							
0—5		11.29	26.95	—	—	11.97	118
5—10		9.19	31.18	—	—	10.16	100
10—20		18.86	6.66	—	—	18.21	180
20—30		16.35	13.24	—	—	16.30	161
30—40		12.68	5.33	—	—	12.28	121
40—50		9.62	5.53	—	—	9.38	93
50—60		8.99	6.66	—	—	8.84	87
60—70		4.53	4.46	—	100.00	4.99	49
70—80		4.45	—	—	—	4.22	42
80—90		3.19	—	—	—	3.03	30
90—95		0.33	—	—	—	0.32	3
95—100		0.33	—	—	—	0.32	3
all		100.00	100.00	—	100.00	100.00	987
n.r.		0.31	—	—	—	0.29	3
estd. no. of children receiving supplementary food (000)		939	46	—	5	990	990

TABLE 4.16 (R) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

TRIPURA		type of feeding centre					RURAL
fractile group		government	private	not known	n.r.	all	estimated no. of children receiving supplementary food (000)
(1)		(2)	(3)	(4)	(5)	(6)	(7)
per cent receiving supplementary food		0.20	0.20	—	0.30	0.70	1
percentage distribution over fractile group							
0-5	—	—	—	—	—	—
5-10	—	—	—	—	—	—
10-20	—	—	—	—	—	—
20-30	100.00	100.00	—	100.00	100.00	1
30-40	—	—	—	—	—	—
40-50	—	—	—	—	—	—
50-60	—	—	—	—	—	—
60-70	—	—	—	—	—	—
70-80	—	—	—	—	—	—
80-90	—	—	—	—	—	—
90-95	—	—	—	—	—	—
95-100	—	—	—	—	—	—
all	100.00	100.00	—	100.00	100.00	1
n.r.	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)		0.3	0.3	—	0.4	1	1

TABLE 4.17 (R) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

UTTAR PRADESH		type of feeding centre					RURAL
fractile group		government	private	not known	n.r.	all	estimated no. of children receiving supplementary food (000)
(1)		(2)	(3)	(4)	(5)	(6)	(7)
percent receiving supplementary food		0.67	0.08	0.03	0.04	0.82	117
percentage distribution over fractile group							
0-5	—	—	—	—	—	—
5-10	—	—	—	—	—	—
10-20	4.69	—	—	—	3.83	5
20-30	7.27	—	—	—	5.94	7
30-40	9.63	—	—	38.57	9.61	11
40-50	21.80	—	—	61.43	20.58	24
50-60	5.91	—	—	—	4.83	6
60-70	38.74	—	—	—	31.65	37
70-80	11.96	51.57	23.28	—	15.70	18
80-90	—	—	76.72	—	3.21	4
90-95	—	48.43	—	—	4.65	5
95-100	—	—	—	—	—	—
all	100.00	100.00	100.00	100.00	100.00	117
n.r.	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)		96	11	5	5	117	117

TABLE 4.18 (R) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

WEST BENGAL						RURAL	
fractile group	type of feeding centre					all	estimated no. of children receiving supplementary food (000)
	government	private	not known	n.r.			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
per cent receiving supplementary food	4.13	0.22	0.60	0.12	5.07	276	
percentage distribution over fractile group							
0-5	—	—	—	—	—	—	—
5-10	11.66	—	—	—	9.51	26	
10-20	4.42	—	—	—	3.60	10	
20-30	9.11	—	—	—	7.44	20	
30-40	14.25	—	—	—	11.63	32	
40-50	13.16	—	17.83	—	11.66	32	
50-60	7.38	25.91	18.86	—	9.37	26	
60-70	13.00	22.26	51.57	100.00	19.95	55	
70-80	14.44	—	21.74	—	14.35	40	
80-90	10.30	51.83	—	—	10.64	29	
90-95	—	—	—	—	—	—	—
95-100	2.28	—	—	—	1.86	6	
all	100.00	100.00	100.00	100.00	100.00	276	
n.r.	—	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	225	12	33	6	276	276	

TABLE 4.0 (U) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

ALL INDIA						URBAN	
fractile group	type of feeding centre					all	estd. no. of children receiving supplementary food (000)
	government	private	not known	n.r.			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
per cent receiving supplementary food	1.76	0.22	0.00	0.04	2.11	377	
percentage distribution over fractile group							
0-5	16.75	11.63	22.11	—	16.12	61	
5-10	14.26	—	—	—	11.89	45	
10-20	28.11	9.12	20.37	—	25.25	95	
20-30	12.08	—	8.19	21.60	19.85	41	
30-40	8.46	17.92	—	20.53	9.32	35	
40-50	5.43	—	—	—	4.53	17	
50-60	8.02	23.19	25.27	—	10.18	38	
60-70	4.64	7.19	—	52.35	5.63	21	
70-80	1.97	21.44	0.80	5.54	4.01	15	
80-90	0.20	1.71	7.63	—	0.67	3	
90-95	0.07	0.93	—	—	0.16	1	
95-100	—	6.87	15.63	—	1.38	5	
all	100.00	100.00	100.00	100.00	100.00	377	
n.r.	—	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	315	39	16	7	377	377	

TABLE 4.1 (U) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE

fractile group	type of feeding centre					URBAN	
	govt.	prvt.	not knoen	n.r.	all	estd. no. of children receiving supplementary food (000)	
	(1)	(2)	(3)	(4)	(5)		(6)
percent receiving supplementary food	0.59	—	—	0.11	—	0.70	10
percentage distribution over fractile group							
0-5	38.06	—	—	—	—	32.02	3
5-10	18.85	—	—	—	—	15.86	2
10-20	10.07	—	—	—	—	8.47	1
20-30	18.85	—	—	—	—	15.86	2
30-40	—	—	—	—	—	15.86	1
40-50	—	—	—	100.00	—	—	—
50-60	5.92	—	—	—	—	—	—
60-70	8.25	—	—	—	—	4.98	0.5
70-80	—	—	—	—	—	6.94	0.5
80-90	—	—	—	—	—	—	—
90-95	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—
all	100.00	—	—	100.00	—	100.00	10
n.r.	—	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	8	—	—	2	—	10	10

TABLE 4.2 (U) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE

fractile group	type of feeding centre					URBAN	
	govt.	prvt.	not known	n.r.	all	estd. no. of children receiving supplementary food (000)	
	(1)	(2)	(3)	(4)	(5)		(6)
per cent receiving supplementary food	—	0.98	—	0.31	—	1.29	2
percentage distribution over fractile group							
0-5	—	—	—	—	—	—	—
5-10	—	—	—	—	—	—	—
10-20	—	—	—	—	—	—	—
20-30	—	—	—	—	—	—	—
30-40	—	—	—	—	—	—	—
40-50	—	100.00	—	—	—	76.27	1
50-60	—	—	—	—	—	—	—
60-70	—	—	—	—	—	—	—
70-80	—	—	—	—	—	—	—
80-90	—	—	—	100.00	—	23.79	1
90-95	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—
all	—	100.00	—	100.00	—	100.00	2
n.r.	—	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	—	1	—	1	—	2	2

TABLE 4.3 (U) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE

fractile group	type of feeding centre					URBAN	
	govt.	prvt.	not known	n.r.	all	estd. no. of children receiving supplementary food (000)	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
per cent receiving supplementary food	0.42	—	0.24	—	0.66	7	
percentage distribution over fractile group							
0-5	50.00	—	—	—	31.57	2	
5-10	50.00	—	—	—	31.57	2	
10-20	—	—	—	—	—	—	
20-30	—	—	—	—	—	—	
30-40	—	—	—	—	—	—	
40-50	—	—	—	—	—	—	
50-60	—	—	100.00	—	36.87	3	
60-70	—	—	—	—	—	—	
70-80	—	—	—	—	—	—	
80-90	—	—	—	—	—	—	
90-95	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	
all	100.00	—	100.00	—	100.00	7	
n.r.	—	—	—	—	—	—	
estd. no. of children receiving supplementary food (000)	4	—	3	—	7	7	

TABLE 4.4(U) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE

fractile group	type of feeding centre					URBAN	
	govt.	prvt.	not known	n.r.	all	estd. no. of children receiving supplementary food (000)	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
per cent receiving supplementary food	0.19	—	0.21	—	0.40	4	
percentage distribution over fractile group							
0-5	—	—	—	—	—	—	
5-10	—	—	100.00	—	51.68	2	
10-20	—	—	—	—	—	—	
20-30	—	—	—	—	—	—	
30-40	—	—	—	—	—	—	
40-50	—	—	—	—	—	—	
50-60	—	—	—	—	—	—	
60-70	100.00	—	—	—	48.32	2	
70-80	—	—	—	—	—	—	
80-90	—	—	—	—	—	—	
90-95	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	
all	100.00	—	100.00	—	100.00	4	
n.r.	—	—	—	—	—	—	
estd. no of children receiving supplementary food (000)	2	—	2	—	4	4	

TABLE 4.6 (U) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE

HIMACHAL PRADESH						URBAN	
fractile group	type of feeding centre				estd. no. of children receiving supplementary food (000)		
	govt.	prvt.	not known	n.r.	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
percent receiving supplementary food . . .	—	1.58	—	—	1.58	0.4	
percentage distribution over fractile group							
0-5	—	—	—	—	—	—	
5-10	—	—	—	—	—	—	
10-20	—	—	—	—	—	—	
20-30	—	—	—	—	—	—	
30-40	—	—	—	—	—	—	
40-50	—	—	—	—	—	—	
50-60	—	—	—	—	—	—	
60-70	—	100.00	—	—	100.00	0.4	
70-80	—	—	—	—	—	—	
80-90	—	—	—	—	—	—	
90-95	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	
all	—	100.00	—	—	100.00	0.4	
n.r	—	—	—	—	—	—	
estd. no. of children receiving supplementary food (000)	—	0.4	—	—	0.4	0.4	

TABLE 4.7(U) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE

JAMMU & KASHMIR						URBAN	
fractile group	type of feeding centre				estd. no. of children receiving supplementary food (000)		
	govt.	prvt.	not known	n.r.	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
percent receiving supplementary food . . .	1.68	—	—	—	1.68	2	
percentage distribution over fractile group							
0-5	30.18	—	—	—	30.18	0.5	
5-10	46.53	—	—	—	46.53	1	
10-20	—	—	—	—	—	—	
20-30	—	—	—	—	—	—	
30-40	23.29	—	—	—	23.29	0.5	
40-50	—	—	—	—	—	—	
50-60	—	—	—	—	—	—	
60-70	—	—	—	—	—	—	
70-80	—	—	—	—	—	—	
80-90	—	—	—	—	—	—	
90-95	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	
all	100.00	—	—	—	100.00	2	
n.r	—	—	—	—	—	—	
estd. no of children receiving supplementary food (000)	2	—	—	—	2	2	

TABLE 4.8(U) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE

KARNATAKA						URBAN	
fractile group	type of feeding centre				all	estd. no. of children receiving supplementary food (000)	
	govt.	prvt.	not known	n.r.			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
percent receiving supplementary food	5.63	—	—	—	5.63	82	
percentage distribution, over on fractile group							
0-5	5.82	—	—	—	5.82	5	
5-10.	—	—	—	—	—	—	
10-20.	48.13	—	—	—	48.13	40	
20-30.	38.53	—	—	—	38.53	32	
30-40.	3.25	—	—	—	3.25	3	
40-50.	—	—	—	—	—	—	
50-60.	4.27	—	—	—	4.27	3	
60-70.	—	—	—	—	—	—	
70-80.	—	—	—	—	—	—	
80-80.	—	—	—	—	—	—	
90-95.	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	
all	100.00	—	—	—	100.00	83	
n.r.	—	—	—	—	—	—	
estd. no of children receiving supplementary food (000)	83	—	—	—	83	83	

TABLE 4.9(U) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE

KERALA						URBAN	
fractile group	type of feeding centre				all	estd. no. of children receiving supplementary food (000)	
	govt.	prvt.	not known	n.r.			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	
percentag receiving supplementary food	5.37	—	0.51	—	5.88	23	
percentage distr,ution over fractile group							
0-5	53.51	—	—	—	48.84	11	
5-10.	24.45	—	—	—	22.32	5	
10-20.	14.82	—	—	—	13.52	3	
20-30.	7.23	—	61.73	—	11.98	3	
30-40.	—	—	38.31	—	3.34	1	
40-50.	—	—	—	—	—	—	
50-60.	—	—	—	—	—	—	
60-70.	—	—	—	—	—	—	
70-80.	—	—	—	—	—	—	
80-90.	—	—	—	—	—	—	
90-95.	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	
all	100.00	—	100.00	—	100.00	23	
n.r.	—	—	—	—	—	—	
estd. no. of children receiving supplementary food (000)	21	—	2	—	23	23	

TABLE 4.10 (U) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE

MADHYA PRADESH						URBAN
fractile group	type of feeding centre				all	estd. no. of children receiving supplementary food (000)
	govt.	prvt.	not known	n.r.		
(1)	(2)	(3)	(4)	(5)	(6)	(7)
percent receiving supplementary food	0.66	—	0.20	—	0.86	11
percentage distribution over fractile group :						
0-5	—	—	—	—	—	—
5-10	19.86	—	—	—	15.24	2
10-20	21.55	—	—	—	16.54	2
20-30	10.53	—	—	—	8.08	1
30-40	—	—	—	—	—	—
40-50	—	—	—	—	—	—
50-60	27.87	—	—	—	21.39	2
60-70	14.48	—	—	—	11.12	1
70-80	—	—	—	—	—	—
80-90	—	—	—	—	—	—
90-95	5.70	—	—	—	4.38	1
95-100	—	—	100.00	—	23.25	2
all	100.00	—	100.00	—	100.00	11
n.r.	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	8	—	3	—	11	11

TABLE 4.11(U) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

MAHARASHTRA						URBAN
fractile group	type of feeding centre				all	estd. no. of children receiving supplementary food (000)
	govt.	prvt.	not known	n.r.		
(1)	(2)	(3)	(4)	(5)	(6)	(7)
percent receiving supplementary food	0.77	0.33	0.12	0.07	1.29	28
percentage distribution over fractile group						
0-5	11.32	—	—	—	6.76	2
5-10	3.84	—	—	—	2.30	1
10-20	—	—	20.57	—	1.95	1
20-30	27.40	—	—	100.00	21.76	6
30-40	—	—	—	—	—	—
40-50	—	88.32	32.87	—	25.32	7
50-60	46.70	11.68	—	—	30.88	9
60-70	10.74	—	—	—	6.42	1
70-80	—	—	46.60	—	4.41	1
80-90	—	—	—	—	—	—
90-95	—	—	—	—	—	—
95-100	—	—	—	—	—	—
all	100.00	100.00	100.00	100.00	100.00	28
n.r.	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	17	7	3	21	28	28

TABLE 4.12(U) : PERCENTAGE OF CHILDREN AGED 0—4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE

ORISSA	fractile group	type of feeding centre				all	URBAN
		govt.	prvt.	not known	n.r.		estd. no. of children receiving supplementary food (000)
		(2)	(3)	(4)	(5)		(6)
	percent receiving supplementary food	2.52	—	—	—	2.52	8
	percentage distribution over fractile group						
	0—5	—	—	—	—	—	—
	5—10	16.11	—	—	—	16.11	1
	10—20	—	—	—	—	—	—
	20—30	—	—	—	—	—	—
	30—40	—	—	—	—	—	—
	40—50	28.78	—	—	—	28.78	2
	50—60	21.41	—	—	—	21.41	2
	60—70	33.70	—	—	—	33.70	3
	70—80	—	—	—	—	—	—
	80—90	—	—	—	—	—	—
	90—95	—	—	—	—	—	—
	95—100	—	—	—	—	—	—
	all	100.00	—	—	—	100.00	8
	n.r.	—	—	—	—	—	—
	estd. no. of children receiving supplementary food (000)	8	—	—	—	8	8

TABLE 4.13 (U) : PERCENTAGE OF CHILDREN AGED 0—4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE

PUNJAB	fractile group	type of feeding centre				all	URBAN
		govt.	prvt.	not known	n.r.		estd. no. of children receiving supplementary food (000)
		(2)	(3)	(4)	(5)		(6)
	percent receiving supplementary food	0.56	—	—	—	0.56	3
	percentage distribution over fractile group						
	0—5	—	—	—	—	—	—
	5—10	—	—	—	—	—	—
	10—20	—	—	—	—	—	—
	20—30	100.00	—	—	—	100.00	3
	30—40	—	—	—	—	—	—
	40—50	—	—	—	—	—	—
	50—60	—	—	—	—	—	—
	60—70	—	—	—	—	—	—
	70—80	—	—	—	—	—	—
	80—90	—	—	—	—	—	—
	90—95	—	—	—	—	—	—
	95—100	—	—	—	—	—	—
	all	100.00	—	—	—	100.00	3
	n.r.	—	—	—	—	—	—
	estd. no. of children receiving supplementary food (000)	3	—	—	—	3	3

TABLE 4.15 (U) : PERCENTAGE OF CHILDREN AGED 0—4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE

TAMILNADU						URBAN
fractile group	type of feeding centre					estd. no. of children receiving supplementary food (000)
	govt.	prvt.	not known	n.r.	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)
percent receiving supplementary food	6.72	0.56	—	0.22	7.50	130
percentage distribution over fractile group :						
0—5	8.56	10.06	—	—	8.43	11
5—10	12.42	37.48	—	—	13.92	18
10—20	19.66	—	—	—	17.63	23
20—30	16.41	—	—	—	14.72	19
30—40	13.71	—	—	—	12.30	16
40—50	14.54	52.47	—	—	16.94	22
50—60	3.70	—	—	—	3.32	4
60—70	5.30	—	—	—	4.75	6
70—80	3.49	—	—	100.00	6.02	8
80—90	2.21	—	—	—	1.98	3
90—95	—	—	—	—	—	—
95—100	—	—	—	—	—	—
all	100.00	100.00	—	100.00	100.00	130
n.r.	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	116	10	—	4	130	130

TABLE 4.16 (U) : PERCENTAGE OF CHILDREN AGED 0—4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

TRIPURA						URBAN
fractile group	type of feeding centre					estd. no. of children receiving supplementary food (000)
	govt.	prvt.	not known	n.r.	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)
percent receiving supplementary food	—	—	0.91	—	0.91	0.1
percentage distribution over fractile group :						
0—5	—	—	—	—	—	—
5—10	—	—	—	—	—	—
10—20	—	—	—	—	—	—
20—30	—	—	—	—	—	—
30—40	—	—	—	—	—	—
40—50	—	—	100.00	—	100.00	0.1
50—60	—	—	—	—	—	—
60—70	—	—	—	—	—	—
70—80	—	—	—	—	—	—
80—90	—	—	—	—	—	—
90—95	—	—	—	—	—	—
95—100	—	—	—	—	—	—
all	—	—	100.00	—	100.00	0.1
n.r.	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	—	—	0.1	—	0.1	0.1

TABLE 4.17 (U) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE

UTTAR PRADESH						URBAN
fractile group	type of feeding centre				all	estd. no. of children receiving supplementary food (000)
	govt.	prvt.	not known	n.r.		
(1)	(2)	(3)	(4)	(5)	(6)	(7)
percent receiving supplementary food	0.17	0.26	—	—	0.43	12
percentage distribution over fractile group						
0-5	34.38	—	—	—	13.94	2
5-10	34.38	—	—	—	13.94	2
10-20	—	—	—	—	—	—
20-30	—	—	—	—	—	—
30-40	—	—	—	—	—	—
40-50	—	27.69	—	—	16.46	2
50-60	—	21.09	—	—	12.54	1
60-70	31.26	13.84	—	—	20.90	3
70-80	—	—	—	—	—	—
80-90	—	—	—	—	—	—
90-95	—	—	—	—	—	—
95-100	—	37.39	—	—	22.23	2
all	100.00	100.00	—	—	100.00	12
n.r.	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	5	7	—	—	12	12

TABLE 4.18 (U) : PERCENTAGE OF CHILDREN AGED 0-4 YEARS RECEIVING SUPPLEMENTARY FOOD DURING LAST 365 DAYS AND THEIR PERCENTAGE DISTRIBUTION OVER FRACTILE GROUPS BY TYPE OF FEEDING CENTRE.

WEST BENGAL						URBAN
fractile group	type of feeding centre				all	estd. no. of children receiving supplementary food (000)
	govt.	prvt.	not known	n.r.		
(1)	(2)	(3)	(4)	(5)	(6)	(7)
percent receiving supplementary food	0.55	0.48	0.32	—	1.35	15
percentage distribution over fractile group						
0-5	—	—	100.00	—	23.62	4
5-10	—	—	—	—	—	—
10-20	39.98	66.22	—	—	39.90	6
20-30	—	—	—	—	—	—
30-40	38.50	—	—	—	15.67	2
40-50	—	—	—	—	—	—
50-60	21.51	33.80	—	—	20.81	3
60-70	—	—	—	—	—	—
70-80	—	—	—	—	—	—
80-90	—	—	—	—	—	—
90-95	—	—	—	—	—	—
95-100	—	—	—	—	—	—
all	100.00	100.00	100.00	—	100.00	15
n.r.	—	—	—	—	—	—
estd. no. of children receiving supplementary food (000)	6	5	4	—	15	15

TABLE (5.0 R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

ALL INDIA

RURAL

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
fractile group	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charitable institution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
0-5	14.39	19.84	13.69	2.48	14.52	1.68	—	9.24	31.03	0.68	6.85	100.00	1402	
5-10	20.34	17.63	19.48	1.89	16.26	—	—	4.30	34.62	2.90	2.92	100.00	1885	
10-20	15.34	22.77	10.50	1.06	17.50	—	—	8.93	33.44	—	5.80	100.00	2766	
20-30	18.83	21.10	9.45	0.60	16.45	—	0.79	11.02	32.25	1.55	6.71	100.00	3098	
30-40	22.31	24.98	14.60	0.68	15.53	1.68	—	11.16	28.48	0.66	2.25	100.00	3082	
40-50	17.88	37.26	7.03	0.78	12.22	—	—	8.26	28.16	1.67	4.45	100.00	1843	
50-60	22.08	20.82	11.97	—	27.03	1.71	0.71	13.51	18.88	2.18	3.13	100.00	2896	
60-70	25.76	24.08	10.18	—	31.23	1.01	—	11.44	15.66	4.15	2.25	100.00	2649	
70-80	26.93	30.28	7.61	—	21.14	0.81	1.55	13.64	20.34	4.63	—	100.00	2227	
80-90	26.58	30.01	7.54	—	19.03	4.38	1.10	15.00	20.73	—	2.21	100.00	2199	
90-95	45.25	35.69	10.30	—	35.69	1.46	—	8.75	3.70	—	4.41	100.00	1070	
95-100	38.09	36.98	8.20	—	37.80	—	1.64	8.31	—	—	7.08	100.00	663	
n.f.														
adult female education class :														
illiterate	14.01	21.99	13.19	0.60	10.44	0.22	0.77	9.53	35.45	3.14	4.68	100.00	11929	
literate but below primary	26.70	30.87	5.02	—	20.34	—	—	19.15	19.46	1.03	4.14	100.00	1990	
primary but below secondary	38.42	27.56	10.85	0.73	29.81	1.16	—	11.94	15.99	—	1.97	100.00	8712	
secondary & above	49.44	29.42	7.00	—	35.46	4.65	—	6.97	10.18	1.00	4.45	100.00	2755	
n.f.	37.71	25.65	6.94	5.18	29.45	6.84	—	5.58	7.66	5.37	7.33	100.00	394	
all	21.15	25.42	11.01	0.60	20.71	1.09	0.45	10.75	24.51	1.64	3.74	100.00	25780	

TABLE (5.1 R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION, PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

RURAL

ANDHRA PRADESH

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	chari- table institution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0—5	28.55	10.96	13.63	—	11.85	—	—	—	63.56	—	—	100.00	389	
5—10	35.76	10.55	41.97	—	16.71	—	—	8.33	22.43	—	—	100.00	352	
10—20	19.19	20.26	8.88	—	37.03	—	—	—	33.83	—	—	100.00	320	
20—30	39.50	3.69	—	—	21.30	—	—	25.19	46.12	3.69	—	100.00	588	
30—40	29.21	15.18	15.77	—	26.79	—	—	23.21	19.05	—	—	100.00	379	
40—50	30.46	—	—	—	73.32	—	—	—	26.68	—	—	100.00	228	
50—60	32.37	32.40	—	—	38.75	—	—	21.85	7.00	—	—	100.00	328	
60—70	55.15	16.93	—	—	44.60	—	—	18.57	19.90	—	—	100.00	386	
70—80	45.38	—	—	—	42.89	8.05	10.38	6.91	31.78	—	—	100.00	332	
80—90	26.23	—	—	—	65.31	—	—	—	34.69	—	—	100.00	75	
90—95	68.08	27.87	—	—	72.13	—	—	—	—	—	—	100.00	70	
95—100	60.28	35.79	—	—	64.23	—	—	—	—	—	—	100.00	46	
adult female education class :														
illiterate	27.46	11.73	10.58	—	21.25	—	1.59	10.36	43.49	1.00	—	100.00	2165	
literate but below primary	43.00	20.99	9.57	—	36.77	—	—	22.87	9.80	—	—	100.00	268	
primary but below secondary	54.22	8.02	4.43	—	64.21	—	—	13.31	10.04	—	—	100.00	732	
secondary & above	47.01	20.71	—	—	47.29	—	—	14.72	17.28	—	—	100.00	156	
n. r.	67.41	17.24	—	—	51.45	17.24	—	14.07	—	—	—	100.00	154	
all	33.40	12.35	8.27	—	34.02	0.76	0.99	12.36	30.63	0.62	—	100.00	3493	

TABLE (5.3 R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0—5	2.21	100.00	—	—	—	—	—	—	—	—	—	—	100.00	23
5—10	6.02	—	—	—	—	—	—	—	71.17	—	—	—	100.00	59
10—20	4.43	15.71	28.98	—	—	—	—	28.81	25.73	—	—	30.19	100.00	102
20—30	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—40	5.16	46.38	—	—	—	—	35.13	18.49	—	—	—	—	100.00	69
40—50	6.45	—	30.70	—	—	—	—	—	42.18	—	—	27.12	100.00	70
50—60	23.24	—	—	—	6.54	—	—	40.16	30.59	—	—	22.71	100.00	234
60—70	11.57	21.40	16.30	—	28.87	—	15.82	—	—	—	—	17.61	100.00	117
70—80	5.77	—	—	—	62.47	—	—	37.53	—	—	—	—	100.00	58
80—90	2.23	100.00	—	—	—	—	—	—	—	—	—	—	100.00	14
90—95	17.59	—	—	—	100.00	—	—	—	—	—	—	—	100.00	21
95—100	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	5.00	11.36	4.28	—	14.26	—	8.51	7.69	29.42	—	—	24.48	100.00	504
literate but below primary	2.85	—	—	—	100.00	—	—	—	—	—	—	—	100.00	14
primary but below secondary	16.01	7.23	25.62	—	10.86	—	—	56.30	—	—	—	—	100.00	189
secondary & above	19.07	65.79	—	—	—	—	—	—	34.21	—	—	—	100.00	59
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
all	6.31	14.30	9.15	—	13.85	—	5.60	18.99	21.98	—	—	16.12	100.00	766

TABLE (5.4 R) PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS. RURAL

classification	type of institution/personnel registered with													
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
	percent- age regd.	public hospital	primary health centre	public dispensary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
(1)														
fractile group I														
5-5	25.42	—	40.82	—	33.54	—	—	—	25.64	—	—	100.00	95	
5-10	20.51	40.37	—	—	—	—	—	—	59.64	—	—	100.00	59	
10-20	17.97	23.69	—	—	18.45	—	—	20.89	20.15	—	16.82	100.00	133	
20-30	22.09	40.75	—	—	—	—	—	—	37.08	—	22.15	100.00	99	
30-40	5.74	—	—	—	100.00	—	—	20.69	—	—	—	100.00	27	
40-50	22.09	—	—	—	41.58	—	—	—	37.75	—	—	100.00	108	
50-60	23.50	41.00	36.64	—	—	—	—	—	22.35	—	—	100.00	125	
60-70	30.26	33.76	—	—	12.73	—	—	29.68	53.51	—	—	100.00	125	
70-80	19.38	—	—	—	34.00	—	—	—	36.34	—	—	100.00	80	
80-90	—	49.93	—	—	—	—	—	—	21.21	—	28.86	100.00	—	
90-95	83.61	—	—	—	—	—	—	—	—	—	100.00	100.00	99	
95-100	100.00	—	—	—	—	—	—	—	—	—	100.00	100.00	30	
adult female education class I														
illiterate	12.88	19.56	10.58	—	6.70	—	—	20.13	36.94	—	6.10	100.00	367	
literate but below primary	52.88	—	55.27	—	—	—	—	—	—	—	44.73	100.00	49	
primary but below secondary	28.62	11.95	5.51	—	31.13	—	—	—	51.41	—	—	100.00	337	
secondary & above	56.17	41.30	—	—	24.62	—	—	—	—	—	34.07	100.00	171	
n.r.	57.07	100.00	—	—	—	—	—	—	—	—	—	100.00	56	
all	21.66	24.33	8.62	—	17.52	—	—	7.54	31.52	—	10.47	100.00	980	

TABLE (5.5 R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

HARYANA

RURAL

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	chari- table insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
fractile group														
0-5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-10	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10-20	7.10	100.00	—	—	—	—	—	—	—	—	—	—	100.00	28
20-30	7.98	—	—	—	—	—	—	6.88	38.12	—	—	—	100.00	42
30-40	11.69	100.00	—	—	—	—	—	—	—	—	—	—	100.00	45
40-50	9.97	—	100.00	—	—	—	—	—	—	—	—	—	100.00	21
50-60	41.42	16.10	11.42	—	—	—	—	55.97	—	—	—	—	100.00	185
60-70	9.33	—	—	—	—	—	—	100.00	—	—	—	—	100.00	38
70-80	7.42	100.00	—	—	—	—	—	—	—	—	—	—	100.00	26
80-90	38.65	—	—	—	—	—	—	100.00	—	—	—	—	100.00	16
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	11.32	35.41	14.98	—	—	—	—	33.23	16.38	—	—	—	100.00	284
literate but below primary	13.13	100.00	—	—	—	—	—	—	—	—	—	—	100.00	28
primary but below secondary	7.69	—	—	—	—	—	—	100.00	—	—	—	—	100.00	54
secondary & above	32.31	—	—	—	—	—	—	100.00	—	—	—	—	100.00	35
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
all	11.36	31.99	10.63	—	—	—	—	45.77	11.62	—	—	—	100.00	401

TABLE (5.6 R) : PERCENTAGE OF MOTHER REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

RURAL

HIMACHAL PRADESH

classification	type of institution/personnel registered with													
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
	percen- tage regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5	71.57	36.97	—	51.02	—	—	—	—	12.01	—	—	100.00	70	
5-10	34.98	—	—	—	—	—	—	—	28.02	—	71.98	100.00	34	
10-20	12.65	—	—	—	—	—	—	—	100.00	—	—	100.00	21	
20-30	22.49	47.76	—	—	—	—	—	—	52.24	—	—	100.00	31	
30-40	21.06	100.00	—	—	—	—	—	—	—	—	—	100.00	20	
40-50	37.39	49.10	—	—	—	—	—	—	50.90	—	—	100.00	44	
50-60	16.97	64.57	—	—	—	—	—	—	35.43	—	—	100.00	18	
60-70	40.97	100.00	—	—	—	—	—	—	—	—	—	100.00	22	
70-80	16.79	100.00	—	—	—	—	—	—	—	—	—	100.00	12	
80-90	—	—	—	—	—	—	—	—	—	—	—	—	—	
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :														
illiterate	10.97	96.02	—	—	—	—	—	—	3.98	—	—	100.00	41	
literate but below primary	—	—	—	—	—	—	—	—	—	—	—	—	—	
primary but below secondary	33.94	22.41	—	21.84	—	—	—	—	40.52	—	15.22	100.00	163	
secondary & above	54.12	76.42	—	—	—	—	—	—	23.58	—	—	100.00	68	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
all	27.44	46.88	—	13.14	—	—	—	—	30.83	—	9.16	100.00	272	

TABLE (5.7 R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

JAMMU & KASHMIR RURAL

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV/	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-10	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10-20	10.02	23.15	47.66	—	—	—	—	—	29.19	—	—	100.00	14	
20-30	13.28	52.95	—	—	—	—	—	18.32	28.73	—	—	100.00	22	
30-40	11.81	78.63	—	—	—	—	21.37	—	—	—	—	100.00	17	
40-50	11.82	71.51	—	—	28.49	—	—	—	—	—	—	100.00	22	
50-60	9.88	58.99	—	—	—	—	—	40.88	—	—	—	100.00	8	
60-70	11.64	54.03	—	—	—	—	—	45.97	—	—	—	100.00	15	
70-80	38.73	86.10	13.90	—	—	—	—	—	—	—	—	100.00	32	
80-90	39.11	44.62	55.34	—	—	—	—	—	—	—	—	100.00	26	
90-95	36.10	42.12	57.82	—	—	—	—	—	—	—	—	100.00	17	
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :														
illiterate	12.77	65.73	10.63	—	5.18	—	3.10	11.97	3.40	—	—	100.00	119	
literate but below primary	—	—	—	—	—	—	—	—	—	—	—	—	—	
primary but below secondary	12.17	54.00	46.00	—	—	—	—	—	—	—	—	100.00	28	
secondary & above	34.74	23.84	46.35	—	—	—	—	—	29.76	—	—	100.00	21	
n.r.	100.00	100.00	—	—	—	—	—	—	—	—	—	100.00	4	
all	13.78	59.59	20.46	—	3.58	—	2.14	8.27	5.96	—	—	100.00	173	

TABLE (5.8 R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRAGTILE GROUP/ADULT FEMALE EDUCATION CLASS.

KARNATAKA

RURAL

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	chari- table insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5	18.34	42.03	—	—	14.47	15.91	—	—	—	—	—	57.97	100.00	75
5-10	30.85	22.16	—	—	—	—	—	—	33.96	—	—	13.51	100.00	148
10-20	27.29	8.43	27.88	—	—	—	—	25.44	38.26	—	—	—	100.00	255
20-30	46.47	12.47	—	—	22.87	—	—	3.91	51.20	—	—	9.55	100.00	476
30-40	34.17	7.85	22.97	—	8.44	—	—	—	60.74	—	—	—	100.00	225
40-50	31.54	21.66	21.58	—	—	11.33	—	—	45.44	—	—	—	100.00	210
50-60	43.13	—	—	—	29.68	—	—	8.68	52.05	—	—	9.59	100.00	217
60-70	39.80	47.86	10.45	—	25.40	—	—	—	16.29	—	—	—	100.00	213
70-80	41.74	36.09	18.36	—	23.51	—	—	—	22.04	—	—	—	100.00	266
80-90	39.14	57.70	13.53	—	—	—	—	14.95	13.82	—	—	—	100.00	176
90-95	40.99	—	59.49	—	14.74	—	—	25.78	—	—	—	—	100.00	100
95-100	100.00	53.67	—	—	46.32	—	—	—	—	—	—	—	100.00	98
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	27.67	21.31	9.98	—	8.49	—	—	—	7.54	45.23	—	7.45	100.00	1210
literate but below primary	64.42	34.99	—	—	—	—	—	—	—	55.54	—	9.47	100.00	211
primary but below secondary	56.61	26.48	19.45	—	29.18	3.00	—	—	2.37	19.52	—	—	100.00	786
secondary & above	53.44	9.08	9.69	—	25.95	10.62	—	—	19.89	16.14	—	8.64	100.00	224
n.r.	19.00	—	100.00	—	—	—	—	—	—	—	—	—	100.00	27
all	36.97	22.79	13.11	—	15.88	1.93	—	6.28	34.75	—	—	5.27	100.00	2458

TABLE (5.9 R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

RURAL

KERALA

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
		percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)
fractile group :														
0-5	47.53	12.12	—	13.59	40.96	—	—	—	21.51	11.82	—	—	100.00	154
5-10	76.56	31.15	8.75	—	53.92	—	—	—	6.18	—	—	—	100.00	262
10-20	64.42	57.16	9.63	—	33.16	—	—	—	—	—	—	—	100.00	380
20-30	63.15	41.13	—	—	42.67	—	—	—	—	8.81	—	7.40	100.00	284
30-40	59.75	69.08	—	—	30.92	—	—	—	—	—	—	—	100.00	155
40-50	81.63	24.39	16.14	—	43.94	—	—	—	15.52	—	—	—	100.00	430
50-60	85.92	62.29	—	—	28.83	—	—	—	8.88	—	—	—	100.00	233
60-70	79.41	12.54	16.14	—	60.98	—	—	—	—	15.56	10.35	—	100.00	203
70-80	100.00	33.70	—	—	50.73	—	—	—	—	—	—	—	100.00	102
80-90	81.68	7.16	—	—	58.01	—	—	—	25.49	—	—	9.33	100.00	240
90-95	100.00	29.47	—	—	70.51	—	—	—	—	—	—	—	100.00	59
95-100	100.00	64.94	—	—	35.06	—	—	—	—	—	—	—	100.00	81
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	30.29	54.29	—	—	20.78	—	—	—	—	—	—	—	100.00	84
literate but below primary	38.93	39.39	—	—	39.17	—	—	—	21.43	—	—	—	100.00	99
primary but below secondary	78.74	39.10	7.15	—	39.18	—	—	—	9.78	2.39	—	2.40	100.00	1807
secondary & above	80.42	23.47	5.89	—	67.78	—	—	—	—	2.86	—	—	100.00	555
n.r.	100.00	45.12	—	—	—	—	—	—	—	—	54.91	—	100.00	38
all	72.68	36.33	6.27	0.81	44.15	—	—	—	7.66	2.29	0.81	0.81	100.00	2583

TABLE (5.10 R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

MADHYA PRADESH
RURAL

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	chari- table insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-10	3.70	—	—	—	—	—	—	—	71.46	28.54	—	—	100.00	33
10-20	4.07	—	—	—	—	—	—	—	100.00	—	—	—	100.00	56
20-30	12.05	—	30.53	—	11.09	—	—	27.96	30.42	—	—	—	100.00	145
30-40	6.13	—	—	—	—	—	—	—	39.79	—	60.21	—	100.00	87
40-50	10.84	31.70	—	—	—	—	—	21.65	46.65	—	—	—	100.00	141
50-60	16.32	59.25	—	—	—	—	—	—	40.75	—	—	—	100.00	117
60-70	13.13	42.94	—	—	—	22.68	—	—	34.39	—	—	—	100.00	115
70-80	2.37	—	100.00	—	—	—	—	—	—	—	—	—	100.00	14
80-90	10.00	100.00	—	—	—	—	—	—	—	—	—	—	100.00	52
90-95	15.25	—	—	—	—	—	—	44.73	55.24	—	—	—	100.00	39
95-100	17.63	—	—	—	—	—	—	49.24	—	—	50.76	—	100.00	33
...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	6.45	17.08	7.97	—	—	2.89	4.67	7.30	45.84	1.72	12.52	—	100.00	556
literate but below primary	12.34	41.22	—	—	—	—	—	17.55	41.23	—	—	—	100.00	100
primary but below secondary	19.18	38.66	8.54	—	—	—	—	29.55	23.24	—	—	—	100.00	139
secondary & above	13.20	100.00	—	—	—	—	—	—	—	—	—	—	100.00	18
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
all	7.98	5.85	6.96	—	1.93	3.12	—	12.63	40.00	1.15	8.36	100.00	—	833

TABLE (5.11R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

MAHARASHTRA

RURAL

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)
fractile group :														
0-5	21.52	12.80	36.67	21.40	15.82	4.08	5.67	12.56	29.12	100.00	171		100.00	171
5-10	30.85	9.16	9.24	15.82	18.31	4.08	5.67	12.56	41.08	100.00	236	12.14	100.00	236
10-20	18.31	43.25	7.41	4.08	39.15	4.08	5.67	3.52	49.34	100.00	198		100.00	198
20-30	39.15	8.26	15.43	12.73	32.68	4.08	5.67	5.71	58.95	100.00	496		100.00	496
30-40	32.68	31.65	—	44.05	27.39	4.08	5.67	14.99	49.91	100.00	377		100.00	377
40-50	27.39	—	—	37.78	44.46	4.08	5.67	26.43	40.96	100.00	261		100.00	261
50-60	44.46	6.83	4.10	37.83	43.08	4.08	5.67	—	24.85	100.00	420		100.00	420
60-70	43.08	18.59	16.29	53.33	42.84	4.08	5.67	—	27.29	100.00	277		100.00	277
70-80	42.84	12.17	22.27	18.28	31.08	4.08	5.67	—	12.23	100.00	211		100.00	211
80-90	31.08	7.62	—	47.55	76.31	4.08	5.67	10.62	63.48	100.00	228		100.00	228
90-95	76.31	21.93	24.97	—	—	4.08	5.67	5.55	—	100.00	314		100.00	314
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	22.87	16.12	14.04	13.77	—	—	—	—	7.43	48.64	—	—	100.00	1132
literate but below primary	38.46	—	20.57	37.83	—	—	—	—	15.61	26.00	—	—	100.00	217
primary but below secondary	45.71	20.46	6.76	29.73	—	—	2.05	—	4.72	36.28	—	—	100.00	1373
secondary & above	66.98	5.18	18.93	40.35	—	—	—	—	21.94	13.60	—	—	100.00	353
n.r.	45.78	—	—	30.88	17.78	—	—	—	—	26.24	—	25.11	100.00	114
all	34.31	15.10	11.39	25.83	0.63	0.88	0.88	—	8.16	37.10	—	0.90	100.00	3189

TABLE (5.12 R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

RURAL

ORISSA

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	public health centre	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	es'd. mother regd. (00)
fractile group :														
0-5	7.25	—	—	—	—	—	—	—	—	100.00	—	—	100.00	29
5-10	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10-20	4.16	100.00	—	—	—	—	—	—	—	—	—	—	100.00	22
20-30	3.21	100.00	—	—	—	—	—	—	—	—	—	—	100.00	21
30-40	8.13	48.27	—	51.73	—	—	—	—	—	—	—	—	100.00	40
40-50	11.82	65.09	—	—	—	—	—	—	—	34.92	—	—	100.00	70
50-60	9.95	52.42	—	—	—	—	—	—	—	47.58	—	—	100.00	51
60-70	10.70	—	—	—	—	—	—	—	—	40.61	—	59.41	100.00	46
70-80	13.89	100.00	—	—	—	—	—	—	—	—	—	—	100.00	55
80-90	8.78	—	—	—	—	—	—	—	—	100.00	—	—	100.00	26
90-95	11.74	100.00	—	—	—	—	—	—	—	—	—	—	100.00	26
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	7.30	43.10	—	—	8.33	—	—	—	—	48.57	—	—	100.00	252
literate but below primary	12.63	100.00	—	—	—	—	—	—	—	—	—	—	100.00	67
primary but below secondary	8.09	59.38	—	—	—	—	—	—	—	—	—	40.64	100.00	67
secondary & above	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
all	7.93	55.82	—	—	5.43	—	—	—	—	31.67	—	7.08	100.00	386

TABLE (5.13 R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

PUNJAB

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	chari- table Insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. regd. mother (00)	
fractile group :														
0-5	21.57	—	—	39.53	—	—	—	—	60.47	—	—	—	100.00	74
5-10	30.00	17.48	—	—	21.95	—	—	22.22	38.34	—	—	—	100.00	89
10-20	14.12	39.52	36.43	—	—	—	—	—	24.05	—	—	—	100.00	63
20-30	13.44	38.95	—	—	—	—	—	—	61.02	—	—	—	100.00	36
30-40	24.20	61.12	—	—	—	—	—	—	19.83	—	19.06	—	100.00	72
40-50	44.78	65.98	—	—	—	34.02	—	—	—	—	—	—	100.00	53
50-60	11.25	—	—	—	36.56	—	63.44	—	—	—	—	—	100.00	38
60-70	29.40	56.42	—	—	—	—	—	21.14	22.45	—	—	—	100.00	74
70-80	34.59	24.21	—	—	36.30	—	—	15.16	—	—	—	—	100.00	77
80-90	41.51	37.80	—	—	22.38	—	14.93	—	24.89	—	24.33	—	100.00	73
90-95	18.07	—	—	—	100.00	—	—	—	—	—	—	—	100.00	20
95-100	43.88	—	—	—	100.00	—	—	—	—	—	—	—	100.00	27
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	11.93	18.03	11.90	15.07	10.13	—	5.58	10.18	21.97	—	—	7.15	100.00	194
literate but below primary	54.94	—	—	—	37.50	—	—	29.91	32.59	—	—	—	100.00	52
primary but below secondary	26.09	30.90	—	—	16.67	10.78	—	—	41.65	—	—	—	100.00	168
secondary & above	50.88	47.86	—	—	20.19	—	8.54	4.14	12.63	—	—	6.64	100.00	282
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
all	23.72	31.87	3.32	4.21	17.83	2.60	5.02	6.76	23.72	—	4.69	—	100.00	696

TABLE (5.14 R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

RURAL

RAJASTHAN

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV/	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5	9.15	—	—	—	—	—	—	—	—	—	100.00	100.00	33	
5-10	—	—	—	—	—	—	—	—	—	—	—	100.00	—	
10-20	2.12	—	—	—	—	—	—	—	100.00	—	—	100.00	24	
20-30	4.88	60.89	—	—	—	—	—	—	—	39.13	—	100.00	52	
30-40	6.30	—	—	—	—	—	—	—	—	—	100.00	100.00	33	
40-50	—	—	—	—	—	—	—	—	—	—	—	—	—	
50-60	11.37	25.11	21.46	—	—	—	—	—	30.95	—	22.48	100.00	93	
60-70	3.36	—	—	—	—	—	—	—	100.00	—	—	100.00	23	
70-80	6.00	100.00	—	—	—	—	—	—	—	—	—	100.00	35	
80-90	13.80	33.82	—	—	33.50	—	—	—	32.68	—	—	100.00	75	
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—	
95-100	35.04	67.87	32.13	—	—	—	—	—	—	—	—	100.00	107	
D.T.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :														
illiterate	4.70	42.96	6.20	—	—	7.84	—	—	22.53	—	20.47	100.00	321	
literate but below primary	11.71	—	—	—	—	—	—	—	—	100.00	—	100.00	20	
primary but below secondary	9.89	—	40.96	—	—	—	—	—	34.20	—	24.84	100.00	84	
secondary & above	48.66	100.00	—	—	—	—	—	—	—	—	—	100.00	50	
D.T.	—	—	—	—	—	—	—	—	—	—	—	—	—	
all	5.98	39.59	11.41	—	—	5.29	—	—	21.22	4.30	18.18	100.00	475	

TABLE (5.15 R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

TAMILNADU

RURAL

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	chari- table insti- tution	private doctor	auxiliary nurse/ LHV/	others	n.r.	all	esid. mother regd. (00)	
fractile group :														
0-5	53.75	20.79	11.14	-	8.28	-	-	18.35	41.44	-	-	100.00	277	
5-10	82.44	27.04	6.29	-	19.99	-	-	9.78	36.89	-	-	100.00	467	
10-20	63.69	24.58	10.89	-	23.44	-	-	-	36.92	-	4.17	100.00	596	
20-30	75.91	31.24	6.82	-	28.97	-	-	11.31	21.67	-	-	100.00	556	
30-40	59.59	35.01	12.58	-	4.02	-	-	26.18	22.20	-	-	100.00	607	
40-50	68.60	34.24	5.71	-	23.58	-	-	14.67	21.80	-	-	100.00	442	
50-60	70.17	35.09	16.87	-	28.83	-	-	5.56	13.64	-	-	100.00	408	
60-70	69.70	21.91	7.29	-	43.88	-	-	10.57	-	-	16.35	100.00	306	
70-80	71.09	29.15	13.27	-	41.45	-	-	11.94	4.19	-	-	100.00	432	
80-90	70.77	12.19	-	-	24.30	19.65	-	28.37	15.48	-	-	100.00	343	
90-95	74.84	70.09	-	-	29.91	-	-	-	-	-	-	100.00	87	
95-100	100.00	-	-	-	100.00	-	-	-	-	-	-	100.00	90	
n.r.	-	-	-	-	-	-	-	-	-	-	-	-	-	
adult female education class :														
illiterate	63.54	34.23	13.01	-	12.05	-	-	6.74	31.78	-	2.18	100.00	2297	
literate but below primary	52.53	24.75	-	-	35.18	-	-	18.08	21.99	-	-	100.00	414	
primary but below secondary	82.55	22.38	7.10	-	34.62	1.93	-	22.21	10.21	-	1.54	100.00	1609	
secondary & above	76.73	19.86	-	-	67.71	12.44	-	-	-	-	-	100.00	291	
n.r.	-	-	-	-	-	-	-	-	-	-	-	-	-	
all	68.50	28.34	8.96	-	25.52	1.46	-	12.73	21.37	-	1.63	100.00	4611	

TABLE (5.16 R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

RURAL

TRIPURA

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5	23.17	100.00										100.00	5	
5-10														
10-20														
20-30	15.56				100.00							100.00	4	
30-40	16.07	100.00										100.00	4	
40-50	25.40	100.00										100.00	5	
50-60	22.45	100.00										100.00	4	
60-70														
70-80	38.58		100.00									100.00	4	
80-90														
90-95														
95-100														
n.r.														
adult female education class :														
illiterate	13.27	47.94			52.19								100.00	8
literate but below primary	24.69	100.00											100.00	4
primary but below secondary	19.73	69.86	30.14											
secondary & above														
n.r.														
all	16.95	68.60	15.84		15.56								100.00	26

TABLE (5.17 R) : PERCENTAGE OF MOTHER REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

UTTAR PRADESH

RURAL

classification	percent- age regd.		type of institution/personnel registered with										estd. mother regd. (00)
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
		public hospital	primary health centre	public dispensary	private hospital	nursing home	charitable institution	private doctor	auxiliary nurse/LHV	others	n.r.	all	
fractile group :													
0-5	1.64	—	—	—	—	—	—	—	100.00	—	—	100.00	27
5-10	10.50	13.73	—	—	24.99	—	—	17.39	—	28.30	15.59	100.00	193
10-20	1.85	55.75	—	—	—	—	—	—	44.25	—	—	100.00	64
20-30	5.49	—	13.76	—	—	—	—	12.86	31.34	—	42.05	100.00	222
30-40	5.59	10.61	38.87	—	—	—	—	61.02	—	13.72	36.80	100.00	192
40-50	2.61	—	38.98	—	—	—	—	—	—	—	—	100.00	52
50-60	7.07	23.18	9.77	—	—	—	—	14.28	36.01	31.03	—	100.00	196
60-70	7.89	26.16	—	—	14.04	—	—	—	—	40.52	—	100.00	173
70-80	13.87	8.29	—	—	—	10.09	—	23.66	29.37	28.60	—	100.00	287
80-90	16.46	59.91	—	—	13.05	6.84	—	—	20.20	—	—	100.00	228
90-95	20.89	100.00	—	—	—	—	—	—	—	—	—	100.00	45
95-100	10.34	—	100.00	—	—	—	—	—	—	—	—	100.00	18
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class													
illiterate	4.79	5.77	17.00	—	2.54	—	—	12.40	20.53	28.83	12.93	100.00	954
literate but below primary	17.45	46.63	—	—	—	—	—	20.24	15.37	—	17.77	100.0	227
primary but below secondary	10.04	51.98	—	—	15.84	—	—	7.20	15.09	—	9.88	100.00	305
secondary & above	22.93	28.14	—	—	14.13	21.19	—	—	23.49	13.06	—	100.00	210
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
all	6.70	22.33	9.56	—	6.03	2.63	—	10.98	19.23	17.83	11.43	100.00	1696

TABLE (5.18 R) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	esid. mother regd. (00)	
fractile group :														
5	6.92	—	100.00	—	—	—	—	—	—	—	—	—	100.00	2
5-10	22.05	35.60	24.27	—	—	—	—	15.94	24.19	—	—	—	100.00	139
10-20	14.73	47.49	17.13	—	—	—	—	15.10	20.29	—	—	—	100.00	154
20-30	25.03	15.48	54.39	—	—	—	—	10.26	19.86	—	—	—	100.00	349
30-40	33.64	12.93	40.16	—	12.12	—	—	22.03	34.78	—	—	—	100.00	322
40-50	33.04	30.82	27.88	—	—	—	—	—	8.27	10.98	—	—	100.00	336
50-60	12.64	40.87	138.25	—	—	20.87	—	—	—	—	—	—	100.00	113
60-70	21.95	28.39	—	—	—	—	—	15.32	40.03	16.26	—	—	100.00	192
70-80	42.43	36.16	28.57	—	—	—	—	10.51	24.76	—	—	—	100.00	297
80-90	38.82	40.05	9.43	—	9.48	—	—	20.72	9.63	—	10.68	—	100.00	246
90-95	37.20	100.00	—	—	—	—	—	—	—	—	—	—	100.00	36
95-100	83.83	—	—	—	—	—	—	100.00	—	—	—	—	100.00	88
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	22.36	19.11	29.26	—	—	—	—	13.61	30.01	5.10	—	—	100.00	1337
literate but below primary	20.70	45.95	—	—	—	—	—	54.05	—	—	—	—	100.00	197
primary but below secondary	31.95	39.90	40.75	—	4.01	—	—	11.35	3.99	—	—	—	100.00	579
secondary & above	58.59	41.51	23.41	—	—	11.26	—	—	11.29	—	12.53	—	100.00	209
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
all	25.52	28.59	29.12	—	2.68	1.01	—	15.25	19.28	2.93	1.13	—	100.00	2324

TABLE 5.0 (U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRAGILE GROUP/ADULT FEMALE EDUCATION CLASS.

ALL INDIA

URBAN

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	chari- table insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
fragile group														
0-5	.	44.91	47.85	8.43	0.69	17.91	0.46	2.57	11.50	8.54	—	2.05	100.00	1402
5-10	.	33.17	71.45	3.20	—	11.96	2.70	—	1.60	9.10	—	—	100.00	1013
10-20	.	35.43	51.68	0.88	0.71	19.09	2.69	1.66	16.40	6.89	—	—	100.00	1919
20-30	.	33.22	66.92	8.23	1.21	8.43	3.76	1.98	2.87	3.96	—	2.63	100.00	1396
30-40	.	41.88	58.98	4.99	—	17.75	4.42	0.26	8.30	3.43	—	—	100.00	1943
40-50	.	50.41	54.74	1.55	0.30	25.22	6.39	0.59	5.04	1.43	—	2.82	100.00	1460
50-60	.	59.21	38.23	3.30	2.13	37.59	5.11	0.89	5.88	3.34	—	2.83	100.00	2188
60-70	.	52.85	48.42	1.52	1.54	24.00	7.40	—	10.01	7.11	—	—	100.00	1066
70-80	.	68.01	49.65	3.52	—	16.62	19.45	1.70	2.89	0.50	—	1.83	100.00	1587
80-90	.	80.08	27.14	5.55	—	43.56	14.23	1.50	7.49	—	—	0.53	100.00	1217
90-95	.	88.11	32.70	1.25	—	22.53	39.99	—	3.19	0.34	—	—	100.00	331
95-100	.	100.00	36.65	—	—	36.49	18.15	—	8.72	—	—	—	100.00	219
n.r.	.	12.41	39.68	—	—	—	60.32	—	—	—	—	—	100.00	22
adult female education class :														
illiterate	.	28.06	56.98	4.75	0.24	15.79	3.55	0.95	8.47	7.63	0.27	1.34	100.00	4007
literate but below primary	.	43.65	00.12	8.83	1.44	19.76	1.01	1.54	5.25	2.06	—	—	100.00	944
primary but below secondary	.	56.88	50.48	2.66	1.10	24.16	5.53	1.09	9.19	4.27	0.17	0.77	100.00	5728
secondary and above	.	71.82	42.71	3.90	0.43	28.01	13.18	1.20	5.48	1.52	0.14	2.17	100.00	4920
n.r.	.	60.87	55.21	—	—	9.18	35.61	—	—	—	—	—	100.00	164
all	.	46.83	50.33	3.92	0.68	22.81	7.45	1.10	7.52	4.09	0.79	1.29	100.00	15763

TABLE 5.1 (U) : PERCENTAGE OF MOTHER REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACILE GROUP/ADULT FEMALE EDUCATION CLASS

URBAN

ANDHRA PRADESH

classification	percent- age regd.	type of institution/personnel registered with										estd. mother regd. (00)	
		(3)	(4)	(6)	(6)	(7)	(8)	(9)	(10)	(11)	(12)		(13)
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	chari- table insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	
fractile group :													
0-5	57.41	31.94	—	—	—	—	8.99	31.56	25.12	—	2.40	100.00	196
5-10	49.21	64.96	—	—	23.28	—	—	—	11.76	—	—	100.00	155
10-20	37.58	73.02	—	—	16.90	—	10.08	—	—	—	—	100.00	143
20-30	43.37	3.00	—	—	33.74	—	—	62.46	—	—	—	100.00	90
30-40	59.82	60.08	—	—	39.91	—	—	10.46	—	—	—	100.00	140
40-50	48.43	24.18	8.94	—	56.43	—	—	—	—	—	—	100.00	126
50-60	81.90	63.10	—	—	16.26	20.62	—	—	—	—	—	100.00	120
60-70	68.30	15.20	—	9.16	75.64	—	—	—	—	—	—	100.00	179
70-80	44.29	27.37	—	—	72.63	—	—	—	—	—	—	100.00	7
80-90	86.87	6.28	—	—	67.50	—	—	26.22	—	—	—	100.00	121
90-95	100.00	60.87	—	—	39.13	—	—	—	—	—	—	100.00	53
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class													
illiterate	50.02	51.22	—	—	16.32	4.25	3.02	17.23	7.15	—	0.80	100.00	584
literate but below primary	63.63	31.94	10.97	—	57.10	—	—	—	—	—	—	100.00	102
primary but below secondary	57.29	32.46	—	3.79	45.11	—	—	12.71	5.93	—	—	100.00	433
secondary and above	64.14	21.75	—	—	69.75	—	5.60	2.90	—	—	—	100.00	257
n.r.	100.00	100.00	—	—	—	—	—	—	—	—	—	100.00	21
all	55.76	39.28	0.00	1.17	37.83	1.78	2.29	11.68	4.83	—	0.34	100.00	1397

TABLE 5.2 (U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	primary dispen- sary	public hospital	primary nursing home	chari- table insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5	55.03	100.00	—	—	—	—	—	—	—	—	—	—	100.00	500
5-10	55.64	100.00	—	—	—	—	—	—	—	—	—	—	100.00	987
10-20	83.41	79.67	—	—	—	20.33	—	—	—	—	—	—	100.00	287
20-30	15.44	—	—	—	—	100.00	—	—	—	—	—	—	100.00	413
30-40	100.00	—	—	—	—	—	—	—	100.00	—	—	—	100.00	52
40-50	100.00	—	—	—	—	—	—	—	—	—	—	—	100.00	603
50-60	51.14	—	—	—	—	100.00	—	—	—	—	—	—	100.00	62
60-70	65.41	18.43	—	—	—	81.57	—	—	—	—	—	—	100.00	13
70-80	100.00	—	—	—	—	—	—	—	—	—	100.00	—	100.00	6
80-90	—	—	—	—	—	—	—	—	—	—	—	—	—	—
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	29.20	100.00	—	—	—	—	—	—	—	—	—	—	100.00	15
literate but below primary	—	—	—	—	—	—	—	—	—	—	—	—	—	—
primary but below secondary	76.69	19.17	—	—	—	80.75	—	—	—	—	—	—	100.00	12
secondary and above	94.29	39.45	—	—	—	39.74	—	9.28	—	—	11.55	—	100.00	56
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
all	60.44	47.17	—	—	—	38.82	—	6.24	—	—	7.77	—	100.00	83

ASSAM

URBAN

TABLE 5.3 (U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRAGILE GROUP/ADULT FEMALE EDUCATION CLASS URBAN

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	primary hospital	nursing home	chari- table insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
fragile group :														
0-5	19.97	—	—	—	—	100.00	—	100.00	—	—	—	—	100.00	37
5-10	12.94	—	—	—	—	—	—	79.03	20.97	—	—	—	100.00	9
10-20	14.92	—	—	—	—	—	—	22.31	77.69	—	—	—	100.00	47
20-30	12.75	—	—	—	—	—	—	—	—	—	—	—	100.00	43
30-40	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40-50	—	—	—	—	—	—	10.49	28.59	—	—	—	—	100.00	102
50-60	35.14	—	—	—	60.92	—	—	23.67	—	—	—	—	100.00	34
60-70	31.14	9.75	—	—	12.13	54.42	—	100.00	—	—	—	—	100.00	13
70-80	100.00	—	—	—	84.96	—	—	—	15.07	—	—	—	100.00	36
80-90	59.23	—	—	—	100.00	—	—	—	—	—	—	—	100.00	11
90-95	28.30	—	—	—	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	12.91	—	—	—	41.03	7.58	—	31.16	20.24	—	—	—	100.00	119
literate but below primary	15.31	—	—	—	44.87	—	—	55.13	—	—	—	—	100.00	24
primary but below secondary	36.27	2.34	—	—	18.92	13.05	—	52.40	13.28	—	—	—	100.00	142
secondary and above	27.05	—	—	—	45.40	—	22.83	20.23	11.55	—	—	—	100.00	47
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
all	19.38	1.00	—	—	32.49	8.29	3.23	40.44	14.55	—	—	—	100.00	332

TABLE 5.4 (U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACILE GROUP/ADULT FEMALE EDUCATION CLASS.

classification	GUJARAT													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	chari- table insti- tution	private doctor	auxiliary nurse/ LHV	others	n.f.	all	estd. mother regd. (00)	
fractile group :														
0-5	100.00	—	100.00	—	—	—	—	—	—	—	—	—	100.00	75
5-10	32.60	20.62	10.72	—	—	—	—	63.36	5.30	—	—	—	100.00	78
10-20	48.97	58.28	—	—	19.68	—	—	5.92	16.13	—	—	—	100.00	167
20-30	35.68	48.74	—	—	—	11.34	7.74	32.18	—	—	—	—	100.00	91
30-40	61.00	15.25	8.28	—	33.12	16.89	9.15	—	17.30	—	—	—	100.00	94
40-50	42.06	66.82	—	—	—	33.13	—	—	—	—	—	—	100.00	20
50-60	58.66	20.56	18.25	—	10.05	—	—	5.03	—	—	46.11	—	100.00	134
60-70	66.50	39.23	—	—	26.52	84.25	—	—	—	—	—	—	100.00	89
70-80	89.36	20.85	19.74	—	40.13	19.28	—	—	—	—	—	—	100.00	118
80-90	42.90	100.00	—	—	—	—	—	—	—	—	—	—	100.00	17
90-95	100.00	—	—	—	33.01	44.62	8.69	13.68	—	—	—	—	100.00	77
95-100	100.00	—	—	—	100.00	—	—	—	—	—	—	—	100.00	11
n.f.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	35.70	43.97	14.33	—	16.24	—	—	17.98	7.47	—	—	—	100.00	163
literate but below primary	43.86	—	46.54	—	53.46	—	—	—	—	—	—	—	100.00	53
primary but below secondary	56.56	34.69	18.43	—	9.42	13.11	4.98	12.47	6.90	—	—	—	100.00	448
secondary and above	85.28	21.46	2.85	—	24.87	21.18	—	6.99	1.41	—	21.22	—	100.00	292
n.f.	68.79	—	—	—	100.00	—	—	—	—	—	—	—	100.00	15
all	56.01	29.85	14.30	—	19.01	12.42	2.30	10.88	4.86	—	6.38	—	100.00	970

URBAN

TABLE 5-5(U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRAGTILE GROUP/ADULT FEMALE EDUCATION CLASS

HARYANA

URBAN

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dis- pensary	private hospital	nursing home	chari- table institution	private doctor	auxiliary nurse/ LHV	o.th.cts	n.r.	all	esti- mated regd. (00)	
fragtile group														
0-5	—	—	—	—	—	—	—	—	—	—	—	—	100.00	—
5-10	—	54.24	55.81	—	—	—	—	44.19	—	—	—	100.00	100.00	32
10-20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20-30	—	27.84	76.05	—	—	—	—	23.95	—	—	—	100.00	100.00	52
30-40	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40-50	—	3.75	—	—	—	—	—	—	—	—	—	—	—	—
50-60	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60-70	—	100.00	100.00	—	—	—	—	—	—	—	—	—	—	7
70-80	—	189.30	60.32	—	—	—	—	—	—	—	—	—	—	—
80-90	—	—	—	—	—	—	—	—	—	39.68	—	—	—	28
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—	86
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class														
illiterate	—	—	—	—	—	—	—	—	—	—	—	—	—	—
literate but below primary	—	41.79	100.00	—	—	—	—	—	—	—	—	—	—	—
primary but below secondary	—	32.91	68.33	—	—	—	—	31.67	—	—	—	—	100.00	18
secondary and above	—	33.67	60.46	—	—	—	—	6.46	—	—	—	—	100.00	84
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	100.00	140
all	—	20.50	67.11	—	—	—	—	16.17	—	—	—	—	100.00	205

TABLE 5.6 (U): PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

HIMACHAL PRADESH

URBAN

classification	type of institution/personnel registered with													
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charitable institution	private doctor	auxiliary nurse/LHV	others	n.r.	all	estd. mother regd. (00)	
fractile group														
0-5	67.50	100.00	—	—	—	—	—	—	—	—	—	100.00	15	
5-10	100.00	—	—	100.00	—	—	—	—	—	—	—	100.00	11	
10-20	—	—	—	—	—	—	—	—	—	—	—	—	—	
20-30	7.00	100.00	—	—	—	—	—	—	—	—	—	100.00	—	
30-40	—	—	—	—	—	—	—	—	—	—	—	—	—	
40-50	—	—	—	—	—	—	—	—	—	—	—	—	—	
50-60	100.00	100.00	—	—	—	—	—	—	—	—	—	100.00	2	
60-70	—	—	—	—	—	—	—	—	—	—	—	—	—	
70-80	—	—	—	—	—	—	—	—	—	—	—	—	—	
80-90	—	—	—	—	—	—	—	—	—	—	—	—	—	
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class														
illiterate	—	—	—	—	—	—	—	—	—	—	—	—	—	
literate but below primary	25.57	100.00	—	—	—	—	—	—	—	—	—	100.00	3	
primary but below secondary	—	—	—	—	—	—	—	—	—	—	—	—	—	
secondary and above	85.84	55.87	—	44.13	—	—	—	—	—	—	—	100.00	25	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
all	68.31	60.67	—	39.33	—	—	—	—	—	—	—	100.00	28	

Source: Sarvekshana, Himachal Pradesh, 1989-90.

Percentage of mothers registered for prenatal care and their percentage distribution over types of medical institution/personnel registered with by fractile group/adult female education class.

Percentage of mothers registered for prenatal care and their percentage distribution over types of medical institution/personnel registered with by fractile group/adult female education class.

TABLE (5.7(U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACILE GROUP/ADULT FEMALE EDUCATION CLASS.

classification	type of institution/personnel registered with														estd. mother regd. (00)
	percent- age regd.	public hospital	primary health centre	public dispensary	private hospital	nursing home	charitable institution	private doctor	auxiliary nurse/LHV	others	n.r.	all	(13)	(14)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)		
fractile group															
0-5	26.31	100.00	—	—	—	—	—	—	—	—	—	100.00	5		
5-10	10.73	—	100.00	—	—	—	—	—	—	—	—	100.00	1		
10-20	19.60	87.52	—	—	—	—	—	12.48	—	—	—	100.00	11		
20-30	16.69	100.00	—	—	—	—	—	—	—	—	—	100.00	9		
30-40	69.61	73.22	—	—	—	—	—	12.59	—	14.21	—	100.00	10		
40-50	39.50	—	—	—	—	—	—	100.00	—	—	—	100.00	3		
50-60	23.86	100.00	—	—	—	—	—	—	—	—	—	100.00	5		
60-70	59.56	37.68	—	—	—	—	—	62.28	—	—	—	100.00	21		
70-80	100.00	100.00	—	—	—	—	—	40.33	—	—	—	100.10	4		
80-90	100.00	59.67	—	—	—	—	—	—	—	—	—	100.00	3		
90-100	100.00	100.00	—	—	—	—	—	—	—	—	—	100.00	3		
n.r.	60.67	100.00	—	—	—	—	—	—	—	—	—	100.00	4		
adult females education class :															
illiterate	36.33	65.78	—	—	—	—	—	31.47	—	2.77	—	100.00	51		
literate but below primary	—	—	—	—	—	—	—	—	—	—	—	—	—		
primary but below secondary	15.09	100.00	—	—	—	—	—	—	—	—	—	100.00	9		
secondary and above	55.16	74.31	4.65	—	—	—	—	21.04	—	—	—	100.00	19		
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	8		
all	33.57	71.83	1.12	—	—	—	—	25.28	—	1.78	—	100.00	79		

JAMMU & KASHMIR

URBAN

TABLE 5.8 (U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

KARNATAKA

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	chari- table insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5	33.07	65.65	—	—	24.27	—	—	10.10	—	—	—	100.00	81	
5-10	52.90	45.58	—	—	16.34	14.83	—	—	39.59	—	—	100.00	124	
10-20	63.16	64.14	—	—	—	—	4.25	5.80	9.47	—	—	100.00	274	
20-30	62.03	82.44	17.57	—	—	—	—	—	—	—	—	100.00	195	
30-40	66.70	71.77	15.07	—	—	10.99	—	2.16	—	—	—	100.00	198	
40-50	79.18	84.10	4.25	—	4.50	2.10	—	5.04	—	—	—	100.00	363	
50-60	43.58	28.04	—	25.28	43.91	—	—	—	—	—	28.04	100.00	54	
60-70	59.35	19.04	—	—	43.56	—	—	12.12	—	—	—	100.00	150	
70-80	78.14	72.33	—	—	—	18.46	3.76	5.45	—	—	—	100.00	230	
80-90	100.00	—	—	—	—	100.00	—	—	—	—	—	100.00	73	
90-95	100.00	54.32	—	—	—	45.68	—	—	—	—	—	100.00	23	
95-100	100.00	—	—	—	40.51	59.49	—	—	—	—	—	100.00	18	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female educations class :														
illiterate	57.79	68.73	4.07	—	12.37	—	—	3.60	9.16	—	2.07	100.00	734	
literate but below primary	68.93	47.58	42.86	—	—	—	—	—	9.57	—	—	100.00	80	
primary but below secondary	70.16	68.59	2.66	6.53	13.19	3.16	2.00	3.87	—	—	—	100.00	580	
secondary and above	66.33	46.89	—	—	3.25	37.13	2.97	9.75	—	—	—	100.00	291	
n.r.	84.92	40.03	—	—	—	59.97	—	—	—	—	—	100.00	98	
all	64.43	62.60	4.47	2.12	9.92	10.36	1.14	4.33	4.20	—	0.85	100.00	1783	

TABLE 5.9(U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

KERALA
URBAN

classification	type of institution/personnel registered with														estd. mother regd. (00)
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
	percent- age regd.	public hospital	primary health centre	public dispensary	private hospital	nursing home	charitable institution	private doctor	auxiliary nurse/LHV	others	n.r.	all			
fractile group :															
0-5	100.00	64.19	-	-	-	24.02	11.81	-	-	-	-	-	100.00	55	
5-10	45.42	64.20	-	-	-	35.80	-	-	-	-	-	-	100.00	64	
10-20	70.53	61.55	-	-	-	38.45	-	-	-	-	-	-	100.00	78	
20-30	48.19	31.86	-	-	-	68.14	-	-	-	-	-	-	100.00	32	
30-40	100.00	39.15	-	-	-	60.82	-	-	-	-	-	-	100.00	32	
40-50	83.19	100.00	-	-	-	-	-	-	-	-	-	-	100.00	25	
50-60	51.37	57.81	-	-	-	42.19	-	-	-	-	-	-	100.00	51	
60-70	56.88	19.90	-	-	-	28.28	-	18.46	-	-	33.35	-	100.00	78	
70-80	77.30	23.31	-	-	-	76.69	-	34.56	-	-	-	-	100.00	30	
80-90	100.00	40.25	25.20	-	-	100.00	-	-	-	-	-	-	100.00	38	
90-95	100.00	-	-	-	-	49.29	-	-	-	-	-	-	100.00	15	
95-100	64.01	50.71	-	-	-	-	-	-	-	-	-	-	100.00	15	
n.r.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
adult female education class :															
illiterate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
literate but below primary	100.00	72.81	-	-	-	27.19	-	-	-	-	-	-	100.00	28	
primary but below secondary	49.41	57.19	-	-	-	31.15	3.24	-	-	-	8.42	-	100.00	199	
secondary and above	80.50	29.47	3.39	-	-	44.26	-	9.68	-	-	3.20	-	100.00	286	
n.r.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
all	65.24	48.18	1.89	-	-	38.23	1.26	5.39	-	-	5.06	-	100.00	513	

TABLE 5 10(U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

MADHYA PRADESH

URBAN

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	Public hospital	primary health centre	public dispen- sary	private hospital	nursing home	chari- table insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5	22.75	75.80	—	—	—	—	—	24.22	—	—	—	—	100.00	44
5-10	11.66	25.70	74.33	—	—	—	—	—	—	—	—	—	100.00	26
10-20	27.88	92.00	—	—	—	—	—	8.01	—	—	—	—	100.00	98
20-30	20.61	55.22	—	—	18.04	12.85	—	13.91	—	—	—	—	100.00	64
30-40	41.06	68.49	10.17	—	—	—	21.35	—	—	—	—	—	100.00	96
40-50	79.56	77.03	3.94	—	17.39	1.64	—	—	—	—	—	—	100.00	248
50-60	48.94	100.00	—	—	—	—	—	—	—	—	—	—	100.00	112
60-70	59.58	87.14	—	—	5.59	7.27	—	—	—	—	—	—	100.00	158
70-80	71.81	89.47	—	—	8.87	1.66	—	—	—	—	—	—	100.00	128
80-90	72.65	59.75	—	—	—	8.63	—	20.60	—	11.03	—	—	100.00	97
90-95	100.00	68.26	—	—	31.74	—	—	—	—	—	—	—	100.00	38
95-100	100.00	100.00	—	—	—	—	—	—	—	—	—	—	100.00	25
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	26.79	66.36	9.68	—	2.21	3.98	8.72	4.51	—	4.55	—	—	100.00	236
literate but below primary	39.09	96.98	—	—	—	3.03	—	—	—	—	—	—	100.00	134
primary but below secondary	39.54	83.40	2.50	—	10.80	3.31	—	—	—	—	—	—	100.00	249
secondary and above	80.96	77.89	1.89	—	10.62	2.45	—	7.14	—	—	—	—	100.00	515
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
all	45.51	78.96	3.42	—	7.65	3.03	1.81	4.18	—	0.95	—	100.00	1134	

11/11/91

RECEIVED: 05-10-1991

TABLE 5. 11(U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

MAHARASHTRA

URBAN

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- regd.	public hospital	primary health centre	public dispensary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV/	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5	37.30	58.85	9.32	—	9.77	—	—	22.07	—	—	—	100.00	137	
5-10	43.36	58.30	—	5.33	26.68	—	2.30	7.38	—	—	—	100.00	255	
0-20	47.67	62.64	—	2.69	28.00	—	—	6.67	—	—	—	100.00	218	
20-30	58.16	39.81	—	—	46.01	—	—	6.58	—	7.59	—	100.00	331	
30-40	70.77	23.67	4.70	1.39	30.35	3.93	—	33.18	—	2.78	—	100.00	316	
40-50	68.13	32.50	—	2.96	48.11	11.68	—	4.74	—	—	—	100.00	294	
50-60	86.09	39.44	9.14	—	38.07	—	—	6.37	—	—	6.97	100.00	418	
60-70	68.06	28.82	8.81	—	33.45	14.38	9.69	4.84	—	—	—	100.00	199	
70-80	83.69	7.53	—	—	54.13	33.80	—	4.54	—	—	—	100.00	261	
80-90	81.62	24.65	—	—	71.50	—	3.85	—	—	—	—	100.00	131	
90-95	100.00	24.74	—	—	40.30	—	—	34.98	—	—	—	100.00	54	
95-100	100.00	—	—	—	100.00	—	—	—	—	—	—	100.00	23	
n.r.	100.00	100.00	—	—	—	—	—	—	—	—	—	100.00	8	
adult female education class :														
illiterate	40.79	50.46	1.75	—	26.48	12.96	—	8.35	—	—	—	100.00	474	
literate but below primary	52.45	39.51	—	35.58	—	—	24.91	—	—	—	—	100.00	38	
primary but below secondary	67.55	39.73	2.06	0.69	36.16	5.07	0.77	12.82	—	2.69	—	100.00	129	
secondary and above	39.54	22.80	5.70	1.19	53.05	4.46	1.26	8.17	—	—	3.38	100.00	861	
n.r.	100.00	100.00	—	—	—	—	—	—	—	—	—	100.00	13	
all	63.06	36.43	3.15	1.23	39.23	6.19	1.14	10.25	—	1.28	1.10	100.00	2645	

TABLE 5.12 (U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

ORISSA

URBAN

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.f.	all	estd. mother regd. (00)	
fractile group :														
0-5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-10	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10-20	4.95	—	—	—	—	—	—	100.00	—	—	—	100.00	3	—
20-30	18.97	100.00	—	—	—	—	—	—	—	—	—	100.00	16	—
30-40	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40-50	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50-60	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60-70	35.35	78.45	—	—	—	—	—	—	21.55	—	—	100.00	48	—
70-80	25.93	—	—	—	—	100.00	—	—	—	—	—	100.00	7	—
80-90	85.36	100.00	—	—	—	—	—	—	—	—	—	100.00	24	—
90-95	100.00	—	100.00	—	—	—	—	—	—	—	—	100.00	4	—
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n.f.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	—	—	—	—	—	—	—	—	—	—	—	—	—	—
literate but below primary	10.11	100.00	—	—	—	—	—	—	—	—	—	100.00	27	—
primary but below secondary	20.95	100.00	—	—	—	—	—	—	—	—	—	100.00	10	—
secondary and above	8.25	100.00	—	—	—	—	—	—	—	—	—	100.00	16	—
n.f.	56.35	49.87	8.55	—	—	13.72	—	6.78	21.08	—	—	100.00	49	—
all	17.16	76.06	4.08	—	—	6.55	—	3.24	10.07	—	—	100.00	102	—

TABLE 5.13(U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

PUNJAB

URBAN

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.all	esid. mother regd. (00)		
fractile group :														
0-5	19.23	80.96							19.10			100.00	17	
5-10	4.52	100.00										100.00	10	
10-20	34.99	36.16						12.01	51.83			100.00	51	
20-30	9.74	100.00										100.00	19	
30-40	19.05	53.06			20.43	16.04		9.02	1.41			100.00	64	
40-50	20.00	32.32			39.03			28.65				100.00	14	
50-60	60.00	15.99	17.78		9.45	4.43			53.57			100.00	97	
60-70														
70-80	30.97	79.40			20.60							100.00	15	
80-90	24.12	100.00										100.00	4	
90-95														
95-100														
n.r.														
adult female education class :														
illiterate	20.99	41.67			11.04				43.78			100.00	118	
literate but below primary	55.80	100.00										100.00	9	
primary but below secondary	20.70	44.92						10.36	44.72			100.00	59	
secondary and above	41.07	44.25	15.47		17.05	13.83		5.48	3.90			100.00	105	
n.r.														
all	25.99	45.07	5.57		10.61	4.98		5.51	28.26			100.00	291	

TABLE 5.14(U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

URBAN

RAJASTHAN

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
		percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)
fractile group :														
0-5		—	—	—	—	—	—	—	—	—	—	—	—	—
5-10		3.53	100.00	—	—	—	—	—	—	—	—	—	100.00	9
10-20		8.31	100.00	—	—	—	—	—	—	—	—	—	100.00	18
20-30		7.86	26.03	73.97	—	—	—	—	—	—	—	—	100.00	18
30-40		6.32	54.59	—	—	—	—	—	—	45.41	—	—	100.00	12
40-50		36.74	100.00	—	—	—	—	—	—	—	—	—	100.00	45
50-60		20.91	100.00	—	—	—	—	—	—	—	—	—	100.00	24
60-70		31.11	100.00	—	—	—	—	—	—	—	—	—	100.00	32
70-80		68.44	100.00	—	—	—	—	—	—	—	—	—	100.00	26
80-90		—	—	—	—	—	—	—	—	—	—	—	—	—
90-95		—	—	—	—	—	—	—	—	—	—	—	—	—
95-100		—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.		—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate		7.11	100.00	—	—	—	—	—	—	—	—	—	100.00	62
literate but below primary		14.70	33.07	66.98	—	—	—	—	—	—	—	—	100.00	20
primary but below secondary		14.21	100.00	—	—	—	—	—	—	8.78	—	—	100.00	39
secondary and above		57.62	91.22	—	—	—	—	—	—	—	—	—	100.00	63
n.r.		—	—	—	—	—	—	—	—	—	—	—	—	—
all		13.13	89.78	7.24	—	—	—	—	—	2.98	—	—	100.00	184

TABLE 5.15(U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

classification	type of institution/personnel registered with													
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
	percenta- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home-	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5	80.44	32.91	—	—	61.10	—	—	—	6.00	—	—	100.00	173	
5-10	93.30	70.33	—	—	10.91	—	—	5.15	13.61	—	—	100.00	419	
10-20	64.63	71.96	2.20	—	15.32	—	—	6.81	3.71	—	—	100.00	390	
20-30	70.75	49.91	—	—	26.76	—	—	10.43	6.01	—	6.89	100.00	393	
30-40	84.64	87.28	—	—	8.53	—	4.18	—	—	—	—	100.00	121	
40-50	79.47	56.96	—	—	31.14	8.40	—	—	—	3.50	—	100.00	83	
50-60	87.06	45.99	—	—	32.86	11.31	—	3.62	6.22	—	—	100.00	336	
60-70	92.46	29.49	—	—	60.68	—	—	—	9.83	—	—	100.00	327	
70-80	61.50	23.22	—	—	57.48	—	—	19.31	—	—	—	100.00	121	
80-90	91.15	28.97	—	—	28.43	36.15	6.45	—	—	—	—	100.00	120	
90-95	100.00	—	—	—	81.09	18.91	—	—	—	—	—	100.00	118	
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	
n.r.	100.00	—	—	—	—	100.00	—	—	—	—	—	100.00	13	
adult female education class :														
illiterate	69.86	64.87	1.20	—	22.73	1.99	—	3.27	5.94	—	—	100.00	717	
literate but below primary	79.44	65.32	—	—	25.66	—	1.59	4.17	3.25	—	—	100.00	317	
primary but below secondary	81.68	44.37	—	—	33.44	4.32	—	6.82	8.18	0.77	2.10	100.00	1291	
secondary and above	94.73	30.94	—	—	52.48	14.94	1.64	—	—	—	—	100.00	471	
n.r.	100.00	100.00	—	—	—	—	—	—	—	—	—	100.00	18	
all	79.92	50.06	0.30	—	32.81	4.99	0.45	4.43	5.63	0.35	0.96	100.00	2814	

TAMILNADU

URBAN

TABLE 5.16 (U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

classification	type of institution/personnel registered with													estd. mother regd. (00)
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all		
TRIPURA														
URBAN														
fractile group :														
0-5	100.00	100.00										100.00	2	
5-10	—	—	—	—	—	—	—	—	—	—	—	—	—	
10-20	100.00	100.00										100.00	2	
20-30	24.08	100.00										100.00	3	
30-40	—	—	—	—	—	—	—	—	—	—	—	—	—	
40-50	100.00	100.00										100.00	1	
50-60	29.40	100.00										100.00	3	
60-70	—	—	—	—	—	—	—	—	—	—	—	—	—	
70-80	—	—	—	—	—	—	—	—	—	—	—	—	—	
80-90	100.00	100.00										100.00	1	
90-95	100.00	100.00										100.00	4	
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :														
illiterate	100.00	100.00										100.00	3	
literate but below primary	42.41	100.00										100.00	3	
primary but below secondary	18.60	100.00										100.00	5	
secondary and above	100.00	100.00										100.00	5	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
all	38.99	100.00										100.00	16	

TABLE 5.17(U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

UTTAR PRADESH URBAN

classification	type of institution/personnel registered with														estd. mother regd. (00)
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
fractile group :															
0-5	.	10.20	—	—	18.52	—	—	35.43	—	—	—	46.03	100.00	52	
5-10	.	11.40	50.59	—	—	49.43	—	—	—	—	—	—	100.00	36	
10-20	.	3.39	—	—	—	—	52.24	—	47.76	—	—	—	100.00	30	
20-30	.	13.03	28.21	34.47	—	—	12.79	—	24.53	—	—	—	100.00	97	
30-40	.	8.37	78.62	—	—	—	8.95	—	—	12.42	—	—	100.00	60	
40-50	.	29.13	69.29	—	—	17.49	—	—	13.22	—	—	—	100.00	200	
50-60	.	15.83	69.83	—	—	15.33	14.84	—	—	—	—	—	100.00	77	
60-70	.	41.47	52.19	—	—	26.54	—	—	—	21.27	—	—	100.00	107	
70-80	.	17.28	57.23	—	—	18.57	—	—	—	24.20	—	—	100.00	55	
80-90	.	73.47	55.43	—	—	44.58	—	—	—	—	—	—	100.00	127	
90-95	.	65.81	—	—	—	82.10	—	—	12.93	—	—	—	100.00	32	
95-100	.	—	—	—	—	—	—	—	—	—	—	—	—	—	
n.r.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :															
illiterate	.	8.35	41.89	—	3.43	23.06	4.40	—	18.67	—	—	8.54	100.00	281	
literate but below primary	.	—	—	—	—	—	—	—	—	—	—	—	—	—	
primary but below secondary	.	27.70	50.14	—	—	16.04	5.99	9.63	6.31	11.88	—	—	100.00	192	
secondary and above	.	48.57	57.33	8.32	—	22.88	5.27	—	1.01	5.19	—	—	100.00	400	
n.r.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	
all	.	16.85	50.79	3.81	1.11	21.44	5.15	2.11	7.86	4.99	—	2.75	100.00	873	

TABLE 5.18 (U) : PERCENTAGE OF MOTHERS REGISTERED FOR PRENATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

WEST BENGAL

URBAN

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother read. (00)	
fractile group :														
0-5	37.13	28.78	71.24	—	—	—	—	—	—	—	—	100.00	61	
5-10	23.60	100.00	—	—	—	—	—	—	—	—	—	100.00	58	
10-20	47.51	66.20	—	—	—	19.89	—	—	13.92	—	—	100.00	180	
20-30	42.73	45.52	23.55	—	—	9.53	—	15.04	—	—	6.36	100.00	152	
30-40	60.22	93.91	—	—	—	—	—	6.09	—	—	—	100.00	80	
40-50	77.69	89.38	—	—	—	10.62	—	—	—	—	—	100.00	163	
50-60	87.53	74.58	—	—	—	25.42	—	—	—	—	—	100.00	114	
60-70	100.00	59.90	—	—	—	10.79	—	29.31	—	—	—	100.00	173	
70-80	74.11	77.65	—	—	—	8.70	—	13.64	—	—	—	100.00	75	
80-90	76.90	19.49	35.41	—	—	34.58	10.53	—	—	—	—	100.00	62	
90-95	100.00	26.97	—	—	—	73.03	—	—	—	—	—	100.00	127	
95-100	100.00	59.81	—	—	—	40.19	—	—	—	—	—	100.00	63	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class														
illiterate	33.65	63.19	25.98	—	—	3.53	—	—	4.12	—	3.18	100.00	304	
literate but below primary	69.11	72.18	—	—	—	5.36	—	22.46	—	—	—	100.00	102	
primary but below secondary	72.12	74.04	—	—	—	16.00	—	6.60	3.37	—	—	100.00	372	
secondary and above	88.94	51.85	4.14	—	—	34.99	1.23	7.80	—	—	—	100.00	530	
n.f.	—	—	—	—	—	—	—	—	—	—	—	—	—	
all	60.47	62.38	7.72	—	—	19.96	0.50	6.78	1.92	—	0.74	100.00	1308	

TABLE 6.0 (R) : PERCENTAGE OF MOTHERS REGISTERED FOR INFANTAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

ALL INDIA RURAL

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispensary	private hospital	nursing home	charitable insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	std. mother regd. (00)	
fractile group :														
0-5	8.73	13.24	9.88	3.10	12.69	2.77	—	5.37	29.87	2.43	20.63	100.00	850	
5-10	11.97	17.62	25.99	—	9.26	—	—	1.78	35.15	—	10.20	100.00	1110	
10-20	12.02	15.86	6.13	—	8.58	—	—	10.41	22.23	1.28	35.51	100.00	2167	
20-30	11.07	22.31	9.75	1.15	12.08	—	—	8.43	28.91	1.90	15.47	100.00	1821	
30-40	14.69	18.67	14.17	2.05	14.04	1.17	—	7.45	23.73	2.29	16.43	100.00	2030	
40-50	9.85	26.08	3.86	—	24.06	—	—	2.35	23.58	—	20.06	100.00	1015	
50-60	12.98	17.44	4.41	1.71	22.08	1.53	1.09	12.56	27.72	2.32	9.13	100.00	1702	
60-70	10.51	33.27	6.97	2.32	17.92	0.04	—	14.41	10.81	1.36	12.90	100.00	1081	
70-80	14.46	25.63	8.76	—	16.23	—	2.88	18.46	9.92	6.25	12.88	100.00	1119	
80-90	18.60	23.59	15.10	—	17.37	4.37	—	13.83	13.56	—	12.18	100.00	1539	
90-95	22.76	12.68	15.62	6.40	38.52	—	—	12.67	7.73	2.89	3.48	100.00	538	
95-100	17.96	17.58	7.46	—	45.16	—	—	12.84	7.93	—	9.03	100.00	312	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :														
illiterate	9.12	16.47	9.93	1.31	8.11	0.33	0.68	8.16	29.54	2.24	23.22	100.00	7769	
literate but below primary	16.78	30.25	11.43	3.33	8.33	—	—	9.11	25.01	0.28	12.26	100.00	1251	
primary but below secondary	20.50	24.13	11.10	0.74	24.55	1.18	—	15.48	13.12	1.00	8.70	100.00	4649	
secondary & above	23.65	21.10	11.32	—	38.52	4.56	—	2.52	10.48	2.89	8.61	100.00	1318	
n.r.	39.00	24.86	6.54	—	37.81	—	—	8.11	—	—	22.67	100.00	374	
all	12.60	20.51	10.44	1.16	16.44	0.92	0.34	9.97	21.85	1.71	16.67	100.00	15361	

TABLE 6.0 (R) : MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

TABLE (6.1 R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

RURAL

ANDHRA PRADESH

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispensary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	mother regd. (00)	
fractile group :														
0-5	20.02	—	12.48	—	16.56	—	—	—	44.67	—	26.28	100.00	273	
5-10	17.41	—	67.27	—	—	—	—	15.61	17.12	—	—	100.00	171	
10-20	7.28	—	—	—	21.40	—	—	—	—	—	78.60	100.00	121	
20-30	18.13	—	11.31	—	27.73	—	—	—	43.26	8.05	9.65	100.00	270	
30-40	20.84	—	—	—	39.48	—	—	11.41	18.98	—	19.64	100.00	270	
40-50	23.11	—	—	—	52.66	—	—	—	17.09	—	30.26	100.00	173	
50-60	19.88	—	—	—	54.02	—	—	9.21	11.39	—	—	100.00	201	
60-70	33.59	—	—	—	45.46	—	—	13.09	15.14	—	26.31	100.00	235	
70-80	28.88	—	17.01	—	23.09	—	16.31	10.86	—	—	12.64	100.00	211	
80-90	44.22	—	20.39	—	20.57	—	—	36.55	—	—	22.48	100.00	126	
95-100	38.72	—	—	—	100.00	—	—	—	—	—	—	100.00	31	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :														
illiterate	17.67	3.39	15.48	—	23.01	—	2.47	5.83	26.04	1.56	22.22	100.00	1393	
literate but below primary	15.28	—	—	—	55.61	—	—	18.24	—	—	26.14	100.00	102	
primary but below secondary	26.09	12.05	7.29	—	44.79	—	—	15.08	5.78	—	15.02	100.00	352	
secondary & above	30.95	31.46	—	—	22.36	—	—	22.35	23.83	—	—	100.00	103	
n.r.	57.93	—	—	—	79.94	—	—	—	—	—	20.06	100.00	132	
all	19.91	5.85	11.59	—	31.89	—	1.65	8.44	19.57	1.04	19.96	100.00	2082	

TABLE (6.2 R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

ASSAM

RURAL

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nursc./ LHV	oth.s	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5														12
5-10	11.67										100.00		100.00	
10-20														
20-30														
30-40														
40-50	7.03							100.00					100.00	10
50-60														
60-70														
70-80	5.38	100.00												
80-90	18.32		100.00										100.00	5
90-95	30.61		100.00										100.00	18
95-100													100.00	18
n.r.														
adult female education class :														
illiterate														
literate but below primary														
primary but below secondary	11.05	9.65	67.09											
secondary & above	16.29							100.00				23.24	100.00	52
n.r.													100.00	10
all	5.44	8.05	56.00					16.53				19.40	100.00	63

TABLE (6.3 R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

classification	type of institution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary doctor LHV	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5	4.46	57.36							26.93		42.64	100.00	46	
5-10	9.93	28.75							17.91		44.34	100.00	97	
10-20	6.22		20.65					31.05			30.39	100.00	142	
20-30	1.18										100.00	100.00	19	
30-40	5.47		49.39		17.44						33.15	100.00	74	
40-50	8.48		23.35						32.09		44.55	100.00	92	
50-60	17.05	13.56						15.11	41.68		29.66	100.00	171	
60-70	16.39			15.11			11.17	28.33			45.38	100.00	166	
70-80												100.00		
80-90	9.32	23.90									76.10	100.00	57	
90-95														
95-100														
n.r.														
adult female education class :														
illiterate	6.94	11.03	3.08	3.58			2.65	16.20	18.94		44.51	100.00	700	
literate but below primary	10.11										100.00	100.00	48	
primary but below secondary	5.05	22.94	49.29		21.49			6.28				100.00	60	
secondary & above	18.34		64.44						35.56			100.00	56	
n.r.														
all	7.12	10.52	10.11	2.90	1.48		2.14	13.55	17.66		41.63	100.00	864	

0106874

REPRODUCTION OF THIS DOCUMENT IS PROHIBITED WITHOUT THE WRITTEN PERMISSION OF THE DIRECTOR, NATIONAL BUREAU OF EXTENSION EDUCATION, NEW DELHI.

TABLE (6.4 R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS :

RURAL

GUJARAT

classification	type of institution/personnel registered with													estd. mother regd. (00)
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
	percent- age regd.	public hospital centre	public hospital dispensary	private hospital	nursing home	charitable institution	private doctor	auxiliary nurse/LHV	others	n.r.	all			
fractile group :														
0-5	12.99	—	49.80	—	—	—	—	50.20	—	—	100.00	—	—	49
5-10	27.60	30.00	—	—	—	—	—	44.32	—	25.70	100.00	—	—	80
10-20	11.53	36.93	31.66	—	—	—	—	31.41	—	—	100.00	—	—	86
20-30	13.87	40.93	—	—	—	—	—	59.06	—	—	100.00	—	—	62
30-40	5.74	—	—	100.00	—	—	—	—	—	—	100.00	—	—	27
40-50	18.34	—	—	20.83	—	—	—	65.08	—	14.09	100.00	—	—	90
50-60	12.53	72.01	27.97	—	—	—	—	—	—	—	100.00	—	—	66
60-70	21.29	29.90	—	—	—	—	—	70.10	—	—	100.00	—	—	88
70-80	34.37	16.74	—	52.46	—	—	10.32	20.49	—	—	100.00	—	—	142
80-90	—	—	—	—	—	—	—	—	—	—	—	—	—	—
90-95	17.73	—	—	—	—	—	—	100.00	—	—	100.00	—	—	21
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	9.69	15.82	18.56	—	—	—	—	58.19	—	7.44	100.00	—	—	277
literate but below primary	—	—	—	—	—	—	—	—	—	—	—	—	—	—
primary but below secondary	26.59	17.00	5.93	38.40	—	—	4.67	34.00	—	—	100.00	—	—	313
secondary & above	21.38	40.42	—	—	—	—	—	40.21	—	19.37	100.00	—	—	65
n.r.	57.07	100.00	—	—	—	—	—	—	—	—	100.00	—	—	56
all	15.70	25.18	9.83	16.93	—	—	2.06	41.32	—	4.67	100.00	—	—	711

TABLE (6.5 R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

RURAL

classification	percent- age regd.	type of institution/personnel registered with										all	estd. mother regd. (00)	
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)			(11)
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.			
fractile group :														
0-5	10.25	—	—	—	—	—	—	—	—	—	—	—	—	—
5-10	7.10	—	—	—	—	—	—	—	—	—	—	—	—	—
10-20	3.04	100.00	—	—	—	—	—	—	100.00	—	—	—	—	—
20-30	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30-40	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40-50	8.47	—	—	—	—	—	100.00	—	—	—	—	—	—	—
50-60	17.92	—	—	—	—	—	52.05	—	—	—	—	—	—	—
60-70	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70-80	38.65	—	—	—	—	—	100.00	—	—	—	—	—	—	—
80-90	—	—	—	—	—	—	—	—	—	—	—	—	—	—
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	4.85	—	—	—	—	—	—	—	—	—	—	—	—	—
literate but below primary	13.13	100.00	—	—	—	—	—	—	—	—	—	—	—	—
primary but below secondary	7.69	—	—	—	—	—	—	—	—	—	—	—	—	—
secondary & above	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
all	5.75	13.56	—	—	—	—	45.08	7.91	—	—	33.45	100.00	203	

TABLE (6.6R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

RURAL

classification	percent- age of regd.	type of institution/personnel registered with										estd. mother regd. (00)	
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.		all
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
fractile group :													
0-5	36.52	100.00	-	-	-	-	-	-	-	-	-	100.00	36
5-10	22.40	-	-	-	-	-	-	-	100.00	-	-	100.00	22
10-20	8.08	-	-	-	-	-	-	-	-	69.99	30.01	100.00	13
20-30	17.53	30.08	-	-	-	-	-	-	69.96	-	-	100.00	24
30-40	8.87	100.00	-	-	-	-	-	-	-	-	-	100.00	8
40-50	31.17	40.26	-	-	-	-	-	-	34.02	25.73	-	100.00	37
50-60	10.95	100.00	-	-	-	-	-	-	-	-	-	100.00	11
60-70	40.97	41.13	-	-	-	-	-	-	58.82	-	-	100.00	22
70-80	31.79	47.19	-	-	-	-	-	-	-	-	52.81	100.00	24
80-90	17.21	-	-	-	-	-	-	-	100.00	-	-	100.00	7
90-95	67.82	-	-	-	-	-	-	-	100.00	-	-	100.00	6
95-100	-	-	-	-	-	-	-	-	-	-	-	-	-
n.r.	-	-	-	-	-	-	-	-	-	-	-	-	-
adult female education class :													
illiterate	7.20	75.77	-	-	-	-	-	-	24.23	-	-	100.00	27
literate but below primary	-	-	-	-	-	-	-	-	-	-	-	-	-
primary but below secondary	28.42	43.58	-	-	-	-	-	-	30.45	13.75	12.22	100.00	137
secondary & above	37.29	37.85	-	-	-	-	-	-	62.15	-	-	100.00	46
n.r.	-	-	-	-	-	-	-	-	-	-	-	-	-
all	21.22	46.40	-	-	-	-	-	-	36.68	8.96	7.96	100.00	210

TABLE (6.7R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

JAMMU & KASHMIR

RURAL

classification	percent- age regd.	type of institution/personnel registered with											estd. mother regd. (00)	
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)		(12)
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all		
fractile group :														
0—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—20	7.30	—	—	—	—	—	—	—	65.38	34.62	—	—	100.00	10
20—30	2.46	100.00	—	—	—	—	—	—	—	—	—	—	100.00	4
30—40	4.87	100.00	—	—	—	—	—	—	—	—	—	—	100.00	7
40—50	2.08	100.00	—	—	—	—	—	—	—	—	—	—	100.00	4
50—60	6.57	—	—	—	—	—	—	—	—	100.00	—	—	100.00	5
60—70	3.78	100.00	—	—	—	—	—	—	—	—	—	—	100.00	5
70—80	4.91	100.00	—	—	—	—	—	—	—	—	—	—	100.00	4
80—90	—	—	—	—	—	—	—	—	—	—	—	—	—	—
90—95	19.67	100.00	—	—	—	—	—	—	—	—	—	—	100.00	9
95—100	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	3.25	82.61	—	—	—	—	—	—	—	17.39	—	—	100.00	30
literate but below primary	15.04	—	—	—	—	—	—	—	—	100.00	—	—	100.00	4
primary but below secondary	4.18	31.37	—	—	—	—	—	—	68.63	—	—	—	100.00	10
secondary & above	8.28	100.00	—	—	—	—	—	—	—	—	—	—	100.00	5
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
all	3.87	68.25	—	—	—	—	—	—	13.64	18.11	—	—	100.00	49

TABLE (6-8R) 1 PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

KARNATAKA

RURAL

classification	per-centage regd.	type of institution/personnel registered with								others	n. r.	all.	estd. mother regd. (00)
		public hospital	primary health centre	public dispensary	private hospital	nursing home	charitable institution	private doctor	auxiliary nurse/LHV				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
fractile group:													
0-5	17.01	—	41.27	—	—	—	—	—	—	—	58.73	100.00	69
5-10	4.91	—	—	—	100.00	—	—	—	—	—	—	100.00	24
10-20	17.55	14.72	52.86	—	—	—	—	—	32.42	—	—	100.00	164
20-30	28.83	6.92	—	—	—	—	—	8.62	68.01	—	16.45	100.00	294
30-40	28.38	25.71	31.73	—	—	—	—	—	42.55	—	—	100.00	187
40-50	27.00	24.80	38.84	—	—	13.23	—	—	23.13	—	—	100.00	180
50-60	23.07	—	—	—	17.89	—	—	—	82.11	—	—	100.00	116
60-70	24.40	13.97	—	—	12.70	—	—	46.76	26.57	—	—	100.00	131
70-80	13.38	49.42	25.50	—	—	—	—	—	25.10	—	—	100.00	85
80-90	27.13	38.51	19.53	—	—	—	—	—	19.94	—	22.02	100.00	122
90-95	10.57	—	100.00	—	—	—	—	—	—	—	—	100.00	26
95-100	46.32	—	—	—	100.00	—	—	—	—	—	—	100.00	45
n. r.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :													
illiterate	16.30	9.12	19.90	—	2.33	—	—	3.31	52.99	—	12.49	100.00	713
literate but below primary	51.77	30.89	—	—	—	—	—	—	69.11	—	—	100.00	170
primary but below secondary	33.82	22.73	27.35	—	14.07	5.01	—	13.38	11.74	—	5.73	100.00	470
secondary & above	15.76	30.90	32.97	—	—	36.13	—	—	—	—	—	100.00	56
n. r.	17.18	—	100.00	—	—	—	—	—	—	—	—	100.00	24
all	21.69	16.95	21.88	—	5.73	3.28	—	5.99	38.13	—	8.03	100.00	1443

TABLE (6.9R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

RURAL

classification	percen- tage regd.	type of institution/personnel registered with										estd. mother regd. (00)		
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		(11)	(12)
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able ins- titution	private doctor	auxiliary nurse/ LHV	others	n. r.	all		
fractile group :														
0-5	27.59	37.05	—	—	42.42	—	—	—	—	—	20.54	100.00	89	
5-10	29.03	—	—	—	82.49	—	—	17.51	—	—	—	100.00	99	
10-20	28.58	32.77	—	—	43.60	—	—	—	—	—	23.64	100.00	169	
20-30	23.12	33.98	—	—	66.02	—	—	—	—	—	—	100.00	104	
30-40	33.16	21.13	—	—	78.87	—	—	—	—	—	—	100.00	86	
40-50	44.86	18.14	10.43	—	62.41	—	—	—	—	—	9.03	100.00	237	
50-60	25.84	37.00	—	—	63.00	—	—	—	—	—	24.80	100.00	70	
60-70	51.68	15.62	—	—	59.59	—	—	—	—	—	—	100.00	132	
70-80	63.22	53.30	—	—	46.70	—	—	—	—	—	—	100.00	65	
80-90	73.26	—	11.87	—	49.31	—	38.82	—	—	—	—	100.00	215	
90-95	100.00	29.47	—	—	70.51	—	—	—	—	—	—	100.00	59	
95-100	35.06	—	—	—	100.00	—	—	—	—	—	—	100.00	28	
n. r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :														
illiterate	12.91	—	—	—	—	—	—	48.73	—	—	51.27	100.00	36	
literate but below primary	6.26	100.00	—	—	—	—	—	—	—	—	—	100.00	16	
primary but below secondary	38.87	21.48	2.77	—	59.52	—	9.38	—	—	—	6.86	100.00	892	
secondary & above	56.81	14.86	6.52	—	70.29	—	—	—	—	—	8.34	100.00	392	
n. r.	45.12	100.00	—	—	—	—	—	—	—	—	—	100.00	17	
all	38.07	20.91	3.71	—	59.61	—	6.18	1.29	—	—	8.29	100.00	1353	

TABLE (6.10R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACILE GROUP/A DULT FEMALE EDUCATION CLASS

MADHYA PRADESH

RURAL

classification	percent- tage regd.	type of institution/personnel registered with										estd. mother regd. (00)	
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)		(13)
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able ins- titution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
fractile group:													
0-5	2.78	—	—	—	—	—	—	—	—	—	100.00	100.00	30
5-10	—	—	—	—	—	—	—	—	—	—	—	—	—
10-20	2.66	—	—	—	—	—	—	54.14	45.86	—	—	100.00	36
20-30	12.05	36.34	—	—	38.92	—	—	—	24.74	—	—	100.00	145
30-40	2.44	—	—	—	—	—	—	—	100.00	—	—	100.00	35
40-50	6.56	—	31.79	—	—	—	—	—	23.44	—	44.79	100.00	86
50-60	—	—	—	—	—	—	—	—	—	—	—	—	—
60-70	13.58	29.99	15.90	—	13.57	21.92	—	—	18.63	—	—	100.00	119
70-80	—	—	—	—	—	—	—	52.14	—	—	—	100.00	—
80-90	7.97	—	—	—	—	—	—	—	—	—	47.86	—	42
90-95	6.82	—	—	—	—	—	—	—	—	—	100.00	100.00	18
95-100	29.92	29.92	41.07	—	—	—	—	29.02	—	—	—	100.00	587
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :													
illiterate	4.54	17.80	4.82	—	18.53	6.44	—	5.04	24.50	—	22.68	100.00	392
literate but below primary	12.57	—	49.69	—	—	—	—	—	33.08	—	17.22	100.00	102
primary but below secondary	8.88	48.24	—	—	—	—	—	51.77	—	—	—	100.00	73
secondary & above	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
all	5.43	18.57	12.23	—	12.80	4.59	—	10.21	22.85	—	18.75	100.00	567

TABLE (6.11R): PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

MAHARASHTRA RURAL

classification	percent- tage regd.	type of institution/personnel registered with							n.r.	all	estd. mother regd. (00)		
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able ins- titution	private doctor				auxiliary nurse/ LHV	others
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
fractile group :													
0—5	13.15	20.96	20.14	—	35.04	—	—	—	—	—	23.86	100.00	105
5—10	14.08	—	—	—	—	—	—	20.07	20.23	—	59.70	100.00	107
10—20	23.83	19.73	9.35	—	—	—	—	8.55	6.66	—	55.21	100.00	258
20—30	29.60	32.88	22.18	—	—	—	—	4.65	31.78	—	8.51	100.00	375
30—40	22.79	10.09	7.09	—	—	—	—	9.06	15.70	—	58.06	100.00	263
40—50	11.16	27.80	—	—	—	—	—	—	50.80	—	21.40	100.00	106
50—60	17.18	9.03	7.85	—	24.57	—	—	11.99	13.30	—	32.45	100.00	162
60—70	10.84	41.65	—	—	—	—	—	25.00	—	—	33.35	100.00	70
70—80	16.50	—	—	—	68.24	—	—	—	31.76	—	—	100.00	81
80—90	34.37	16.45	47.81	—	16.53	—	—	—	19.21	—	—	100.00	232
90—95	74.52	8.70	19.65	—	37.18	—	—	17.20	5.99	—	—	100.00	306
95—100	—	—	—	—	—	—	—	—	—	—	—	—	—
n. r.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :													
illiterate	13.39	18.49	9.06	—	1.93	—	—	9.12	26.98	—	34.41	100.00	861
literate but below primary	25.91	43.48	13.05	—	—	—	—	11.89	17.49	—	14.10	100.00	146
primary but below secondary	23.85	13.04	25.05	—	17.03	—	—	10.96	12.78	—	16.33	100.00	716
secondary & above	47.26	11.66	26.14	—	45.52	—	—	—	7.34	—	9.34	100.00	249
n. r.	45.66	17.82	—	—	30.97	—	—	—	—	—	51.21	100.00	114
all	22.44	17.52	16.38	1.65	13.77	—	—	8.36	17.63	—	24.70	100.00	2086

TABLE (6-12R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

ORISSA
RURAL

classification	percent- age regd.	type of institution/personnel registered with										estd. mother regd. (00)	
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)		(13)
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charita- ble insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
fractile group													
0-5	7.25	—	—	—	—	—	—	—	100.00	—	—	100.00	29
5-10	—	—	—	—	—	—	—	—	—	—	—	—	—
10-20	—	—	—	—	—	—	—	—	—	—	—	—	—
20-30	6.24	51.47	43.97	48.85	—	—	—	—	48.53	—	—	100.00	41
30-40	8.62	7.18	—	—	—	—	—	—	—	—	—	100.00	43
40-50	7.95	48.10	—	—	—	—	—	—	51.92	—	—	100.00	47
50-60	9.27	48.92	—	—	—	—	—	—	51.08	—	—	100.00	47
60-70	11.44	—	—	—	—	—	—	—	—	—	100.00	100.00	49
70-80	14.78	33.68	34.72	—	—	—	—	—	—	31.60	—	100.00	59
80-90	8.42	—	—	—	—	—	—	—	100.00	—	—	100.00	25
90-95	11.74	—	—	—	—	—	—	—	100.00	—	—	100.00	26
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :													
illiterate	5.95	10.97	9.19	10.21	—	—	—	—	49.93	9.03	10.67	100.00	265
literate but below primary	12.63	60.73	—	—	—	—	—	—	39.29	—	—	100.00	67
primary but below secondary	11.25	27.95	21.76	—	—	—	—	—	21.10	—	29.20	100.00	94
secondary & above	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
all	7.52	24.43	10.72	5.73	—	—	—	—	40.60	5.07	15.45	100.00	366

TABLE (6-13R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALES EDUCATION CLASS

PUNJAB

RURAL

classification	percent- age regd.	type of institution/personnel registered with							private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charitable institu- tion	charitable institu- tion						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
fractile group :														
0—5	16.08	—	—	—	—	—	—	—	62.52	37.48	—	100.00	55	
5—10	21.03	—	—	—	45.29	—	—	27.49	27.22	—	—	100.00	62	
10—20	3.40	100.00	—	—	—	—	—	—	—	—	—	100.00	15	
20—30	8.20	—	—	—	—	—	—	—	100.00	—	—	100.00	22	
30—40	19.59	75.51	—	—	—	—	—	—	24.50	—	—	100.00	59	
40—50	18.60	—	—	—	—	—	—	—	—	100.00	—	100.00	22	
50—60	—	—	—	—	—	—	—	—	—	—	—	—	—	
60—70	28.21	58.00	—	—	—	—	—	—	42.02	—	—	100.00	72	
70—80	14.52	—	—	—	—	—	—	—	42.05	—	57.95	100.00	33	
80—90	—	—	—	—	—	—	—	—	—	—	—	—	—	
90—95	—	—	—	—	—	—	—	—	—	—	—	—	—	
95—100	—	—	—	—	—	—	—	—	—	—	—	—	—	
n. r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :														
illiterate	5.45	17.20	—	—	—	—	—	19.33	15.31	48.16	—	100.00	89	
literate but below primary	17.91	—	—	—	—	—	—	—	100.00	—	—	100.00	17	
secondary	12.98	—	—	—	—	—	—	—	100.00	—	—	100.00	83	
secondary & above	27.18	57.16	—	—	18.76	—	—	—	11.64	—	12.43	100.00	151	
n. r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
all	11.58	29.84	—	—	8.32	—	—	5.05	38.70	12.58	5.51	100.00	340	

TABLE 6-14(R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

RAJASTHAN

RURAL

classification	percent- age regd.	type of institution/personnel registered with										all	esid. mother regd. (00)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)			(11)	(12)	(13)	(14)	
fractile group :																		
0-5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10-20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20-30	1.08	—	—	—	—	—	—	—	—	100.00	—	—	—	—	—	—	—	12
30-40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40-50	3.16	—	—	—	—	—	—	—	—	100.00	—	—	—	—	—	—	—	35
50-60	2.85	—	100.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
60-70	3.23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
70-80	18.09	—	57.27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	106
80-90	4.51	—	—	—	—	—	—	—	—	100.00	—	—	—	—	—	—	—	25
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :																		
illiterate	2.94	—	41.89	—	—	—	—	—	—	22.61	29.77	—	—	5.74	—	—	—	201
literate but below primary	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
primary but below secondary	21.68	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
secondary & above	—	—	—	—	—	—	—	—	—	—	—	—	—	100.00	—	—	—	22
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
all	2.81	—	37.66	—	—	—	—	—	—	20.33	26.77	—	—	15.24	—	—	—	223

TABLE (6.15R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

TAMIL NADU ALL

classification	type of inst./tution/personnel registered with													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	percent- age regd.	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5	21.37	28.48	—	—	—	—	—	—	71.52	—	—	100.00	110	
5-10	47.08	12.13	—	—	16.12	—	—	17.13	54.61	—	—	100.00	267	
10-20	49.31	35.95	7.11	—	10.39	—	—	4.21	42.34	—	—	100.00	461	
20-30	38.95	32.94	18.00	—	18.97	—	—	—	30.09	—	—	100.00	285	
30-40	36.52	26.48	—	11.20	6.56	—	—	12.01	43.75	—	—	100.00	372	
40-50	44.66	21.74	—	—	33.06	—	—	8.10	26.53	—	10.57	100.00	287	
50-60	40.26	26.99	15.22	—	23.65	—	—	—	34.14	—	—	100.00	234	
60-70	41.79	37.57	12.16	—	10.45	—	—	39.82	—	—	—	100.00	184	
70-80	38.03	69.44	—	—	8.57	—	—	8.62	13.37	—	—	100.00	231	
80-90	41.32	8.12	—	—	22.81	33.66	—	—	14.49	—	20.93	100.00	200	
90-95	73.03	69.35	—	—	—	—	—	—	—	—	30.65	100.00	85	
95-100	48.67	—	—	—	100.00	—	—	—	—	—	—	100.00	45	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :														
illiterate	42.84	33.64	6.88	—	13.06	—	—	4.14	39.59	—	2.70	100.00	1549	
literate but below primary	36.57	37.43	—	14.46	16.53	—	—	—	31.58	—	—	100.00	288	
primary but below secondary	40.77	28.15	4.48	—	16.55	3.91	—	20.40	22.68	—	3.83	100.00	794	
secondary & above	34.14	—	—	—	51.89	27.95	—	—	—	—	20.16	100.00	130	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
all	41.01	30.88	5.14	1.51	16.25	2.44	—	8.19	32.03	—	3.56	100.00	2761	

TABLE (6.16R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS
RURAL

TRIPURA

classification	percent- age regd.	type of institution/personnel registered with										astd. mother regd. (00)		
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		(11)	(12)
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all		
fractile group :														
0-5														5
5-10	23.17	100.00										100.00		
10-20														
20-30														
30-40														
40-50														
50-60	22.45	100.00										100.00		5
60-70														
70-80														
80-90														
90-95														
95-100														
n.r.														
adult female education class :														
illiterate														
literate but below primary														
primary but below secondary	13.78	100.00										100.00		10
secondary & above														
n.r.														
all	6.22	100.00										100.00		10

TABLE (6.17R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRAGILE GROUP/ADULT FEMALE EDUCATION CLASS

RURAL

UTTAR PRADESH

classification	percent- age regd.	type of institution/personnel registered with											estd. mother regd. (00)			
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)		(12)	(13)	(14)
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.a.	all				
fragile group :																
0-5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	60
5-10	3.27	44.11	—	—	—	—	—	55.89	—	—	—	—	—	—	100.00	415
10-20	11.92	—	6.53	—	—	—	—	—	—	6.66	86.81	—	—	—	100.00	131
20-30	3.23	—	23.18	—	—	—	—	22.76	30.24	—	23.83	—	—	—	100.00	215
30-40	6.27	9.46	14.09	—	—	—	—	14.13	—	16.30	46.02	—	—	—	100.00	—
40-50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	50
50-60	1.81	—	—	58.09	—	—	—	—	—	41.91	—	—	—	—	100.00	—
60-70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70-80	4.71	—	47.21	—	—	—	—	—	—	—	—	—	—	—	—	98
80-90	8.11	29.99	—	—	—	—	—	56.13	—	18.65	34.14	—	—	—	100.00	112
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
95-100	27.88	41.63	—	—	—	—	—	—	—	—	—	—	—	—	—	48
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :																
illiterate	3.86	2.65	11.41	3.79	—	—	—	8.24	5.14	9.66	59.12	—	—	—	100.00	769
literate but below primary	8.66	23.48	40.75	—	—	—	—	—	—	—	35.78	—	—	—	100.00	113
primary but below secondary	6.63	26.71	—	—	—	—	—	31.29	—	13.73	28.28	—	—	—	100.00	201
secondary & above	1.70	—	—	—	—	—	—	—	—	100.00	—	—	—	—	100.00	16
n.r.	23.53	—	—	—	—	—	—	100.00	—	—	—	—	—	—	100.00	30
all	4.46	8.91	11.84	2.58	—	—	—	13.88	3.50	10.40	48.88	—	—	—	100.00	1129

TABLE 6.18(R) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

RURAL

WEST BENGAL

classification	percent- age regd.	type of institution/personnel registered with											egtd. mother regd. (00)	
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)		(12)
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all		
fractile group :														
0-5	11.59	—	30.81	30.05	—	—	—	—	—	—	39.13	100.00	88	
5-10	9.10	44.94	—	—	—	—	55.06	—	—	—	—	100.00	57	
10-20	6.69	35.08	—	—	—	—	33.23	—	—	—	31.70	100.00	70	
20-30	3.52	—	—	—	—	—	48.10	51.90	—	—	—	100.00	49	
30-40	8.89	48.95	—	—	—	—	21.21	—	—	—	29.83	100.00	85	
40-50	14.72	50.77	—	—	—	—	30.66	18.57	—	—	—	100.00	150	
50-60	6.85	39.26	23.02	—	—	—	37.72	—	—	—	—	100.00	61	
60-70	2.90	100.00	—	—	—	—	—	—	—	—	—	100.00	25	
70-80	14.67	24.91	22.17	—	—	—	52.91	—	—	—	—	100.00	103	
80-90	—	—	—	—	—	—	—	—	—	—	—	—	—	
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—	
95-100	22.66	—	—	—	—	—	100.00	—	—	—	—	100.00	24	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :														
illiterate	5.85	21.72	6.51	7.54	—	—	—	25.61	15.22	—	23.39	100.00	350	
literate but below primary	15.60	29.23	18.23	—	—	—	—	52.55	—	—	—	100.00	149	
primary but below secondary	11.75	57.88	6.61	—	—	—	—	35.51	—	—	—	100.00	213	
secondary & above	—	—	—	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
all	7.82	34.12	8.93	3.71	—	—	34.20	7.48	—	—	11.50	100.00	712	

TABLE 6.0(U) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

ALL INDIA

URBAN

classification	percent- age regd.	type of institution/personnel registered with											estd. mother regd. (00)	
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)		(12)
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	chari- table insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all		
fractile group :														
0-5	27.10	37.00	7.05	—	25.06	—	2.18	7.80	11.17	1.19	8.54	100.00	846	
5-10	15.22	55.45	4.20	3.97	14.14	4.73	—	7.68	6.31	3.53	—	100.00	465	
10-20	14.34	49.36	3.02	—	13.98	1.64	—	9.26	6.76	—	15.98	100.00	777	
20-30	17.71	53.07	—	—	5.52	—	0.95	12.70	3.40	2.01	22.37	100.00	744	
30-40	15.62	52.57	6.50	—	26.13	3.53	—	4.62	3.66	—	3.00	100.00	725	
40-50	28.01	47.37	2.79	0.54	18.39	5.39	—	0.96	3.90	4.12	16.56	100.00	811	
50-60	33.27	32.51	3.30	0.87	33.40	3.70	0.70	13.05	4.88	1.78	5.79	100.00	1230	
60-70	27.68	40.51	1.56	—	22.58	6.83	—	16.57	2.41	—	9.54	100.00	558	
70-80	34.55	26.87	4.03	—	17.93	28.64	2.14	7.91	0.13	4.26	8.09	100.00	806	
80-90	43.93	19.29	1.44	1.32	43.34	10.12	1.00	16.12	2.60	3.39	1.39	100.00	668	
90-95	63.90	15.18	—	—	23.51	38.48	—	18.44	—	—	4.38	100.00	240	
95-100	52.75	23.57	—	—	36.79	19.61	—	10.90	—	—	9.13	100.00	115	
n.r.	7.48	—	—	—	—	100.00	—	—	—	—	—	100.00	13	
adult female education class :														
illiterate	13.98	45.54	3.36	0.93	17.49	1.17	—	7.78	6.34	0.55	16.85	100.00	1997	
literate but below primary	22.58	45.90	—	—	13.32	3.77	1.95	16.14	6.44	5.42	7.06	100.00	488	
primary but below secondary	28.24	38.77	4.65	—	23.87	2.80	1.13	10.74	6.03	1.07	10.93	00.00	2844	
secondary & above	36.75	33.41	2.56	0.95	28.63	17.27	0.65	9.97	0.89	3.42	2.26	100.00	2517	
n.r.	56.60	47.45	—	—	14.25	38.29	—	—	—	—	—	100.00	152	
all	23.76	39.37	3.30	0.53	22.95	7.68	0.73	9.88	4.40	1.92	9.24	100.00	7998	

BLE 6.1(U) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACILE GROUP/ADULT FEMALE EDUCATION CLASS

ANDHRA PRADESH URBAN

classification	percent- age regd.	type of institution/personnel registered with										estd. mother regd. (00)	
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		(11)
		public hospital	primary health centre	public dispn- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	
fractile group :													
0-5	28.25	—	—	—	—	—	—	45.89	26.61	—	27.50	100.00	97
5-10	24.00	58.05	—	—	32.84	—	—	—	9.10	—	—	100.00	75
10-20	22.72	65.36	—	—	16.55	—	—	12.23	—	—	5.87	100.00	86
20-30	3.90	42.24	—	—	57.88	—	—	—	—	—	—	100.00	8
30-40	15.27	55.58	—	—	—	—	—	—	—	—	44.42	100.00	36
40-50	12.63	—	—	—	82.63	—	—	17.34	—	—	—	100.00	33
50-60	51.63	41.47	—	—	19.22	—	—	6.58	—	—	32.72	100.00	76
60-70	43.37	23.94	—	—	64.21	—	—	—	—	—	11.86	100.00	114
70-80	32.41	6.00	—	—	16.36	18.63	—	59.01	—	—	—	100.00	54
80-90	48.26	—	—	—	52.80	—	—	47.20	—	—	—	100.00	67
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :													
illiterate	20.56	39.72	—	—	15.47	—	—	18.44	2.86	—	23.50	100.00	240
literate but below primary	8.70	24.50	—	—	—	—	—	75.50	—	—	—	100.00	14
primary but below secondary	31.25	33.59	—	—	17.41	—	—	31.40	10.87	—	6.72	100.00	236
secondary & above	37.08	4.94	—	—	79.25	6.74	—	—	—	—	9.07	100.00	149
n.r.	32.36	—	—	—	100.00	—	—	—	—	—	—	100.00	7
all	25.76	28.73	—	—	31.41	1.55	—	19.98	5.04	—	13.29	100.00	646

TABLE 6.2(U) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

ASSAM

URBAN

classification	percent- age regd.	type of institution/personnel registered with										estd. mother regd. (00)	
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)		(13)
(1)	(2)	public hospital	primary health centre	public dipen- sary	private hospital	nursing h.c.n.c	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	(14)
fractile group :													
0—5	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	55.64	100.00	—	—	—	—	—	—	—	—	—	100.00	9
10—20	49.52	—	—	—	—	—	—	100.00	—	—	—	100.00	17
20—30	42.04	100.00	—	—	—	—	—	—	—	—	—	100.00	12
30—40	100.00	—	—	—	—	—	—	—	100.00	—	—	100.00	5
40—50	100.00	—	—	—	—	—	—	—	100.00	—	—	100.00	6
50—60	51.14	—	—	—	—	—	—	—	—	—	—	100.00	6
60—70	12.05	—	—	—	—	—	—	100.00	—	—	—	100.00	2
70—80	—	—	—	—	—	—	—	—	—	—	—	—	—
80—90	—	—	—	—	—	—	—	—	—	—	—	—	—
90—95	—	—	—	—	—	—	—	—	—	—	—	—	—
95—100	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :													
illiterate	42.33	100.00	—	—	—	—	—	—	—	—	—	100.00	21
literate but below primary	—	—	—	—	—	—	—	—	—	—	—	—	—
primary but below secondary	14.70	—	—	—	—	—	—	100.00	—	—	—	100.00	2
secondary & above	56.49	—	—	—	—	—	—	49.67	15.49	—	—	100.00	34
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
all	41.65	37.36	—	—	—	—	—	33.23	9.06	—	—	100.00	57

TABLE 6.3(U) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS. BIHAR URBAN

classification	percent- age regd.	type of institution/personnel registered with												
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHP	others	n.r.	all	estd. mother regd. (00)	
fractile group :														
0-5														
5-10						100.00							9	
10-20	12.94											100.00	66	
20-30	20.88	43.53						18.86			56.47	100.00	105	
30-40	31.51	58.27									22.87	100.00		
40-50													30	
50-60	32.22	100.00										100.00	82	
60-70	28.12	27.24		13.11	59.66							100.00		
70-80													13	
80-90	100.00								100.00			100.00	31	
90-95	50.32				100.00							100.00	11	
95-100	20.30				100.00							100.00		
n.r.														
adult female education class :														
illiterate	17.25	18.63			30.72	5.67							159	
literate but below primary	15.31				44.87				55.13		38.48	100.00	24	
primary but below secondary	19.09	82.09			17.91							100.00	75	
secondary & above	21.55				45.15			25.39					37	
n.r.	100.00	100.00										100.00	52	
all	20.19	40.94		3.10	26.09	2.60		5.73	3.89		17.66	100.00	347	

TABLE 6.4(U) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

classification	percent- age regd.	type of institution/personnel registered with										estd. mother regd. (00)	
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		(11)
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	
GUJARAT													
URBAN													
fractile group :													
0-5	100.00	—	21.85	—	—	—	—	—	78.15	—	—	100.00	75
5-10	10.58	—	33.03	—	—	—	—	—	16.34	—	50.64	100.00	25
10-20	24.55	58.85	—	—	14.78	—	—	—	26.37	—	—	100.00	83
20-30	10.71	25.53	—	—	—	25.79	48.68	—	—	—	—	100.00	27
30-40	22.27	—	22.68	—	77.29	—	—	—	—	—	—	100.00	34
40-50	—	—	—	—	—	—	—	—	—	—	—	—	—
50-60	61.31	14.93	—	—	9.62	—	61.89	—	—	—	13.57	100.00	140
60-70	18.70	26.95	—	—	54.81	18.20	—	—	—	—	—	100.00	25
70-80	53.26	7.97	—	—	48.34	32.35	—	—	—	—	11.34	100.00	70
80-90	42.90	—	—	—	—	—	100.00	100.00	—	—	—	100.00	17
90-95	66.99	—	—	—	—	66.61	20.42	—	—	—	—	100.00	52
95-100	100.00	—	—	—	—	—	100.00	—	—	—	—	100.00	112
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :													
illiterate	13.33	23.36	—	—	43.50	—	—	—	20.00	—	13.14	100.00	61
literate but below primary	10.27	—	—	—	100.00	—	—	—	—	—	—	100.00	12
primary but below secondary	32.68	29.05	9.31	—	—	5.31	14.76	29.29	—	—	12.27	100.00	259
secondary & above	62.37	—	3.89	—	21.69	28.96	38.92	6.54	—	—	—	100.00	213
n.r.	68.79	—	—	—	100.00	—	—	—	—	—	—	100.00	15
all	32.35	15.95	5.79	—	17.86	11.03	2.45	21.64	18.19	—	7.10	100.00	560

TABLE 6.5(U) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

HARYANA

URBAN

classification	percent- age regd.	type of institution/personnel registered with											std. mother regd. (00)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)		(12)	(13)	(14)		
fractile group :																		
0-5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5-10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10-20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20-30	44.39	—	100.00	—	—	—	—	—	—	—	—	—	—	—	100.00	—	82	
30-40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
40-50	3.75	—	—	—	—	100.00	—	—	—	—	—	—	—	—	100.00	—	7	
50-60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
60-70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
70-80	70.88	—	49.99	—	—	—	—	—	—	—	—	—	—	—	100.00	—	69	
80-90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :																		
illiterate	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
literate but below primary	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
primary but below secondary	15.48	—	100.00	—	—	—	—	—	—	—	—	—	—	—	100.00	—	39	
secondary & above	38.46	—	65.37	—	—	5.65	—	—	—	—	—	—	—	—	100.00	—	139	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
all	15.76	—	74.02	—	—	4.24	—	—	—	—	—	—	—	—	100.00	—	158	

TABLE 6.6(U) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

URBAN

HIMACHAL PRADESH

classification	percent- age regd.	type of institution/personnel registered with										estd. mother regd. (00)	
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)		(13)
(1)	(2)	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	(14)
fractile group :													
0-5	67.50	100.00	—	—	—	—	—	—	—	—	—	100.00	15
5-10	—	—	—	—	—	—	—	—	—	—	—	—	—
10-20	100.00	100.00	—	—	—	—	—	—	—	—	—	100.00	2
20-30	7.00	100.00	—	—	—	—	—	—	—	—	—	100.00	1
30-40	—	—	—	—	—	—	—	—	—	—	—	—	—
40-50	—	—	—	—	—	—	—	—	—	—	—	—	—
50-60	100.00	100.00	—	—	—	—	—	—	—	—	—	100.00	2
60-70	—	—	—	—	—	—	—	—	—	—	—	—	—
70-80	—	—	—	—	—	—	—	—	—	—	—	—	—
80-90	—	—	—	—	—	—	—	—	—	—	—	—	—
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :													
illiterate	38.98	100.00	—	—	—	—	—	—	—	—	—	100.00	5
literate but below primary	—	—	—	—	—	—	—	—	—	—	—	—	—
primary but below secondary	—	—	—	—	—	—	—	—	—	—	—	—	—
secondary & above	47.95	100.00	—	—	—	—	—	—	—	—	—	100.00	14
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
all	45.32	100.00	—	—	—	—	—	—	—	—	—	100.00	19

TABLE 6.7(U) PERCENTAGE OF MEDICAL PERSONNEL REGISTERED WITH BY FRACILE GROUP/ADULT FEMALE EDUCATION CLASS, JAMMU & KASHMIR URBAN

classification	percent- age of regd.	type of institution/personnel registered with										estd. mother regd (00)	
		(3)	(4)	(5)	(6*)	(7)	(8)	(9)	(10)	(11)	(12)		(13)
(1)	(2)	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	chari- table insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	(14)
fractile group :													
0-5	36.94	100.00	—	—	—	—	—	—	—	—	—	100.00	8
5-10	—	—	—	—	—	—	—	—	—	—	—	—	—
10-20	2.45	—	—	—	—	—	—	100.00	—	—	—	100.00	1
20-30	—	—	—	—	—	—	—	—	—	—	—	—	—
30-40	19.72	—	—	—	—	—	—	100.00	—	—	—	100.00	3
40-50	—	—	—	—	—	—	—	—	—	—	—	—	—
50-60	5.79	100.00	—	—	—	—	—	—	—	—	—	100.00	1
60-70	10.82	100.00	—	—	—	—	—	—	—	—	—	100.00	4
70-80	100.00	100.00	—	—	—	—	—	—	—	—	—	100.00	4
80-90	—	—	—	—	—	—	—	—	—	—	—	—	—
90-95	41.87	100.00	—	—	—	—	—	—	—	—	—	100.00	1
95-100	70.83	100.00	—	—	—	—	—	—	—	—	—	100.00	4
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :													
illiterate	12.46	75.84	—	—	—	—	—	24.16	—	—	—	100.00	17
literate but below primary	—	—	—	—	—	—	—	—	—	—	—	—	—
primary but below secondary	—	—	—	—	—	—	—	—	—	—	—	—	—
secondary & above	25.13	100.00	—	—	—	—	—	—	—	—	—	100.00	9
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
all	11.08	83.86	—	—	—	—	—	16.14	—	—	—	100.00	26

TABLE 6.8 (U) 1 PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

KARNATAKA

URBAN

type of institution/personnel registered with

classification	percent- tage of regd.	type of institution/personnel registered with										all mother regd. (00)	
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV/	others	n.r.		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
fractile group ;													
0-5	22.02	71.23	—	—	—	—	—	—	—	—	28.77	100.00	54
5-10	10.12	100.00	—	—	—	—	—	—	—	—	—	100.00	24
10-20	8.42	—	41.53	—	—	—	—	37.48	21.00	—	—	100.00	37
20-30	19.44	38.84	—	—	—	—	—	56.05	—	—	5.11	100.00	61
30-40	10.48	100.00	—	—	—	—	—	—	—	—	—	100.00	31
40-50	18.15	69.51	18.56	—	2.76	9.18	—	—	—	—	—	100.00	83
50-60	25.10	48.68	—	—	26.70	—	—	—	24.58	—	—	100.00	31
60-70	39.32	45.38	9.15	—	45.47	—	—	—	—	—	—	100.00	99
70-80	26.34	39.92	—	—	18.40	14.37	11.17	16.16	—	—	—	100.00	77
80-90	79.31	—	—	—	—	100.00	—	—	—	—	—	100.00	58
90-95	100.00	—	—	—	—	—	—	54.32	—	—	45.68	100.00	23
95-100	100.00	—	—	—	40.51	—	—	—	—	—	59.49	100.00	18
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class ;													
illiterate	13.72	66.24	8.71	—	18.85	—	—	—	4.40	—	1.80	100.00	174
literate but below primary	82.21	39.89	—	—	—	—	—	35.94	8.03	—	16.16	100.00	96
primary but below secondary	17.08	48.27	17.36	—	24.68	—	—	9.69	—	—	—	100.00	141
secondary & above	26.99	29.96	—	—	7.99	15.84	7.30	21.13	—	—	17.78	100.00	118
n.r.	58.44	12.86	—	—	—	87.14	—	—	—	—	—	100.00	67
all	21.56	44.57	6.66	—	12.94	12.92	1.45	12.25	2.57	—	6.65	100.00	596

TABLE 6.9(U) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

KERALA

URBAN

classification	(1)	(2)	type of institution/personnel registered with							(10)	(11)	(12)	(13)	etd. mother regd. (00)
			percentage regd.	public hospital	primary health	public dispensary	private hospital	nursing home	charitable institution					
fractile group :														
0-5	.	26.93	100.00	—	—	—	—	—	—	—	—	—	100.00	15
5-10	.	—	—	—	—	—	—	—	—	—	—	—	—	—
10-20	.	55.42	51.05	—	48.94	—	—	—	—	—	—	—	100.00	62
20-30	.	33.66	45.61	—	54.34	—	—	—	—	—	—	—	100.00	22
30-40	.	100.00	39.15	—	37.32	—	23.50	—	—	—	—	—	100.00	32
40-50	.	83.19	100.00	—	—	—	—	—	—	—	—	—	100.00	25
50-60	.	33.32	66.66	—	33.34	—	—	—	—	—	—	—	100.00	33
60-70	.	20.09	56.35	—	43.65	—	—	—	—	—	—	—	100.00	27
70-80	.	18.02	100.00	—	—	—	—	—	—	—	—	—	100.00	7
80-90	.	65.44	61.50	—	38.50	—	—	—	—	—	—	—	100.00	85
90-95	.	100.00	—	—	100.00	—	—	—	—	—	—	—	100.00	15
95-100	.	35.99	100.00	—	—	—	—	—	—	—	—	—	100.00	9
n.r.	.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :														
illiterate	.	—	—	—	—	—	—	—	—	—	—	—	—	—
literate but below primary	.	27.19	—	—	—	—	—	—	—	—	—	—	100.00	8
Primary but below secondary	.	28.71	74.37	—	25.63	—	100.00	—	—	—	—	—	100.00	116
secondary & above	.	41.87	51.41	—	48.59	—	—	—	—	—	—	—	—	148
n.r.	.	—	—	—	—	—	—	—	—	—	—	—	—	—
all	.	34.59	59.76	—	37.45	—	2.79	—	—	—	—	—	100.00	272

TABLE (6.10U) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRAGTILE GROUP/ADULT FEMALE EDUCATION CLASS.

MADHYA PRADESH

URBAN

classification	percent- age regd.	type of institution/personnel registered with										csd. mother regd. (00)	
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		(11)
fractile group ;		public hospital	primary health centre	public dispens- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	
0-5	24.14	55.51	-	-	-	-	-	22.33	-	21.69	-	100.00	46
5-10	14.99	-	-	-	-	-	-	42.16	57.84	-	-	100.00	33
10-20	15.17	80.07	-	-	-	-	-	-	-	-	19.93	100.00	53
20-30	6.66	100.00	-	-	-	-	-	-	-	-	-	100.00	21
30-40	11.40	100.00	-	-	-	-	-	-	-	-	-	100.00	27
40-50	18.49	81.26	-	-	18.74	-	-	-	-	-	-	100.00	58
50-60	12.82	100.00	-	-	-	-	-	-	-	-	-	100.00	29
60-70	13.12	68.52	-	-	25.37	6.08	-	-	-	-	-	100.00	35
70-80	26.18	95.42	-	-	4.56	-	-	-	-	-	-	100.00	47
80-90	25.85	93.87	-	6.13	-	-	-	-	-	-	-	100.00	35
90-95	100.00	68.26	-	-	31.74	-	-	-	-	-	-	100.00	38
95-100	100.00	100.00	-	-	-	-	-	-	-	-	-	100.00	24
n.r.	-	-	-	-	-	-	-	-	-	-	-	-	-
adult female education class ;													
illiterate	8.32	59.21	-	-	-	-	-	14.51	26.29	-	-	100.00	73
literate but below primary	12.27	76.07	-	-	-	-	-	-	-	23.96	-	100.00	42
primary but below secondary	20.43	72.42	-	-	8.40	-	-	10.93	-	-	8.25	100.00	128
secondary & above	31.83	86.58	-	1.05	10.27	2.10	-	-	-	-	-	100.00	207
n.r.	-	-	-	-	-	-	-	-	-	-	-	-	-
all	17.92	77.02	-	0.48	7.08	0.95	-	5.53	4.32	2.26	2.37	100.00	446

TABLE (6.11U) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

URBAN

MAHARASHTRA

Classification	percent age regd.	type of institution/personnel registered with										estd. mother regd. (00)	
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)		(13)
		public hos- pital	primary health centre	public dispen- sary	private hospital	nursing home	charitable institution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	
Fractile group													
0-5	16.19	10.79	—	—	38.36	—	—	—	—	—	50.86	100.00	60
5-10	5.68	—	57.69	—	—	—	—	—	—	—	42.41	100.00	33
10-20	37.39	21.67	—	—	6.73	—	11.01	—	—	5.44	55.14	100.00	171
20-30	41.50	39.41	—	—	45.97	—	—	—	—	—	14.62	100.00	236
30-40	41.81	20.35	—	2.36	—	—	21.99	—	—	4.70	42.65	100.00	187
40-50	29.19	38.47	18.14	—	22.47	—	—	—	—	—	20.92	100.00	126
50-60	35.68	19.21	9.83	—	31.20	—	25.63	—	—	—	14.13	100.00	173
60-70	37.29	10.66	16.09	—	20.27	8.73	33.20	—	—	—	44.25	100.00	100
70-80	59.28	10.64	—	—	51.15	—	4.69	—	—	—	5.01	100.00	185
80-90	56.42	5.74	—	—	89.57	—	—	—	—	—	—	100.00	90
90-95	40.30	—	—	—	100.00	—	—	—	—	—	—	100.00	22
95-100	56.70	—	—	—	100.00	—	—	—	—	—	—	100.00	13
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class													
illiterate	30.27	25.34	2.36	—	16.94	—	17.47	—	—	—	37.89	100.00	352
literate but below primary	21.90	40.34	—	—	—	—	59.66	—	—	—	—	100.00	16
primary but below secondary	32.62	16.04	6.91	—	29.80	—	10.54	—	—	2.97	33.74	100.00	608
secondary & above	38.47	20.84	9.87	1.06	52.19	—	10.66	—	—	—	5.39	—	416
n.r.	100.00	100.00	—	—	—	—	—	—	—	—	—	100.00	13
all	33.50	20.83	6.51	0.31	32.61	—	0.68	12.09	—	1.28	25.69	100.00	1405

TABLE (6.15U) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION//PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

ORISSA

classification	percent- age regd.	type of institution/personnel registered with										estd. mother tegd. (00)		
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		(11)	(12)
		public hospital	public dispensary	primary health centre	private hospital	nursing home	charitable institution	private doctor	auxiliary nurse/ LHV	others	n.r.	all		
fractile group														
0-5														
5-10														
10-20														
20-30														
30-40														
40-50														
50-60	19.81	100.00										100.00		27
60-70														
70-80	85.36	100.00										100.00		24
80-90														
90-95														
85-100														
n.r.														
adult female education class														
illiterate	10.11	100.00										100.00		27
literate but below primary														
primary but below secondary														
secondary & above	28.10	100.00										100.00		24
n.r.														
all	8.58	100.00										100.00		51

TABLE (6.13U) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

PUNJAB URBAN

classification	percent- age regd.	type of institution/personnel registered with										estd. mother regd. (00)		
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		(11)	(12)
		public hospital	primary health centre	public dispen- sary	private hospital	nursing home	charit- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all		
fractile group :														
0-5	19.23	80.96	—	—	—	—	—	—	19.10	—	—	100.00	17	
5-10	2.61	—	—	—	—	—	—	—	—	100.00	—	100.00	6	
10-20	29.37	23.94	—	—	—	—	14.31	61.75	—	—	—	100.00	42	
20-30	—	—	—	—	—	—	—	—	—	—	—	—	—	
30-40	22.29	—	—	—	48.25	—	—	—	—	4.25	47.45	100.00	21	
40-50	—	—	—	—	—	—	—	—	—	—	—	—	—	
50-60	20.30	—	—	—	49.57	13.09	—	—	—	37.34	—	100.00	33	
60-70	—	—	—	—	—	—	—	—	—	—	—	—	—	
70-80	47.20	36.79	12.73	—	50.52	—	—	—	—	—	—	100.00	23	
80-90	24.12	100.00	—	—	—	—	—	—	—	—	—	100.00	5	
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :														
illiterate	—	—	—	—	—	—	—	—	—	—	—	—	—	
literate but below primary	2.44	40.15	—	—	—	—	—	—	—	41.39	18.47	100.00	14	
primary but below secondary	23.25	4.36	4.36	—	12.69	—	9.22	39.80	—	18.31	11.26	100.00	67	
secondary & above	26.02	42.92	—	—	29.07	21.84	—	4.81	—	1.36	—	100.00	66	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
all	13.11	25.13	1.98	—	18.92	9.87	—	4.19	20.26	12.80	6.84	100.00	147	

TABLE (6.14 U) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

URBAN

RAJASTHAN

classification	percent- age regd.	type of institution/personnel registered with											estd. mother regd. (00)
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
(1)	(2)	public hospital	primary health centre	public dispen- sary	private hospital	nursing home	chariti- able insti- tution	private doctor	auxiliary nurse/ LHV	others	n.r.	all	
fractile group :													
0-5	—	—	—	—	—	—	—	—	—	—	100.00	100.00	9
5-10	3.53	—	—	—	—	—	—	—	—	—	—	100.00	34
10-20	15.40	53.95	—	—	—	—	—	—	46.05	—	—	100.00	17
20-30	7.41	100.00	—	—	—	—	—	—	—	—	—	100.00	12
30-40	6.24	55.32	—	—	—	—	—	—	—	44.68	—	100.00	—
40-50	—	—	—	—	—	—	—	—	—	—	—	100.00	36
50-60	31.75	100.00	—	—	—	—	—	—	—	—	—	100.00	22
60-70	20.97	100.00	—	—	—	—	—	—	—	—	—	100.00	—
70-80	—	—	—	—	—	—	—	—	—	—	—	—	—
80-90	—	—	—	—	—	—	—	—	—	—	—	—	—
90-95	—	—	—	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :													
illiterate	6.02	44.58	—	—	—	—	—	—	29.19	10.08	16.17	100.00	53
literate but below primary	—	—	—	—	—	—	—	—	—	—	—	100.00	—
primary but below secondary	15.75	100.00	—	—	—	—	—	—	—	—	—	100.00	43
secondary & above	29.50	100.00	—	—	—	—	—	—	—	—	—	100.00	32
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—
all	9.16	77.17	—	—	—	—	—	—	12.02	4.15	6.66	100.00	128

TABLE (6.15U) : PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

TAMILNADU

classification	percent- age regd.	type of institution/personnel registered with										all regd. (00)			
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		(11)	(12)	(13)
		public hospital	primary health centre	public dispensary	private hospital	nursing home	charitable insti- tution	private doctor	auxiliary nurse/LHV	others	n.r.				
fractile group :															
0-5	.	11.57	—	—	88.43	—	—	—	—	—	—	—	—	—	128
05-10	.	59.47	—	—	31.97	4.77	—	—	3.79	—	—	—	—	—	271
10-20	.	64.17	—	8.68	8.77	—	—	9.44	—	—	—	—	—	—	213
20-30	.	82.36	—	—	13.35	—	—	—	4.29	—	—	—	—	—	238
30-40	.	11.98	51.23	—	—	—	—	—	—	—	—	—	—	—	35
40-50	.	55.41	—	—	34.43	9.10	—	—	—	—	—	—	—	—	197
50-60	.	23.42	—	—	43.18	16.06	—	—	11.96	—	—	—	—	—	201
60-70	.	25.35	—	—	46.92	—	—	—	22.16	—	—	—	—	—	193
70-80	.	32.51	—	—	67.49	—	—	—	—	—	—	—	—	—	187
80-90	.	22.27	—	—	33.86	36.19	7.68	—	—	—	—	—	—	—	100
90-95	.	—	—	—	55.40	44.60	—	—	—	—	—	—	—	—	50
95-100	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	.	—	—	—	—	100.00	—	—	—	—	—	—	—	—	14
adult female education class															
illiterate	.	57.97	—	3.57	24.41	2.76	—	—	6.71	—	—	—	—	—	518
literate but below primary	.	50.76	—	—	21.47	6.66	—	6.02	5.30	—	—	—	—	—	194
primary but below secondary	.	38.99	2.34	—	42.92	6.37	—	1.09	5.51	—	—	—	—	—	768
secondary & above	.	25.24	—	—	47.92	23.72	3.12	—	—	—	—	—	—	—	247
n.r.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
all	.	41.05	1.04	1.07	35.68	7.81	0.45	1.16	5.06	—	3.71	—	—	—	1727

URBAN

estd. mother regd. (00)

TABLE (6-16U): PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPES OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRAGILE GROUP/ADULT FEMALE EDUCATION CLASS

URBAN

classification	(2)	type of institution/personnel registered with				(7)	(8)	(9)	(10)	(11)	(12)	(13)	estd. mother regd. (00)
		public hospital	primary health centre	public dispensary	private hospital								
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
fragile group :													
0-5	.	—	—	—	—	—	—	—	—	—	—	—	—
5-10	.	—	—	—	—	—	—	—	—	—	—	—	—
10-20	.	100.00	100.00	—	—	—	—	—	—	—	—	100.00	2
20-30	.	—	—	—	—	—	—	—	—	—	—	—	—
30-40	.	—	—	—	—	—	—	—	—	—	—	—	—
40-50	.	100.00	100.00	—	—	—	—	—	—	—	—	100.00	1
50-60	.	100.00	100.00	—	—	—	—	—	—	—	—	100.00	12
60-70	.	—	—	—	—	—	—	—	—	—	—	—	—
70-80	.	—	—	—	—	—	—	—	—	—	—	—	—
80-90	.	100.00	100.00	—	—	—	—	—	—	—	—	100.00	1
90-95	.	100.00	100.00	—	—	—	—	—	—	—	—	100.00	3
95-100	.	—	—	—	—	—	—	—	—	—	—	—	—
n.r.	.	—	—	—	—	—	—	—	—	—	—	—	—
adult female education class :													
illiterate	.	47.77	100.00	—	—	—	—	—	—	—	—	100.00	2
literate but below primary	.	—	—	—	—	—	—	—	—	—	—	—	—
primary but below secondary	.	50.87	100.00	—	—	—	—	—	—	—	—	100.00	3
secondary & above	.	100.00	100.00	—	—	—	—	—	—	—	—	100.00	4
n.r.	.	—	—	—	—	—	—	—	—	—	—	—	—
all	.	47.91	100.00	—	—	—	—	—	—	—	—	100.00	19

TABLE (6.17U): PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

classification	type of institution/personnel registered with														mother regd. (00)
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
		percent- age regd.	public hospital	primary health centres	public dispensary	private hospital	nursing home	charitable institution	private doctor	auxiliary nurse/LHV	others	n.r.	all	estd	
fractile group :															
0-5	.	5.79	—	—	—	—	—	62.45	37.55	—	—	—	100.00	30	
5-10	.	5.17	—	—	—	—	—	—	—	—	100.00	—	100.00	16	
10-20	.	1.62	—	—	—	—	—	—	100.00	—	—	100.00	100.00	14	
20-30	.	3.11	—	—	—	—	—	—	—	—	—	87.13	100.00	23	
30-40	.	1.61	12.87	—	—	—	—	—	—	—	—	—	100.00	12	
40-50	.	9.50	18.47	18.57	—	—	—	—	—	—	—	—	100.00	65	
50-60	.	17.31	86.43	—	—	—	13.57	—	—	—	—	—	100.00	85	
60-70	.	33.04	47.50	2.37	—	12.00	—	—	38.14	—	—	—	100.00	85	
70-80	.	14.07	70.29	—	—	29.71	—	—	—	—	—	—	100.00	45	
80-90	.	20.45	—	—	—	80.08	—	—	19.92	—	—	—	100.00	35	
90-95	.	26.48	—	—	—	—	—	—	100.00	—	—	—	100.00	13	
95-100	.	—	—	—	—	—	—	—	—	—	—	—	—	—	
n.r.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :															
illiterate	.	3.04	53.51	—	—	—	—	—	14.06	—	—	32.43	100.00	102	
literate but below primary	.	15.72	61.90	—	—	—	—	—	—	—	38.12	—	100.00	43	
primary	.	17.64	26.95	11.52	—	—	9.40	15.12	36.96	—	—	—	100.00	122	
secondary	.	18.87	55.04	—	—	33.30	—	—	11.66	—	—	—	100.00	156	
n.r.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	
all	.	8.16	47.26	3.34	—	12.24	2.71	4.36	18.36	—	3.88	7.84	100.00	423	

UTTAR PRADESH

URBAN

estd

mother

regd.

(00)

(14)

(13)

(12)

(11)

(10)

(9)

(8)

(7)

(6)

(5)

(4)

(3)

(2)

(1)

percent-

age

regd.

public

hospital

primary

health

centres

(4)

(5)

(6)

(7)

(8)

(9)

(10)

(11)

(12)

(13)

(14)

others

n.r.

all

estd

mother

regd.

(00)

TABLE (6.18U): PERCENTAGE OF MOTHERS REGISTERED FOR POST-NATAL CARE AND THEIR PERCENTAGE DISTRIBUTION OVER TYPE OF MEDICAL INSTITUTION/PERSONNEL REGISTERED WITH BY FRACILE GROUP/ADULT FEMALE EDUCATION CLASS

classification	type of institution/personnel registered with													
	percent- age regd.	public hospital	primary health centre	public dispensary	private hospital	nursing home	charitable institution	private doctor	auxiliary nurse/LHV	others	n.r.	all	estd. mother regd. (00)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	
Fractile group :														
0—5	26.45	—	100.00	—	—	—	—	—	—	—	—	100.00	43	
5—10	4.03	—	—	—	—	—	—	100.00	—	—	—	100.00	10	
10—20	15.14	77.78	—	—	—	22.22	—	—	—	—	—	100.00	57	
20—30	4.07	—	—	—	—	—	—	100.00	—	—	—	100.00	14	
30—40	9.09	100.00	—	—	—	—	—	—	—	—	—	100.00	12	
40—50	19.64	75.57	—	—	—	15.86	—	—	—	—	9.56	100.00	41	
50—60	47.08	64.78	—	—	—	8.84	—	51.83	—	—	26.38	100.00	62	
60—70	51.87	10.75	—	—	—	34.63	—	73.39	—	—	2.79	100.00	90	
70—80	24.20	—	—	—	—	26.65	—	73.39	—	—	—	100.00	24	
80—90	41.58	—	—	—	36.04	32.10	—	31.86	—	—	—	100.00	33	
90—95	73.03	—	—	—	—	100.00	—	—	—	—	—	100.00	94	
95—100	—	—	—	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
adult female education class :														
illiterate	11.76	43.89	40.71	—	—	—	—	9.36	—	—	6.05	100.00	106	
literate but below primary	16.26	77.23	—	—	—	22.77	—	—	—	—	—	100.00	24	
primary but below secondary	16.38	11.44	—	—	—	22.78	—	46.56	—	—	19.23	100.00	85	
secondary & above	44.53	23.41	—	—	4.55	53.08	—	18.96	—	—	—	100.00	265	
n.r.	—	—	—	—	—	—	—	—	—	—	—	—	—	
all	22.20	28.52	9.02	—	2.51	34.48	—	20.74	—	—	4.72	100.00	480	

TABLE 7.0(R) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

ALL INDIA											RURAL
classification	percent- age of domici- liary births	attendance type							n.r.	all	est. no. of domi- ciliary births (00)
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group ;											
0— 5	87.25	40.22	1.18	1.87	4.30	22.92	29.32	0.18	100.00	8502	
5— 10	86.25	37.66	1.86	2.14	4.53	25.08	28.73	—	100.00	7993	
10— 20	85.27	32.59	1.67	2.78	4.06	23.78	34.46	0.65	100.00	15373	
20— 30	82.47	35.26	1.17	2.66	7.02	24.25	28.32	1.32	100.00	13570	
30— 40	77.73	37.72	0.41	1.57	6.08	22.51	30.85	0.87	100.00	10738	
40— 50	86.38	29.85	2.30	3.30	5.55	30.25	28.22	0.52	100.00	8906	
50— 60	80.97	31.07	1.03	2.70	6.01	28.07	30.03	1.09	100.00	10623	
60— 70	77.13	32.93	0.65	1.63	5.88	33.38	24.19	1.34	100.00	7932	
70— 80	73.63	29.11	1.22	3.92	7.33	32.15	25.78	0.49	100.00	6088	
80— 90	71.92	26.88	0.92	2.80	7.54	35.35	25.62	0.89	100.00	5952	
90— 95	52.62	19.43	2.14	—	16.52	28.47	33.45	—	100.00	1244	
95—100	57.86	25.89	2.52	10.73	5.32	35.69	19.85	—	100.00	1007	
n.r.	100.00	40.41	—	9.10	—	31.60	18.89	—	100.00	234	
adult female edu. class :											
illiterate	87.61	34.67	1.18	2.07	5.35	26.88	29.13	0.71	100.00	74606	
lit. but below primary	76.11	38.79	1.08	1.97	5.83	24.02	27.85	0.47	100.00	5672	
primary but below secondary	64.04	25.29	1.56	5.34	7.90	28.40	30.56	0.95	100.00	14523	
secondary and above	46.25	27.55	3.38	2.77	9.52	30.20	25.66	0.91	100.00	2577	
n.r.	75.47	46.68	—	3.32	—	21.29	26.31	2.40	100.00	784	
all	80.52	33.43	1.28	2.58	5.82	26.99	29.16	0.74	100.00	98162	

TABLE 7.1 (R) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

ANDHRA PRADESH										RURAL
classification	percent- age of domici- liary births	attendance type							estd. no of domici- liary births (00)	
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others	n.r.		all
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group :										
0— 5	78.14	44.51	—	2.64	2.64	20.98	29.24	—	100.00	1066
5— 10	96.20	45.69	2.86	3.26	—	23.18	25.01	—	100.00	947
10— 20	75.26	23.45	—	2.17	5.57	20.37	48.44	—	100.00	1256
20— 30	81.02	40.57	—	9.50	13.40	19.35	17.18	—	100.00	1206
30— 40	81.10	23.48	2.08	—	6.91	25.05	42.48	—	100.00	1052
40— 50	77.04	17.81	—	—	—	35.97	46.22	—	100.00	577
50— 60	84.07	24.60	2.84	2.63	8.55	28.75	32.63	—	100.00	851
60— 70	69.73	26.37	—	6.30	4.43	38.72	24.18	—	100.00	489
70— 80	62.70	48.17	—	4.99	3.69	36.90	6.26	—	100.00	458
80— 90	67.83	14.07	—	—	9.61	26.90	49.43	—	100.00	193
90— 95	31.92	100.00	—	—	—	—	—	—	100.00	33
95—100	21.58	100.00	—	—	—	—	—	—	100.00	16
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class :										
illiterate	85.06	35.77	1.09	2.71	4.55	25.51	30.37	—	100.00	6407
lit. but below primary	62.72	4.87	—	12.02	8.89	37.27	36.96	—	100.00	417
primary but below secondary	49.91	26.96	—	6.71	11.27	13.09	41.97	—	100.00	674
secondary & above	51.67	—	—	—	25.63	29.30	45.07	—	100.00	171
n.r.	76.33	42.69	—	—	—	30.45	26.86	—	100.00	175
all	77.86	32.85	0.90	3.40	5.68	25.27	31.90	—	100.00	814

TABLE 7.2 (R) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

ASSAM										
classification	percent- age of domici- liary births	attendance type								estd. no. of domi- ciliary births (00)
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others	n.r.	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group :										
0— 5	84.04	53.22	—	—	—	9.98	36.79	—	100.00	118
5— 10	80.46	61.14	—	—	—	12.24	26.62	—	100.00	84
10— 20	100.00	34.42	—	—	—	11.83	53.75	—	100.00	106
20— 30	85.01	80.73	—	—	—	—	19.27	—	100.00	79
30— 40	100.00	9.96	—	—	—	—	90.04	—	100.00	114
40— 50	92.97	66.38	—	—	—	7.24	15.07	11.31	100.00	137
50— 60	60.41	56.24	—	—	—	18.28	25.47	—	100.00	63
60— 70	62.70	35.96	—	—	—	40.91	23.13	—	100.00	59
70— 80	84.82	55.80	—	—	—	—	44.21	—	100.00	80
80— 90	61.01	27.48	—	—	—	—	72.52	—	100.00	58
90— 95	41.89	—	—	—	—	—	100.00	—	100.00	24
95—100	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class :										
illiterate	89.30	62.84	—	—	—	10.62	26.54	—	100.00	442
literate but below primary	58.92	34.27	—	—	—	29.03	36.70	—	100.00	65
primary but below secondary	80.23	35.22	—	—	—	3.78	56.91	4.08	100.00	379
secondary & above	42.38	—	—	—	—	—	100.00	—	100.00	27
n.r.	100.00	—	—	—	—	—	100.00	—	100.00	9
all	80.14	47.05	—	—	—	8.70	42.56	1.69	100.00	922

TABLE 7.3 (R) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

BIHAR										RURAL	
classification	percent- age of domici- liary births	attendance type							n.r.	all	estd. no. of domici- liary births (00)
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group :											
0— 5	84.48	50.05	—	5.77	—	16.00	26.41	1.77	100.00	865	
5— 10	84.83	29.14	3.00	5.46	3.15	29.26	29.98	—	100.00	825	
10— 20	88.80	29.73	2.35	4.40	0.18	18.19	43.79	1.36	100.00	2034	
20— 30	80.66	39.83	1.77	—	—	9.94	46.25	2.21	100.00	1284	
30— 40	83.97	40.63	—	2.22	—	14.16	37.19	5.80	100.00	1129	
40— 50	81.43	45.32	3.34	2.94	5.20	8.60	34.60	—	100.00	887	
50— 60	81.34	27.55	3.12	—	6.17	20.98	33.33	8.85	100.00	818	
60— 70	82.31	36.97	—	—	8.62	10.47	38.04	5.90	100.00	833	
70— 80	77.85	26.35	—	—	11.48	16.03	42.99	3.16	100.00	786	
80— 90	74.11	61.58	—	—	—	3.77	30.69	3.96	100.00	456	
90— 95	37.45	—	—	—	—	—	100.00	—	100.00	44	
95—100	—	—	—	—	—	—	—	—	—	—	
n.r.	100.00	100.00	—	—	—	—	—	—	100.00	25	
adult female edu. class :											
illiterate	85.09	38.07	1.75	2.74	2.85	14.74	36.84	3.00	100.00	8585	
literate but below primary	82.32	59.84	—	—	—	12.74	27.42	—	100.00	392	
primary but below secondary	67.08	13.73	—	—	2.95	25.17	54.55	3.60	100.00	794	
secondary & above	56.64	34.07	—	—	11.52	—	54.41	—	100.00	174	
n.r.	100.00	62.69	—	—	—	—	—	37.29	100.00	41	
all	82.33	37.02	1.51	2.36	2.89	15.18	38.03	3.01	100.00	9986	

TABLE 7.4 (R) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

GUJARAT										RURAL	
classification	percent- age of domici- liary births	attendance type							n.r.	all	estd.no. of domi- ciliary births (00)
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group :											
0— 5	90.91	20.18	—	—	16.55	47.73	15.53	—	100.00	340	
5— 10	91.72	18.06	—	—	8.12	46.56	27.26	—	100.00	267	
10— 20	90.59	21.56	—	4.14	4.42	47.85	19.82	2.21	100.00	672	
20— 30	77.36	16.98	—	—	—	42.69	40.32	—	100.00	346	
30— 40	81.08	29.33	—	—	3.81	52.96	13.90	—	100.00	384	
40— 50	72.02	8.58	—	—	—	51.93	39.50	—	100.00	352	
50— 60	86.48	36.66	—	—	5.90	33.50	23.94	—	100.00	459	
60— 70	71.85	20.26	—	—	—	54.40	25.34	—	100.00	298	
70— 80	70.86	6.18	—	—	8.16	63.57	22.09	—	100.00	293	
80— 90	87.49	45.31	—	—	15.53	13.67	25.49	—	100.00	178	
90— 95	51.73	—	—	—	68.31	31.69	—	—	100.00	61	
95—100	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class :											
illiterate	92.25	19.20	—	1.06	4.35	48.37	26.46	0.56	100.00	2632	
literate but below primary	100.00	—	—	—	29.23	41.12	23.66	—	100.00	93	
primary but below secondary	63.60	30.64	—	—	13.49	44.95	10.92	—	100.00	750	
secondary & above	33.59	54.43	—	—	—	33.23	12.34	—	100.00	102	
n.r.	75.35	—	—	—	—	—	100.00	—	100.00	73	
all	80.63	21.67	—	0.76	6.65	46.24	24.28	0.40	100.00	3650	

TABLE 7.5 (R) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

HARYANA										RURAL	
classification	percent- age of domici- liary births	attendance type							n.r.	all	estd. no of domici- liary births (00)
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group :											
0— 5	100.00	—	—	—	—	81.43	18.57	—	100.00	256	
5— 10	72.74	—	—	—	14.93	58.44	26.62	—	100.00	234	
10— 20	91.50	7.33	—	—	7.76	62.88	22.03	—	100.00	354	
20— 30	100.00	8.26	—	—	3.04	88.70	—	—	100.00	528	
30— 40	100.00	—	—	10.72	12.50	65.12	11.66	—	100.00	384	
40— 50	75.21	—	—	—	—	100.00	—	—	100.00	161	
50— 60	85.29	—	—	—	9.04	90.97	—	—	100.00	382	
60— 70	100.00	8.59	—	9.86	7.37	60.21	13.99	—	100.00	406	
70— 80	100.00	12.20	—	—	9.57	58.64	19.59	—	100.00	348	
80— 90	100.00	—	—	—	—	100.00	—	—	100.00	40	
90— 95	100.00	—	—	—	—	100.00	—	—	100.00	119	
15—100	100.00	—	—	—	—	100.00	—	—	100.00	30	
n.r.	100.00	—	—	—	—	100.00	—	—	100.00	46	
adult female edu. class :											
illiterate	95.28	4.36	—	1.72	5.53	77.52	10.86	—	100.00	2393	
literate but below primary	84.49	—	—	—	32.46	42.22	25.31	—	100.00	177	
primary but below secondary	92.40	6.60	—	6.23	5.36	71.58	8.23	—	100.00	643	
secondary & above n.r.	67.69	—	—	—	—	100.00	—	—	100.00	74	
all	93.22	4.47	—	2.47	6.82	75.36	10.88	—	100.00	3287	

TABLE 7.6 (R) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

HIMACHAL PRADESH

RURAL

classification	percentage of domiciliary births	attendance type							n.r.	all	estd. no. of domiciliary births(00)
		no attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse/midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group :											
0-5	64.48	—	56.63	—	—	43.37	—	—	100.00	63	
5-10	88.68	—	—	—	14.76	53.68	31.57	—	100.00	88	
10-20	88.26	—	—	—	4.99	59.17	35.84	—	100.00	147	
20-30	94.81	—	—	—	14.88	55.66	29.46	—	100.00	130	
30-40	93.13	5.54	—	—	—	73.13	21.33	—	100.00	87	
40-50	54.41	7.09	10.68	—	—	66.75	15.49	—	100.00	64	
50-60	80.28	9.10	—	—	7.95	30.83	52.14	—	100.00	83	
60-70	59.03	—	—	—	11.60	58.52	29.87	—	100.00	31	
70-80	78.33	26.20	—	—	—	73.80	—	—	100.00	59	
80-90	100.00	31.56	—	—	17.21	30.14	21.07	—	100.00	38	
90-95	100.00	—	—	—	—	100.00	—	—	100.00	9	
95-100	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu.											
illiterate	36.37	7.53	—	—	6.67	62.49	23.31	—	100.00	321	
literate but below primary	65.65	—	—	—	—	—	100.00	—	100.00	8	
primary but below secondary	83.41	5.06	8.89	—	7.08	49.62	29.35	—	100.00	401	
secondary & above	55.11	—	9.90	—	9.54	70.62	9.93	—	100.00	69	
n.r.	—	—	—	—	—	—	—	—	—	—	
all	80.73	5.56	5.32	—	7.05	56.09	25.98	—	100.00	799	

TABLE 7.7 (R) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

RURAL

classification	percent- age of domici- liary births	attendance type							all	estd. no. of domi- ciliary births (00)
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others	n.r.		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group :										
0— 5	100.00	34.30	—	—	—	46.22	19.47	—	100.00	100
5— 10	92.70	19.13	5.50	—	13.23	27.91	34.22	—	100.00	85
10— 20	93.71	30.61	—	—	5.08	53.65	10.67	—	100.00	130
20— 30	88.12	44.84	2.65	—	5.83	30.97	15.71	—	100.00	144
30— 40	88.49	17.65	5.94	—	2.41	55.80	18.21	—	100.00	130
40— 50	79.51	33.68	—	—	9.36	43.53	13.44	—	100.00	146
50— 60	91.25	28.33	—	7.20	—	59.85	4.62	—	100.00	73
60— 70	84.95	13.97	5.80	—	—	58.46	21.77	—	100.00	112
70— 80	43.68	13.11	—	—	11.38	75.48	—	—	100.00	36
80— 90	85.37	12.92	—	—	21.19	34.63	31.26	—	100.00	58
90— 95	95.53	43.83	—	—	—	35.56	20.61	—	100.00	44
95—100	100.00	20.37	—	—	25.08	54.50	—	—	100.00	18
n.r.	100.00	100.00	—	—	—	—	—	—	100.00	4
adult female edu. class :										
illiterate	87.42	28.55	1.98	0.65	7.31	45.11	16.40	—	100.00	818
literate but below primary	100.00	21.94	—	—	—	78.06	—	—	100.00	23
primary but below secondary	88.19	28.58	3.19	—	2.02	48.51	17.81	—	100.00	204
secondary & above	58.40	16.34	—	—	—	46.98	36.71	—	100.00	35
n.r.	—	—	—	—	—	—	—	—	—	—
all	80.1	28.02	2.10	0.49	5.91	46.51	16.97	—	100.00	1080

TABLE 7.8 (R) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

KARNATAKA											RURAL	
classification	percent- age of domici- liary births	no atten- dance	attendance type							n.r.	all	estd. no. of domici- liary births (00)
			Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others					
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)		
fractile group ;												
0- 5	87.65	53.55	—	—	8.01	25.95	12.49	—	100.00	356		
5- 10	74.04	27.65	—	—	—	—	72.35	—	100.00	355		
10- 20	95.06	27.71	4.03	5.78	9.19	12.66	40.62	—	100.00	888		
20- 30	84.39	16.82	—	7.18	13.32	21.70	40.97	—	100.00	861		
30- 40	89.20	19.98	—	4.69	4.15	29.66	41.51	—	100.00	587		
40- 50	76.48	37.06	—	—	4.86	20.76	37.32	—	100.00	509		
50- 60	67.54	33.40	—	6.11	—	8.56	51.93	—	100.00	340		
60- 70	71.10	32.28	—	—	9.12	23.81	34.79	—	100.00	380		
70- 80	65.43	11.32	—	—	5.13	23.88	59.66	—	100.00	417		
80- 90	69.35	24.03	—	—	7.80	8.37	48.71	11.11	100.00	312		
90- 95	42.68	—	—	—	24.76	—	75.24	—	100.00	104		
95-100	74.68	—	—	62.02	—	—	37.98	—	100.00	75		
n.r.	100.00	—	—	—	—	—	100.00	—	100.00	18		
adult female edu. class ;												
illiterate	87.62	26.37	0.93	1.16	7.24	17.03	46.36	0.91	100.00	3830		
literate but below primary	68.56	10.62	—	—	—	52.19	37.19	—	100.00	225		
primary but below secondary	59.64	15.73	—	19.62	6.34	10.45	47.85	—	100.00	828		
secondary & above	47.05	43.71	—	—	25.44	30.84	—	—	100.00	197		
n.r.	85.02	77.65	—	—	—	—	22.34	—	100.00	122		
all	78.22	25.85	0.69	3.98	7.31	17.63	43.89	0.65	100.00	5202		

TABLE 7.9 (R) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

KERALA											RURAL	
classification	percent- age of domici- liary births	attendance type								n.r.	all	estd. no. of domi- ciliary births (00)
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others					
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)		
fractile group												
0-5	43.36	—	14.90	—	14.90	—	70.20	—	100.00	140		
5-10	40.71	15.77	13.67	—	—	11.62	58.94	—	100.00	139		
10-20	22.12	26.98	—	—	—	13.96	59.06	—	100.00	130		
20-30	23.75	72.05	16.80	—	—	—	11.15	—	100.00	107		
30-40	14.13	45.49	—	—	—	—	54.51	—	100.00	37		
40-50	19.39	42.16	20.03	—	—	—	37.82	—	100.00	102		
50-60	8.87	—	100.00	—	—	—	—	—	100.00	24		
60-70	12.51	—	—	—	—	—	100.00	—	100.00	33		
70-80	—	—	—	—	—	—	—	—	—	—		
80-90	—	—	—	—	—	—	—	—	—	—		
90-95	—	—	—	—	—	—	—	—	—	—		
95-100	—	—	—	—	—	—	—	—	—	—		
n.r.	—	—	—	—	—	—	—	—	—	—		
adult female edu. class												
illiterate	45.37	13.32	46.11	—	16.64	—	23.93	—	100.00	125		
literate but below primary	39.88	21.88	20.18	—	—	—	57.94	—	100.00	102		
primary but below secondary	21.12	31.97	4.96	—	—	7.10	55.97	—	100.00	485		
secondary & above	—	—	—	—	—	—	—	—	—	—		
n.r.	—	—	—	—	—	—	—	—	—	—		
all	20.02	27.24	14.39	—	2.93	4.84	50.60	—	100.00	712		

TABLE 7.10(R) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

MADHYA PRADESH										RURAL	
classification	percentage of domiciliary births	attendance type							n.r.	all	estd. no. of domiciliary births (00)
		no attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse/midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group											
0—5	87.76	36.05	—	—	3.18	42.74	18.03	—	100.00	966	
5—10	95.07	34.59	1.94	—	2.08	27.46	33.93	—	100.00	860	
10—20	87.13	39.62	—	—	3.70	35.22	21.47	—	100.00	1194	
20—30	86.68	38.02	—	2.25	3.07	21.41	35.24	—	100.00	1044	
30—40	91.67	40.34	—	2.89	6.90	27.69	22.18	—	100.00	1307	
40—50	82.72	55.50	3.33	—	7.52	19.42	10.02	4.21	100.00	1078	
50—60	87.66	36.86	4.19	—	5.83	37.62	11.88	3.62	100.00	626	
60—70	87.29	22.43	6.46	2.19	—	25.99	39.86	3.08	100.00	762	
70—80	89.19	65.55	—	—	—	19.54	14.92	—	100.00	511	
80—90	85.02	45.91	—	—	10.90	23.35	19.83	—	100.00	444	
90—95	74.71	32.56	—	—	11.28	47.03	9.13	—	100.00	192	
95—100	54.71	56.29	—	—	23.85	19.86	—	—	100.00	104	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class											
illiterate	88.00	39.94	1.24	0.53	5.01	28.51	23.89	0.89	100.07	7585	
literate but below primary	90.48	48.52	—	2.63	4.44	30.57	13.84	—	100.00	732	
primary but below secondary	74.26	37.39	2.71	3.02	2.38	36.66	17.85	—	100.70	616	
secondary & above	81.26	39.03	16.25	—	—	—	22.94	21.77	100.00	108	
n.r.	100.00	100.00	—	—	—	—	—	—	100.00	45	
all	87.07	40.74	1.41	0.86	4.70	28.74	22.54	1.01	100.00	9088	

TABLE 7.11(R) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

MAHARASHTRA										RURAL	
classification	percent- age of domici- liary births	attendance type							n.r.	all	estd. no. of domici- liary births (00)
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group											
0— 5	87.97	37.32	—	5.08	3.77	9.19	44.64	—	100.00	700	
5— 10	94.19	38.85	3.00	3.82	8.14	11.47	34.71	—	100.00	719	
10— 20	86.64	32.89	—	3.03	2.28	14.78	43.36	3.66	100.00	939	
20— 30	78.14	27.40	2.16	5.38	7.56	21.74	37.90	4.87	100.00	990	
30— 40	80.95	33.16	—	11.77	4.76	18.54	29.24	2.53	100.00	935	
40— 50	36.89	20.85	—	5.46	9.54	9.08	55.07	—	100.00	827	
50— 60	77.40	31.37	2.82	3.10	9.63	15.50	34.86	2.73	100.00	731	
60— 70	75.13	39.75	4.50	3.61	6.08	17.21	24.31	4.55	100.00	484	
70— 80	56.17	39.26	—	9.92	—	—	50.82	—	100.00	277	
80— 90	62.35	37.46	—	11.66	—	8.08	42.80	—	100.00	458	
90— 95	35.07	12.08	18.49	13.26	—	14.31	41.86	—	100.00	144	
95—100	—	—	—	—	—	—	—	—	—	—	
n.r.	100.00	100.00	—	—	—	—	—	—	100.00	27	
adult female edu. class											
illiterate	88.00	33.37	0.99	5.21	4.28	14.42	39.89	1.84	100.00	4357	
literate but below primary	81.96	41.64	4.46	4.12	—	14.21	35.57	—	100.00	462	
primary but below secondary	68.08	27.53	2.35	6.87	10.65	13.84	35.43	3.34	100.00	2045	
secondary & above	38.75	26.08	—	13.43	—	12.86	47.63	—	100.00	204	
n.r.	65.52	53.72	—	16.01	—	—	30.26	—	100.00	163	
all	77.80	32.50	1.55	6.09	5.59	13.88	38.36	2.08	100.00	7231	

TABLE 7.12(R): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

ORISSA											
classification	percentage of domiciliary births	attendance type							n.r.	all	estd no. of domiciliary births (00)
		no. attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse/midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group											
0-5	100.00	61.22	5.31	—	7.25	4.83	21.38	—	100.00	397	
5-10	100.00	54.52	—	—	—	5.91	39.56	—	100.00	324	
10-20	86.43	51.16	—	—	10.91	10.65	27.29	—	100.00	448	
20-30	78.96	58.47	—	—	3.83	3.83	33.87	—	100.00	515	
30-40	81.83	61.59	—	—	—	—	38.40	—	100.00	407	
40-50	82.35	47.31	—	—	10.12	7.99	34.58	—	100.00	485	
50-60	91.49	60.18	—	—	10.13	9.32	20.36	—	100.00	465	
60-70	91.94	42.03	—	—	5.66	24.91	27.39	—	100.00	395	
70-80	48.76	49.44	—	—	—	17.66	32.90	—	100.00	193	
80-90	78.90	58.77	—	21.04	10.68	—	9.51	—	100.00	237	
90-95	74.58	45.71	—	—	15.74	13.84	24.72	—	100.00	167	
95-100	100.00	100.00	—	—	—	—	—	—	100.00	25	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class											
illiterate	84.58	56.75	0.72	—	5.15	6.34	31.04	—	100.00	2914	
literate but below primary	85.38	69.34	—	—	5.81	3.76	21.09	—	100.00	453	
primary but below secondary	83.15	35.33	—	7.20	13.19	20.50	23.77	—	100.00	691	
secondary & above	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	
all	83.48	54.51	0.52	1.23	6.59	8.47	28.68	—	100.00	4058	

TABLE 7.13(R): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

PUNJAB											RURAL
classification	percentage of domiciliary births	attendance type								estd. no. of domiciliary births (00)	
		no attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse/midwife	others	n.r.	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group											
0—5	100.00	5.11	—	—	29.34	62.10	3.45	—	100.00	343	
5—10	83.89	8.52	—	—	12.79	78.69	—	—	100.00	249	
10—20	75.68	13.35	—	—	10.60	71.53	4.52	—	100.00	340	
20—30	76.70	—	7.18	8.18	—	84.64	—	—	100.00	204	
30—40	77.74	—	4.98	—	12.20	82.82	—	—	100.00	234	
40—50	58.10	—	—	26.22	32.01	41.76	—	—	100.00	69	
50—60	100.00	10.59	4.34	8.00	19.18	45.28	12.61	—	100.00	338	
60—70	84.13	10.78	—	10.57	—	64.59	14.07	—	100.00	214	
70—80	73.79	10.38	—	—	11.35	49.52	28.76	—	100.00	164	
80—90	76.69	—	—	—	21.85	78.15	—	—	100.00	134	
90—95	60.21	—	—	—	52.37	47.63	—	—	100.00	66	
95—100	20.22	—	—	—	—	100.00	—	—	100.00	13	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class											
illiterate	91.47	8.02	2.75	1.12	12.96	70.75	4.40	—	100.00	1490	
literate but below primary	79.40	—	—	—	55.86	20.70	23.46	—	100.00	75	
primary but below secondary	76.46	—	—	9.17	10.13	74.11	6.59	—	100.00	491	
secondary & above	53.49	13.69	—	7.63	27.47	40.60	10.61	—	100.00	296	
n.r.	100.00	—	—	—	—	100.00	—	—	100.00	16	
all	80.67	6.76	1.73	3.56	15.47	66.26	6.22	—	100.00	2368	

TABLE 7.14(R): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

RAJASTHAN										RURAL	
classification	percent- age of domici- liary births	attendance type							n.r.	all	estd. no. of domici- liary births (00)
		no. atten- endance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group											
0—5	100.00	47.72	3.99	—	—	27.98	20.31	—	100.00	358	
5—10	96.31	16.04	—	—	10.46	26.58	46.92	—	100.00	479	
10—20	95.20	51.43	1.84	2.95	11.84	10.50	21.45	—	100.00	1092	
20—30	83.59	43.38	—	—	23.71	17.70	15.21	—	100.00	895	
30—40	100.00	30.92	5.04	—	4.08	29.89	30.07	—	100.00	—	
40—50	85.71	46.06	0.98	2.82	13.72	21.90	14.53	—	100.00	954	
50—60	39.30	34.96	—	—	5.11	28.77	31.17	—	100.00	728	
60—70	89.37	44.50	3.05	—	—	38.24	14.21	—	100.00	622	
70—80	82.24	22.29	7.35	—	—	51.68	18.68	—	100.00	483	
80—90	82.05	43.71	4.46	—	11.63	26.68	13.52	—	100.00	446	
90—95	93.00	41.79	—	—	—	25.81	32.41	—	100.00	251	
95—100	64.96	37.92	—	31.62	—	—	30.46	—	100.00	198	
n.r.	100.00	—	—	100.00	—	—	—	—	100.00	22	
adult female edu. class											
illiterate	89.75	39.60	1.57	1.01	8.09	25.12	24.61	—	100.00	6121	
literate but below primary	100.00	56.43	11.41	—	11.71	—	20.45	—	100.00	175	
primary but below secondary	82.56	41.38	2.71	8.55	16.71	26.56	4.10	—	100.00	700	
secondary & above n.r.	51.34	—	17.56	40.22	—	42.23	—	—	100.00	53	
all	88.71	39.90	2.05	2.03	8.98	24.77	22.27	—	100.00	7049	

TABLE 7.15(R): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

TAMIL NADU										RURAL	
classification	percentage of domiciliary births	attendance type							n.r.	all	estd. no. of domiciliary births 00)
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group											
0—5	66.03	27.74	—	—	20.60	—	51.67	—	100.00	340	
5—10	68.39	10.51	—	14.33	8.47	19.19	47.49	—	100.00	387	
10—20	66.98	11.48	3.14	3.10	13.05	27.82	41.41	—	100.00	626	
20—30	49.00	45.94	—	—	7.51	5.60	40.94	—	100.00	359	
30—40	73.08	32.23	—	—	10.86	15.27	41.64	—	100.00	745	
40—50	59.06	51.62	—	—	10.28	20.92	17.18	—	100.00	380	
50—60	59.12	20.07	9.71	—	9.66	6.10	54.46	—	100.00	343	
60—70	42.82	51.90	—	—	11.87	13.45	22.78	—	100.00	188	
70—80	38.43	35.10	—	—	—	33.08	31.82	—	100.00	234	
80—90	36.21	23.88	—	—	38.14	1.93	36.04	—	100.00	176	
90—95	—	—	—	—	—	—	—	—	—	—	
95—100	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class											
illiterate	66.99	27.31	2.19	0.67	12.99	16.07	40.77	—	100.00	2422	
literate but below primary	61.01	33.97	—	4.80	10.93	6.90	43.40	—	100.00	481	
primary but below secondary	42.40	27.18	—	4.30	10.51	20.15	37.86	—	100.00	826	
secondary & above n.r.	12.96	100.00	—	—	—	—	—	—	100.00	49	
all	56.12	29.08	1.40	1.98	12.01	15.59	39.94	—	100.00	3778	

TABLE 7.16(R): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

TRIPURA											RURAL
classification	percentage of domiciliary births	attendance type								estd. no. of domiciliary births (00)	
		No attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse/midwife	others	n.r.	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group											
0-5	76.83	42.42	—	—	—	—	57.58	—	100.00	17	
5-10	71.34	—	—	—	—	—	100.00	—	100.00	8	
10-20	100.00	100.00	—	—	—	—	—	—	100.00	9	
20-30	88.93	56.14	—	—	—	—	43.86	—	100.00	23	
30-40	83.93	—	—	—	—	16.62	83.38	—	100.00	19	
40-50	100.00	40.95	—	—	—	—	58.99	—	100.00	19	
50-60	77.55	19.61	—	—	—	—	29.35	51.03	100.00	15	
60-70	100.00	—	—	—	—	—	100.00	—	100.00	7	
70-80	65.36	—	—	—	—	—	100.00	—	100.00	7	
80-90	—	—	—	—	—	—	—	—	—	—	
90-95	100.00	—	—	—	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	100.00	—	100.00	3	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class											
illiterate	76.96	48.80	—	—	—	—	51.20	—	100.00	45	
literate but below primary	100.00	40.34	—	—	—	17.37	42.28	—	100.00	19	
primary but below secondary	80.72	11.60	—	—	—	—	80.85	7.56	100.00	56	
secondary & above	—	—	—	—	—	—	—	—	—	—	
n.r.	100.00	52.03	—	—	—	—	—	47.97	100.00	7	
all	82.53	31.32	—	—	—	2.55	60.09	6.04	100.00	127	

TABLE 7.17(R): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP ADULT FEMALE EDUCATION CLASS.

UTTAR PRADESH										RURAL	
classification	percentage of domiciliary births	attendance type							n.r.	all	std. no. of domiciliary births (00)
		no attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse/midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group											
0—5	98.18	45.58	2.94	1.77	4.19	27.42	18.09	—	100.00	1648	
5—10	86.47	50.19	—	2.11	—	21.51	26.19	—	100.00	1591	
10—20	95.11	38.00	1.50	0.82	4.58	29.29	25.11	0.71	100.00	3312	
20—30	92.58	38.87	3.28	2.13	6.57	23.54	24.83	0.78	100.00	3739	
30—40	92.58	48.97	0.94	3.41	2.73	22.43	21.52	—	100.00	3172	
40—50	93.06	29.77	—	5.34	2.90	38.91	23.08	—	100.00	1837	
50—60	92.17	34.98	—	4.57	8.84	28.73	22.88	—	100.00	2551	
60—70	92.55	34.10	—	1.34	5.92	39.93	18.71	—	100.00	2026	
70—80	91.07	31.71	—	—	8.97	32.46	25.69	1.16	100.00	1886	
80—90	85.36	27.05	—	7.43	12.85	37.05	15.61	—	100.00	1181	
90—95	53.45	32.75	—	—	20.85	46.41	—	—	100.00	116	
95—100	88.39	33.69	16.56	—	—	11.70	38.06	—	100.00	153	
n.r.	100.00	56.50	—	—	—	43.50	—	—	100.00	68	
adult female edu. class											
illiterate	93.77	39.82	1.07	2.78	5.39	28.64	22.01	0.28	100.00	18684	
literate but below primary	88.44	42.79	—	—	2.98	29.58	24.64	—	100.00	1153	
primary but below secondary	81.45	28.69	3.06	3.57	8.57	28.44	26.78	0.89	100.00	2472	
secondary & above	91.85	37.70	—	—	5.12	31.89	25.30	—	100.00	842	
n.r.	100.00	23.53	—	—	—	76.47	—	—	100.00	129	
all	91.98	38.62	1.19	2.61	5.57	29.05	22.64	0.32	100.00	23280	

TABLE 7.18(R): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

WEST BENGAL										RURAL	
classification	percentage of domiciliary births	attendance type							n.r.	all	estd no. of domiciliary births (00)
		no attendance	Govt. doctor	other doctor	Govt nurse/midwife	other nurse/midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group											
0-5	86.11	25.48	—	—	—	40.62	33.91	—	100.00	653	
5-10	79.11	26.69	—	—	—	50.14	23.18	—	100.00	498	
10-20	81.14	19.65	—	2.89	—	34.00	43.46	—	100.00	847	
20-30	77.15	28.90	—	5.30	5.07	17.36	40.93	2.45	100.00	1077	
30-40	65.87	17.70	—	2.86	—	27.91	51.53	—	100.00	630	
40-50	73.07	20.74	—	10.09	—	36.18	32.98	—	100.00	744	
50-60	78.89	41.46	—	—	—	11.19	47.35	—	100.00	705	
60-70	84.09	36.07	—	3.61	4.50	19.92	32.69	3.21	100.00	737	
70-80	67.28	18.63	—	—	5.87	33.63	41.87	—	100.00	471	
80-90	51.37	15.41	—	—	—	24.14	60.45	—	100.00	325	
90-95	71.34	—	—	—	—	47.84	52.15	—	100.00	69	
95-100	63.05	—	—	—	—	—	100.00	—	100.00	66	
n. r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class											
illiterate	81.69	24.43	—	2.27	1.68	26.83	44.29	0.48	100.00	4885	
literate but below primary	61.59	40.07	—	—	—	31.39	24.04	4.50	100.00	586	
primary but below secondary	68.26	24.99	—	7.27	2.67	31.01	34.05	—	100.00	1240	
secondary & above	70.75	—	—	—	—	46.44	53.56	—	100.00	110	
n.r.	—	—	—	—	—	—	—	—	—	—	
all	74.91	25.49	—	2.95	1.69	23.30	40.84	0.73	100.00	6321	

TABLE 7.0(U) PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

ALL INDIA										URBAN	
classification	percentage of domiciliary births	attendance type							n.r.	all	estd. no. of domiciliary births (00)
		no attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse/midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group											
0—5	63.94	37.22	2.12	5.21	6.72	20.57	28.16	—	100.00	1996	
5—10	60.16	31.21	3.36	0.93	1.59	31.81	29.24	1.86	100.00	1838	
10—20	58.88	22.78	2.12	3.59	8.50	33.46	28.48	1.05	100.00	3189	
20—30	62.40	23.26	0.31	2.08	5.19	42.28	26.88	—	100.00	2622	
30—40	52.71	31.38	7.79	0.58	6.16	36.43	17.67	—	100.00	2446	
40—50	43.66	21.23	—	5.15	4.24	44.68	23.40	1.29	100.00	1265	
50—60	28.94	22.37	0.36	9.30	4.35	35.88	26.94	0.81	100.00	1070	
60—70	28.56	10.14	3.30	9.57	17.69	40.14	19.15	—	100.00	576	
70—80	21.29	12.53	—	—	54.24	30.54	2.69	—	100.00	497	
80—90	5.41	23.14	12.44	—	12.00	31.74	20.68	—	100.00	82	
90—95	0.59	—	—	—	—	—	100.00	—	100.00	2	
95—100	16.92	—	36.44	—	—	63.58	—	—	100.00	37	
n.r.	87.59	10.05	—	—	1.33	78.34	10.29	—	100.00	149	
adult female edu. class											
illiterate	68.41	26.69	3.36	1.79	7.53	35.76	24.29	0.59	100.00	9770	
literate but below primary	54.51	33.69	0.35	4.82	6.46	33.73	20.94	—	100.00	1179	
primary but below secondary	35.55	23.40	1.69	4.73	6.09	32.92	30.42	0.75	100.00	3580	
secondary & above	17.37	20.20	1.99	10.36	14.70	39.64	12.38	0.73	100.00	1190	
n.r.	28.85	—	—	—	—	40.29	59.71	—	100.00	31	
all	46.85	25.89	2.64	3.32	7.64	35.27	24.65	0.59	100.00	15770	

TABLE 7.1(U): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

ANDHRA PRADESH										URBAN
classification	percentage of domiciliary births	attendance type								estd. no. of domiciliary births (00)
		no attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse/midwife	others	n.r.	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-5	83.40	25.64	—	—	4.75	16.14	53.47	—	100.00	285
5-10	52.93	24.45	—	—	6.80	20.13	48.62	—	100.00	166
10-20	53.22	57.01	—	5.22	—	12.99	24.78	—	100.00	202
20-30	72.72	4.88	—	37.25	10.26	24.72	15.96	6.91	100.00	151
30-40	57.62	19.83	—	—	15.20	33.69	31.29	—	100.00	135
40-50	33.35	32.32	—	—	6.56	58.22	2.90	—	100.00	87
50-60	18.10	—	—	—	—	51.60	48.40	—	100.00	27
60-70	7.78	43.54	—	—	—	56.46	—	—	100.00	20
70-80	31.48	60.76	—	—	—	—	39.26	—	100.00	53
80-90	—	—	—	—	—	—	—	—	—	—
90-95	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	65.87	30.16	—	7.33	7.92	14.26	40.34	—	100.00	769
lit. but below primary	47.07	34.23	—	13.95	—	24.75	27.07	—	100.00	76
primary but below secondary	33.46	18.21	—	—	2.25	53.70	21.71	4.14	100.00	253
secondary & above	6.97	100.00	—	—	—	—	—	—	100.00	28
n.r.	—	—	—	—	—	—	—	—	—	—
all	44.92	29.48	—	5.95	5.91	23.47	34.26	0.93	100.00	1126

TABLE 7.2(U): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

ASSAM										URBAN	
classification	percentage of domiciliary births	attendance type							n.r.	all	estd. no. of domiciliary births (00)
		no attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group											
0-5	—	—	—	—	—	—	—	—	—	—	
5-10	44.30	—	—	49.20	—	—	50.80	—	100.00	8	
10-20	17.59	21.96	—	—	—	—	77.87	—	100.00	6	
20-30	84.56	92.00	—	—	—	—	8.00	—	100.00	24	
30-40	—	—	—	—	—	—	—	—	—	—	
40-50	—	—	—	—	—	—	—	—	—	—	
50-60	36.16	—	—	—	—	100.00	—	—	100.00	4	
60-70	—	—	—	—	—	—	—	—	—	—	
70-80	—	—	—	—	—	—	—	—	—	—	
80-90	—	—	—	—	—	—	—	—	—	—	
90-95	—	—	—	—	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class											
illiterate	62.03	75.21	—	11.68	—	13.14	—	—	100.00	31	
literate but below primary	100.00	—	—	—	—	—	100.00	—	100.00	5	
primary but below secondary	23.31	—	—	—	—	—	100.00	—	100.00	4	
secondary & above	5.27	—	—	—	—	—	100.00	—	100.00	2	
n.r.	—	—	—	—	—	—	—	—	—	—	
all	30.31	56.57	—	8.79	—	9.89	24.75	—	100.00	42	

TABLE 7.3(U): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

BIHAR											URBAN
classification	percentage of domiciliary births	attendance type								estd. no. of domiciliary births (00)	
		no attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse/midwife	others	n.r.	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group											
0-5	91.72	35.44	—	20.68	—	23.91	19.96	—	100.00	179	
5-10	69.32	37.16	—	—	—	54.58	8.26	—	100.00	48	
10-20	87.78	31.53	13.43	2.01	—	26.65	14.00	12.38	100.00	278	
20-30	57.93	—	—	5.07	13.23	10.26	71.45	—	100.00	194	
30-40	86.72	73.24	—	—	—	20.51	6.24	—	100.00	157	
40-50	67.78	7.67	—	20.88	—	16.88	54.57	—	100.00	62	
50-60	55.63	27.53	—	—	10.07	59.06	3.34	—	100.00	162	
60-70	126.71	—	—	—	—	81.48	18.52	—	100.00	29	
70-80	100.00	—	—	—	—	100.00	—	—	100.00	13	
80-90	—	—	—	—	—	—	—	—	—	—	
90-95	—	—	—	—	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class											
illiterate	82.99	33.38	4.85	—	3.16	29.73	24.40	4.47	100.00	765	
literate but below primary	60.55	27.25	—	15.87	18.33	38.54	—	—	100.00	97	
primary but below secondary	51.17	23.28	—	18.51	—	17.59	40.63	—	100.00	200	
secondary & above	23.69	11.61	—	31.61	—	48.66	8.14	—	100.00	41	
n.r.	100.00	—	—	—	—	100.00	—	—	100.00	19	
all	65.36	29.70	3.31	5.84	3.74	30.17	24.20	3.04	100.00	1122	

TABLE 7.4(U): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

GUJARAT										URBAN
classification	percentage of domiciliary births	attendance type								estd. no. of domiciliary births (00)
		no attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse/midwife	others	n.r.	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0—5	21.85	100.00	—	—	—	—	—	—	100.00	16
5—10	75.47	27.37	—	—	—	48.50	17.27	6.86	100.00	180
10—20	40.28	17.69	—	—	18.18	46.07	18.05	—	100.00	137
20—30	49.04	14.38	15.76	—	—	64.40	5.45	—	100.00	125
30—40	32.60	24.60	—	—	—	22.12	53.26	—	100.00	50
40—50	57.96	27.26	—	—	—	72.74	—	—	100.00	28
50—60	39.22	15.38	—	—	—	27.78	56.85	—	100.00	90
60—70	27.16	—	—	—	—	77.81	22.19	—	100.00	96
70—80	11.60	—	—	—	—	100.00	—	—	100.00	15
80—90	—	—	—	—	—	—	—	—	—	—
90—95	—	—	—	—	—	—	—	—	—	—
95—100	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	55.40	—	7.80	—	4.81	61.22	21.29	4.88	100.00	253
literate but below primary	66.39	17.32	—	—	—	38.83	43.86	—	100.00	80
primary but below secondary	41.04	39.23	—	—	3.92	40.63	16.22	—	100.00	325
secondary & above	3.71	—	—	—	—	100.00	—	—	100.00	13
n.r.	31.21	—	—	—	—	—	100.00	—	100.00	6
all	39.08	20.88	2.91	—	3.68	48.81	21.91	1.81	100.00	677

TABLE 7.5(U): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

HARYANA										URBAN
classification	percentage of domiciliary births	attendance type							all	estd. no. domiciliary births (00)
		no attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse/midwife	others	n.r.		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-5	100.00	—	—	—	—	73.63	26.36	—	100.00	109
5-10	76.03	—	—	—	—	—	100.00	—	100.00	45
10-20	100.00	—	—	10.99	—	89.01	—	—	100.00	185
20-30	42.24	—	—	—	—	58.66	41.36	—	100.00	79
30-40	100.00	68.88	—	—	—	—	31.12	—	100.00	57
40-50	38.26	—	—	—	—	100.00	—	—	100.00	68
50-60	73.38	—	—	46.75	53.25	—	—	—	100.00	74
60-70	—	—	—	—	—	—	—	—	—	—
70-80	6.71	—	—	—	—	100.00	—	—	100.00	7
80-90	—	—	—	—	—	—	—	—	—	—
90-95	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	85.43	—	—	—	—	73.92	26.08	—	100.00	339
literate but below primary	—	—	—	—	—	—	—	—	—	—
primary but below secondary	76.41	20.30	—	—	20.36	40.99	18.35	—	100.00	194
secondary & above	29.57	—	—	60.40	—	39.60	—	—	100.00	91
n.r.	—	—	—	—	—	—	—	—	—	—
all	62.31	6.32	—	8.82	6.34	58.66	19.86	—	100.00	624

TABLE 7.6 (U): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

HIMACHAL PRADESH										URBAN
classification	percen- tage of domici- liary births	attendance type							all	estd. no. domici- liary births (00)
		no att- endance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others	n.r.		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-5	22.20	—	—	—	—	31.33	68.67	—	100.00	5
5-10	100.00	—	—	—	—	100.00	—	—	100.00	11
10-20	—	—	—	—	—	—	—	—	—	—
20-30	93.00	—	—	—	—	100.00	—	—	100.00	4
30-40	—	—	—	—	—	—	—	—	—	—
40-50	—	—	—	—	—	—	—	—	—	—
50-60	—	—	—	—	—	—	—	—	—	—
60-70	—	—	—	—	—	—	—	—	—	—
70-80	—	—	—	—	—	—	—	—	—	—
80-90	—	—	—	—	—	—	—	—	—	—
90-95	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	41.74	—	—	—	—	31.33	68.67	—	100.00	5
literate but below primary	—	—	—	—	—	—	—	—	—	—
primary but below secondary	—	—	—	—	—	—	—	—	—	—
secondary & above n.r.	52.05	—	—	—	—	100.00	—	—	100.00	15
all	49.05	—	—	—	—	83.00	17.00	—	100.00	20

TABLE 7.7(U): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

JAMMU & KASHMIR										URBAN	
classification	percentage of domiciliary births	attendance type							n.r.	all	estd. no. of domiciliary births (00)
		no attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse/midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group											
0-5	66.03	35.99	—	—	28.60	27.35	8.06	—	100.00	14	
5-10	10.00	—	—	—	—	—	100.00	—	100.00	1	
10-20	87.02	30.25	—	2.81	—	66.94	—	—	100.00	50	
20-30	78.79	40.97	—	—	—	15.42	43.61	—	100.00	42	
30-40	59.72	33.96	—	—	—	66.04	—	—	100.00	8	
40-50	60.50	—	—	—	—	37.58	62.42	—	100.00	5	
50-60	86.91	31.56	—	—	12.40	25.46	30.64	—	100.00	19	
60-70	41.04	—	—	—	—	86.79	13.21	—	100.00	14	
70-80	100.00	—	—	—	100.00	—	—	—	100.00	4	
80-90	—	—	—	—	—	—	—	—	—	—	
90-95	—	—	—	—	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class											
illiterate	71.50	13.39	—	1.41	10.04	50.53	24.64	—	100.00	99	
literate but below primary	—	—	—	—	—	—	—	—	—	—	
primary but below secondary	88.41	61.11	—	—	—	26.46	12.40	—	100.00	54	
secondary & above	10.99	—	—	—	—	100.00	—	—	100.00	4	
n.r.	—	—	—	—	—	—	—	—	—	—	
all	67.03	29.43	—	0.89	6.36	43.47	19.85	—	100.00	157	

TABLE 7.8(U): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

KARNATAKA										URBAN
classification	percen- tage of domici- liary births	attendance type							estd. no. of domi- ciliary births (00)	
		no att- endance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others	n.r.		all
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-5	48.07	38.96	—	—	—	7.19	53.85	—	100.00	117
5-10	21.11	72.56	—	—	—	27.46	—	—	100.00	49
10-20	34.50	29.69	—	13.44	—	9.15	47.72	—	100.00	150
20-30	46.52	60.77	—	—	—	—	39.23	—	100.00	147
30-40	55.48	18.89	—	—	—	21.13	59.99	—	100.00	165
40-50	44.93	6.19	65.15	—	10.64	—	18.02	—	100.00	206
50-60	18.40	—	—	—	33.54	66.42	—	—	100.00	23
60-70	28.89	64.76	—	—	—	—	35.24	—	100.00	73
70-80	14.00	—	—	—	—	17.59	82.39	—	100.00	41
80-90	—	—	—	—	—	—	—	—	—	—
90-95	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	52.19	32.38	20.24	2.29	1.16	9.66	34.28	—	100.00	663
literate but below primary	58.15	65.42	—	—	—	11.73	22.84	—	100.00	68
primary but below secondary	17.04	13.41	—	—	—	9.72	76.88	—	100.00	141
secondary & above n.r.	22.57	28.59	—	4.99	22.12	7.31	37.00	—	100.00	99
all	35.08	31.54	13.83	2.07	3.05	9.57	39.94	—	100.00	971

TABLE 7.9(U): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

KERALA										
classification	percentage of domiciliary births	attendance type								URBAN
		no attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse/midwife	others	n.r.	all	estd. no. of domiciliary births (00)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-5	37.26	—	—	—	—	—	—	—	—	—
5-10	23.86	100.00	—	—	—	—	100.00	—	100.00	20
10-20	—	—	—	—	—	—	—	—	100.00	34
20-30	—	—	—	—	—	—	—	—	—	—
30-40	—	—	—	—	—	—	—	—	—	—
40-50	—	—	—	—	—	—	—	—	—	—
50-60	6.21	—	—	—	—	—	—	—	—	—
60-70	—	—	—	—	—	—	100.00	—	100.00	6
70-80	—	—	—	—	—	—	—	—	—	—
80-90	—	—	—	—	—	—	—	—	—	—
90-95	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	—	—	—	—	—	—	—	—	—	—
literate but below primary	72.81	—	—	—	—	—	100.00	—	100.00	20
primary but below secondary	9.84	84.35	—	—	—	—	15.68	—	100.00	40
secondary & above	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—
all	7.64	55.76	—	—	—	—	44.24	—	100.00	60

TABLE 7.10(U): PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

MADHYA PRADESH										URBAN
classification	percentage of domiciliary births	attendance type								std. no. of domiciliary births (00)
		no attendance	Govt. doctor	other doctor	Govt. nurse/midwife	other nurse/midwife	others	n.r.	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group										
0-5	91.28	44.26	—	6.04	11.91	16.68	21.13	—	100.00	176
5-10	87.54	48.49	—	—	3.99	24.97	22.55	—	100.00	194
10-20	74.12	30.74	16.08	—	3.15	9.48	36.40	4.16	100.00	260
20-30	72.69	36.84	—	—	—	27.53	35.63	—	100.00	226
30-40	52.40	50.10	—	—	21.90	20.40	7.60	—	100.00	123
40-50	16.10	—	—	12.37	—	87.65	—	—	100.00	50
50-60	42.78	8.37	—	—	15.84	17.86	57.94	—	100.00	98
60-70	43.86	—	—	22.22	—	28.84	48.95	—	100.00	117
70-80	19.64	62.91	—	5.82	31.24	—	—	—	100.00	35
80-90	7.15	—	—	—	—	100.00	—	—	100.00	9
90-95	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class										
illiterate	74.53	32.56	6.36	1.62	6.02	18.73	33.06	1.65	100.00	656
literate but below primary	50.38	55.74	—	—	—	18.66	25.60	—	100.00	173
primary but below secondary	56.76	31.38	—	1.74	11.16	28.62	27.10	—	100.00	357
secondary & above	15.64	4.84	—	28.09	10.96	34.87	21.24	—	100.00	100
n.r.	100.00	—	—	—	—	100.00	—	—	100.00	2
all	51.71	33.15	3.24	3.47	7.01	22.86	29.43	0.84	100.00	1288

TABLE 7.12(U) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS

ORISSA											URBAN
classification	percent- age of domi- ciliary births	attendance type								estd. no. of domi- ciliary births (00)	
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others	n.r.	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group :											
0—5	100.00	46.56	—	—	—	—	53.44	—	100.00	63	
5—10	79.36	15.66	—	—	—	—	84.34	—	100.00	24	
10—20	87.37	17.63	—	—	5.67	36.61	7.11	—	100.00	58	
20—30	59.03	22.11	—	—	24.44	43.01	10.43	—	100.00	49	
30—40	68.34	—	—	—	—	100.00	—	—	100.00	19	
40—50	100.00	19.21	—	—	20.09	20.09	40.64	—	100.00	26	
50—60	59.19	59.30	—	—	—	—	40.70	—	100.00	60	
60—70	56.44	40.78	—	9.44	—	35.81	13.99	—	100.00	76	
70—80	14.91	—	—	—	100.00	—	—	—	100.00	4	
80—90	50.72	28.86	71.14	—	—	—	—	—	100.00	15	
90—95	—	—	—	—	—	—	—	—	—	—	
95—100	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class :											
illiterate	82.86	43.65	—	—	—	28.21	28.15	—	100.00	218	
literate but below primary	31.05	—	—	—	76.68	—	23.38	—	100.00	16	
primary but below secondary	62.31	14.97	—	5.96	7.57	18.47	53.02	—	100.00	120	
secondary & above n.r.	47.43	41.86	25.04	—	8.05	25.04	—	—	100.00	40	
all	66.60	33.01	2.59	1.81	6.19	23.80	32.60	—	100.00	394	

TABLE 7.13 (U) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

PUNJAB										URBAN	
classification	percent- age of domici- liary births	attendance type							n.r.	all	estd. no. of domici- liary births (00)
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group :											
0-5	84.43	22.83	—	—	4.35	63.15	9.66	—	100.00	73	
5-10	97.39	—	—	—	4.65	95.36	—	—	100.00	211	
10-20	88.77	—	—	—	15.71	60.12	24.16	—	100.00	130	
20-30	94.91	—	—	—	—	65.05	34.95	—	100.00	182	
30-40	78.63	5.37	—	—	—	77.21	17.42	—	100.00	75	
40-50	92.83	19.40	—	13.14	8.29	46.27	—	12.93	100.00	67	
50-60	63.42	—	—	—	9.68	62.47	27.88	—	100.00	102	
60-70	43.67	49.82	—	—	—	50.18	—	—	100.00	35	
70-80	33.88	—	—	—	—	100.00	—	—	100.00	16	
80-90	75.88	37.44	—	—	—	62.56	—	—	100.00	15	
90-95	—	—	—	—	—	—	—	—	—	—	
95-100	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class :											
illiterate	98.01	5.41	—	0.75	4.23	75.07	14.54	—	100.00	550	
literate but below primary	100.00	—	—	—	—	100.00	—	—	100.00	16	
primary but below secondary	79.85	2.40	—	2.04	6.74	60.96	27.85	—	100.00	229	
secondary & above	43.98	19.18	—	—	9.06	64.03	—	7.73	100.00	112	
n.r.	—	—	—	—	—	—	—	—	—	—	
all	81.07	6.26	—	0.97	5.39	70.59	15.84	0.95	100.00	907	

TABLE 7.14(U) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES OF FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

RAJASTHAN

URBAN

classification	percent- age of domici- liary births	attendance type							n.r.	all	estd.no. of domici- liary births (00)
		no-atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	others nurse/ midwife	other				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group :											
0—5	100.00	24.98	—	—	—	56.82	18.20	—	100.00	126	
5—10	96.47	19.72	2.56	—	2.44	51.42	23.86	—	100.00	234	
10—20	74.87	29.47	—	14.11	18.83	14.07	23.52	—	100.00	163	
20—30	81.43	46.70	4.41	—	—	30.61	18.29	—	100.00	187	
30—40	93.68	49.28	—	—	11.28	25.94	13.51	—	100.00	179	
40—50	50.87	36.10	—	—	—	41.36	22.54	—	100.00	62	
50—60	34.97	20.80	—	—	45.73	33.49	—	—	100.00	39	
60—70	68.88	—	—	—	20.74	36.76	42.50	—	100.00	71	
70—80	62.76	50.29	—	—	49.67	—	—	—	100.00	25	
80—90	100.00	48.73	—	—	51.27	—	—	—	100.00	19	
90—95	—	—	—	—	—	—	—	—	—	—	
95—100	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class :											
illiterate	87.25	26.96	0.78	—	5.52	40.60	26.14	—	100.00	766	
literate but below primary	86.84	48.49	—	19.56	7.27	12.74	11.93	—	100.00	118	
primary but below secondary	69.76	46.53	4.27	—	16.94	29.60	2.67	—	100.00	193	
secondary & above	25.68	—	—	—	100.00	—	—	—	100.00	28	
n.r.	—	—	—	—	—	—	—	—	—	—	
all	78.76	31.98	1.28	2.08	10.09	34.69	19.88	—	100.00	1105	

TABLE 7.15(U) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

TAMIL NADU										URBAN
classification	percent- age of domici- liary births	attendance type								estd. no. of domici- liary births (00)
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others	n.r.	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group :										
0-5	29.66	54.61	—	—	—	—	45.39	—	100.00	64
5-10	32.48	14.58	—	—	—	41.05	44.36	—	100.00	146
10-20	29.02	12.92	—	4.79	—	19.01	63.29	—	100.00	175
20-30	35.07	7.50	6.78	—	9.25	14.28	62.19	—	100.00	195
30-40	6.33	100.00	—	—	—	—	—	—	100.00	9
40-50	18.88	32.38	—	—	—	67.62	—	—	100.00	67
50-60	18.73	—	—	—	33.20	28.90	37.91	—	100.00	72
60-70	13.70	33.68	—	66.34	—	—	—	—	100.00	48
70-80	13.52	—	71.17	—	—	28.83	—	—	100.00	27
80-90	—	—	—	—	—	—	—	—	—	—
90-95	—	—	—	—	—	—	—	—	—	—
95-100	—	—	—	—	—	—	—	—	—	—
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class :										
illiterate	33.46	14.08	—	—	9.27	27.91	48.74	—	100.00	343
literate but below primary	26.90	50.38	—	—	—	—	49.62	—	100.00	107
primary but below secondary	20.22	6.80	10.08	12.66	3.19	28.62	38.65	—	100.00	320
secondary & above	6.63	49.48	—	—	—	23.38	27.17	—	100.00	33
n.r.	—	—	—	—	—	—	—	—	—	—
all	22.81	17.48	4.01	5.04	5.23	24.28	43.94	—	100.00	803

TABLE 7.16 (U) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

TRIPURA										URBAN	
classification	percent- age of domici- liary births	attendance type							n.r.	all	estd. no. of domici- liary births (00)
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
fractile group :											
0— 5	—	—	—	—	—	—	—	—	—	—	
5— 10	100.00	—	—	—	—	100.00	—	—	100.00	7	
10— 20	—	—	—	—	—	—	—	—	—	—	
20— 30	32.71	—	100.00	—	—	—	—	—	100.00	4	
30— 40	—	—	—	—	—	—	—	—	—	—	
40— 50	—	—	—	—	—	—	—	—	—	—	
50— 60	—	—	—	—	—	—	—	—	—	—	
60— 70	—	—	—	—	—	—	—	—	—	—	
70— 80	—	—	—	—	—	—	—	—	—	—	
80— 90	—	—	—	—	—	—	—	—	—	—	
90— 95	—	—	—	—	—	—	—	—	—	—	
95—100	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	
adult female edu. class :											
illiterate	—	—	—	—	—	—	—	—	—	—	
literate but below primary	57.59	—	100.00	—	—	—	—	—	100.00	4	
primary but below secondary	29.06	—	—	—	—	100.00	—	—	100.00	7	
secondary & above	—	—	—	—	—	—	—	—	—	—	
n.r.	—	—	—	—	—	—	—	—	—	—	
all	27.95	—	34.32	—	—	65.68	—	—	100.00	11	

TABLE 7.17 (U) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

UTTAR PRADESH										URBAN
classification	percent- age of domici- liary births	attendance type								estd.no. of domi- ciliary births (00)
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others	n.r.	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group :										
0— 5	92.36	34.07	8.95	9.78	13.89	21.85	11.45	—	100.00	472
5— 10	84.46	28.34	—	—	4.47	41.85	25.34	—	100.00	268
10— 20	91.09	22.09	—	—	24.96	44.68	8.27	—	100.00	808
20— 30	84.08	27.90	1.83	—	5.69	52.39	12.19	—	100.00	624
30— 40	84.86	22.77	—	—	8.92	48.53	19.79	—	100.00	610
40— 50	74.72	38.64	7.06	1.55	0.23	45.67	6.86	—	100.00	514
50— 60	57.17	26.01	—	3.96	—	66.02	4.02	—	100.00	279
60— 70	16.18	51.28	—	—	—	48.72	—	—	100.00	42
70— 80	49.23	2.88	—	6.52	90.60	—	—	—	100.00	157
80— 90	19.18	39.73	—	—	48.07	—	12.21	—	100.00	33
90— 95	—	—	—	—	—	—	—	—	—	—
95—100	—	—	—	—	—	—	—	—	—	—
n.r.	100.00	49.40	—	—	—	—	50.60	—	100.00	31
adult female edu. class :										
illiterate	85.07	28.03	3.14	1.61	16.41	41.50	9.30	—	100.00	2863
literate but below primary	90.27	19.93	—	3.22	4.85	68.53	3.47	—	100.00	247
primary but below secondary	59.66	30.13	—	—	7.36	35.43	27.08	—	100.00	413
secondary & above	35.21	26.69	—	7.33	5.48	46.45	14.04	—	100.00	290
n.r.	100.00	—	—	—	—	—	100.00	—	100.00	25
all	74.08	27.46	2.34	1.96	13.76	42.70	11.78	—	100.00	3838

TABLE 7.18 (U) : PERCENTAGE OF DOMICILIARY BIRTHS AND THEIR PERCENTAGE DISTRIBUTION OVER ATTENDANCE TYPES BY FRACTILE GROUP/ADULT FEMALE EDUCATION CLASS.

WEST BENGAL										URBAN
classification	percent- age of domici- liary births	attendance type								estd. no. of domici- liary births (00)
		no atten- dance	Govt. doctor	other doctor	Govt. nurse/ midwife	other nurse/ midwife	others	n.r.	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
fractile group :										
0— 5	64.94	100.00	—	—	—	—	—	—	100.00	106
5— 10	41.08	67.94	—	—	—	9.80	22.26	—	100.00	102
10— 20	33.43	40.72	—	—	—	18.69	40.61	—	100.00	127
20— 30	64.89	43.96	—	—	—	25.18	30.85	—	100.00	231
30— 40	26.25	—	—	—	—	13.96	86.04	—	100.00	35
40— 50	20.38	36.33	—	—	—	9.21	54.48	—	100.00	43
50— 60	12.47	—	—	—	—	—	100.00	—	100.00	16
60— 70	1.45	—	—	—	—	—	100.00	—	100.00	3
70— 80	19.65	—	—	—	—	—	—	—	100.00	20
80— 90	—	—	—	—	—	—	—	—	—	—
90— 95	—	—	—	—	—	—	—	—	—	—
95—100	37.32	—	—	—	—	100.00	—	—	100.00	23
n.r.	—	—	—	—	—	—	—	—	—	—
adult female edu. class :										
illiterate	52.93	65.80	—	—	—	6.39	28.31	—	100.00	479
literate but below primary	37.79	—	—	—	—	90.18	9.80	—	100.00	56
primary but below secondary	32.00	15.48	—	—	—	38.24	46.28	—	100.00	165
secondary & above	0.97	100.00	—	—	—	—	—	—	100.00	6
n.r.	—	—	—	—	—	—	—	—	—	—
all	32.60	48.77	—	—	—	20.40	30.83	—	100.00	706

TABLE 8.3(R) : PERCENTAGE OF HOSPITAL BIRTHS, THEIR PERCENTAGE DISTRIBUTION BY TYPE OF HOSPITAL AND PERCENTAGE DISTRIBUTION OF NON-HOSPITALISED BIRTHS BY REASON FOR NON-HOSPITALISATION OVER FRACTILE GROUPS.

BIHAR												RURAL
fractile group	percentage of hospital births (0.00)	percentage distribution of hospital births by type of hospital			percentage distribution of non-hospital births by reason for non-hospitalisation						estd. no. of total births (00)	
		govt.	others	all	pre-ferred	too expensive	not available	others	N.R.	all		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	
0—10	5.91	85.72	14.28	100.00	41.37	19.28	21.09	11.91	6.36	100.00	1996	
10—20	3.16	62.64	37.37	100.00	32.00	16.53	29.10	15.73	6.63	100.00	2291	
20—40	2.92	85.00	14.99	100.00	25.47	17.24	31.50	17.54	8.25	100.00	2936	
40—60	5.18	67.84	32.16	100.00	27.11	23.08	19.67	20.05	10.09	100.00	2094	
60—80	7.03	45.57	54.43	100.00	38.10	23.47	18.05	16.20	4.18	100.00	2021	
80—90	4.54	100.07	—	100.00	37.42	25.96	12.85	—	23.76	100.00	615	
90—100	33.52	58.82	41.18	100.00	23.41	21.19	23.01	32.39	—	100.00	149	
all	4.99	68.64	31.36	100.00	32.27	19.94	24.07	15.72	8.00	100.00	12103	
n.r.	—	—	—	—	—	—	—	—	100.00	100.00	26	

TABLE 8.4(R)

GUJARAT

0—10	8.74	100.00	—	100.00	48.52	4.03	12.96	34.50	—	100.00	664
10—20	3.32	—	100.00	100.00	41.10	8.36	13.18	31.05	6.30	100.00	742
20—40	8.33	77.43	22.55	100.00	51.54	—	5.84	28.31	14.31	100.00	922
40—60	18.08	40.56	59.45	100.00	55.85	5.39	12.15	23.71	2.91	100.00	1019
60—80	28.64	55.67	44.33	100.00	59.73	—	12.97	22.46	4.84	100.00	827
80—90	—	—	—	—	67.12	—	10.51	22.37	—	100.00	204
90—100	58.74	32.76	67.24	100.00	—	—	31.69	68.31	—	100.00	148
all	14.75	52.83	47.17	100.00	51.32	3.35	11.43	28.22	5.67	100.00	4526
n.r.	—	—	—	—	—	—	—	—	—	—	—

HARYANA

RURAL

0—10	5.70	100.00	—	100.00	62.36	—	8.70	28.93	—	100.00	577
10—20	—	—	—	—	60.91	—	30.58	—	8.50	100.00	387
20—40	—	—	—	—	72.53	6.26	2.88	18.34	—	100.00	912
40—60	8.00	100.00	—	100.00	54.47	—	28.69	10.92	—	100.00	661
60—80	—	—	—	—	68.31	3.31	17.46	10.92	—	100.00	755
80—90	—	—	—	—	100.00	—	—	—	—	100.00	40
90—100	—	—	—	—	100.00	—	—	—	—	100.00	149
all	2.47	100.00	—	100.00	66.94	2.42	14.67	15.01	0.97	100.00	3481
n.r.	—	—	—	—	100.70	—	—	—	—	100.00	45

TABLE 8.6(R)

HIMACHAL PRADESH

0—10	13.16	100.00	—	100.00	49.11	4.07	8.90	26.18	11.74	100.00	196
10—20	2.17	100.00	—	100.00	25.30	4.27	28.82	31.83	9.79	100.00	166
20—40	—	—	—	—	23.57	3.68	38.36	31.60	2.78	100.00	230
40—60	8.96	100.00	—	100.00	27.86	4.91	26.98	27.46	12.79	100.00	221
60—80	26.71	100.00	—	100.00	30.93	—	37.36	24.61	7.10	100.00	128
80—90	—	—	—	—	31.56	30.14	—	38.27	—	100.00	38
90—100	—	—	—	—	—	—	100.00	—	—	100.00	10
all	8.44	100.00	—	100.00	30.50	4.82	27.51	28.92	8.25	100.00	989
n.r.	—	—	—	—	—	—	—	—	—	—	—

TABLE 8.11(R) : PERCENTAGE OF HOSPITAL BIRTHS, THEIR PERCENTAGE DISTRIBUTION BY TYPE OF HOSPITAL AND PERCENTAGE DISTRIBUTION OF NON-HOSPITALISED BIRTHS BY REASON FOR NON-HOSPITALISATION OVER FRACTILE GROUPS.

MAHARASHTRA											RURAL
fractile group	percentage of hospital births (0.00)	percentage distribution of hospital births by type of hospital			percentage distribution of non-hospital births by reason for non-hospitalisation						estd. no. of total births (00)
		govt.	othere	all	pre-ferred	too. expensive	not available	others	N. R.	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
0—10	4.78	56.00	44.00	100.00	26.31	17.85	18.65	34.02	3.18	100.00	1559
10—20	4.27	100.00	—	100.00	36.60	15.52	25.35	15.43	7.10	100.00	1084
20—40	10.26	62.22	37.79	100.00	29.42	18.22	20.72	25.74	5.90	100.00	2422
40—60	12.36	10.04	89.96	100.00	39.04	6.58	27.09	24.35	2.94	100.00	1896
60—80	22.39	51.16	48.84	100.00	43.90	2.68	23.25	24.40	5.76	100.00	1137
80—90	31.76	51.68	48.32	100.00	30.68	20.14	31.10	18.09	—	100.00	734
90—100	66.90	48.80	51.20	100.00	5.96	10.49	27.55	—	—	100.00	434
all	14.91	47.66	52.34	100.00	33.95	13.73	23.35	24.55	4.42	100.00	9266
n.r.	—	—	—	—	100.00	—	—	—	—	100.00	27

TABLE 8.12(R)

ORISSA											
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
0—10	—	—	—	—	44.28	12.47	32.57	10.67	—	100.00	721
10—20	—	—	—	—	45.64	8.43	5.14	27.23	13.37	100.00	518
20—40	5.55	100.00	—	100.00	30.66	13.77	22.74	24.39	8.44	100.00	1150
40—60	9.83	80.95	19.05	100.00	35.78	4.58	17.78	35.45	6.42	00.00	1097
60—80	19.22	100.00	—	100.00	58.35	6.35	4.74	21.75	8.81	00.00	826
80—90	4.74	100.00	—	100.00	23.24	26.88	39.05	30.83	—	100.00	300
90—100	—	—	—	—	27.76	18.01	—	54.24	—	100.00	249
all	7.09	94.04	5.96	100.00	39.14	10.90	17.06	26.61	6.29	100.00	4861
n.r.	—	—	—	—	—	—	—	—	—	—	—

PUNJAB

RURAL

0—10	7.47	—	100.00	100.00	45.98	28.57	5.48	19.97	—	100.00	640
10—20	—	—	—	—	58.29	15.77	10.18	10.64	5.13	100.00	450
20—40	16.91	84.36	15.64	100.00	46.59	29.34	10.94	9.68	3.44	100.00	567
40—60	2.84	100.00	—	100.00	50.64	24.04	3.84	16.56	4.93	100.00	456
60—80	12.29	32.41	67.61	100.00	58.93	10.62	14.62	11.29	4.48	100.00	477
80—90	10.33	—	100.00	100.00	77.50	—	8.02	14.47	—	100.00	175
90—100	54.16	—	100.00	100.00	79.04	—	20.98	—	—	100.00	170
all	11.09	34.69	65.31	100.00	53.96	20.30	9.08	13.61	3.06	100.00	2935
n.r.	—	—	—	—	—	—	—	—	—	—	—

TABLE 8.14(R)

RAJASTHAN

0—10	—	—	—	—	58.84	11.56	12.37	15.08	2.15	100.00	856
10—20	4.80	100.00	—	100.00	51.48	7.47	40.51	18.94	1.61	100.00	1147
20—40	3.35	100.00	—	100.00	54.07	4.35	29.29	6.08	6.21	100.00	1593
40—60	8.50	84.66	15.34	100.00	50.53	12.77	28.04	6.79	1.86	100.00	1928
60—80	17.94	58.35	41.65	100.00	48.39	12.01	21.19	9.48	8.94	100.00	1283
80—90	17.94	74.24	25.76	100.00	59.82	16.51	5.50	18.17	—	100.00	544
90—100	18.61	100.00	—	100.00	72.26	3.48	15.89	8.36	—	100.00	574
all	6.78	85.96	14.04	100.00	51.00	9.60	25.06	10.63	3.70	100.00	7925
n.r.	—	—	—	—	—	—	—	100.00	—	100.00	21

TABLE 8.15 (U) : PERCENTAGE DISTRIBUTION OF HOSPITAL BIRTHS, THEIR PERCENTAGE DISTRIBUTION BY TYPE OF HOSPITAL AND PERCENTAGE DISTRIBUTION OF NON-HOSPITALISED BIRTHS BY REASON FOR NON-HOSPITALISATION OVER FRACTILE GROUPS

TAMIL NADU											URBAN
fractile group	percentage of hospital births (0.00)	percentage distribution of hospital births by type of hospital			percentage distribution of non-hospital birth by reason for non-hospitalisation						estd. no. of total births (00)
		govt.	others	all	pre-ferred	too expensive	not available	others	N.R.	all	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
0-10	68.43	62.44	37.56	100.00	41.52	35.23	—	23.25	—	100.00	665
10-20	63.74	75.69	24.31	100.00	36.48	—	6.42	37.13	19.97	100.00	603
20-40	68.96	55.88	44.12	100.00	49.15	4.17	—	40.73	5.96	100.00	698
40-60	81.20	50.33	49.67	100.00	38.53	—	—	61.47	—	100.00	742
60-80	84.33	40.02	59.98	100.00	37.21	—	22.03	40.76	—	100.00	551
80-90	100.00	26.40	73.60	100.00	—	—	—	—	—	—	131
90-100	100.00	—	100.00	100.00	—	—	—	—	—	—	118
all	75.17	51.86	48.14	100.00	41.25	9.53	3.79	38.94	6.49	100.00	3508
n.r.	100.00	—	100.00	100.00	—	—	—	—	—	—	13

TABLE 8.16 (U)

TRIPURA										
fractile group	percentage of hospital births (0.00)	percentage distribution of hospital births by type of hospital	percentage distribution of non-hospital birth by reason for non-hospitalisation	estd. no. of total births (00)						
(1)	(2)	(3)	(4)	(5)						
0-10	19.36	100.00	—	100.00	9					
10-20	100.00	100.00	—	100.00	2					
20-40	67.29	100.00	—	100.00	12					
40-60	100.00	100.00	—	100.00	13					
60-80	—	—	—	—	—					
80-90	100.00	100.00	—	100.00	13					
90-100	100.00	100.00	—	100.00	3					
all	72.05	100.00	—	100.00	40					
n.r.	—	—	—	—	—					

TABLE 8.17 (U)

UTTAR PRADESH											URBAN
fractile group	percentage of hospital births (0.00)	percentage distribution of hospital births by type of hospital	percentage distribution of non-hospital birth by reason for non-hospitalisation	estd. no. of total births (00)							
(1)	(2)	(3)	(4)	(5)							
0-10	10.67	51.24	48.76	100.00	8278						
10-20	2.76	—	100.00	100.00	887						
20-40	9.53	81.87	18.13	100.00	1461						
40-60	30.09	72.97	27.03	100.00	1177						
60-80	62.87	65.43	34.57	100.00	576						
80-100	80.82	50.81	49.11	100.00	173						
90-100	100.00	—	100.00	100.00	47						
all	22.44	62.81	37.19	100.00	5149						
n.r.	—	—	—	100.00	31						

TABLE 8.18(U)

WEST BENGAL										
fractile group	percentage of hospital births (0.00)	percentage distribution of hospital births by type of hospital	percentage distribution of non-hospital birth by reason for non-hospitalisation	estd. no. of total births (00)						
(1)	(2)	(3)	(4)	(5)						
0-10	35.54	100.00	—	100.00	411					
10-20	59.83	89.82	10.18	100.00	379					
20-40	36.74	91.93	8.07	100.00	489					
40-60	78.72	88.43	11.57	100.00	340					
60-80	89.57	50.85	49.15	100.00	274					
80-90	50.30	54.12	45.88	100.00	82					
90-100	87.60	29.09	70.91	100.00	190					
all	58.51	74.34	25.66	100.00	2164					
n.r.	—	—	—	—	—					

सर्वेक्षण

राष्ट्रीय प्रतिदर्श
सर्वेक्षण
संगठन संबंधी
पत्रिका

खण्ड XIV, संख्या 4

अप्रैल—जून 1991, अंक संख्या 47

सांख्यिकी विभाग

योजना मंत्रालय

भारत सरकार

पुस्तक

सम्पादकीय सहायकार बोर्ड

1. प्रो. पी. विसारिया
2. प्रो. वी. एस. मिन्हास
3. प्रो. वी. एम्. दांडेकर
4. डा. के. एल्. कृष्णा
5. प्रो. एस. डी. तेंदुसकर
6. श्री एम्. जी. सरदाना
7. डा. एस. एन. रे
8. श्री एस. डे
9. श्री पी. चट्टोपाध्याय

विश्वीय अकादमी

पुस्तक

विश्वीय अकादमी

पुस्तक

पुस्तक

पुस्तक

शुल्क (एक प्रति)

मूल्य : अन्तर्देशीय 40.00 रुपये

विदेश में 4.66 पाँड अथवा 14.40 डालर

वार्षिक अंशदान

मूल्य : अन्तर्देशीय 160.00 रुपये

विदेश में 18.64 पाँड अथवा 57.60 डालर

संवेक्षण

खण्ड XIV, संख्या 4, अप्रैल—जून, 1991

(अंक संख्या 47)

विषय-सूची

पृष्ठ संख्या

शिशु तथा प्रसूति परिचर्या 42वाँ दौर (जुलाई 1986—जून 1987)

हि०-1

शिशु तथा प्रसूति परिचर्या 42वाँ—दौर (जु० 86 — जून 87)

निष्कर्षों का सारांश

5.0 इस रिपोर्ट के खण्ड दो में पहले ही कहा जा चुका है कि लोक स्वास्थ्य उपायों के अंतर्गत बच्चों को उपलब्ध कराई जा रही एक महत्वपूर्ण सुविधा, कतिपय रोगों से प्रतिरक्षा प्राप्त करने के लिए वैक्सीनेशन/टीकाकरण है। यह देखा जाता है कि तदनुरूपी शहरी क्षेत्र में लगभग 46 की तदनुरूपी प्रतिशतता की तुलना में ग्रामीण भारत में रहने वाले लगभग 20 प्रतिशत बच्चों को पोलियो वैक्सीन दी गई। इसी प्रकार केवल लगभग 16 प्रतिशत ग्रामीण बच्चों को टिपल एन्टीजन की वैक्सीन दी गई, जबकि शहरी भारत में रहने वाले बच्चों में से 38 प्रतिशत को यह वैक्सीन दी गयी। यह दर्शाता है कि शहरी क्षेत्र में रहने वाले बच्चों को गांवों में रहने वाले बच्चों की अपेक्षा वैक्सीनेशन अधिक सुलभ है तथा आमगौर पर समस्त राज्यों में भी यही पैटर्न है। इन परिणामों से प्रमाणित होता है कि जबकि गोवा (79.43), पांडिचेरी (72.13) तथा दिल्ली (70.27) के ग्रामीण क्षेत्रों ने पोलियो से प्रतिरक्षित बच्चों की काफी अधिक प्रतिशतता दर्शायी तथापि महाराष्ट्र (55.10), गुजरात (50.70), हिमाचल प्रदेश (49.18), केरल (47.26), तमिलनाडु (44.25) तथा पंजाब (43.84) राज्यों में 44 तथा 55 के बीच अलग-अलग प्रतिशतता रिकार्ड की गई। शेष राज्यों में विशेष रूप से वे जो पूर्वी क्षेत्र तथा उत्तर प्रदेश, मध्य प्रदेश एवं राजस्थान में हैं पोलियो से ग्रामीण बच्चों के प्रतिरक्षीकरण की संख्या काफी कम रही जो कि 4 तथा 13 प्रतिशत के बीच अलग-अलग रही। इन राज्यों ने भी अखिल भारतीय स्तर पर सूचित की गई प्रतिशतता (46.32) की तुलना में अपने शहरी क्षेत्रों में प्रतिरक्षित बच्चों की कम प्रतिशतता सूचित की है।

5.1 इसके अतिरिक्त यह भी देखा जाता है कि ग्रामीण तथा शहरी दोनों क्षेत्रों में प्रत्येक आयु समूह के लिए पोलियो से प्रतिरक्षित बच्चों की प्रतिशतता लगभग समस्त राज्यों तथा समस्त भारत में उनकी अपेक्षा अधिक रही जिन्हें टिपल एन्टीजन दिया गया था। बच्चों में टिपल एन्टीजन के वैक्सीनेशन की प्रतिशतता बिहार में सबसे कम (1.70) तत्पश्चात् राजस्थान (1.97), उत्तर प्रदेश (2.27), त्रिपुरा (2.59), उड़ीसा (4.50), मेघालय (4.76), मध्य प्रदेश (4.82), असम (6.11) तथा पश्चिम बंगाल में (10.18) रही। गोवा (73.76), पांडिचेरी (67.57) तथा दिल्ली (63.53) एवं महाराष्ट्र (48.43), गुजरात (47.93) तथा केरल (43.06) के ग्रामीण क्षेत्रों में पोलियो के वैक्सीनेशन की भांति टिपल एन्टीजन की वैक्सीनेशन का भी सर्वोच्च स्थान रहा। अधिकांश राज्यों एवं समस्त भारत के ग्रामीण एवं शहरी दोनों क्षेत्रों में, आयु समूह

में कमी होने के कारण प्रतिरक्षित बच्चों की प्रतिशतता में वृद्धि हुई है। यह प्रवृत्ति इस तथ्य की परिचायक है कि समय के साथ-साथ अधिक से अधिक बच्चों को स्वास्थ्य देखभाल की यह विशेष सेवा उपलब्ध हो रही है। दूसरे शब्दों में, सर्वेक्षण अवधि से पूर्व हाल ही के वर्षों के दौरान पैदा हुए शिशु पहले पैदा हुए शिशुओं की अपेक्षा अधिक संख्या में प्रतिरक्षित किए गए हैं। ग्रामीण एवं शहरी दोनों क्षेत्रों में पोलियो एवं टिपल एन्टीजन वैक्सीन से शिशुओं की प्रतिशतता 0-4 वर्ष के आयु समूह में अधिकतम पायी गई।

5.2 इन दोनों वैक्सीनों के पभाव के प्रबलीकरण के लिए तथा बाद में किसी संभावित आक्रमण के विरुद्ध प्रतिरक्षण की मात्रा बढ़ाने के लिए पोलियो तथा टिपल एन्टीजन की बूस्टर खुराक देना अनिवार्य है। सारणी एस-3 क्षेत्र एवं राज्य के अनुसार पोलियो तथा टिपल एन्टीजन की बूस्टर खुराक लेने वाले शिशुओं की प्रतिशतता दर्शाती है। जबकि अखिल भारतीय स्तर पर ग्रामीण क्षेत्र में लगभग 11 प्रतिशत शिशुओं को पोलियो की बूस्टर खुराक दी गई थी, शहरी क्षेत्र में संगत प्रतिशतता लगभग 27 थी। इसी प्रकार उन शिशुओं की प्रतिशतता जिन्होंने टिपल एन्टीजन की बूस्टर खुराक दी गई थी, ग्रामीण एवं शहरी भारत में क्रमशः केवल 8 व 21 पाई गई। गोवा, दिल्ली, पांडिचेरी, महाराष्ट्र एवं गुजरात जिन्होंने पोलियो तथा टिपल एन्टीजन वैक्सीन से प्रतिरक्षित शिशुओं की अपेक्षाकृत अधिक प्रतिशतता दर्शायी थी, उन्होंने भी दोनों क्षेत्रों में इन दोनों वैक्सीनों की बूस्टर खुराक लेने के बारे में इसी प्रकार का पैटर्न दर्शाया है। दूसरी ओर, पोलियो तथा टिपल एन्टीजन वैक्सीन प्राप्त करने वाले शिशुओं की कम प्रतिशतता बताने वाले राज्यों में भी बूस्टर खुराक के बारे में कम प्रतिशतता दर्शायी। सभी राज्यों तथा समस्त भारत के दोनों क्षेत्रों में भी पोलियो तथा टिपल एन्टीजन की बूस्टर खुराक लेने वाले शिशुओं की दर्शाई गई प्रतिशतता उनसे बहुत कम पाई गई जो इन दोनों वैक्सीनों की आरम्भिक खुराक ले चुके हैं। जबकि ग्रामीण भारत में 21 प्रतिशत शिशुओं को पोलियो के विरुद्ध वैक्सीन से प्रतिरक्षित किया गया। बताया जाता है कि केवल 11 प्रतिशत शिशुओं ने बूस्टर खुराक ली है। इसी प्रकार शहरी क्षेत्रों के लिए संगत प्रतिशतता क्रमशः 46 तथा 27 पाई गई। इसी प्रकार टिपल एन्टीजन के लिए अखिल भारतीय स्तर पर ग्रामीण व शहरी क्षेत्रों में टीके लगाए गए शिशुओं की प्रतिशतता लगभग 16 व 38 थी जबकि उसकी बूस्टर खुराक के लिए संगत प्रतिशतता लगभग 8 तथा 21 थी। इससे यह इंगित होता है कि इस विषय में अज्ञानता अथवा तटस्थतावश अधिकांश शिशुओं को बूस्टर खुराक देने से संबंधित आवश्यक अनुवर्ती कार्यवाही नहीं की गई थी।

5.3 पॉलियो से प्रतिरक्षित तथा ट्रिपल एन्टीजन वैक्सीन प्राप्त करने वाले शिशुओं की प्रतिशतता को देखने पर यह जानना रुचिकर है कि आबादी के विभिन्न भागों से संबंधित शिशुओं को किस सीमा तक इस विशेष स्वास्थ्य सेवा से लाभ पहुंचा। सारणी एस-4 समस्त भारत के विभिन्न फ़ैक्टोइल ग्रुप तथा क्षेत्र के अनुसार उन शिशुओं की प्रतिशतता दर्शाती है जिन्होंने पोलियो तथा ट्रिपल एन्टीजन की वैक्सीन ली थी तथा उनकी बूस्टर खुराक ली थी। यह देखा जाता है कि पॉलियो एवं ट्रिपल एन्टीजन तथा बूस्टर खुराक लेने वाले शिशुओं की प्रतिशतता में फ़ैक्टोइल वर्गों में बढ़ती हुई वृद्धि के कारण वृद्धि होती जाती है, यह वृद्धि ग्रामीण क्षेत्र की तुलना में शहरी क्षेत्र में तीव्र गति से पाई जाती है। जबकि ग्रामीण क्षेत्र में नीचे के दस

प्रतिशत परिवारों से संबंधित बच्चे जिन्होंने पोलियो और ट्रिपल एन्टीजन वैक्सीन ग्रहण की थी, का प्रतिशत क्रमशः 15 और 10 के लगभग था, शहरी क्षेत्र में यह संगत प्रतिशतता 32 से 22 पायी गयी थी जो ग्रामीण क्षेत्र के सूचित प्रतिशत के दूगने से भी अधिक थी। इसी प्रकार ग्रामीण क्षेत्र में शीर्षस्थ दस प्रतिशत परिवारों की संगत प्रतिशतता, शहरी क्षेत्र में 80 तथा 75 की तुलना लगभग 41 और 33 थी। बूस्टर खुराकों के संबंध में भी यही पैटर्न पाया गया है। इससे यह संकेत मिलता है कि धनी परिवारों के बच्चों की अच्छी देखभाल की जाती है तथापि ऐसी देखभाल की सीमा भी ग्रामीण क्षेत्रों की तुलना में शहरों में अपेक्षाकृत अधिक स्पष्ट है।

सारणी (एस 3)—क्षेत्र व राज्य के अनुसार समस्त भारत में पोलियो तथा ट्रिपल-एन्टीजन की बूस्टर खुराक लेने वाले शिशुओं की प्रतिशतता (0.00)

राज्य/संघ शासित क्षेत्र	ग्रामीण		शहरी	
	पोलियो	ट्रिपल-एन्टीजन	पोलियो	ट्रिपल-एन्टीजन
(1)	(2)	(3)	(4)	(5)
आन्ध्र प्रदेश	13.04	7.98	23.97	17.32
असम	5.34	4.60	18.84	12.45
बिहार	2.42	0.93	11.94	7.76
गुजरात	34.73	26.34	45.26	35.72
हरियाणा	14.66	9.36	25.87	21.51
हिमाचल प्रदेश	39.71	29.78	63.27	55.83
जम्मू व कश्मीर	9.31	5.34	26.56	14.22
कर्नाटक	15.90	11.49	22.55	18.85
केरल	23.44	21.74	31.73	29.39
मध्य प्रदेश	6.36	1.89	23.88	12.79
महाराष्ट्र	34.45	30.21	48.62	43.09
मेघालय	1.70	1.96	12.38	11.61
उड़ीसा	4.71	1.51	18.00	7.75
पंजाब	24.42	15.92	43.84	32.03
राजस्थान	4.58	0.92	18.45	8.26
तमिलनाडु	14.32	10.90	22.95	17.44
त्रिपुरा	2.08	1.13	21.18	10.39
उत्तर प्रदेश	2.87	1.14	11.71	5.92
पश्चिम बंगाल	4.13	3.11	16.34	14.01
दिल्ली	66.12	58.04	59.23	55.38
गोवा दमन व दीव	78.89	72.97	76.87	75.91
शांतिचेरी	54.34	54.34	62.91	56.14
समस्त भारत	10.77	7.53	26.82	20.51

सारणी (एस-4)—समस्त भारत के लिए फैंक्टाइल ग्रुप और क्षेत्र के अनुसार पोलियो ट्रिपल-एन्टीजन और उनकी बूस्टर खुराक लेने वाले बच्चों का प्रतिशत (0.00)

फैंक्टाइल ग्रुप	प्रतिरक्षण लेने वाले बच्चों का प्रतिशत			
	पोलियो	ट्रिपल एन्टीजन	बूस्टर खुराक	
			पोलियो	ट्रिपल एन्टीजन
(1)	(2)	(3)	(4)	(5)
ग्रामीण				
0 - 10	14.89	10.38	7.24	4.41
10 - 20	15.58	10.92	7.45	4.39
20 - 40	17.66	13.23	8.38	5.98
40 - 60	20.62	15.04	10.52	7.51
60 - 80	24.95	19.59	14.26	10.20
80 - 90	31.40	24.44	17.01	12.02
90 - 100	40.60	32.74	25.76	20.44
समस्त	20.63	15.47	10.77	7.53
शहरी				
0 - 10	31.76	22.09	14.31	9.54
10 - 20	33.79	26.98	15.57	11.50
20 - 40	39.24	31.06	21.69	16.49
40 - 60	53.03	44.62	31.64	24.27
60 - 80	61.97	51.24	39.19	28.92
80 - 90	72.71	66.17	48.85	41.90
90 - 100	80.37	74.92	59.26	51.16
समस्त	46.32	37.89	26.82	20.51

5.4 बच्चों के प्रतिरक्षीकरण के अतिरिक्त बच्चों की देख-भाल से संबंधित एक और सेवा है, जिसके अंतर्गत बच्चों को उनके घर में प्राप्त आहार में पोषक तत्वों की वृद्धि करने की दृष्टि से आहार वितरण केन्द्र द्वारा भोजन मुहैया कराया जाता है जो इस प्रकार उनके स्वास्थ्य में सुधार करती है। सारणी एस-5 सभी राज्यों समस्त भारत के लिए आहार केन्द्र और क्षेत्र के प्रकार के अनुसार (0-4 वर्ष) के बच्चों का प्रतिशत दर्शाती है जिन्होंने सर्वेक्षण की तारीख से पिछले 365 दिनों के दौरान पूरक आहार प्राप्त किया। इस सारणी से यह देखा जाता है कि जॉर्ज के दिन से पिछले 365 दिनों की अवधि के दौरान ग्रामीण भारत में लगभग 4 प्रतिशत बच्चों और शहरी भारत में दो प्रति-

शत बच्चों ने पूरक आहार प्राप्त किया। इसी प्रकार पाँडिचेरी (30.93, 5.52) तमिलनाडु (25.77, 7.50), दिल्ली (9.35, 5.18) और केरल (8.21, 5.88) को छोड़कर अधिकांश राज्यों में कम प्रतिशत पाया गया था। बच्चों को पूरक आहार प्रदान करने की यह विशेष सेवा शहरी क्षेत्र की तुलना में ग्रामीण क्षेत्र में अधिक पाई जाती है और पिछले 365 दिनों के दौरान बच्चों ने जो भी पूरक आहार प्राप्त किया, उसमें से अधिकांश सरकार द्वारा निर्धारित नियंत्रित इन आहार केन्द्रों से मुहैया कराया गया था जबकि अन्य अभिकरणों द्वारा चलाए गए अन्य केन्द्रों की इस सेवा का प्रभाव अस्तित्वहीन है।

सारणी (एस 5)—राज्यों और समस्त भारत के लिए आहार केन्द्र और क्षेत्र के प्रकार के अनुसार पिछले 365 दिनों के दौरान पूरक आहार प्राप्त करने वाले (0-4 वर्ष) के बच्चों का प्रतिशत

राज्य/संघ शासित क्षेत्र	आहार केन्द्र का प्रकार									
	ग्रामीण					शहरी				
	सरकारी	निजी	अज्ञात	रिकार्ड नहीं किया गया	सभी	सरकारी	निजी	अज्ञात	रिकार्ड नहीं किया गया	सभी
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
आन्ध्र प्रदेश	1.10	0.10	—	—	1.20	0.59	—	—	0.11	0.70
असम	3.47	0.36	—	—	3.83	—	0.98	—	0.31	1.29
बिहार	0.25	0.03	—	0.07	0.35	0.42	—	0.24	—	0.66
गुजरात	1.32	0.08	0.23	—	1.63	0.19	—	0.21	—	0.40
हरियाणा	1.27	—	—	—	1.27	—	—	—	—	—
हिमाचल प्रदेश	1.78	0.11	0.44	—	2.33	—	1.58	—	—	1.58
जम्मू व कश्मीर	2.95	—	—	—	2.95	1.68	—	—	—	1.68
कर्नाटक	2.25	—	—	0.06	2.31	5.63	—	—	—	5.63
केरल	6.86	1.16	0.08	0.11	8.21	5.37	—	0.51	—	5.88
मध्य प्रदेश	1.49	—	—	—	1.49	0.66	—	0.20	—	0.86
महाराष्ट्र	3.92	0.23	0.15	0.16	4.46	0.77	0.33	0.12	0.07	1.29
मेघालय	3.02	0.15	—	—	3.17	0.23	—	—	—	0.23
उड़ीसा	5.28	0.21	—	—	5.49	2.52	—	—	—	2.52
पंजाब	0.95	—	—	—	0.95	0.56	—	—	—	0.56
राजस्थान	1.25	—	0.06	—	1.31	—	—	—	—	—
तमिलनाडु	24.46	1.19	—	0.12	25.77	6.72	0.56	—	0.22	7.50
त्रिपुरा	0.20	0.20	—	0.30	0.70	—	—	0.91	—	0.91
उत्तर प्रदेश	0.67	0.08	0.03	0.04	0.82	0.17	0.26	—	—	0.43
पश्चिम बंगाल	4.13	0.22	0.60	0.12	5.07	0.55	0.48	0.32	—	1.35
दिल्ली	3.12	6.23	—	—	9.35	3.89	1.19	0.10	—	5.18
पाण्डिचेरी	30.93	—	—	—	30.93	5.52	—	—	—	5.52
समस्त भारत	3.20	0.19	0.08	0.05	3.52	1.76	0.22	0.09	0.04	2.11

5.5 नवजात शिशुओं के लिए जन्म के पश्चात् कुछ अवधि तक चिकित्सा सेवाएं आवश्यक होती हैं ताकि उनकी सामान्य वृद्धि के लिए उनके अभिभावक सभी संभव उपाय कर सकें तथा जैसा कि इस रिपोर्ट के खण्ड दो में स्पष्ट किया गया है इन सेवाओं को बाल चिकित्सा संबंधी देखभाल में दर्जित किया गया है। सारणी एस-6 (ग्रामीण) और एस-6 (शहरी) क्रमशः बाल चिकित्सा संबंधी देखभाल के लिए (0.4) वर्ष के पंजीकृत बच्चों का प्रतिशत और उनमें क्रमशः ग्रामीण और शहरी क्षेत्रों के लिए चिकित्सा संस्थाओं/कार्मिकों के विभिन्न प्रकारों के अनुसार उनका प्रतिशत वितरण प्रदान करती हैं। समस्त भारत स्तर पर, यद्यपि ग्रामीण क्षेत्र में बाल चिकित्सा संबंधी देखभाल के लिए लगभग 12 प्रतिशत बच्चे पंजीकृत किए गए, शहरी क्षेत्रों

में संगत प्रतिशतता लगभग 29 था। यह प्रतिशत पाण्डिचेरी (54.52), गोवा (46.74), तमिलनाडु (38.76) और केरल (32.19) को छोड़कर सभी राज्यों के ग्रामीण क्षेत्रों के संबंध में कम पाया गया है। बिहार (2.75), उत्तर प्रदेश (3.21), मेघालय (4.09), राजस्थान (4.41), उड़ीसा (5.67), मध्य प्रदेश (6.84), हरियाणा (8.02), त्रिपुरा (10.28) और पश्चिम बंगाल (10.83) के ग्रामीण क्षेत्रों में यह प्रतिशत काफी कम 3 और 11 के मध्य घटता बढ़ता रहा। पाण्डिचेरी (57.56), त्रिपुरा (54.21) और तमिलनाडु (53.90) के शहरी क्षेत्र में आधे से अधिक बच्चों का बाल चिकित्सा संबंधी देखभाल में पंजीकरण किया जाना सूचित किया गया था, जबकि कर्नाटक (45.20), हिमाचल प्रदेश (44.94), महाराष्ट्र

(42.49), गोवा (39.40), आन्ध्र प्रदेश (35.85), पश्चिम बंगाल (35.40), असम (34.33) और केरल (32.64) में एक तिहाई से अधिक किन्तु आधे से कम बच्चों का पंजीकरण किया गया था। बिहार, हरियाणा, मध्य प्रदेश, पंजाब, राजस्थान और उत्तर प्रदेश के शहरी क्षेत्रों ने अपने संगत ग्रामीण क्षेत्रों की तरह ही कम प्रतिशत का पैटर्न दर्शाया है। बाल चिकित्सा संबंधी देखभाल के लिए पंजीकृत ग्रामीण बच्चों में से लगभग 30 प्रतिशत ने सार्वजनिक अस्पतालों में, इससे कम (26 प्रतिशत) ने महिला स्वास्थ्य सेंविका के पास, 18 प्रतिशत ने प्राथमिक स्वास्थ्य केन्द्र और (7 प्रतिशत) ने निजी डाक्टर के पास पंजीकरण करवाया। जबकि पांडिचेरी (66.30), दिल्ली (65.15), जम्मू और कश्मीर (62.07) और गोवा (50.27) के ग्रामीण क्षेत्रों के संबंध में सार्वजनिक अस्पतालों में आधे से अधिक बच्चे पंजीकृत थे। महिला स्वास्थ्य परिचारिका

के पास पंजीकृत बच्चों का प्रतिशत मध्य प्रदेश (44.0), कर्नाटक (43.59), गोवा (40.6), हिमाचल प्रदेश (37.63), और गुजरात (36.23) के ग्रामीण क्षेत्रों में काफी अधिक है। ग्रामीण भारत में पंजीकृत 30.32 प्रतिशत की तुलना में शहरी भारत की संगत प्रतिशतता 47.99 थी तथापि महिला स्वास्थ्य परिचारिका के पास दर्ज बच्चों की सीमा शहरी क्षेत्रों में बहुत कम (5.38 प्रतिशत) की तुलना में ग्रामीण क्षेत्रों की संगत प्रतिशतता (26.08) पायी गयी तथा महिला स्वास्थ्य परिचारिका के पास बाल चिकित्सा संबंधी परिचर्या के लिए दर्ज बच्चों का प्रतिशत भी सभी राज्यों के शहरी क्षेत्रों में कम पाया गया। सामान्यतः ऐसा देखा जाता है कि सभी संस्थाओं जिनमें बाल चिकित्सा संबंधी परिचर्या के लिए बच्चे पंजीकृत थे, उनमें सार्वजनिक अस्पताल अधिक पाए गए हालांकि शहरी भारत की तुलना में ग्रामीण भारत में इसका प्रभुत्व कुछ कम है।

सारणी एस 6(आर)—राज्यों और समस्त भारत में पंजीकृत संस्थाओं/कार्मिकों के प्रकार के अनुसार बाल चिकित्सा संबंधी देखभाल के लिए पंजीकृत बच्चों का प्रतिशत तथा प्रतिशत वितरण

राज्य/संघ शासित क्षेत्र	पंजीकृत बच्चों का प्रतिशत	संस्था/कार्मिक का प्रकार								
		सार्वजनिक अस्पताल	प्राथमिक ग्र.स्वास्थ्य केन्द्र	सार्वजनिक ग्रोपहालय	नर्सिंग होम	धर्मार्थ संस्था	निजी डाक्टर	महिला स्वास्थ्य परिचारिका	अन्य	कुल
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
आन्ध्र प्रदेश	18.21	16.49	4.62	—	1.24	1.64	7.37	27.23	36.15	100.00
असम	12.89	33.04	12.05	8.04	—	—	3.79	5.26	28.46	100.00
बिहार	2.75	18.09	16.19	1.41	—	2.74	14.30	11.94	9.12	100.00
गुजरात	11.66	23.10	14.57	0.87	1.81	—	1.92	36.23	11.50	100.00
हरियाणा	8.02	35.15	2.25	2.03	3.57	2.04	28.82	19.90	3.51	100.00
हिमाचल प्रदेश	19.14	41.11	2.28	7.58	—	—	1.16	37.68	8.07	100.00
जम्मू और कश्मीर	10.35	62.07	5.19	0.53	—	—	8.19	1.74	11.08	100.00
कर्नाटक	21.74	22.98	5.74	0.36	1.75	—	6.41	43.59	13.04	100.00
केरल	32.19	39.76	1.25	0.66	2.17	—	2.24	5.19	41.26	100.00
मध्य प्रदेश	6.84	24.02	11.44	—	2.53	—	6.07	44.07	7.06	100.00
महाराष्ट्र	26.63	25.42	9.69	0.64	0.47	1.64	7.53	32.88	16.15	100.00
मेघालय	4.09	29.97	8.91	—	—	—	16.44	26.56	18.12	100.00
उड़ीसा	5.69	49.78	8.75	2.44	—	—	3.16	13.94	10.12	100.00
पंजाब	9.67	44.47	3.06	—	4.23	33.35	6.35	20.76	15.40	100.00
राजस्थान	4.49	41.47	6.70	—	—	—	7.91	20.92	16.61	100.00
तमिलनाडु	38.76	36.34	5.72	0.56	1.01	0.12	5.38	24.40	23.01	100.00
त्रिपुरा	10.28	65.04	—	—	—	—	—	16.62	15.09	100.00
उत्तर प्रदेश	3.21	25.18	10.60	—	1.18	—	19.46	22.62	8.95	100.00
पश्चिम बंगाल	10.83	40.14	19.60	1.07	0.82	—	7.45	20.50	6.20	100.00
दिल्ली	28.62	65.15	13.08	—	—	—	—	—	21.77	100.00
गोवा, दमन और दीव	46.74	50.27	—	—	—	—	9.27	40.46	—	100.00
पांडिचेरी	54.52	66.30	28.86	—	—	—	—	4.84	—	100.00
समस्त भारत	11.93	30.32	8.16	0.78	1.17	0.62	7.21	26.08	19.26	100.00

टिप्पणी : कॉलम (3) के (10) और (11) के जोड़ के बीच अन्तर-रिहाई नहीं की गई संस्थाओं के पास पंजीकृत नहीं बच्चों की प्रतिशतता के कारण आया है।

सारणी एस (यू)—राज्यों और समस्त भारत में पंजीकृत संस्थाओं/कार्मिकों के प्रकार के अनुसार बाल-शिक्षा संबंधी देखभाल के लिए पंजीकृत बच्चों का प्रतिशत (0.00) तथा उनका प्रतिशत वितरण शहरी

राज्य/संघ शासित क्षेत्र	पंजीकृत बच्चों का प्रतिशत	सार्वजनिक अस्पताल	प्राथमिक स्वास्थ्य केन्द्र	सार्वजनिक शोधालय	नासिंग होम	घमाथ संस्था	निजी डाक्टर	महिला स्वास्थ्य परिचारिका	अन्य	कुल
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
आन्ध्र प्रदेश	35.85	38.96	1.34	0.77	2.49	2.56	8.81	6.15	35.63	100.00
असम	34.33	46.29	4.55	—	11.32	3.64	2.21	10.52	4.80	100.00
बिहार	11.37	15.11	1.62	0.87	8.74	0.09	11.15	10.64	45.26	100.00
गुजरात	31.97	34.56	10.61	—	7.72	2.10	5.15	5.73	29.80	100.00
हरियाणा	9.57	44.16	1.21	—	5.86	—	15.79	7.49	25.49	100.00
हिमाचल प्रदेश	44.94	77.71	—	—	—	—	—	7.68	7.77	100.00
जम्मू और कश्मीर	23.64	68.47	—	1.16	—	—	13.72	3.42	11.27	100.00
कर्नाटक	45.20	50.19	3.46	1.26	7.00	—	7.51	3.69	18.63	100.00
केरल	32.64	43.44	0.58	—	1.99	—	12.88	2.79	36.28	100.00
मध्य प्रदेश	20.13	63.51	2.87	2.40	9.84	0.87	6.82	5.84	6.83	100.00
महाराष्ट्र	42.94	37.87	2.47	1.93	3.23	0.93	7.68	2.78	34.77	100.00
मेघालय	31.04	42.43	5.31	—	—	7.66	3.31	4.05	26.56	100.00
उड़ीसा	22.20	90.26	3.05	—	—	—	0.47	3.98	2.24	100.00
पंजाब	15.52	40.31	2.34	—	5.21	0.99	9.09	16.06	26.00	100.00
राजस्थान	14.54	70.06	6.69	—	—	2.15	1.17	1.67	18.26	100.00
तमिलनाडु	53.90	48.92	3.02	1.62	5.49	0.50	4.47	3.56	30.65	100.00
त्रिपुरा	54.21	81.09	2.49	6.04	—	—	—	1.67	—	100.00
उत्तर प्रदेश	10.04	53.92	5.31	—	3.21	3.50	11.47	6.79	12.07	100.00
पश्चिम बंगाल	35.40	67.85	5.31	—	10.33	0.37	6.36	2.79	3.16	100.00
दिल्ली	37.17	46.50	2.25	1.43	4.76	—	8.20	22.06	3.53	100.00
गोवा, दमन और दीव	39.40	85.02	3.36	—	—	—	5.81	—	5.81	100.00
पांडिचेरी	57.56	29.38	—	—	27.74	—	2.89	—	29.29	100.00
समस्त भारत	29.24	47.99	3.46	1.08	5.32	1.00	7.10	5.38	24.25	100.00

टिप्पणी : कालम (3) व (10) और (11) के जोड़ के बीच अन्तर रिहाई नहीं की गई संस्थाओं के पास पंजीकृत बच्चों के प्रतिशत के कारण आया है।

5.6 प्रसव पूर्व और प्रसव के पश्चात् मां की परिचर्या की संकल्पना को इस रिपोर्ट के खंड दो में पहले ही स्पष्ट किया जा चुका है। परिणामों से यह पता चलता है कि यद्यपि अखिल भारतीय स्तर पर ग्रामीण क्षेत्र में प्रसव पूर्व परिचर्या के लिए दर्ज माताओं का प्रतिशत 21 था। शहरी भारत में संगत प्रतिशत लगभग 47 था। राज्य के ग्रामीण क्षेत्र में पंजीकरण का एक उच्च प्रतिशत पांडिचेरी (100.00), केरल (72.68) और तमिलनाडु के संबंध में (68.50) पाया गया जबकि प्रसव पूर्व परिचर्या के लिए दर्ज माताओं का प्रतिशत मेघालय (4.96), राजस्थान (5.98), बिहार (6.31), उत्तर प्रदेश (6.70), उड़ीसा (7.90) और मध्य प्रदेश (7.98) बहुत कम सूचित किया गया। ग्रामीण क्षेत्र की तुलना में शहरी क्षेत्र में अखिल भारतीय स्तर पर और अधिकांश राज्यों में प्रसव पूर्व मामले के

लिए पंजीकृत माताओं की प्रतिशतता अधिक थी। जबकि आधी से अधिक माताएं निम्नलिखित राज्यों/संघ शासित क्षेत्रों के शहरी क्षेत्रों में पंजीकृत की गई हैं : पांडिचेरी (100.00), तमिलनाडु (79.92), मेघालय (70.79), हिमाचल प्रदेश (68.31), केरल (65.24), कर्नाटक (64.43), महाराष्ट्र (63.06), पश्चिम बंगाल (60.47), असम (60.44), गुजरात (56.01), आन्ध्र प्रदेश (55.76), और दिल्ली (51.22), बिहार, उड़ीसा, राजस्थान और उत्तर प्रदेश राज्यों ने बहुत कम प्रतिशतता सूचित की थी जो 20 से भी कम थी। विभिन्न प्रकार की संस्थाओं जिनमें गर्भवती महिलाओं ने प्रसव पूर्व देखभाल के लिए पंजीकरण कराया था, से मालूम हुआ है कि ग्रामीण भारत में सार्वजनिक अस्पताल और महिला स्वास्थ्य परिचारिका में से प्रत्येक के पास लगभग 25 प्रतिशत माताओं ने

पंजीकरण कराया था, इनके बाद निजी अस्पताल (20.71), प्राथमिक स्वास्थ्य केंद्र (11.01) और निजी डाक्टरों के पास पंजीकरण कराया गया। इसकी तुलना में शहरी भारत में 50 प्रतिशत माताओं ने सार्वजनिक अस्पताल में पंजीकरण कराया और लगभग 23 प्रतिशत ने निजी अस्पताल में पंजीकरण कराया जबकि निजी डाक्टर और नर्सिंग होम में से प्रत्येक में 8 प्रतिशत माताओं ने पंजीकरण कराया। विभिन्न संस्थाओं में पंजीकरण के संबंध में भिन्न-भिन्न राज्यों में व्यापक अंतर देखा गया है जबकि दिल्ली, त्रिपुरा, जम्मू व कश्मीर, उड़ीसा और पांडिचेरी ने आधी से अधिक माताओं का उनके तदनुरूपी ग्रामीण क्षेत्रों में सार्वजनिक अस्पताल में पंजीकृत होने की सूचना दी थी, केरल (44.15), आन्ध्र प्रदेश (34.02) तथा तमिलनाडू (25.52), के दक्षिणी राज्यों के ग्रामीण क्षेत्र में निजी अस्पतालों में पंजीकरण का मात्रा अपेक्षाकृत अधिक पाई गई। यह और भी स्पष्ट है कि शहरी क्षेत्र में सार्वजनिक अस्पताल का प्रसव पूर्व देखभाल के लिए माताओं के एक बहुत बड़ा अनुपात न पसंद किया, संबंधित राज्यों की स्थिति इस प्रकार है: राजस्थान (89.78), मध्य प्रदेश (78.96), उड़ीसा (76.06), मंधालय (73.41) और जम्मू व कश्मीर (71.82), किन्तु महाराष्ट्र, केरल, आन्ध्र प्रदेश और तमिलनाडू के शहरी क्षेत्रों में निजी अस्पताल काफी प्रभावी पाया गया, उनके संगत ग्रामीण क्षेत्रों में भी ऐसी ही पैटर्न देखा गया। सामान्यतः यह देखा गया है कि शहरी क्षेत्रों में रह रही गर्भवती महिलाओं की उनके ग्रामीण प्रतिपक्षों की अपेक्षा प्रसव पूर्व काल में बेहतर देखभाल होती है। महिला स्वास्थ्य परिचारिका की सेवाओं का उतना ही उपयोग होता है जितना की ग्रामीण भारत में सार्वजनिक अस्पतालों का होता है, प्रसव पूर्व की देखभाल शहरी क्षेत्र में प्रभावी रूप से सार्वजनिक अस्पताल पर आधारित है।

5.7 चूंकि गर्भवती महिलाओं को प्रसव पूर्व देखभाल बच्चों के सुरक्षित जन्म और स्वस्थ बच्चों के लिए आवश्यक है अतः प्रसव के बाद की देखभाल भी बच्चों के जन्म संबंधी अतिशय के पश्चात स्वास्थ्य लाभ करना माताओं के लिए समान रूप से महत्वपूर्ण है। यह देखा जाता है कि केवल 13 प्रतिशत माताएं ग्रामीण भारत में प्रसव के बाद की देखभाल के लिए पंजीकृत थी जबकि शहरी भारत में उनकी प्रतिशतता 24 थी। पांडिचेरी (42.37), गांधी (41.17), तमिलनाडू (41.01) और केरल (38.07) को छोड़कर राज्यों के ग्रामीण क्षेत्रों में प्रसव के बाद की देखभाल के लिए पंजीकृत माताओं की प्रतिशतता अन्य सभी राज्यों में काफी कम देखी गई। यद्यपि शहरी क्षेत्र में प्रसव के बाद की देखभाल के लिए पंजीकरण की संख्या ग्रामीण क्षेत्र में देखी गई संख्या के मुकाबले में अपेक्षाकृत बेहतर है फिर भी पांडिचेरी (73.53), तमिलनाडू (49.05), त्रिपुरा (47.91), हिमाचल प्रदेश (45.32), असम (41.65), केरल (34.59) और महाराष्ट्र (33.50) को छोड़कर अधिकांश राज्यों में यह कम है। विभिन्न प्रकार की चिकित्सा संस्थाओं/कार्मिकों में प्रसव के बाद की देखभाल के लिए पंजीकृत माताओं

का प्रतिशत वितरण उसी पैटर्न का अनुसरण करता हुआ दिखाई देता है जैसा कि ग्रामीण और शहरी दोनों क्षेत्रों में प्रसव पूर्व की देखभाल के मामले में देखा गया है। इसके अतिरिक्त प्रसव के बाद की देखभाल के लिए पंजीकृत माताओं की संख्या सभी राज्यों के दोनों क्षेत्रों में प्रसव पूर्व की देखभाल के लिए पंजीकृत माताओं की संख्या से कम पाई गई है तथा अखिल भारतीय संख्या यह दर्शाती है कि अधिकांश मामलों में आवश्यक चिकित्सा सलाह का लाभ बच्चा पैदा होने के बाद माताओं द्वारा नहीं उठाया गया।

5.8 गर्भवती महिलाओं की सहायताएं उनकी पोषण संबंधी आवश्यकताओं को पूरा करने के लिए पूरक खाद्य एवं औषधियां भिन्न-भिन्न केंद्रों से उन्हें निःशुल्क मुहैया करायी जाती हैं। इस प्रकार का आहार एवं औषधियां बच्चा पैदा होने के बाद माताओं को उनकी प्रसव के बाद की देखभाल के दौरान भी दिए जाते हैं। सारणी एस 9 क्षेत्र एवं राज्यों के अनुसार प्रसव पूर्व और प्रसव के बाद की देखभाल के दौरान निःशुल्क आहार एवं निःशुल्क औषधियां प्राप्त करने वाली माताओं की प्रतिशतता को दर्शाती है। यह देखा जा सकता है कि माताओं को निःशुल्क आहार उपलब्ध कराने संबंधी सेवा चाहे यह प्रसव पूर्व अथवा प्रसव के बाद की देखभाल की अवधि के दौरान हो, सभी राज्यों एवं समस्त भारत के दोनों क्षेत्रों में व्यावहारिक रूप से अस्तित्व में नहीं है। जहां तक निःशुल्क औषधियां उपलब्ध कराने का संबंध है ग्रामीण भारत में प्रसव पूर्व देखभाल के दौरान केवल लगभग 10 प्रतिशत माताओं ने इस सेवा का लाभ उठाया जबकि शहरी भारत में संगत प्रतिशतता लगभग 19 देखी गई। राज्यों में ग्रामीण पांडिचेरी ने प्रसव पूर्व देखभाल के दौरान निःशुल्क औषधि प्राप्त करने वाली माताओं का प्रतिशत 84 सूचित किया था इसके बाद ग्रामीण तमिलनाडू (35.47), ग्रामीण केरल (23.74) और ग्रामीण महाराष्ट्र (19.66) का स्थान है जबकि अन्य राज्यों के संबंध में संगत प्रतिशतता 20 से भी कम है। शहरी क्षेत्रों में ऐसी माताओं की प्रतिशतता हिमाचल प्रदेश (37.32), तमिलनाडू (37.22), कर्नाटक (35.63), और मंधालय (34.45) में अधिक होगा सूचित की गई है। निःशुल्क आहार अथवा निःशुल्क औषधि प्राप्त करने वाली माताओं की प्रतिशतता ग्रामीण क्षेत्रों की अपेक्षा शहरी क्षेत्रों में सामान्यतः अधिक है और काफी अधिक सीमा तक प्रसव के बाद देखभाल की अवधि की अपेक्षा प्रसव पूर्व देखभाल की प्रतिशतता अधिक है।

5.9 इस बात की जातकारी लेना भी रुचिकर है कि बच्चे जितना सीमा तक घर में पैदा होते हैं और किस सीमा तक इस प्रकार के जन्म संबंधी मामलों में विभिन्न चिकित्सा और अर्द्ध चिकित्सा कार्मिकों द्वारा परिचर्य की गई है। यह देखा गया है कि घर में जन्म लेने वाले बच्चों की प्रतिशतता काफी उंची है। अखिल भारतीय स्तर पर शहरी क्षेत्र के 47

प्रतिशत के मुकाबले में ग्रामीण क्षेत्र में इसका प्रतिशत 81 है। गोवा, केरल और पांडिचेरी को छोड़कर जहाँ घर में जन्म लेने वाले बच्चों का प्रतिशत 6 प्रतिशत से 26 प्रतिशत के बीच है, अधिकांश राज्यों में, जैसी कि आशा थी, ग्रामीण क्षेत्रों में घर में जन्म लेने वालों बच्चों की संख्या ग्रामीण क्षेत्र की तुलना में कम है फिर भी पंजाब (80.67, 81.07), राजस्थान (88.71, 78.76) और उत्तर प्रदेश (91.98, 74.08) के दोनों क्षेत्रों में यह बहुत ऊंची पायी गई है। यह भी देखा गया है कि भारत में ग्रामीण क्षेत्रों में घर पर जन्म लेने वाले बच्चों के मामलों में तीन में से लगभग एक मामले में बिना किसी सहायता के

जन्म हुआ है जबकि लगभग 27 प्रतिशत मामलों में परिचर्या गैर सरकारी नर्सों, दाई इत्यादि द्वारा की गई। इसी प्रकार, शहरी क्षेत्र में जबकि 26 प्रतिशत घर में जन्म लेने वाले बच्चों के मामलों में बिना किसी सहायता के हुए ऐसे जन्म के मामलों में लगभग 35 प्रतिशत में अन्य नर्सों/दाई इत्यादि की सहायता ली गई। सामान्यतया, घर में जन्म लेने वाले बच्चों की संख्या ग्रामीण क्षेत्रों में अपेक्षाकृत अधिक रही और ग्रामीण और शहरी क्षेत्र में होने वाले ऐसे जन्म के मामलों में या तो किसी की सहायता नहीं ली गई या प्राइवेट नर्सों/दाई इत्यादि की सहायता ली गई।

सारणी एन 9: राज्य एवं क्षेत्र के अनुसार प्रसवपूर्व और प्रसव के बाद की देखभाल के दौरान निःशुल्क आहार एवं निःशुल्क औषधि प्राप्त करने वाली माताओं की प्रतिशतता (0.00)

राज्य/क्षेत्र	ग्रामीण					शहरी				
	आहार	औषधि	आहार	औषधि	माताओं की अनुमानित संख्या	आहार	औषधि	आहार	औषधि	माताओं की अनुमानित संख्या
	प्रसव-पूर्व देखभाल के दौरान		प्रसव के बाद देखभाल के दौरान		(0.00)	प्रसव-पूर्व देखभाल के दौरान		प्रसव के बाद देखभाल के दौरान		(0.00)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
आन्ध्र प्रदेश	0.97	14.58	—	5.20	1046	1.52	21.19	1.56	6.81	251
असम	4.39	9.17	1.43	4.96	115	7.87	6.80	—	15.56	14
बिहार	0.24	1.36	0.23	0.19	1210	1.40	6.81	3.65	7.79	171
गुजरात	2.70	11.41	1.81	9.20	453	3.51	15.58	—	9.77	173
हरियाणा	1.75	3.37	0.46	0.46	348	—	10.33	—	3.93	100
हिमाचल प्रदेश	—	16.33	3.37	12.53	99	—	37.32	—	10.43	4
जम्मू और कश्मीर	0.81	6.79	—	0.89	125	1.07	4.98	0.53	4.16	23
कर्नाटक	1.76	15.83	1.40	9.92	663	4.85	35.63	—	8.92	277
केरल	3.56	23.74	2.53	7.08	335	1.95	19.80	3.81	12.81	79
मध्य प्रदेश	0.52	4.41	0.66	2.16	1044	2.81	21.21	0.62	9.92	249
महाराष्ट्र	3.04	19.66	1.24	9.49	977	1.87	17.67	0.69	8.03	419
मेघालय	0.73	6.21	1.91	3.89	19	13.04	34.45	5.29	—	2
उड़ीसा	3.45	4.24	1.22	1.42	486	0.70	6.72	1.07	1.72	59
पंजाब	0.60	3.18	0.60	0.52	294	—	5.27	0.90	3.17	112
राजस्थान	0.56	0.83	0.56	0.44	792	—	2.40	1.65	1.21	140
तमिलनाडु	4.61	35.47	4.14	21.69	673	2.56	37.22	5.41	20.96	351
त्रिपुरा	2.42	10.73	5.06	7.69	15	4.41	18.76	4.03	32.91	4
उत्तर प्रदेश	0.36	2.49	0.36	1.13	2524	0.76	6.57	0.40	2.45	515
पश्चिम बंगाल	2.17	18.63	3.53	6.95	911	7.24	27.68	3.97	11.23	216
दिल्ली	—	8.20	9.99	9.99	26	1.51	20.75	1.47	9.53	162
गोवा, दमन एवं दीव	1.09	21.56	1.09	21.56	16	7.31	8.74	—	8.74	8
पांडिचेरी	43.11	84.34	26.37	32.37	7	—	26.47	—	26.47	3
समस्त भारत	1.50	9.95	1.17	4.79	12167	2.86	18.64	1.62	8.46	3349

5.10 सारणी एस-11 में राज्य और क्षेत्र वार अस्पतालों के प्रकार के अनुसार अस्पताल में हुए जन्मों की प्रतिशतता और उनका प्रतिशत वितरण दिया गया है। यह देखा गया है कि अस्पतालों में पैदा हुए बच्चों का प्रतिशत अखिल भारतीय स्तर पर शहरी क्षेत्र में ग्रामीण क्षेत्र की अपेक्षा बहुत अधिक है जिनकी अलग-अलग प्रतिशतता 48 और 14 है। तथापि, जबकि गोवा (93.55, 58.00), केरल (77.58, 78.75), पाण्डिचेरी (73.64, 100.00) के दोनों क्षेत्रों में अस्पताल में जन्म लेने वाले बच्चों की प्रतिशतता अपेक्षाकृत ऊंची थी, हरि-

याणा (2.47, 34.84), उत्तर प्रदेश (4.23, 22.44), बिहार (4.99, 27.61), राजस्थान (6.78, 13.90) और उड़ीसा (7.09, 14.51) के दोनों क्षेत्रों में बहुत निम्न प्रतिशत रहा। परिणामों से यह स्पष्ट है कि समस्त भारत और आन्ध्र प्रदेश, महाराष्ट्र और पंजाब राज्यों को छोड़कर (जहाँ सरकारी अस्पतालों में जन्म लेने वाले बच्चों का प्रतिशत अन्य अस्पतालों में जन्म लेने वाले बच्चों की अपेक्षा कुछ कम रहा) अधिकांश राज्यों के दोनों क्षेत्रों में अधिकांश बच्चों का जन्म सरकारी अस्पतालों में हुआ।

सारणी एस 11: राज्य और क्षेत्र के अनुसार अस्पताल के प्रकार के अनुसार अस्पताल में जन्म लेने वाले बच्चों का प्रतिशत और उनका प्रतिशत वितरण

राज्य/संघ राज्य क्षेत्र	ग्रामीण				शहरी			
	अस्पताल में जन्म लेने वाले बच्चों की प्रतिशत	अस्पताल का प्रकार			अस्पताल में जन्म लेने वाले बच्चों की प्रतिशत	अस्पताल का प्रकार		
		सरकारी	अन्य	कुल		सरकारी	अन्य	कुल
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
आन्ध्र प्रदेश	15.69	44.39	55.61	100.00	52.67	47.07	52.93	100.00
असम	15.24	92.80	7.20	100.00	57.22	56.42	43.58	100.00
बिहार	4.99	68.64	31.36	100.00	27.61	52.63	47.37	100.00
गुजरात	14.75	52.83	47.77	100.00	56.37	52.72	47.28	100.00
हरियाणा	2.47	100.00	—	100.00	34.56	48.59	51.41	100.00
हिमाचल प्रदेश	8.44	100.00	—	100.00	41.44	100.00	—	100.00
जम्मू व कश्मीर	8.88	88.64	11.36	100.00	29.72	92.19	7.81	100.00
कर्नाटक	19.09	66.31	33.69	100.00	61.89	74.18	25.82	100.00
केरल	77.58	49.60	50.40	100.00	78.75	65.39	34.61	100.00
मध्य प्रदेश	5.07	79.41	20.59	100.00	45.69	81.25	18.75	100.00
महाराष्ट्र	14.91	47.66	52.34	100.00	68.07	45.54	54.46	100.00
मेघालय	2.49	56.87	43.73	100.00	65.50	82.01	17.99	100.00
उड़ीसा	7.09	94.04	5.96	100.00	27.38	93.86	6.14	100.00
पंजाब	11.09	34.69	65.31	100.00	14.51	58.85	41.15	100.00
राजस्थान	6.78	85.96	14.04	100.00	13.90	95.00	5.00	100.00
तमिलनाडु	43.26	65.78	34.22	100.00	75.17	51.86	48.14	100.00
त्रिपुरा	10.52	100.00	—	100.00	72.05	100.00	—	100.00
उत्तर प्रदेश	4.23	88.27	14.73	100.00	22.44	62.81	37.19	100.00
पश्चिम बंगाल	18.86	94.63	5.37	100.00	58.51	74.34	25.66	100.00
दिल्ली	—	—	—	—	49.55	73.12	26.88	100.00
गोवा, दमन एवं दीव	93.55	98.52	1.48	100.00	58.00	86.82	13.18	100.00
पाण्डिचेरी	73.64	100.00	—	100.00	100.00	26.47	73.53	100.00
समस्त भारत	13.53	65.88	34.12	100.00	48.20	60.23	39.77	100.00

5.11 चूंकि घर में जन्म लेने वाले और अस्पताल में जन्म लेने वाले बच्चों की संख्या राज्यों तथा क्षेत्रों में विभिन्नता लिए हुए पाई जाती है इसलिए अस्पतालों के बजाय अन्य स्थानों पर पैदा हुए बच्चों के लिए दिए विभिन्न कारणों की जानकारी लेना भी रुचिकर है। सारणी एस-12 में राज्य और क्षेत्र के अनुसार अस्पताल में न लाए जाने के कारण के अनुसार अस्पताल में जन्म न लेने वाले बच्चों का प्रतिशत वितरण दिया गया है। ग्रामीण और शहरी क्षेत्रों में अस्पताल में बच्चों को जन्म न देने के लिए प्रमुख कारण परिवार का चयन अथवा प्राथमिकता है—44 प्रतिशत गांवों में 51 प्रतिशत शहरों में समग्र रूप से शहरी क्षेत्र में 4 प्रतिशत के मुकाबले ग्रामीण क्षेत्र में ऐसे मामलों के 20

प्रतिशत द्वारा अस्पताल में बच्चों को जन्म न देने का एक कारण अस्पताल की अनुपलब्धता बताया गया। प्रत्येक राज्य के ग्रामीण क्षेत्र में भी अलग-अलग सही एक विशेष कारण बताया गया। राज्यों और अखिल भारतीय स्तर पर ग्रामीण तथा शहरी लोगों द्वारा बिना किसी खास अन्तर के अस्पतालों का "अत्याधिक मंहगा" होना एक कारण बताया गया। इन विशिष्ट कारणों के अलावा, ग्रामीण और शहरी क्षेत्रों में अस्पताल में जन्म न लेने वाले बच्चों की उल्लेखनीय प्रतिशतता "अन्य" कारणों की वजह से है जो ऐसे मामलों के लिए ग्रामीण क्षेत्र में 19 प्रतिशत और शहरी क्षेत्रों में 24 प्रतिशत है।

सारणी एस 12 : राज्य और क्षेत्र के अनुसार अस्पताल में न ले जाने के कारण के अनुसार अस्पताल में जन्म न लेने वाले बच्चों का प्रतिशत (000) वितरण

राज्य/वर्ष राज्य क्षेत्र	ग्रामीण					शहरी				
	अस्पताल में न जाने का कारण					अस्पताल में न ले जाने के कारण				
	प्राथमिकता	बहुत मंहगा	उपलब्ध नहीं	अन्य	कुल	प्राथमिकता	बहुत मंहगा	उपलब्ध नहीं	अन्य कारण	कुल
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
आन्ध्र प्रदेश	30.43	16.38	18.40	30.31	100.00	33.46	17.49	5.71	38.45	100.00
असम	14.12	7.99	12.13	60.31	100.00	27.38	7.82	—	25.18	100.00
बिहार	32.27	19.94	24.07	15.72	100.00	53.81	17.52	1.57	16.10	100.00
गुजरात	51.32	3.35	11.43	28.22	100.00	57.94	—	4.21	24.12	100.00
हरियाणा	66.94	2.42	14.67	15.01	100.00	89.02	—	—	7.19	100.00
हिमाचल प्रदेश	38.50	4.82	27.51	28.92	100.00	69.66	—	—	20.72	100.00
जम्मू व कश्मीर	48.83	8.52	20.46	18.67	100.00	61.89	5.97	2.12	30.02	100.00
कर्नाटक	43.40	13.27	16.65	19.32	100.00	43.10	14.30	0.69	21.69	100.00
केरल	47.55	6.65	9.55	23.29	100.00	20.03	3.72	—	47.46	100.00
मध्य प्रदेश	57.41	9.97	17.25	11.99	100.00	60.84	17.99	2.36	18.16	100.00
महाराष्ट्र	33.95	13.73	23.35	24.55	100.00	44.02	20.20	11.13	17.88	100.00
मेघालय	37.74	—	29.13	24.14	100.00	39.56	—	—	60.44	100.00
उड़ीसा	39.14	10.90	17.06	26.61	100.00	50.71	11.98	3.32	27.65	100.00
पंजाब	53.96	20.30	9.08	13.61	100.00	46.73	23.79	3.10	21.30	100.00
राजस्थान	51.00	9.60	25.06	10.63	100.00	65.25	7.12	6.51	12.23	100.00
तमिलनाडु	44.16	13.06	16.28	24.59	100.00	41.25	9.53	3.79	38.94	100.00
त्रिपुरा	17.76	—	16.85	52.17	100.00	—	—	34.32	65.68	100.00
उत्तर प्रदेश	48.81	16.79	19.10	11.91	100.00	60.29	14.34	4.86	18.61	100.00
पश्चिम बंगाल	33.41	3.25	33.20	26.75	100.00	29.20	6.28	2.35	47.30	100.00
दिल्ली	56.26	18.18	—	—	100.00	20.81	22.53	4.16	42.15	100.00
गोवा दमन एवं डीव	—	—	13.89	86.11	100.00	—	—	—	100.00	100.00
पांडिचेरी	40.59	—	37.95	21.46	100.00	—	—	—	—	—
समस्त भारत	43.60	12.92	20.08	18.82	100.00	50.66	13.98	4.15	23.91	100.00

टिप्पणी : ग्रामीण क्षेत्र के लिए कालम (2) से 15, और (6) तथा शहरी क्षेत्र के लिए कालम (7) से (10) और (11) के जोड़ों का अन्तर अस्पताल में जन्म न लेने वाले बच्चों की प्रतिशतता के कारण है, जिसमें कारण दर्ज नहीं है।

ERRATA LIST

Sarvekshana (Issue No. 47) Vol. XIV No. 4 April—June 1991

Sl. No.	Page No.	Statement/ Table/Para	Row	Column	For	Read
1	2	3	4	5	6	7
1	v	Part I	Item No. 2		Progress literacy	Progress in literacy
2	2	2·1	8	In formula	$j=$	$j=1$
3	25	3·1	—	—	with	to that of
4	34	4·2	6	8	—	655
5	34	4·2	6	9	—	670
6	S—20	1·12(U)	2	10	36·25	35·35
7	S—25	2·4(R)	3	3	26·66	28·66
8	S—27	2·1(U)	2	8	23·07	23·97
9	S—58	3·9(U)	2	4	107·00	100·00
10	S—61	3·12(U)	4	1	15·85	19·85
11	S—159	6·16(U)	14	16	3	13