

THE NATIONAL SAMPLE SURVEY
SIXTEENTH ROUND : JULY 1960—AUGUST 1961

NUMBER 180

TABLES WITH NOTES
ON
THE FERTILITY AND MORTALITY RATES
IN URBAN AREAS OF INDIA



Issued by

THE CABINET SECRETARIAT : GOVERNMENT OF INDIA

PRINTED BY THE MANAGER GOVERNMENT OF INDIA PRESS NASIK IN 1971
AND PUBLISHED BY THE MANAGER OF PUBLICATIONS, CIVIL LINES, DELHI-6

180

Price : (Inland) Rs. 6.75 (Foreign) 15s. 9d. or \$ 2.43 Cents.



THE NATIONAL SAMPLE SURVEY

SIXTEENTH ROUND : JULY 1960—AUGUST 1961

NUMBER 180

TABLES WITH NOTES
ON
THE FERTILITY AND MORTALITY RATES
IN URBAN AREAS OF INDIA



सत्यमेव जयते

Issued by
THE CABINET SECRETARIAT : GOVERNMENT OF INDIA

PRINTED BY THE MANAGER GOVERNMENT OF INDIA PRESS NASIK IN 1970
AND PUBLISHED BY THE MANAGER OF PUBLICATIONS, CIVIL LINES, DELHI-6

Note of Caution

Being the scanned copy of old NSS report, this document may suffer from following limitations -

- i. Poor Quality of the Scanned images.
- ii. Page(s) missing in between.
- iii. Improper sequencing/arrangement.



ACKNOWLEDGEMENT

1. The report was finalised by Rama Prasad Saha and Ajoy Kumar De. Ajit Roy, N. C. Pramanik, M. S. Murty were associated in the work relating to the preparation of the report.
2. Supervision of computing, punching and machine tabulation was entrusted to S. S. Bose, R. Roy, N. K. Dey, S. Palit, B. L. Banerjee, S. N. Das, A. K. Chaudhury and F. M. Rao.
3. The design of the survey was prepared by the Indian Statistical Institute.
4. The primary data were collected by the Directorate of the National Sample Survey, Government of India, in all the States except West Bengal and Bombay City in Maharashtra State where the Indian Statistical Institute collected the relevant data.



ACKNOWLEDGMENT

The authors wish to acknowledge the assistance of the following persons in the preparation of this report:

1. The data for the study were obtained by the Bureau of Census.

2. The report was prepared by the Bureau of Census.

3. The report was prepared by the Bureau of Census.

4. The report was prepared by the Bureau of Census.

5. The report was prepared by the Bureau of Census.

CONTENTS

	PAGE Nos.
CHAPTER ONE . Introduction	1-2
CHAPTER TWO . Concepts and definitions	3-4
CHAPTER THREE . Summary of findings	5-12
APPENDIX ONE . List and presentation of detailed tables	13-66
APPENDIX TWO . Sample design	67
APPENDIX THREE . Facsimile of the schedules of investigation	68-76

CONTENTS

Page Nos.

1-3	CHAPTER ONE Introduction
3-4	CHAPTER TWO Concepts and definitions
5-12	CHAPTER THREE Summary of findings
13-22	APPENDIX ONE List and presentation of detailed tables
23	APPENDIX TWO Sample design
24-28	APPENDIX THREE Facsimile of the schedule of investigation

INDEX TO TABLES IN THE TEXT

	PAGE No.
TABLE (3-1) . . . Annual birth and death rates and the rate of natural increase per 1000 population in the urban areas of India for different NSS rounds from interpenetrating samples : all-India urban households, NSS 16, 17, 18 & 19th rounds . . .	5
TABLE (3-2) . . . Annual birth and death rates and the rate of natural increase in the urban areas of India from two interpenetrating samples : all-India urban households, NSS 16th round . . .	6
TABLE (3-3) . . . Age specific fertility rates per 1000 females for the rural and urban areas of India and United Kingdom : NSS 14th and 16th rounds . . .	6
TABLE (3-4) . . . Annual birth rate per 1000 person by per capita monthly household expenditure classes in the urban areas of India from different rounds of NSS : all India urban households, NSS 16th and 17th rounds . . .	7
TABLE (3-5) . . . Annual birth rate per 1000 persons by household occupation groups in the urban areas of India from two interpenetrating samples : all-India urban households, NSS 16th round (July 1960—August 1961) . . .	7
TABLE (3-6) . . . Annual age-specific death rates per 1000 population by sex in the urban areas of India : all-India urban households, NSS 16th round (July 1960—August 1961) . . .	8
TABLE (3-7) . . . Annual death rates per 1000 persons by per capita monthly household expenditure classes in the urban areas of India from different NSS rounds: all-India urban households, NSS 16th round (July 1960—August 1961) . . .	8
TABLE (3-8) . . . Annual death rates per 1000 persons by household occupation groups in the urban areas of India from two interpenetrating samples : all-India urban households, NSS 16th round (July 1960—August 1961) . . .	9
TABLE (3-9) . . . Annual infant mortality rate per 1000 live-births by per capita monthly household expenditure classes in the urban areas of India from different NSS rounds : all-India urban households, NSS 16th round (July 1960—August 1961) . . .	9
TABLE (3-10) . . . Annual infant mortality rate per 1000 live-births by household occupation groups in the urban areas of India : all-India urban households, NSS 16th round (July 1960—August 1961) . . .	10
TABLE (3-11) . . . Percentage distribution of live-births by place of occurrence and attendance type from two interpenetrating samples : all-India urban households, NSS 16th round (July 1960—August 1961) . . .	11
TABLE (3-12) . . . Percentage distribution of deaths by place of occurrence and attendance type from two interpenetrating samples, NSS 16th round (July 1960—August 1961) . . .	12

1	Annual report and financial statement of the 1000 people...	100
2	Annual report and financial statement of the 1000 people...	101
3	Annual report and financial statement of the 1000 people...	102
4	Annual report and financial statement of the 1000 people...	103
5	Annual report and financial statement of the 1000 people...	104
6	Annual report and financial statement of the 1000 people...	105
7	Annual report and financial statement of the 1000 people...	106
8	Annual report and financial statement of the 1000 people...	107
9	Annual report and financial statement of the 1000 people...	108
10	Annual report and financial statement of the 1000 people...	109
11	Annual report and financial statement of the 1000 people...	110
12	Annual report and financial statement of the 1000 people...	111

CHAPTER TWO

CONCEPTS AND DEFINITIONS

2.1 *Definition of a household.*—A *de jure* concept was adopted, and a household was considered to consist of its normal resident members only and births and deaths occurring to these members, whatever be the place of occurrence were recorded. Persons who normally pass nights under the same roof and take food from the same kitchen, irrespective of the immediate length of stay in the household, were considered as normally resident members in the household. Normally resident members thus exclude guests but include temporary absentees. The decision as to whether a particular person would be treated as a normally resident member in a household was left to the informant, the judgement of the investigator being exercised to know that a person is (a) not claimed to be a normally resident member in more than one household or (b) not omitted in all households : a person to be considered a normally resident member in a household should not have formed a separate household or joined, as a usual member, another household. Thus, a student residing in a hostel who has normal place of residence somewhere else is excluded from the hostel and included in the normal place of residence, but orphans residing in a hostel and without any other places of residence are included in the hostel. Casual patients at hospital are excluded, not the permanent patients. The count of populations was on a *de facto* basis only for the floating population without any normal residence who were looked for and counted in the place where they were found at the time of investigation.

2.2 *Single member and extinct (by death) households.*—Instruction was given specifically to seek for and count single member households and also extinct households which ceased to exist because of the deaths of all the members during the preceding two years as these are left out from the frame : a particular case is that of extinct single member household consequent on the death of lone member. It should be noted that if the frame consists of the extant households only, the population would refer to that obtaining on the date of survey and would, by definition, exclude households which ceased to exist consequent on the death of all the members. Information on such households was sought from the neighbours and responsible persons; enquiry was also made in every tenth household surveyed. In this setting, the chance of omission of such households is likely to be small. The number of such households reported in the enquiry is, however, small.

Vital Rates

2.3 The events of births and deaths in the household were recorded with the date of occurrence during the reference period of two years preceding the date of survey; and only those for the year preceding the date of survey have been taken into account for the calculation of the annual vital rates presented in this report. The reference ("recall") period, the 365 days preceding the date of survey, was a moving one as the survey period was spread over time. Thus, the results presented do not refer to a fixed time period but refer to the overlapping time period of length of one year, spread over the survey period : this method, as has been explained in NSS Report Number 48, is aimed at minimising omissions in reporting due to recall lapse. In the calculation of birth and death rates, the *current* population has been taken as the base. These rates would not, therefore, be strictly comparable with rates calculated with the mid-year population as the base. The rate of growth of population in this report is the balance of births over deaths.

2.4 In calculating the age specific fertility rates, the total number of live-births born to the mothers of a particular age-group has been divided by the total female population of that particular age-group and the result has been expressed per 1000 such females.

2.5 In calculating the per capita monthly household expenditure specific birth rates, the total number of live-births born to the mothers of a particular per capita monthly household expenditure has been divided by the total population of the same per capita monthly household expenditure class and the result has been expressed per 1000 such population. The household occupation specific birth rate has been obtained in the same way.

2.6 The infant mortality rate has been calculated by relating the number of children dying before attaining one year of life to the total number of children born alive in the last year and the result has been expressed per 1000 live-births.

2.7 Age specific death rates have been obtained on dividing the number of deaths of a particular age-group by the total population in that age-group and the result has been expressed per 1000 population. The age-specific rates have been calculated separately for males and females as well as for both sexes combined.

2.8 The per capita monthly household expenditure specific death rates have been obtained on dividing the number of deaths to persons of a particular per capita monthly household expenditure class by the total population of the same per capita monthly household expenditure class and the result has been expressed per 1000 persons. The household occupation specific death rate has been obtained in the same manner.

2.9 Sex-ratio at birth is the number of male births per 100 female births.

2.10 Non-occurrence of vital events in any cell has been indicated by the symbol '—'.

CHAPTER THREE

SUMMARY OF FINDINGS

3.0 This chapter gives the results of the enquiry on population, births and deaths carried out in the 16th round (July 1960—August 1961) of the NSS in urban areas in India. Results of the later rounds already available in the earlier NSS report have been included for purposes of comparison. The estimates of various population characteristics are generally presented sub-sample-wise so that some idea of the margin of uncertainty could be obtained.

3.1 *Rates of birth, deaths and natural increase.*—The rates of births, deaths and natural increase in the urban areas of India are presented in Table (3.1) below. During the sixteenth round the birth rate is found to be 33/1000 persons. However, during the period 1961-65 the rate has declined from 34/1000 in the seventeenth round to 32/1000 in the eighteenth and nineteenth rounds. The death rate has remained almost stationary (8/1000 persons) from the sixteenth round to the nineteenth round resulting in the decline of the rate of natural increase in the eighteenth and nineteenth rounds.

TABLE (3.1) : ANNUAL BIRTH AND DEATH RATES AND THE RATE OF NATURAL INCREASE PER 1000 POPULATION IN THE URBAN AREAS OF INDIA FOR DIFFERENT NSS ROUNDS FROM INTERPENETRATING SAMPLES : ALL-INDIA URBAN HOUSEHOLDS, NSS 16, 17, 18 & 19TH ROUNDS

NSS round : period of survey (number of sample households)	sub- sample	rate per 1000 persons		
		births	deaths	natural increase
(1)	(2)	(3)	(4)	(5)
1 sixteenth round : July 1960—August 1961 (3, 63, 520) ¹	1	32.87	7.24	25.63
	2	33.13	8.49	24.64
	combined	33.00	7.82	25.18
2 seventeenth round : September 1961—August 1962 (3, 57, 920) ¹	1	35	8	27
	2	33	8	25
	3	33	7	26
	combined	34	8	26
3 eighteenth round : February 1963—January 1964 (98,482)	1	32.01	8.35	23.66
	2	31.84	7.81	24.03
	combined	31.93	8.08	23.85
4 nineteenth round : July 1964—June 1965 (1,00,728)	1	32.08	8.02	24.06
	2	29.95	8.40	21.55
	combined	31.95	8.21	23.74

¹estimated on the basis of 160, households per sample block.

3.2 *Rates of births, deaths and natural increase by population size-classes.*—Table (3.2) presents the births and deaths rates and the rate of natural increase in two population size-classes of towns, towns with population 50,000 and above and towns with population below 50,000. It is seen that in the higher size class of towns the rates of births, deaths and natural increase are markedly lower than those of the small size class of towns. The differences observed between the two size classes of towns may partly be explained by the different age-sex composition of the population in the two groups of towns.

TABLE (3.2) ANNUAL BIRTH AND DEATH RATES AND THE RATE OF NATURAL INCREASE IN THE URBAN AREAS OF INDIA FROM TWO INTERPENETRATING SAMPLES : ALL-INDIA URBAN HOUSEHOLDS, NSS 16TH ROUND

population size classes of towns (1)	sub-sample (2)	rate per 1000 persons		
		births (3)	deaths (4)	natural increase (5)
1 50,000 & above	1	30.51	6.32	24.19
	2	31.20	7.28	23.92
	combined	30.86	6.81	24.05
2 below 50,000	1	35.22	7.97	27.25
	2	35.18	9.76	25.42
	combined	35.20	8.84	26.36
3 all	1	32.87	7.24	25.63
	2	33.13	8.49	24.64
	combined	33.00	7.82	25.18

3.3 Age-specific fertility rates.—The fertility rates by age of mother in the urban areas based on the sixteenth round data are presented in Table (3.3). The rural fertility rates by age of mother based on fourteenth round (July 1958—June 1959) have also been presented in the same table. Although the fertility rates of the two areas do not relate to the same calendar period, these, however, would give fairly good indication of the fertility differentials between the rural and urban areas. The fertility pattern in the urban areas is more or less similar to that of the rural areas but the urban fertility rate in each age group is considerably lower than in its rural counterpart. In both the areas the fertility rate reaches maximum in the age-group 20-24, the rural and urban rates being 263.6 and 244.7/1000 females respectively and then decreases gradually with the increase of age of mother.

TABLE (3.3) : AGE-SPECIFIC FERTILITY RATES PER 1000 FEMALES FOR RURAL AND URBAN AREAS OF INDIA AND ENGLAND & WALES, NSS 14TH AND 16TH ROUNDS

age-group (years) (1)	rural India (1957-58)			urban India (1960-61) ¹ (5)	England & Wales (1961) ² (6)
	sub-sample 1 (2)	sub-sample 2 (3)	combined (4)		
10-14	1.5	0.5	1.0	0.9	18.0
15-19	143.1	144.7	143.9	105.0	..
20-24	260.7	266.2	263.6	244.7	171.2
25-29	250.4	238.9	244.3	218.6	176.5
30-34	184.5	191.9	188.3	168.9	102.8
35-39	135.9	120.7	127.9	110.7	47.8
40-44	50.8	48.5	49.6	41.5	14.2
45-49	17.3	17.8	17.6	9.6	0.8
50-54	2.5	2.0	2.3
10-49	137.3	136.1	136.7	128.2	64.6

¹based on sub-sample 2 only.

²UN Demographic Yearbook—1965.

3.4 Table (3.3) also presents the age-specific fertility rates of England & Wales. In England & Wales the fertility rate of women under 20 years is very low compared with the Indian women of the corresponding age; the relatively high fertility in India in the above age-group is mainly due to lower age at marriage. In England & Wales the fertility rate reaches maximum (176.5/1000 females) in the age-group 25-29 and then declines gradually with the increasing age of mother while in India it reaches maximum in the age-group 20-24 and then falls gradually with the increasing age of mother. The general fertility rate of India, it is seen from the table, is almost twice as that of England & Wales.

3.5 Birth rates by per capita household expenditure classes.—The annual birth rates have been analysed by per capita monthly household expenditure classes and have been presented in Table (3.4) along with the results of NSS 17th round. In the sixteenth round it is observed that the birth rate is high among the less affluent classes and falls with increasing per capita monthly household expenditures. The fertility rates in different per capita household expenditure classes in the NSS 16th and 17th rounds are generally found to be in agreement.

TABLE (3.4) : ANNUAL BIRTH RATE PER 1000 PERSONS BY PER CAPITA MONTHLY HOUSEHOLD EXPENDITURE CLASSES IN THE URBAN AREAS OF INDIA FROM DIFFERENT ROUNDS OF NSS : ALL-INDIA URBAN HOUSEHOLDS, NSS 16TH AND 17TH ROUNDS

round (period of survey)	sub-sample	per capita monthly household expenditure classes								
		below 8	8—10	11—15	16—20	21—25	26—30	31—50	51—	all
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1 sixteenth (July 1960-August 1961)	1	39.6	42.2	39.5	35.0	31.4	24.9	21.7	14.2	32.9
	2	43.2	44.2	39.4	34.7	30.8	25.6	22.3	14.7	33.1
	combined	41.2	43.2	39.5	34.8	31.1	25.2	22.0	14.5	33.0
2 seventeenth (September 1961-August 1962)	1	49	44	42	38	34	24	23	17	35
	2	46	39	39	36	32	26	22	12	33
	3	38	41	38	35	31	28	23	15	33
	combined	44	41	40	36	33	26	23	14	34

3.6 Birth rates by household occupational groups.—The birth rates among different household occupations groups are presented in Table (3.5). The birth rate is found to be highest, 37.8/1000 persons, among the transport and related workers followed by craftsman and production process workers (36.1/1000) and agricultural workers (35.0/1000). Among the administrative and executive workers the birth rate is the lowest, 28.1/1000 persons, with professional and technical workers coming second, 30.5/1000 persons.

TABLE (3.5) : ANNUAL BIRTH RATE PER 1000 PERSONS BY HOUSEHOLD OCCUPATION GROUPS IN THE URBAN AREAS OF INDIA FROM TWO INTERPENETRATING SAMPLES : ALL-INDIA URBAN HOUSEHOLDS, NSS 16TH ROUND (JULY 1960—AUGUST 1961)

household occupation groups	sub-sample		
	1	2	combined
(1)	(2)	(3)	(4)
1. professional, technical and related works	26.2	34.7	30.5
2. administrative & executive work	26.9	29.4	28.1
3. clerical & related work	31.2	32.6	31.9
4. sales worker	32.6	32.2	32.4
5. all agricultural work	34.8	35.1	35.0
6. mining & related work	30.4	32.9	31.4
7. transport & communication	37.8	37.8	37.8
8. craftsmen & production process workers	36.4	35.9	36.1
9. services, sports & recreation	34.1	35.6	34.8
10. all occupations	32.9	33.1	33.0

3.7 *Age-specific mortality rates by sex.*—The age specific death rates per 1000 population by sex have been presented in Table (3.6) for all-India urban. The death rate starts at a high level in the first year of life, then falls sharply and attains minimum in the age-group 10-14 in case of females and in the age-group 15-19 in case of males, then moves up slowly in the middle ages and finally rises rapidly in the older ages. The age-specific death rates for males are found to be higher in the first year of life and beyond age-group 35-39 while higher females mortality is observed in all the age-groups upto 35-39 excepting the first year of life. It is also seen that the mortality is more or less same for either sex.

TABLE (3.6) : ANNUAL AGE-SPECIFIC DEATH RATES PER 1000 POPULATION BY SEX IN URBAN AREAS OF INDIA : ALL-INDIA URBAN HOUSEHOLDS, NSS 16TH ROUND (JULY 1960—AUGUST 1961)

age-group (years)	males*	females*	all*
(1)	(2)	(3)	(4)
0	67.17	62.50	64.88
1—4	17.52	20.11	18.78
5—9	2.33	2.75	2.53
10—14	1.19	1.21	1.20
15—19	0.88	2.29	1.52
20—24	1.60	3.00	2.26
25—29	1.78	3.23	2.47
30—34	1.82	2.62	2.19
35—39	1.92	2.63	2.23
40—44	4.06	3.79	3.94
45—49	6.83	4.15	5.62
50—54	11.08	5.16	8.42
55—59	14.02	6.47	10.56
60—64	20.80	9.08	15.12
65—	48.24	32.90	40.32
all	8.51	8.47	8.49

*based on sub-sample 2 only.

3.8 *Mortality rates by per capita households expenditure.*—The mortality rates in different per capita monthly household expenditure classes are presented in Table (3.7) along with the results of the seventeenth round. It is seen that the mortality rate in the first four classes of per capita monthly household expenditure ranges from 8 to 9 per 1000 persons in the sixteenth round and then, it generally declines with the increasing per capita monthly household expenditure, the mortality rate being 4/1000 in the highest expenditure class. The agreement between the mortality rates for different per capita monthly household expenditure classes in the sixteenth and seventeenth rounds is found to be generally good.

TABLE (3.7) : ANNUAL DEATH RATES PER 1000 PERSONS BY PER CAPITA MONTHLY HOUSEHOLD EXPENDITURE CLASSES IN THE URBAN AREAS OF INDIA FROM DIFFERENT NSS ROUNDS : ALL-INDIA URBAN HOUSEHOLDS, NSS 16TH ROUND (JULY 1960—AUGUST 1961)

round (period of survey)	sub- sample	per capita monthly household expenditure classes								
		below 8	8—10	11—15	16—20	21—25	26—30	31—50	51—	all
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. sixteenth (July 1960—August 1961)	1	6.7	8.1	8.3	7.7	6.9	6.8	5.5	3.4	7.2
	2	9.8	10.1	10.0	9.1	7.7	7.8	6.0	4.7	8.5
	combined	8.1	9.1	9.1	8.4	7.3	7.3	5.7	4.1	7.8
2. seventeenth (September 1961—August 1962)	1	8	10	10	10	8	7	6	3	8
	2	10	10	10	9	7	9	6	3	8
	3	8	10	9	8	7	6	5	4	7
	combined	9	10	9	9	7	7	6	3	8

3.9 *Mortality rates by household occupational groups.*—Table (3.8) presents the annual death rates among different household occupation groups. The mortality is found to be relatively high (10.0/1000 persons) in the households having agriculture as household occupation and lowest in households under occupation group “administrative and executive work (4.1/1000 persons).

TABLE (3.8) : ANNUAL DEATH RATES PER 1000 PERSONS BY HOUSEHOLDS OCCUPATION GROUPS, IN THE URBAN AREAS OF INDIA FROM TWO INTERPENETRATING SAMPLES : ALL INDIA URBAN HOUSEHOLDS, NSS 16TH ROUND (JULY 1960—AUGUST 1961)

household occupation groups	sub-sample		
	1	2	combined
(1)	(2)	(3)	(4)
1. professional, technical and related works	4.2	9.1	6.6
2. administrative & executive works	3.6	4.4	4.0
3. clerical and related work	5.2	5.6	5.4
4. sales worker	6.2	6.7	6.4
5. all agricultural work	8.9	11.0	10.0
6. mining and related work	6.1	11.2	8.0
7. transport and communication	6.6	8.4	7.5
8. craftsmen and production process worker	8.5	10.1	9.3
9. services, sports and recreation	8.0	9.1	8.5
10. all occupations	7.2	8.5	7.8

3.10 *Infant mortality rate by per capita monthly household expenditure classes.*—The annual infant mortality rates per 1000 live-births among different per capita monthly household expenditure classes are presented in Table (3.9). It is low in lower per capita expenditure classes, increases with increasing per capita expenditure attaining maximum (85.3 per 1000 live-births) in the expenditure class Rs. 26—30 and then declines uniformly in the subsequent classes. The agreement of infant mortality rates over different per capita monthly household expenditure classes in the sixteenth and seventeenth round is found to be generally good.

TABLE (3.9) : ANNUAL INFANT MORTALITY RATE PER 1000 LIVE-BIRTHS BY PER CAPITA MONTHLY HOUSEHOLD EXPENDITURE CLASSES IN THE URBAN AREAS OF INDIA FROM DIFFERENT NSS ROUNDS : ALL-INDIA URBAN HOUSEHOLDS, NSS 16TH ROUND (JULY 1960—AUGUST 1961)

round (period of survey)	per capita monthly household expenditure classes (Rs.)								
	below 8	8—10	11—15	16—20	21—25	26—30	31—50	51 & above	all
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1. sixteenth* (July 1960—August 1961) .	64.6	54.5	68.9	70.9	77.5	85.3	79.8	61.8	70.1
2. seventeenth (September 1961—July 1962)	48	65	75	88	90	111	89	58	81

*based on sub-sample 2 only.

3.11 *Infant mortality rates by household occupation groups.*—Table (3.10) presents the annual infant mortality rates per 1000 live-births among different household occupation groups. The households of ‘craftsmen and production process worker’s were found to have highest infant mortality rate (83.6 per 1000 live-births) with agricultural households coming as a close second (82.3 per 1000 live-births). The infant mortality is found to be lowest in households under occupation group “administrative and executive works”.

TABLE (3-10): ANNUAL INFANT MORTALITY RATE PER 1000 LIVE-BIRTHS BY HOUSEHOLD OCCUPATION GROUPS IN THE URBAN AREAS OF INDIA : ALL-INDIA URBAN HOUSEHOLDS, NSS 16TH ROUND (JULY 1960—AUGUST 1961)*

household occupation group (1)	infant mortality rate (2)
1. professional, technical and related works	62.4
2. administrative & executive works	28.9
3. clerical and related work	52.4
4. sales worker	52.6
5. all agricultural work	82.3
6. mining and related work	72.4
7. transport and communication	80.6
8. craftsmen and production process worker	83.6
9. services, sports and recreation	69.7
10. all occupations	70.1

*based on sub-sample 2 only.

3-11 *Distribution of live-births by place of occurrence and attendance type.*—Table (3-11) gives the percentage distribution of births by place of occurrence of births and type of attendance at the all-India urban level. A high proportion of births (86.31 per cent) were reported to have occurred within the town or city in which the households are normally resident; out of the above births, 62.17 per cent occurred in the premises occupied by the household, 21.33 per cent in hospitals, maternity homes, etc. and 1.98 per cent in child's mother's father's premises. Among the births (born) outside the town or city (13.69 per cent), 7.02 per cent were born in child's mother's father's premises and 3.08 per cent in hospitals, maternity homes, etc. Thus, for all births, 64.50 per cent occurred in own premises, 9.00 per cent in child's mother's father's premises and 24.41 per cent in hospitals, maternity homes, etc. Of the total births, 23.18 per cent were attended by physician, 44.69 per cent by Dhai and 12.46 per cent by midwife or qualified nurse.

3-12. *Distribution of deaths by place of occurrence and type of attendance.*—Table (3-12) gives the percentage distribution of deaths by place of occurrence and type of attendance. Of all deaths, 91.35 per cent were reported to have occurred in the town or city where the deceased were normally resident; 82.34 per cent of total deaths occurred in the premises of the deceased, and 10.79 per cent in the hospitals, maternity homes, etc. Physicians were reported to have attended in 45.77 per cent of the cases.

TABLE (3-11) : PERCENTAGE DISTRIBUTION OF LIVE BIRTHS BY PLACE OF OCCURRENCE AND ATTENDANCE TYPE FROM TWO INTERPENETRATING SAMPLES : ALL-INDIA URBAN HOUSEHOLDS, NSS 16TH ROUND (JULY 1960—AUGUST 1961)

place of occurrence	sub-sample	attendance type						
		dhai	midwife or qualified nurse	physician	relative	others	no attendance	all attendance
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
(a) within city/town								
1. own premises	1	45.54	7.78	0.81	9.92	0.79	0.57	65.41
	2	33.90	7.91	0.92	15.20	1.13	0.71	59.77
	combined	38.86	7.86	0.87	12.95	0.98	0.65	62.17
2. child's mother's, father's premises	1	0.72	0.27	0.05	0.48	0.03	..	1.55
	2	0.67	0.44	0.13	0.97	0.04	0.05	2.29
	combined	0.69	0.36	0.10	0.76	0.04	0.03	1.98
3. other premises	1	0.15	0.18	0.08	0.08	0.00	..	0.49
	2	0.17	0.31	0.37	0.16	0.01	0.00	1.02
	combined	0.16	0.25	0.25	0.12	0.01	0.00	0.79
4. hospital, maternity homes and other medical institutions.	1	0.22	3.79	15.86	0.03	..	0.01	19.91
	2	0.07	1.23	21.06	0.01	0.01	0.00	22.38
	combined	0.13	2.32	18.85	0.02	0.01	0.00	21.33
5. others	1	0.01	0.02	0.01	0.00	0.04
	2	0.00	0.03	0.00	0.00	0.01	0.00	0.04
	combined	0.01	0.01	0.00	0.01	0.01	0.00	0.04
(b) outside the city/town								
6. own premises	1	1.47	0.38	0.07	0.50	0.03	0.01	2.46
	2	1.08	0.26	0.08	0.73	0.05	0.03	2.23
	combined	1.25	0.31	0.08	0.63	0.04	0.02	2.33
7. child's mother's father's premises	1	3.52	0.95	0.23	1.81	0.09	0.05	6.65
	2	3.30	1.04	0.28	2.33	0.18	0.16	7.29
	combined	3.39	1.01	0.25	2.12	0.14	0.11	7.02
8. other premises	1	0.24	0.05	0.01	0.09	0.01	..	0.39
	2	0.11	0.08	0.01	0.26	0.00	..	0.46
	combined	0.17	0.07	0.01	0.18	0.01	..	0.43
9. hospitals, maternity homes and other medical institutions	1	0.03	0.32	2.13	0.01	2.49
	2	0.02	0.22	3.26	0.02	3.52
	combined	0.02	0.26	2.78	0.02	3.08
10. others	1	0.02	0.00	0.59	..	0.61
	2	0.01	0.00	..	0.01	0.61	0.37	1.00
	combined	0.01	0.00	..	0.00	0.60	0.21	0.83
all places of occurrence	1	51.92	13.72	19.23	12.94	1.55	0.64	100.00
	2	39.33	11.52	26.11	19.69	2.03	1.32	100.00
	combined	44.69	12.46	23.18	16.81	1.83	1.03	100.00

TABLE (3-12): PERCENTAGE DISTRIBUTION OF DEATHS BY PLACE OF OCCURRENCE AND ATTENDANCE TYPE FROM TWO INTERPENETRATING SAMPLES: ALL-INDIA URBAN (HOUSEHOLDS NSS 16TH ROUND (JULY 1960-AUGUST 1961))

place of occurrence	sub-sample	attendance type						
		dhai	midwife or qualified nurse	physician	relative	others	no attendance	all attendance
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
(a) within city/town								
(1) own premises	1	5.66	1.73	31.38	30.00	1.98	10.67	82.27
	2	4.37	1.59	33.24	29.01	3.33	7.64	79.18
	comb.	4.82	1.64	32.59	29.35	2.85	8.70	80.25
(2) child's mother's, father's premises	1	0.04	..	0.55	0.19	..	0.12	0.90
	2	0.00	0.06	0.34	0.49	..	0.10	0.99
	comb.	0.01	0.04	0.41	0.39	..	0.11	0.96
(3) other premises	1	0.07	..	0.42	0.34	0.01	0.05	0.89
	2	0.01	0.05	0.34	0.35	0.06	0.16	0.97
	comb.	0.03	0.03	0.37	0.35	0.04	0.12	0.94
(4) hospitals, maternity homes and other medical institutions	1	0.03	0.33	6.85	0.14	..	0.04	7.39
	2	0.02	0.21	9.23	0.14	0.01	0.01	9.62
	comb.	0.02	0.25	8.40	0.14	0.01	0.02	8.84
(5) others	1	0.01	..	0.02	0.05	0.01	0.12	0.21
	2	0.02	0.04	0.07	0.12	0.03	0.17	0.45
	comb.	0.02	0.03	0.05	0.09	0.02	0.15	0.36
(b) outside the city/town								
(6) own premises	1	0.15	0.05	0.85	0.81	0.10	0.22	2.21
	2	0.05	0.07	0.78	0.76	0.08	0.26	2.00
	comb.	0.09	0.06	0.81	0.78	0.09	0.25	2.09
(7) child's mother's father's premises	1	0.11	0.17	1.02	1.48	0.13	0.22	3.13
	2	0.25	0.11	0.86	1.26	0.19	0.18	2.83
	comb.	0.20	0.13	0.91	1.34	0.17	0.19	2.94
(8) other premises	1	0.05	0.01	0.26	0.24	..	0.17	0.73
	2	..	0.04	0.33	0.59	0.02	0.17	1.15
	comb.	0.02	0.03	0.31	0.46	0.02	0.17	1.01
(9) hospitals, maternity homes and other medical institutions	1	..	0.03	1.64	0.01	..	0.03	1.71
	2	..	0.07	1.98	0.03	2.08
	comb.	..	0.06	1.86	0.02	..	0.01	1.95
(10) others	1	0.03	0.04	..	0.05	0.56
	2	0.09	0.09	0.13	0.22	0.71
	comb.	0.01	..	0.06	0.07	0.08	0.16	0.66
all places of occurrence	1	6.15	2.32	42.99	33.30	2.23	11.69	100.00
	2	4.72	2.24	47.26	32.84	3.85	8.91	100.00
	comb.	5.22	2.27	45.77	32.99	3.28	9.88	100.00

APPENDIX I

List and presentation of detailed tables

1.1 LIST OF DETAILED TABLES

	PAGES
Table (1) : Percentage distribution of population in age groups by sex in the urban areas of different states and all-India from two interpenetrating samples : NSS 16th round (urban)	15-22
Table (2) : Percentage distribution of population by age groups and sex in the urban areas of different states and all-India from two interpenetrating samples : NSS 16th round (urban)	23-30
Table (3) : Percentage distribution of population by marital status separately for each sex in the urban areas of different states and all-India from two interpenetrating samples : NSS 16th round (urban)	31-35
Table (4) : Percentage distribution of population by sex and marital status in the urban areas of different states and all-India from two interpenetrating samples : NSS 16th round (urban)	36-40
Table (5) : Annual fertility rate per 1000 females by age of mother in the urban areas of different states and all-India from two interpenetrating samples : NSS 16th round (urban)	41-43
Table (6) : Annual birth rate per 1000 persons by per capital monthly expenditure groups in the urban areas of different states and all-India from two interpenetrating samples : NSS 16th round (urban)	44-46
Table (7) : Annual birth rate per 1000 persons by household occupation groups in the urban areas of different states and all-India from two interpenetrating samples : NSS 16th round (urban)	47-49
Table (8) : Annual age-specific death rates per 1000 population by sex in the urban areas of different states and all-India from two interpenetrating samples : NSS 16th round (urban)	50-57
Table (9) : Annual death rate per 1000 persons by per capita monthly household expenditure classes in the urban areas of different states and all-India from two interpenetrating samples : NSS 16th round (urban)	58-59
Table (10) : Annual death rate per 1000 persons by household occupation groups in the urban areas of different states and all-India from two interpenetrating samples : NSS 16th round (urban)	60-62
Table (11) : Average household size, sex-ratio at birth, and annual rates of births, deaths and natural increase per 1000 persons in different states and all-India from two interpenetrating samples : Urban household, NSS 16th round	63-64
Table (12) : Sex-ratio (number of males per 100 females) of population by broad age-groups in the urban areas of different states and all India from two interpenetrating samples : NSS 16th round (Urban)	65-66

APPENDIX I

List and presentation of detailed tables

I. List of Detailed Tables

Table No.	Description
Table (1)	Percentage distribution of population in age groups by sex in the urban areas of different states and all-India from two intercensal samples - 1951 and 1961 (urban)
Table (2)	Percentage distribution of population by age groups and sex in the urban areas of different states and all-India from two intercensal samples - 1951 and 1961 (urban)
Table (3)	Percentage distribution of population by marital status separately for each sex in the urban areas of different states and all-India from two intercensal samples - 1951 and 1961 (urban)
Table (4)	Percentage distribution of population by sex and marital status in the urban areas of different states and all-India from two intercensal samples - 1951 and 1961 (urban)
Table (5)	Annual fertility rate per 1000 females by age of mother in the urban areas of different states and all-India from two intercensal samples - 1951 and 1961 (urban)
Table (6)	Annual birth rate per 1000 persons by sex, marital status and expenditure groups in the urban areas of different states and all-India from two intercensal samples - 1951 and 1961 (urban)
Table (7)	Annual birth rate per 1000 persons by household occupation groups in the urban areas of different states and all-India from two intercensal samples - 1951 and 1961 (urban)
Table (8)	Annual age-specific death rate per 1000 population by sex in the urban areas of different states and all-India from two intercensal samples - 1951 and 1961 (urban)
Table (9)	Annual death rate per 1000 persons by sex, marital status, monthly household expenditure classes in the urban areas of different states and all-India from two intercensal samples - 1951 and 1961 (urban)
Table (10)	Annual death rate per 1000 persons by household occupation groups in the urban areas of different states and all-India from two intercensal samples - 1951 and 1961 (urban)
Table (11)	Annual household sex ratio at birth and annual rate of infant, child and adolescent mortality per 1000 live births in different states and all-India from two intercensal samples - 1951 and 1961 (urban)
Table (12)	Infant mortality rate per 100 live births of population by household occupation groups in the urban areas of different states and all-India from two intercensal samples - 1951 and 1961 (urban)

TABLE (1): PERCENTAGE DISTRIBUTION OF POPULATION IN AGE-GROUPS BY SEX FOR THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age-group (in years)															total
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
1. Andhra Pradesh (160)	male	1	3.22	11.38	13.96	12.47	8.72	8.47	8.32	7.39	6.07	5.61	4.11	3.68	1.96	2.37	2.27	100.00
		2	3.27	11.53	14.13	11.87	8.65	8.20	8.62	7.09	6.13	5.25	4.16	4.06	2.15	2.54	2.35	100.00
		comb.	3.24	11.45	14.05	12.18	8.69	8.34	8.46	7.25	6.10	5.44	4.13	3.86	2.05	2.45	2.31	100.00
	female	1	3.00	11.67	14.61	11.46	8.68	9.16	8.84	7.24	6.05	4.57	3.81	3.87	2.04	2.49	2.51	100.00
		2	2.92	11.61	14.28	11.42	7.95	9.56	8.54	7.03	5.75	5.01	4.35	4.10	2.11	2.23	3.14	100.00
		comb.	2.97	11.64	14.45	11.44	8.33	9.35	8.70	7.14	5.91	4.78	4.06	3.98	2.07	2.37	2.81	100.00
	all	1	3.11	11.53	14.28	11.96	8.70	8.81	8.58	7.32	5.06	5.10	3.96	3.77	2.00	2.43	2.39	100.00
		2	3.10	11.57	14.21	11.64	8.31	8.87	8.58	7.06	5.94	5.13	4.25	4.08	2.13	2.39	2.74	100.00
		comb.	3.11	11.55	14.25	11.82	8.51	8.84	8.58	7.19	6.00	5.11	4.10	3.92	2.06	2.41	2.55	100.00
2. Assam (32)	male	1	2.31	10.29	13.35	10.85	9.94	9.87	11.24	8.20	7.03	5.86	3.75	3.00	1.59	1.24	1.48	100.00
		2	2.25	9.18	14.34	11.94	8.69	10.62	10.37	7.27	8.47	5.78	4.04	2.54	1.33	1.25	1.83	100.00
		comb.	2.29	9.80	13.78	11.32	9.40	10.19	10.86	7.84	7.65	5.82	3.88	2.80	1.48	1.25	1.64	100.00
	female	1	3.74	12.98	17.89	12.34	8.59	10.13	9.41	7.17	4.52	3.54	2.40	2.23	1.38	1.60	2.08	100.00
		2	2.49	13.08	18.92	13.51	10.02	8.21	8.96	6.85	5.45	3.38	2.29	2.07	1.00	1.68	2.09	100.00
		comb.	3.18	13.03	18.34	12.86	9.22	9.27	9.21	7.03	4.94	3.47	2.35	2.16	1.21	1.64	2.09	100.00
	all	1	2.91	11.43	15.27	11.48	9.37	9.98	10.47	7.76	5.97	4.88	3.18	2.67	1.50	1.40	1.73	100.00
		2	2.36	10.87	16.31	12.62	9.27	9.57	9.76	7.15	7.16	4.74	3.28	2.34	1.18	1.44	1.95	100.00
		comb.	2.67	11.18	15.73	11.99	9.32	9.80	10.16	7.49	6.49	4.81	3.22	2.53	1.36	1.42	1.83	100.00

TABLE (1) (contd.) : PERCENTAGE DISTRIBUTION OF POPULATION IN AGE-GROUPS BY SEX FOR THE URBAN AREAS OF DIFFERENT STATE AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age-group (in years)														total	
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64		65 & above
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
3. Bihar	male	1	3.25	11.43	14.11	12.35	8.76	8.22	8.51	7.05	6.07	5.70	4.59	3.56	1.88	2.26	2.26	100.00
		2	2.75	11.40	14.46	12.49	8.39	8.44	8.53	7.63	6.54	5.49	4.45	3.08	1.95	1.96	2.44	100.00
		comb.	3.01	11.42	14.28	12.41	8.59	8.32	8.52	7.33	6.29	5.60	4.52	3.33	1.91	2.12	2.35	100.00
	female	1	2.87	11.69	14.95	11.17	6.98	8.77	8.57	7.41	6.04	5.84	4.28	3.66	1.79	2.67	3.30	100.00
		2	3.19	12.44	16.42	10.57	7.26	8.79	8.57	7.94	6.00	4.47	3.94	2.97	2.06	2.18	3.20	100.00
		comb.	3.02	12.04	15.64	10.89	7.11	8.78	8.57	7.66	6.02	5.20	4.12	3.34	1.92	2.44	3.25	100.00
	all	1	3.07	11.55	14.50	11.79	7.92	8.48	8.54	7.22	6.06	5.77	4.44	3.61	1.84	2.46	2.75	100.00
		2	2.95	11.88	15.37	11.60	7.87	8.60	8.55	7.77	6.29	5.02	4.22	3.03	2.00	2.06	2.79	100.00
		(96) comb.	3.01	11.71	14.91	11.70	7.89	8.53	8.54	7.48	6.17	5.42	4.34	3.34	1.92	2.27	2.77	100.00
4. Gujara.	male	1	3.29	11.47	14.30	12.12	9.42	9.50	7.79	7.07	6.07	5.06	4.03	3.86	2.07	1.80	2.15	100.00
		2	2.99	11.25	14.94	12.52	9.78	9.19	7.53	6.60	5.79	5.06	3.82	3.88	1.99	2.07	2.59	100.00
		comb.	3.14	11.37	14.61	12.32	9.60	9.35	7.66	6.84	5.93	5.06	3.92	3.87	2.03	1.93	2.37	100.00
	female	1	3.51	12.08	14.33	11.04	8.52	9.44	8.46	6.70	5.90	4.99	3.79	3.81	2.01	2.42	3.00	100.00
		2	3.40	11.06	14.45	11.75	8.92	9.36	7.63	7.04	5.62	5.03	3.93	3.72	2.09	2.49	3.51	100.00
		comb.	3.45	11.57	14.40	11.40	8.72	9.40	8.04	6.87	5.76	5.01	3.86	3.76	2.05	2.45	3.26	100.00
	all	1	3.40	11.77	14.31	11.60	8.99	9.47	8.11	6.89	5.99	5.03	3.91	3.84	2.04	2.09	2.56	100.00
		2	3.19	11.16	14.70	12.15	9.37	9.27	7.58	6.81	5.72	5.04	3.87	3.80	2.04	2.27	3.03	100.00
		(128) comb.	3.29	11.46	14.51	11.88	9.18	9.37	7.84	6.85	5.85	5.04	3.89	3.82	2.04	2.18	2.80	100.00

TABLE (1) (contd.): PERCENTAGE DISTRIBUTION OF POPULATION IN AGE-GROUPS BY SEX FOR THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16 TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age-group (in years)															total above	total
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above		
			(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)		
5. Jammu & Kashmir	male	1	2.26	10.98	15.81	13.12	9.81	8.20	7.87	6.91	6.18	5.31	4.14	3.39	1.97	1.99	2.06	100.00	
		2	2.25	10.51	15.08	13.29	9.88	8.76	7.66	6.35	5.77	5.09	4.19	3.36	1.93	2.18	3.70	100.00	
		comb.	2.25	10.74	15.46	13.22	9.84	8.48	7.77	6.62	5.97	5.20	4.16	3.37	1.95	2.09	2.88	100.00	
	female	1	2.42	12.00	17.14	13.30	8.85	8.41	8.79	6.71	5.85	4.53	3.85	2.86	1.57	1.75	1.97	100.00	
		2	2.41	12.03	15.94	13.84	9.32	7.88	8.37	6.63	5.68	4.44	3.94	2.74	1.52	1.78	3.48	100.00	
		comb.	2.42	12.01	16.53	13.56	9.08	8.15	8.58	6.67	5.76	4.49	3.90	2.80	1.55	1.77	2.73	100.00	
	all	1	2.33	11.45	16.42	13.21	9.36	8.30	8.30	6.81	6.03	4.95	4.01	3.14	1.79	1.88	2.02	100.00	
		2	2.32	11.22	15.49	13.55	9.61	8.35	7.99	6.47	5.72	4.79	4.08	3.08	1.74	1.99	3.60	100.00	
		comb.	2.33	11.34	15.96	13.38	9.49	8.32	8.14	6.64	5.87	4.87	4.04	3.11	1.76	1.94	2.81	100.00	
(224)																			
6. Kerala	male	1	2.96	12.06	13.63	13.98	8.85	9.22	7.75	5.97	6.22	4.54	4.05	3.40	2.51	2.07	2.79	100.00	
		2	3.99	12.11	13.85	13.63	9.15	8.92	7.01	6.52	6.14	4.53	3.36	3.11	2.19	1.89	2.59	100.00	
		comb.	3.45	12.09	13.74	13.81	8.99	9.08	7.40	6.23	6.18	4.54	4.20	3.26	2.36	1.98	2.69	100.00	
	female	1	3.30	11.32	13.86	12.92	9.05	9.02	7.98	6.78	5.78	4.41	4.09	3.08	2.49	2.56	3.36	100.00	
		2	3.97	11.41	13.47	13.04	8.83	8.43	8.55	6.54	5.98	4.19	3.97	3.39	2.67	2.32	3.24	100.00	
		comb.	3.62	11.37	13.68	12.97	8.95	8.74	8.24	6.67	5.87	4.30	4.04	3.23	2.57	2.45	3.30	100.00	
	all	1	3.13	11.69	13.75	13.45	8.95	9.12	7.86	6.37	6.00	4.48	4.07	3.24	2.50	2.32	3.07	100.00	
		2	3.98	11.76	13.66	13.34	8.99	6.68	7.78	6.53	6.06	4.37	4.17	3.24	2.43	2.10	2.91	100.00	
		comb.	3.53	11.72	13.71	13.39	8.97	8.91	7.82	6.45	6.03	4.42	4.12	3.24	2.47	2.22	3.00	100.00	
(64)																			

4-22 C.S.O. (N.D.)/69

Fertility and Mortality Rates in Urban Areas of India

TABLE (1) (contd.): PERCENTAGE DISTRIBUTION OF POPULATION IN AGE-GROUPS BY SEX FOR THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age-group (in years)															total
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
7. Madhya Pra- desh.	male	1	3.39	12.17	14.25	11.63	9.93	8.50	8.23	6.86	5.44	4.88	4.25	3.92	2.05	1.97	2.53	100.00
		2	3.20	11.96	13.45	12.18	9.10	9.18	8.14	6.98	6.44	4.96	3.99	4.08	2.36	2.08	1.90	100.00
		comb.	3.28	12.05	13.80	11.93	9.47	8.88	8.18	6.93	6.00	4.93	4.11	4.01	2.22	2.03	2.18	100.00
	female	1	3.76	13.32	14.51	10.28	8.12	9.33	8.80	6.59	5.30	4.19	4.35	3.44	2.07	2.67	3.27	100.00
		2	3.84	12.16	14.59	10.77	7.92	8.64	8.99	7.68	6.21	4.54	4.07	3.46	2.23	2.19	2.71	100.00
		comb.	3.81	12.67	14.55	10.55	8.01	8.95	8.91	7.19	5.80	4.38	4.20	3.45	2.16	2.41	2.96	100.00
	all	1	3.56	12.71	14.36	11.00	9.08	8.89	8.50	6.74	5.37	4.56	4.30	3.70	2.06	2.30	2.87	100.00
		2	3.49	12.04	13.97	11.53	8.56	8.93	8.53	7.31	6.34	4.77	4.03	3.80	2.30	2.13	2.27	100.00
		comb.	3.53	12.34	14.15	11.29	8.79	8.92	8.52	7.05	5.90	4.67	4.15	3.75	2.19	2.21	2.54	100.00
(96) g. Madras	male	1	3.05	10.86	13.13	12.57	9.10	8.80	7.71	7.10	6.31	5.64	4.67	3.90	2.35	2.27	2.54	100.00
		2	3.33	11.52	13.38	12.03	8.32	8.08	8.17	7.28	6.89	5.26	4.51	3.86	2.61	2.28	2.48	100.00
		comb.	3.19	11.21	13.26	12.29	8.69	8.43	7.95	7.19	6.61	5.44	4.58	3.88	2.49	2.28	2.51	100.00
	female	1	3.11	10.61	12.95	11.48	9.82	8.88	9.21	6.82	5.93	4.96	4.22	3.80	2.46	2.70	3.05	100.00
		2	3.30	10.98	12.92	11.31	8.85	9.52	9.33	6.78	6.16	4.83	4.26	3.74	2.41	2.54	3.07	100.00
		comb.	3.21	10.80	12.93	11.39	9.31	9.21	9.27	6.80	6.05	4.89	4.25	3.77	2.44	2.62	3.06	100.00
	all	1	3.08	10.74	13.03	12.03	9.45	8.84	8.46	6.96	6.13	5.30	4.44	3.85	2.41	2.49	2.79	100.00
		2	3.31	11.26	13.15	11.67	8.58	8.79	8.75	7.03	6.53	5.05	4.39	3.80	2.51	2.41	2.77	100.00
		comb.	3.20	11.00	13.10	11.85	9.00	8.82	8.60	7.00	6.33	5.17	4.42	3.82	2.46	2.45	2.78	100.00
(224)		comb.	3.20	11.00	13.10	11.85	9.00	8.82	8.60	7.00	6.33	5.17	4.42	3.82	2.46	2.45	2.78	100.00

TABLE (1) (contd.) : PERCENTAGE DISTRIBUTION OF POPULATION IN AGE-GROUPS BY SEX FOR THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age-group (in years)															total
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
9. Maharashtra	male	1	2.60	9.59	12.75	11.52	10.90	10.87	8.38	7.12	6.25	5.59	4.24	3.70	2.29	2.03	2.17	100.00
		2	9.85	7.15	10.50	10.76	9.17	7.83	10.23	8.05	6.79	5.30	4.14	3.57	2.29	2.10	2.27	100.00
		comb.	6.20	8.38	11.64	11.14	10.04	9.36	9.30	7.58	6.52	5.45	4.19	3.63	2.29	2.06	2.22	100.00
	female	1	2.98	10.83	14.48	12.36	8.80	9.91	8.56	7.17	6.01	4.76	4.05	3.49	1.87	2.07	2.66	100.00
		2	10.71	7.82	11.87	10.20	8.47	7.15	11.50	7.36	5.96	4.62	3.99	3.42	2.04	2.20	2.69	100.00
		comb.	6.84	9.33	13.17	11.29	8.64	8.53	10.03	7.26	5.98	4.69	4.02	3.45	1.96	2.14	2.67	100.00
	all	1	2.78	10.17	13.55	11.91	9.93	10.43	8.46	7.14	6.13	5.20	4.15	3.60	2.10	2.05	2.40	100.00
		2	10.25	7.46	11.14	10.50	8.85	7.51	10.82	7.73	6.40	4.98	4.07	3.50	2.18	2.15	2.46	100.00
		comb.	6.50	8.82	12.35	11.21	9.39	8.97	9.64	7.43	6.27	5.09	4.11	3.55	2.14	2.10	2.43	100.00
(192)																		
10. Mysore	male	1	3.09	11.64	14.58	13.27	9.57	8.43	7.48	6.64	5.59	5.36	3.85	3.50	2.17	2.38	2.45	100.00
		2	3.15	11.59	14.82	12.15	9.25	8.92	8.19	6.56	6.03	4.97	4.17	3.41	2.08	2.13	2.58	100.00
		comb.	3.12	11.61	14.70	12.71	9.41	8.68	7.84	6.60	5.81	5.17	4.01	3.46	2.12	2.25	2.51	100.00
	female	1	3.23	12.08	15.03	12.32	8.84	8.38	8.68	8.48	5.69	5.70	3.47	3.70	1.78	2.55	3.07	100.00
		2	3.17	11.72	15.49	12.58	9.17	8.78	8.37	6.53	5.22	4.54	3.55	3.36	2.04	2.48	3.00	100.00
		comb.	3.20	11.90	15.26	12.44	9.01	8.58	8.53	6.50	5.46	5.62	3.51	3.53	1.91	2.52	3.03	100.00
	all	1	3.16	11.86	14.80	12.80	9.21	8.40	8.06	6.57	5.64	5.04	3.67	3.60	1.98	2.46	2.75	100.00
		2	3.16	11.65	15.15	12.36	9.21	8.85	8.28	6.54	5.64	4.76	3.87	3.38	2.06	2.30	2.79	100.00
		comb.	3.16	11.75	14.98	12.58	9.21	8.63	8.17	6.55	5.64	4.90	3.77	3.49	2.02	2.38	2.77	100.00
(128)																		

TABLE (1) (contd.) : PERCENTAGE DISTRIBUTION OF POPULATION IN AGE-GROUPS BY SEX FOR THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age-group (in years)															total
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
11. Orissa	male	1	2.50	10.22	13.29	11.44	8.27	9.28	8.47	7.62	6.88	6.48	4.25	3.78	2.50	2.30	2.72	100.00
		2	2.91	10.43	13.38	11.30	8.23	8.93	8.62	8.37	6.48	5.72	4.28	3.99	2.36	2.55	2.45	100.00
		comb.	2.70	10.32	13.34	11.37	8.25	9.10	8.54	7.99	6.69	6.11	4.27	3.89	2.43	2.42	2.58	100.00
	female	1	3.06	11.80	14.38	9.73	7.87	8.82	8.38	8.48	5.41	5.06	3.71	4.57	2.67	2.70	3.36	100.00
		2	3.43	10.69	14.39	10.27	8.29	9.36	8.69	6.95	5.49	5.56	4.34	4.42	2.12	2.95	3.05	100.00
		comb.	3.24	11.26	14.39	9.99	8.08	9.08	8.53	7.74	5.45	5.30	4.01	4.50	2.40	2.82	3.21	100.00
	all	1	2.77	10.97	13.81	10.62	8.08	9.06	8.43	8.03	6.18	5.80	3.99	4.16	2.58	2.49	3.03	100.00
		2	3.16	10.55	13.87	10.81	8.26	9.13	8.65	7.70	6.01	5.63	4.31	4.20	2.25	2.74	2.73	100.00
		comb.	2.96	10.77	13.84	10.71	8.17	9.09	8.53	7.87	6.10	5.72	4.15	4.18	2.42	2.61	2.88	100.00
	(32)																	
12. Punjab	male	1	2.92	11.84	14.52	12.40	10.46	8.99	7.35	6.24	4.99	4.95	3.99	3.88	2.16	2.23	3.08	100.00
		2	2.65	11.62	14.61	12.52	9.59	8.93	7.88	6.37	5.56	4.48	4.44	3.56	2.12	2.18	3.49	100.00
		comb.	2.79	11.73	14.58	12.46	10.04	8.96	7.61	6.30	5.26	4.72	4.21	3.72	2.14	2.20	3.28	100.00
	female	1	3.05	12.98	15.36	12.99	9.15	8.86	7.55	6.53	5.31	4.81	3.70	3.13	1.73	2.12	2.73	100.00
		2	3.21	12.23	14.98	12.55	9.26	8.82	8.06	6.34	5.20	5.05	3.92	3.14	1.72	2.44	3.08	100.00
		comb.	3.13	12.60	15.18	12.78	9.20	8.84	7.81	6.43	5.26	4.92	3.81	3.14	1.72	2.28	2.90	100.00
	all	1	2.98	12.34	14.92	12.67	9.86	8.93	7.45	6.38	5.13	4.89	4.86	3.54	1.96	2.17	2.92	100.00
		2	2.92	11.91	14.79	12.53	9.43	8.88	7.97	6.35	5.39	4.74	4.20	3.36	1.93	2.30	3.30	100.00
		comb.	2.95	12.13	14.86	12.61	9.65	8.90	7.70	6.36	5.26	4.81	4.02	3.45	1.95	2.24	3.11	100.00
	(160)																	

TABLE (1) (contd.) : PERCENTAGE DISTRIBUTION OF POPULATION IN AGE-GROUPS BY SEX FOR THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age-group (in years)															total
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
13. Rajasthan	male	1	3.68	12.73	15.80	12.67	8.89	7.57	7.37	5.99	5.41	4.84	3.90	4.05	2.01	2.30	2.79	100.00
		2	3.22	12.23	15.54	12.70	9.20	8.05	7.06	6.71	5.17	4.98	3.76	4.12	2.04	2.58	2.57	100.00
		comb.	3.44	12.48	15.67	12.68	9.05	7.81	7.22	6.35	5.29	4.91	3.83	4.09	2.02	2.44	2.68	100.00
	female	1	3.71	12.79	14.71	11.23	7.48	8.94	7.53	6.88	5.44	5.30	3.60	4.29	2.06	2.71	3.33	100.00
		2	3.66	13.24	14.94	11.44	7.90	9.09	6.67	6.48	5.39	4.94	3.76	4.09	2.21	2.84	3.35	100.00
		comb.	3.69	13.02	14.82	11.33	7.68	9.01	7.11	6.68	5.41	5.13	3.68	4.20	2.13	2.77	3.34	100.00
	all	1	3.70	12.76	15.26	11.96	8.20	8.24	7.45	6.43	5.43	5.06	3.75	4.16	2.03	2.51	3.06	100.00
		2	3.43	12.71	15.25	21.10	8.58	8.55	6.88	6.59	5.28	4.96	3.76	4.11	2.12	2.70	2.94	100.00
		comb.	3.56	12.74	15.25	21.03	8.39	8.39	7.16	6.51	5.35	5.02	3.76	4.14	2.08	2.60	3.00	100.00
(96)																		
14. Uttar Pradesh	male	1	3.21	11.49	14.61	12.05	9.49	7.88	7.26	6.74	5.77	5.27	3.95	3.72	2.45	2.60	3.51	100.00
		2	3.23	11.27	14.05	12.22	9.23	8.42	7.48	6.95	5.76	5.21	4.15	3.94	2.38	2.51	3.20	100.00
		comb.	3.22	11.38	14.34	12.13	9.36	8.14	7.36	6.84	5.77	5.24	4.05	3.83	2.42	2.56	3.36	100.00
	female	1	3.45	12.62	15.22	11.97	7.73	8.49	8.21	6.84	5.65	4.47	3.83	3.54	2.25	2.54	3.19	100.00
		2	3.59	12.52	14.44	11.50	8.22	8.73	8.32	6.84	5.62	4.54	4.10	3.46	2.44	2.40	3.28	100.00
		comb.	3.52	12.57	14.85	11.75	7.96	8.61	8.26	6.84	5.64	4.50	3.96	3.50	2.34	2.47	3.23	100.00
	all	1	3.33	12.00	14.89	12.01	8.68	8.16	7.70	6.78	5.71	4.91	3.90	3.64	2.36	2.57	3.36	100.00
		2	3.39	11.84	14.25	11.89	8.76	8.56	7.86	6.90	5.70	4.90	4.13	3.72	2.40	2.46	3.24	100.00
		comb.	3.36	11.93	14.57	11.95	8.72	8.35	7.78	6.84	5.71	4.90	4.01	3.68	2.38	2.52	3.30	100.00
(288)																		

TABLE (2) : PERCENTAGE DISTRIBUTION OF POPULATION BY AGE-GROUPS AND SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES: NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age-group (in years)															total
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
1. Andhra Pradesh (106)	male	1	1.63	5.75	7.05	6.29	4.41	4.28	4.20	3.74	3.07	2.84	2.08	1.86	0.99	1.20	1.15	50.54
		2	1.66	5.84	7.17	6.02	4.38	4.15	4.36	3.59	3.10	2.66	2.10	2.05	1.09	1.29	1.19	50.65
		comb.	1.64	5.79	7.11	6.16	4.39	4.22	4.28	3.67	3.09	2.75	2.09	1.95	1.04	1.24	1.17	50.59
	female	1	1.48	5.78	7.23	5.67	4.29	4.53	4.38	3.58	2.99	2.26	1.88	1.91	1.01	1.23	1.24	49.46
		2	1.44	5.73	7.04	5.62	3.93	4.72	4.22	3.47	2.84	2.47	2.15	2.03	1.04	1.10	1.55	49.35
		comb.	1.47	5.76	7.14	5.66	4.12	4.62	4.30	3.52	2.91	2.36	2.01	1.97	1.02	1.17	1.38	49.41
	all	1	3.11	11.53	14.28	11.96	8.70	8.81	8.58	7.32	6.06	5.10	3.96	3.77	2.00	2.43	2.39	100.00
		2	3.10	11.57	14.21	11.64	8.31	8.87	8.58	7.06	5.94	5.13	4.25	4.08	2.13	2.39	2.74	100.00
		comb.	3.11	11.55	14.25	11.82	8.51	8.84	8.58	7.19	6.00	5.11	4.10	3.92	2.06	2.41	2.55	100.00
	2. Assam (32)	male	1	1.33	5.94	7.70	6.26	5.74	5.69	6.49	4.73	4.06	3.38	2.16	1.73	0.92	0.72	0.86
2			1.28	5.20	8.12	6.77	4.93	6.02	5.88	4.18	4.80	3.27	2.29	1.44	0.75	0.71	1.04	56.68
comb.			1.31	5.61	7.89	6.49	5.38	5.84	6.22	4.49	4.38	3.33	2.22	1.60	0.84	0.71	0.94	57.25
female		1	1.58	5.49	7.57	5.22	3.63	4.29	3.98	3.03	1.91	1.50	1.02	0.94	0.58	0.68	0.87	42.29
		2	1.08	5.67	8.19	5.85	4.34	3.55	3.88	2.97	2.36	1.47	0.99	0.90	0.43	0.73	0.91	43.32
		comb.	1.36	5.57	7.84	5.50	3.94	3.96	3.94	3.00	2.11	1.48	1.00	0.93	0.52	0.71	0.89	42.75
all		1	2.91	11.43	15.27	11.48	9.37	9.98	10.47	7.76	5.97	4.88	3.18	2.67	1.50	1.40	1.73	100.00
		2	2.36	10.87	16.31	12.62	9.27	9.57	9.76	7.15	7.16	4.74	3.28	2.34	1.18	1.44	1.95	100.00
		comb.	2.67	11.18	15.73	11.99	9.32	9.80	10.16	7.49	6.49	4.81	3.22	2.53	1.36	1.42	1.83	100.00

TABLE (2) (contd.) : PERCENTAGE DISTRIBUTION OF POPULATION BY AGE-GROUPS AND SEX IN THE URBAN AREAS OF OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

State (number of blocks)	sex	sub- sample	age-group (in years)															total
			0	1—4	5—9	10—14	15—19	20—24	25—29	30—34	35—39	40—44	45—49	50—54	55—59	60—64	65 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
3. Bihar	male	1	1.72	6.02	7.43	6.51	4.62	4.33	4.49	3.72	3.20	3.01	2.42	1.88	0.99	1.19	1.19	52.72
		2	1.48	6.15	7.81	6.73	4.53	4.55	4.60	4.11	5.53	2.96	2.40	1.66	1.05	1.06	1.31	53.93
		comb.	1.60	6.08	7.61	6.61	4.58	4.43	4.54	3.91	3.35	2.99	2.41	1.78	1.02	1.13	1.2	53.29
	female	1	1.35	5.53	7.07	5.28	3.30	4.15	4.05	3.50	2.86	2.76	2.02	1.73	0.85	1.26	1.56	47.28
		2	1.47	5.73	7.56	4.87	3.34	4.05	3.95	3.66	2.76	2.06	1.82	1.37	0.95	1.00	1.48	46.07
		comb.	1.41	5.63	7.30	5.09	3.31	4.10	4.00	3.57	2.82	2.43	1.93	1.56	0.90	1.14	1.52	46.71
	all	1	3.07	11.55	14.50	11.79	7.92	8.48	8.54	7.22	6.06	5.77	4.44	3.61	1.84	2.45	2.75	100.00
		2	2.95	11.88	15.37	11.60	7.87	8.60	8.55	7.77	6.29	5.02	4.22	3.03	2.00	2.06	2.79	100.00
		(96) comb.	3.01	11.71	14.91	11.70	7.89	8.53	8.54	7.48	6.17	5.42	4.34	3.34	1.92	2.27	2.77	100.00
4. Gujarat	male	1	1.72	5.99	7.46	6.32	4.92	4.96	4.07	3.69	3.17	2.64	2.10	2.02	1.08	0.94	1.12	52.20
		2	1.56	5.86	7.77	6.52	5.09	4.78	3.92	3.43	3.02	2.63	1.99	2.02	1.04	1.08	1.35	52.06
		comb.	1.64	5.92	7.61	6.42	5.01	4.87	3.99	3.56	3.09	2.64	2.05	2.02	1.06	1.01	1.24	52.13
	female	1	1.68	5.78	6.85	5.28	4.07	4.51	4.04	3.20	2.82	2.39	1.81	1.82	0.96	1.16	1.43	47.80
		2	1.63	5.30	6.93	5.63	4.28	4.49	3.66	3.38	2.70	2.41	1.88	1.78	1.00	1.19	1.68	47.94
		comb.	1.65	5.54	6.90	5.46	4.17	4.50	3.85	3.29	2.76	2.40	1.84	1.80	0.98	1.17	1.56	47.87
	all	1	3.40	11.77	14.31	11.60	8.99	9.47	8.11	6.89	5.99	5.03	3.91	3.84	2.04	2.10	2.55	100.00
		2	3.19	11.16	14.70	12.15	9.37	9.27	7.58	6.81	5.72	5.04	3.87	3.80	2.04	2.27	3.03	100.00
		(128) comb.	3.29	11.46	14.51	11.88	9.18	9.37	7.84	6.85	5.85	5.04	3.89	3.82	2.04	2.18	2.80	100.00

TABLE (2) (contd.): PERCENTAGE DISTRIBUTION OF POPULATION BY AGE-GROUPS AND SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

5-22 C.S.O. (ND) 70

state (number of blocks)	sex	sub- sample	age group (in years)															total
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
5. Jammu & Kashmir	male	1	1.20	5.85	8.44	7.01	5.23	4.37	4.19	3.68	3.30	2.83	2.21	1.80	1.06	1.06	1.10	53.33
		2	1.19	5.59	8.02	7.07	5.25	4.66	4.07	3.37	3.06	2.71	2.23	1.79	1.03	1.16	1.97	53.17
		comb.	1.20	5.72	8.22	7.04	5.24	4.51	4.13	3.53	3.18	2.77	2.22	1.79	1.04	1.11	1.53	53.23
	female	1	1.13	5.60	7.98	6.20	4.13	3.93	4.11	3.33	2.73	2.12	1.80	1.34	0.73	0.82	0.92	46.67
		2	1.13	5.63	7.47	6.48	3.36	3.69	3.92	3.10	2.66	2.08	1.85	1.29	0.71	0.83	1.63	46.83
		comb.	1.13	5.62	7.74	6.34	4.25	3.81	4.01	3.11	2.69	2.10	1.82	1.32	0.72	0.83	1.28	46.77
	all	1	2.33	11.45	16.42	13.21	9.36	8.30	8.30	6.81	6.03	4.95	4.01	3.14	1.79	1.88	2.02	100.00
		2	2.32	11.22	15.49	13.55	9.61	8.35	7.99	6.47	5.72	4.79	4.08	3.08	1.74	1.99	3.60	100.00
		comb.	2.33	11.34	15.96	13.38	9.49	8.32	8.14	6.64	5.87	4.87	4.04	3.11	1.76	1.94	2.81	100.00
	(224)																	
6. Kerala	male	1	1.47	6.00	6.79	6.96	4.40	4.59	3.86	2.97	3.10	2.26	2.01	1.69	1.25	1.03	1.39	49.77
		2	2.00	6.08	6.96	6.84	4.59	4.48	3.52	3.27	3.08	2.28	2.19	1.55	1.10	0.95	1.30	50.19
		comb.	1.72	6.03	6.86	6.89	4.49	4.54	3.70	3.12	3.09	2.27	2.10	1.63	1.18	0.99	1.35	49.96
	female	1	1.66	5.69	6.96	6.49	4.55	4.53	4.00	3.40	2.90	2.22	2.06	1.55	1.25	1.29	1.68	50.23
		2	1.98	5.68	6.70	6.50	4.40	4.20	4.26	3.26	2.98	2.09	1.98	1.69	1.33	1.15	1.61	49.81
		comb.	1.81	5.69	6.85	6.50	4.48	4.37	4.12	3.33	2.94	2.15	2.02	1.61	1.29	1.23	1.65	50.04
	all	1	3.13	11.69	13.75	13.45	8.95	9.12	7.86	6.37	6.00	4.48	4.07	3.24	2.50	2.32	3.07	100.00
		2	3.98	11.76	13.66	13.34	8.99	8.68	7.78	7.53	6.06	4.37	4.17	3.24	2.43	2.10	2.91	100.00
		comb.	3.53	11.72	13.71	13.39	8.97	8.91	7.82	6.45	6.03	4.42	4.12	3.24	2.47	2.22	3.00	100.00
(64)																		

Fertility and Mortality Rates in Urban Areas of India

TABLE (2) (contd.) : PERCENTAGE DISTRIBUTION OF POPULATION BY AGE-GROUPS AND SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state number of blocks)	sex	sub- sample	age group (in year)															total
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
7. Madhya Pradesh	male	1	1.79	6.45	7.55	6.18	5.27	4.51	4.36	3.64	2.88	2.59	2.26	2.08	1.09	1.05	1.34	53.04
		2	1.72	6.42	7.23	6.55	4.90	4.94	4.38	3.76	3.47	2.67	2.15	2.20	1.27	1.12	1.02	53.80
		comb.	1.76	6.44	7.37	6.38	5.07	4.75	4.37	3.71	3.21	2.63	2.20	2.14	1.19	1.09	1.16	53.47
	female	1	1.77	6.26	6.81	4.82	3.81	4.38	4.14	3.10	2.49	1.97	2.04	1.62	0.97	1.25	1.53	46.96
		2	1.77	5.62	6.74	4.98	3.66	3.99	4.15	3.55	2.87	2.10	1.88	1.60	1.03	1.01	1.25	46.20
		comb.	1.77	5.90	6.78	4.91	3.72	4.17	4.15	3.34	2.69	2.04	1.95	1.61	1.00	1.12	1.38	46.53
	all	1	3.56	12.71	14.36	11.00	9.08	8.89	8.50	6.74	5.37	4.56	4.30	3.70	2.06	2.30	2.87	100.00
		2	3.49	12.04	13.97	11.53	8.56	8.93	8.53	7.31	6.34	4.77	4.03	3.80	2.30	2.13	2.27	100.00
		(96)	comb.	3.53	12.34	14.15	11.29	8.79	8.92	8.52	7.05	5.90	4.67	4.15	3.75	2.19	2.21	2.54
8. Madras	male	1	1.53	5.45	6.58	6.31	4.56	4.42	3.87	3.56	3.17	2.83	2.34	1.96	1.18	1.14	1.27	50.17
		2	1.68	5.82	6.76	6.07	4.20	4.08	4.13	3.67	3.48	2.66	2.28	1.95	1.32	1.15	1.25	50.50
		comb.	1.61	5.64	6.68	6.18	4.37	4.24	4.00	3.62	3.33	2.74	2.31	1.95	1.25	1.15	1.26	50.33
	female	1	1.55	5.29	6.45	5.72	4.89	4.42	4.59	3.40	2.96	2.47	2.10	1.89	1.23	1.35	1.52	49.83
		2	1.63	5.44	6.39	5.60	4.38	4.71	4.62	3.36	3.05	2.39	2.11	1.85	1.19	1.26	1.52	49.50
		comb.	1.59	5.36	6.42	5.67	4.63	4.58	4.60	3.38	3.00	2.43	2.11	1.87	1.21	1.30	1.52	49.67
	all	1	3.08	10.74	13.03	12.03	9.45	8.84	8.46	6.96	6.13	5.30	4.44	3.85	2.41	2.49	2.79	100.00
		2	3.31	11.26	13.15	11.67	8.58	8.79	8.75	7.03	6.53	5.05	4.39	3.80	2.51	2.41	2.77	100.00
		(224)	comb.	3.20	11.00	13.10	11.85	9.00	8.82	8.60	7.00	6.33	5.17	4.42	3.82	2.46	2.45	2.78

TABLE (2) (contd.) : PERCENTAGE DISTRIBUTION OF POPULATION BY AGE-GROUPS AND SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age-group (in years)															total
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
Maharashtra	male	1	1.40	5.17	6.88	6.21	5.87	5.86	4.51	3.83	3.36	3.01	2.28	1.99	1.23	1.09	1.17	53.86
		2	5.28	3.83	5.63	5.76	4.91	4.19	5.48	4.32	3.64	2.84	2.22	1.91	1.23	1.12	1.22	53.58
		comb.	3.33	4.50	6.26	5.99	5.39	5.03	4.99	4.07	3.50	2.93	2.25	1.95	1.23	1.11	1.19	53.72
	female	1	1.38	5.00	6.67	5.70	4.06	4.57	3.95	3.31	2.77	2.19	1.87	1.61	0.87	0.96	1.23	46.14
		2	4.97	3.63	5.51	4.74	3.94	3.32	5.34	3.41	2.76	2.14	1.85	1.59	0.95	1.03	1.24	46.42
		comb.	3.17	4.32	6.09	5.22	4.00	3.94	4.65	3.36	2.77	2.16	1.86	1.60	0.91	0.99	1.24	46.28
	all	1	2.78	10.17	13.55	11.91	9.93	10.43	8.46	7.14	6.13	5.20	4.15	3.60	2.10	2.05	2.40	100.00
		2	10.25	7.46	11.14	10.50	8.85	7.51	10.82	7.73	6.40	4.98	4.07	3.50	2.18	2.15	2.46	100.00
		comb.	6.50	8.82	12.35	11.21	9.39	8.97	9.64	7.43	6.27	5.09	4.11	3.55	2.14	2.10	2.43	100.00
(192)																		
10. Mysore	male	1	1.59	5.99	7.51	6.82	4.92	4.33	3.85	3.42	2.88	2.76	1.98	1.80	1.12	1.22	1.26	51.45
		2	1.62	5.95	7.62	6.25	4.75	4.58	4.21	3.37	3.10	2.55	2.14	1.75	1.07	1.09	1.33	51.38
		comb.	1.61	5.97	7.55	6.53	4.84	4.46	4.03	3.39	2.99	2.66	2.06	1.78	1.09	1.16	1.29	51.41
	female	1	1.57	5.87	7.29	5.98	4.29	4.07	4.21	3.15	2.76	2.28	1.69	1.80	0.86	1.24	1.49	48.55
		2	1.54	5.70	7.52	6.11	4.46	4.27	4.07	3.17	2.54	2.21	1.73	1.63	0.99	1.21	1.46	48.62
		comb.	1.55	5.78	7.43	6.05	4.37	4.17	4.14	3.16	2.65	2.24	1.71	1.71	0.93	1.22	1.48	48.59
	all	1	3.16	11.86	14.80	12.80	9.21	8.40	8.06	6.57	5.64	5.04	3.67	3.60	1.98	2.46	2.75	100.00
		2	3.16	11.65	15.15	12.36	9.21	8.85	8.28	6.54	5.64	4.76	3.87	3.38	2.06	2.30	2.79	100.00
		comb.	3.16	11.75	14.98	12.58	9.21	8.63	8.17	6.55	5.64	4.90	3.77	3.49	2.02	2.38	2.77	100.00
(128)																		

Fertility and Mortality Rates in Urban Areas of India

TABLE (2) (contd.) : PERCENTAGE DISTRIBUTION OF POPULATION BY AGE-GROUPS AND SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub-sample	age-group (in years)															total
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
11. Orissa	male	1	1.31	5.33	6.95	5.98	4.32	4.85	4.43	3.98	3.60	3.39	2.22	1.98	1.30	1.20	1.42	52.26
		2	1.53	5.48	7.04	5.94	4.33	4.69	4.53	4.40	3.41	3.00	2.25	2.10	1.25	1.34	1.28	52.57
		comb.	1.42	5.40	6.99	5.96	4.32	4.77	4.48	4.19	3.50	3.20	2.24	2.04	1.27	1.27	1.35	52.40
	female	1	1.46	5.64	6.86	4.64	3.76	4.21	4.00	4.05	2.58	2.41	1.77	2.18	1.28	1.29	1.61	47.74
		2	1.63	5.07	6.83	4.87	3.93	4.44	4.12	3.30	2.60	2.63	2.06	2.10	1.00	1.40	1.45	47.43
		comb.	1.54	5.37	6.85	4.75	3.85	4.32	4.05	3.68	2.60	2.52	1.91	2.14	1.15	1.34	1.53	47.60
	all	1	2.77	10.77	13.81	10.62	8.08	9.06	8.43	8.03	6.18	5.80	3.99	4.16	2.58	2.49	3.03	100.00
		2	3.16	10.55	13.87	10.81	8.26	9.13	8.65	7.70	6.01	5.63	4.31	4.20	2.25	2.74	2.73	100.00
		comb.	2.96	10.77	13.84	10.71	8.17	9.09	8.53	7.87	6.10	5.72	4.15	4.18	2.42	2.61	2.88	100.00
(32)																		
12. Punjab	male	1	1.59	6.43	7.91	6.75	5.69	4.89	4.00	3.40	2.71	2.70	2.17	2.11	1.17	1.21	1.68	54.41
		2	1.42	6.21	7.82	6.69	5.12	4.77	4.21	3.40	2.97	2.39	2.37	1.90	1.13	1.16	1.86	53.42
		comb.	1.50	6.32	7.86	6.72	5.41	4.83	4.10	3.40	2.84	2.55	2.27	2.01	1.16	1.19	1.77	53.93
	female	1	1.39	5.91	7.01	5.92	4.17	4.04	3.45	2.98	2.42	2.19	1.69	1.43	0.79	0.96	1.24	45.59
		2	1.50	5.70	6.97	5.84	4.31	4.11	3.76	2.95	2.42	2.35	1.83	1.46	0.80	1.14	1.44	46.58
		comb.	1.45	5.81	7.00	5.89	4.24	4.07	3.60	2.96	2.42	2.26	1.75	1.44	0.79	1.05	1.34	46.07
	all	1	2.98	12.34	14.92	12.67	9.86	8.93	7.45	6.38	5.13	4.89	3.86	3.45	1.96	2.17	2.92	100.00
		2	2.92	11.91	14.79	12.53	9.43	8.88	7.97	6.35	5.39	4.74	4.20	3.36	1.93	2.30	3.30	100.00
		comb.	2.95	12.13	14.86	12.61	9.65	8.90	7.70	6.36	5.26	4.81	4.02	3.45	1.95	2.24	3.11	100.00
(288)																		

TABLE (2) (contd.): PERCENTAGE DISTRIBUTION OF POPULATION BY AGE-GROUPS AND SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16 TH ROUND (URBAN)

state (number of blocks)	sex	sub-sample	age-group (in years)															total	
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	
13. Rajasthan	male	1	1.87	6.48	8.03	6.45	4.53	3.86	3.76	3.05	2.76	2.46	1.98	2.06	1.02	1.18	1.42	50.91	
		2	1.69	6.41	8.18	6.65	4.82	4.22	3.71	3.51	2.71	2.61	1.97	2.16	1.07	1.35	1.35	52.41	
		comb.	1.78	6.45	8.11	6.55	4.67	4.03	3.73	3.28	2.73	2.54	1.98	2.11	1.05	1.26	1.38	51.65	
	female	1	1.83	6.28	7.23	5.51	3.67	4.38	3.69	3.38	2.67	2.60	1.77	2.10	1.01	1.33	1.64	49.09	
		2	1.74	6.30	7.11	5.45	3.76	4.33	3.17	3.08	2.57	2.35	1.79	1.95	1.05	1.35	1.59	47.59	
		comb.	1.78	6.29	7.16	5.48	3.72	4.36	3.43	3.23	2.62	2.48	1.78	2.03	1.03	1.34	1.62	48.35	
(96)	all	1	3.70	12.76	15.26	11.96	8.20	8.24	7.45	6.43	5.43	5.06	3.75	4.16	2.03	2.51	3.06	100.00	
		2	3.43	12.71	15.29	12.10	8.58	8.55	6.88	6.59	5.28	4.96	3.76	4.11	2.12	2.70	2.94	100.00	
		comb.	3.56	12.74	15.27	12.03	8.39	8.39	7.16	6.51	5.35	5.02	3.76	4.14	2.08	2.60	3.00	100.00	
14. Uttar Pradesh	male	1	1.73	6.17	7.86	6.48	5.10	4.23	3.90	3.61	3.09	2.84	2.13	2.00	1.31	1.39	1.88	53.72	
		2	1.74	6.09	7.61	6.62	4.99	4.55	4.04	3.76	3.12	2.81	2.24	2.13	1.28	1.36	1.73	54.07	
		comb.	1.73	6.14	7.73	6.54	5.05	4.39	3.97	3.68	3.11	2.82	2.18	2.06	1.30	1.38	1.81	53.89	
	(1)	female	1	1.60	5.83	7.03	5.53	3.58	3.93	3.80	3.17	2.62	2.07	1.77	1.64	1.05	1.18	1.48	46.28
			2	1.65	5.75	6.64	5.27	3.77	4.01	3.82	3.14	2.58	2.09	1.89	1.59	1.12	1.10	1.51	45.93
			comb.	1.63	5.79	6.84	5.41	3.67	3.96	3.81	3.16	2.60	2.08	1.83	1.62	1.08	1.14	1.49	46.11
(288)	all	1	3.33	12.00	14.89	12.01	8.68	8.16	7.70	6.78	5.71	4.91	3.90	3.64	2.36	2.57	3.36	100.00	
		2	3.39	11.84	14.25	11.89	8.76	8.56	7.86	6.90	5.70	4.90	4.13	3.72	2.40	2.46	3.24	100.00	
		comb.	3.36	11.93	14.57	11.95	8.72	8.35	7.78	6.84	5.71	4.90	4.01	3.68	2.38	2.52	3.30	100.00	

TABLE (2) (contd.) : PERCENTAGE DISTRIBUTION OF POPULATION BY AGE-GROUPS AND SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age-group (in years)														total	
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64		65 & above
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
15. West Bengal	male	1	1.07	4.70	5.86	4.96	3.48	5.40	4.42	5.47	4.99	3.82	2.92	2.11	1.39	1.02	1.14	52.75
		2	1.06	4.77	6.54	5.58	4.72	5.53	6.38	5.46	4.97	3.75	2.79	2.31	1.47	1.22	1.18	57.73
		comb.	1.07	4.73	6.18	5.26	4.09	5.46	5.38	5.46	4.98	3.79	2.86	2.21	1.43	1.12	1.16	55.18
	female	1	0.94	4.95	7.32	5.47	5.01	4.41	5.46	3.23	2.28	1.87	1.78	1.41	0.97	0.92	1.23	47.25
		2	1.03	4.60	6.44	4.88	3.69	3.75	4.06	2.99	2.43	2.11	1.69	1.34	0.95	1.05	1.26	42.27
		comb.	0.98	4.78	6.90	5.18	4.36	4.09	4.78	3.12	2.36	1.98	1.73	1.38	0.96	0.98	1.24	44.82
	all	1	2.01	9.65	13.18	10.43	8.49	9.81	9.88	8.70	7.27	5.69	4.70	3.52	2.36	1.94	2.37	100.00
		2	2.09	9.37	12.98	10.46	8.41	9.28	10.44	8.45	7.40	5.86	4.48	3.65	2.42	2.27	2.44	100.00
		(222) comb.	2.05	9.51	13.08	10.44	8.45	9.55	10.16	8.58	7.34	5.77	4.59	3.59	2.39	2.10	2.40	100.00
16. All-India	male	1	1.56	5.76	7.19	6.28	4.88	4.75	4.18	3.79	3.28	2.90	2.25	1.97	1.17	1.15	1.34	52.45
		2	2.11	5.60	7.10	6.25	4.78	4.60	4.57	3.91	3.45	2.80	2.25	2.00	1.20	1.18	1.34	53.14
		comb.	1.83	5.68	7.15	6.27	4.83	4.69	4.37	3.85	3.36	2.85	2.25	1.98	1.19	1.16	1.34	52.80
	female	1	1.49	5.60	7.01	5.58	4.15	4.31	4.17	3.28	2.70	2.22	1.84	1.69	0.98	1.14	1.39	47.55
		2	2.04	5.25	6.66	5.37	4.00	4.10	4.20	3.28	2.70	2.22	1.86	1.63	1.01	1.10	1.44	46.86
		comb.	1.76	5.43	6.83	5.47	4.08	4.19	4.19	3.28	2.70	2.22	1.85	1.66	0.99	1.13	1.42	47.20
	(2,272) all	1	3.05	11.36	14.20	11.86	9.03	9.06	8.35	7.07	5.98	5.12	4.09	3.66	2.15	2.29	2.73	100.00
		2	4.15	10.85	13.76	11.62	8.78	8.70	8.77	7.19	6.15	5.02	4.11	3.63	2.21	2.28	2.78	100.00
		comb.	3.59	11.11	13.98	11.74	8.91	8.88	8.56	7.13	6.06	5.07	4.10	3.64	2.18	2.29	2.76	100.00

TABLE (3) : PERCENTAGE DISTRIBUTION OF POPULATION BY MARITAL STATUS SEPARATELY FOR EACH SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	marital status					total
			single	married	widowed	divorced	separated	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1. Andhra Pradesh	male	1	55.40	41.69	2.51	0.09	0.31	100.00
		2	55.46	41.43	2.73	0.19	0.19	100.00
		comb.	55.44	41.57	2.61	0.13	0.25	100.00
	female	1	42.76	43.75	12.51	0.18	0.80	100.00
		2	42.42	43.09	13.35	0.38	0.76	100.00
		comb.	42.60	43.44	12.91	0.27	0.78	100.00
	all	1	49.14	42.71	7.46	0.13	0.56	100.00
		2	49.02	42.25	7.97	0.29	0.47	100.00
		comb.	49.09	42.49	7.70	0.20	0.52	100.00
(160)								
2. Assam	male	1	60.78	36.24	1.36	0.10	1.52	100.00
		2	59.02	39.10	1.49	0.22	0.17	100.00
		comb.	60.01	37.49	1.42	0.15	0.93	100.00
	female	1	54.24	38.21	7.21	0.18	0.16	100.00
		2	56.72	35.00	7.51	0.61	0.16	100.00
		comb.	55.34	36.78	7.35	0.37	0.16	100.00
	all	1	58.02	37.07	3.84	0.13	0.94	100.00
		2	58.03	37.32	4.10	0.39	0.16	100.00
		comb.	58.02	37.19	3.95	0.24	0.60	100.00
(32)								
3. Bihar	male	1	51.28	45.59	2.90	0.11	0.12	100.00
		2	50.67	45.86	3.19	0.05	0.23	100.00
		comb.	50.99	45.72	3.04	0.08	0.17	100.00
	female	1	41.36	48.59	9.63	0.16	0.26	100.00
		2	42.10	47.44	10.07	0.07	0.32	100.00
		comb.	41.71	48.05	9.84	0.12	0.28	100.00
	all	1	46.60	47.01	6.08	0.13	0.18	100.00
		2	46.72	46.59	6.36	0.06	0.27	100.00
		comb.	46.66	46.81	6.21	0.10	0.22	100.00
(96)								
4. Gujarat	male	1	56.67	40.11	2.97	0.08	0.17	100.00
		2	57.15	39.36	3.15	0.20	0.14	100.00
		comb.	56.90	39.74	3.06	0.14	0.16	100.00
	female	1	46.60	42.07	10.84	0.11	0.38	100.00
		2	46.79	41.73	10.95	0.24	0.29	100.00
		comb.	46.70	41.90	10.89	0.18	0.33	100.00
	all	1	51.86	41.05	6.73	0.09	0.27	100.00
		2	52.18	40.50	6.89	0.22	0.21	100.00
		comb.	52.02	40.77	6.81	0.16	0.24	100.00
(128)								

TABLE (3) (contd.): PERCENTAGE DISTRIBUTION OF POPULATION BY MARITAL STATUS SEPARATELY FOR EACH SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	marital status					total
			single	married	widowed	divorced	separated	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
5. Jammu & Kashmir	male	1	61.12	35.13	3.28	0.33	0.14	100.00
		2	60.24	35.89	3.42	0.23	0.22	100.00
		comb.	60.68	35.51	3.35	0.28	0.18	100.00
	female	1	51.30	40.37	7.79	0.20	0.34	100.00
		2	50.30	39.81	9.47	0.17	0.25	100.00
		comb.	50.80	40.09	8.63	0.19	0.29	100.00
	all	1	56.54	37.58	5.38	0.27	0.23	100.00
		2	55.59	37.73	6.25	0.20	0.23	100.00
		comb.	56.06	37.65	5.82	0.24	0.23	100.00
	(224)							
6. Kerala	male	1	64.79	33.23	1.50	0.35	0.13	100.00
		2	65.64	32.18	1.51	0.31	0.36	100.00
		comb.	65.20	32.73	1.50	0.33	0.24	100.00
	female	1	51.77	34.50	11.29	1.83	0.61	100.00
		2	52.75	33.63	10.98	1.07	1.57	100.00
		comb.	52.23	34.10	11.14	1.47	1.06	100.00
	all	1	58.25	33.87	6.42	1.09	0.37	100.00
		2	59.21	32.90	6.23	0.69	0.97	100.00
		comb.	58.71	33.41	6.33	0.90	0.65	100.00
	(64)							
7. Madhya Pradesh	male	1	54.14	41.91	3.62	0.08	0.25	100.00
		2	55.09	41.35	3.20	0.06	0.30	100.00
		comb.	54.66	41.60	3.39	0.07	0.28	100.00
	female	1	42.77	46.80	9.99	0.12	0.32	100.00
		2	43.93	46.63	8.91	0.05	0.48	100.00
		comb.	43.41	46.70	9.40	0.08	0.41	100.00
	all	1	48.80	44.20	6.61	0.10	0.29	100.00
		2	49.94	43.79	5.84	0.05	0.38	100.00
		comb.	49.43	43.97	6.18	0.08	0.34	100.00
	(96)							

TABLE (3) (contd.) : PERCENTAGE DISTRIBUTION OF POPULATION BY MARITAL STATUS SEPARATELY FOR EACH SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	marital status					total
			single	married	widowed	divorced	separated	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
8. Madras	male	1	59.62	37.59	2.59	0.03	0.17	100.00
		2	58.22	39.00	2.49	0.05	0.24	100.00
		comb.	58.89	38.32	2.54	0.04	0.21	100.00
	female	1	46.49	39.88	13.07	0.06	0.50	100.00
		2	45.70	40.87	12.38	0.11	0.94	100.00
		comb.	46.08	40.40	12.71	0.08	0.73	100.00
	all	1	53.07	38.74	7.81	0.04	0.34	100.00
		2	52.02	39.92	7.39	0.08	0.59	100.00
		comb.	52.53	39.35	7.59	0.06	0.47	100.00
(224)								
9. Maharashtra	male	1	57.19	39.81	2.69	0.09	0.22	100.00
		2	56.22	40.49	2.91	0.09	0.29	100.00
		comb.	56.71	40.14	2.80	0.09	0.26	100.00
	female	1	47.67	41.67	10.04	0.14	0.48	100.00
		2	46.01	42.88	10.25	0.11	0.75	100.00
		comb.	46.85	42.27	10.14	0.12	0.62	100.00
	all	1	52.80	40.67	6.08	0.11	0.34	100.00
		2	51.48	41.59	6.32	0.10	0.51	100.00
		comb.	52.15	41.13	6.20	0.10	0.42	100.00
(192)								
10. Mysore	male	1	60.66	36.05	2.95	0.02	0.32	100.00
		2	60.64	36.21	2.86	0.04	0.25	100.00
		comb.	60.65	36.13	2.91	0.03	0.28	100.00
	female	1	47.73	39.11	12.22	0.02	0.92	100.00
		2	48.15	39.16	11.93	0.05	0.71	100.00
		comb.	47.93	39.14	12.08	0.03	0.82	100.00
	all	1	54.37	37.54	7.46	0.02	0.61	100.00
		2	54.57	37.64	7.27	0.04	0.48	100.00
		comb.	54.48	37.59	7.36	0.03	0.54	100.00
(128)								

TABLE (3) (contd.): PERCENTAGE DISTRIBUTION OF POPULATION BY MARITAL STATUS SEPARATELY FOR EACH SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	marital status					total
			single	married	widowed	divorced	separated	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
11. Orissa	male	1	53.05	43.53	2.98	0.41	0.03	100.00
		2	53.52	43.53	2.42	0.21	0.32	100.00
		comb.	53.28	43.53	2.71	0.31	0.17	100.00
	female	1	41.49	43.73	13.66	0.78	0.34	100.00
		2	42.00	44.66	12.73	0.31	0.30	100.00
		comb.	41.74	44.18	13.21	0.55	0.32	100.00
	all	1	47.53	43.62	8.08	0.59	0.18	100.00
		2	48.06	44.06	7.31	0.26	0.31	100.00
		comb.	47.77	43.83	7.71	0.43	0.24	100.00
(32)								
12. Punjab	male	1	59.68	36.76	3.36	0.04	0.16	100.00
		2	58.63	37.47	3.68	0.09	0.13	100.00
		comb.	59.18	37.10	3.52	0.06	0.14	100.00
	female	1	51.97	41.10	6.65	0.06	0.22	100.00
		2	50.85	41.59	7.33	0.09	0.14	100.00
		comb.	51.41	41.34	6.99	0.08	0.18	100.00
	all	1	56.18	38.74	4.86	0.04	0.18	100.00
		2	55.01	39.39	5.38	0.09	0.13	100.00
		comb.	55.59	39.06	5.12	0.07	0.16	100.00
(160)								
13. Rajasthan	male	1	55.18	41.43	3.22	0.11	0.06	100.00
		2	53.84	42.41	3.61	0.05	0.09	100.00
		comb.	54.51	41.93	3.41	0.08	0.07	100.00
	female	1	42.74	46.30	10.72	0.08	0.16	100.00
		2	42.62	46.79	10.44	0.07	0.08	100.00
		comb.	42.69	46.53	10.58	0.08	0.12	100.00
	all	1	49.07	43.82	6.90	0.10	0.11	100.00
		2	48.51	44.49	6.86	0.05	0.09	100.00
		comb.	48.79	44.15	6.88	0.08	0.10	100.00
(96)								

TABLE (3) (contd.) : PERCENTAGE DISTRIBUTION OF POPULATION BY MARITAL STATUS SEPARATELY FOR EACH SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	marital status					total
			single	married	widowed	divorced	separated	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
14. Uttar Pradesh (288)	male	1	53.59	41.26	4.82	0.15	0.18	100.00
		2	53.91	41.11	4.67	0.15	0.16	100.00
		comb.	53.75	41.19	4.74	0.15	0.17	100.00
	female	1	45.95	45.11	8.65	0.11	0.18	100.00
		2	45.55	45.20	8.87	0.12	0.26	100.00
		comb.	45.76	45.15	8.75	0.12	0.22	100.00
	all	1	50.06	43.04	6.59	0.13	0.18	100.00
		2	50.08	42.99	6.59	0.13	0.21	100.00
		comb.	50.06	43.03	6.59	0.13	0.19	100.00
15. West Bengal (224)	male	1	51.37	45.47	2.99	0.11	0.06	100.00
		2	51.82	45.23	2.83	0.05	0.07	100.00
		comb.	51.60	45.35	2.91	0.08	0.06	100.00
	female	1	49.35	38.77	11.25	0.21	0.42	100.00
		2	47.31	39.56	12.72	0.12	0.29	100.00
		comb.	48.41	39.13	11.93	0.17	0.36	100.00
	all	1	50.42	42.30	6.89	0.16	0.23	100.00
		2	49.91	42.83	7.02	0.08	0.16	100.00
		comb.	50.17	42.56	6.95	0.12	0.20	100.00
16. All-India (urban) (2,272)	male	1	56.15	40.41	3.14	0.10	0.20	100.00
		2	55.94	40.59	3.16	0.11	0.20	100.00
		comb.	56.04	40.51	3.15	0.10	0.20	100.00
	female	1	46.54	42.31	10.53	0.19	0.43	100.00
		2	46.14	42.53	10.63	0.17	0.53	100.00
		comb.	46.35	42.41	10.58	0.18	0.48	100.00
	all	1	51.59	41.31	6.65	0.14	0.31	100.00
		2	51.35	41.50	6.66	0.14	0.35	100.00
		comb.	51.47	41.40	6.66	0.14	0.33	100.00

TABLE (4) : PERCENTAGE DISTRIBUTION OF POPULATION BY SEX AND MARITAL STATUS IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	marital status					total
			single	married	widowed	divorced	separated	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1. Andhra Pradesh	male	1	28.00	21.07	1.27	0.04	0.16	50.54
		2	28.09	20.98	1.38	0.10	0.10	50.65
		comb.	28.04	21.03	1.32	0.07	0.13	50.59
	female	1	21.14	21.64	6.19	0.09	0.40	49.46
		2	20.93	21.27	6.59	0.19	0.37	49.35
		comb.	21.05	21.46	6.38	0.13	0.39	49.41
	all	1	49.14	42.71	7.46	0.13	0.56	100.00
		2	49.02	42.25	7.97	0.29	0.47	100.00
		comb.	49.09	42.49	7.70	0.20	0.52	100.00
(160)								
2. Assam	male	1	35.05	20.91	0.79	0.06	0.88	57.71
		2	33.46	22.17	0.84	0.12	0.09	56.68
		comb.	34.36	21.46	0.81	0.09	0.53	57.25
	female	1	22.95	16.16	3.05	0.07	0.06	42.29
		2	24.57	15.15	3.26	0.27	0.07	43.32
		comb.	23.66	15.73	3.14	0.15	0.07	42.75
	all	1	58.02	37.07	3.84	0.13	0.94	100.00
		2	58.03	37.32	4.10	0.39	0.16	100.00
		comb.	58.02	37.19	3.95	0.24	0.60	100.00
(32)								
3. Bihar	male	1	27.04	24.03	1.53	0.06	0.06	52.72
		2	27.33	24.73	1.72	0.03	0.12	53.93
		comb.	27.17	24.37	1.62	0.04	0.09	53.29
	female	1	19.56	22.98	4.55	0.07	0.12	47.28
		2	19.39	21.86	4.64	0.03	0.15	46.07
		comb.	19.49	22.44	4.59	0.06	0.13	46.71
	all	1	46.60	47.01	6.08	0.13	0.18	100.00
		2	46.72	46.59	6.36	0.06	0.27	100.00
		comb.	46.64	46.81	6.21	0.10	0.22	100.00
(96)								
4. Gujarat	male	1	29.58	20.94	1.55	0.04	0.09	52.20
		2	29.75	20.49	1.64	0.11	0.07	52.06
		comb.	29.67	20.71	1.60	0.07	0.08	52.13
	female	1	22.28	20.11	5.18	0.05	0.18	47.80
		2	22.43	20.01	5.25	0.11	0.14	47.94
		comb.	22.35	20.06	5.21	0.09	0.16	47.87
	all	1	51.86	41.05	6.73	0.09	0.27	100.00
		2	52.18	40.50	6.89	0.22	0.21	100.00
		comb.	52.02	40.77	6.81	0.16	0.24	100.00
(128)								

TABLE (4) (contd) : PERCENTAGE DISTRIBUTION OF POPULATION BY SEX AND MARITAL STATUS IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	marital status					total
			single	married	widowed	divorced	separated	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
5. Jammu and Kashmir	male	1	32.59	18.74	1.75	0.18	0.07	53.33
		2	32.03	19.08	1.82	0.12	0.12	53.17
		comb.	32.30	18.91	1.78	0.15	0.09	53.23
	female	1	23.95	18.64	3.63	0.09	0.16	46.67
		2	23.56	18.65	4.43	0.08	0.11	46.83
		comb.	23.76	18.74	4.04	0.09	0.14	46.77
all	1	56.54	37.58	5.38	0.27	0.23	100.00	
	2	55.59	37.73	6.25	0.20	0.23	100.00	
	comb.	56.06	37.65	5.82	0.24	0.23	100.00	
(224)								
6. Kerala	male	1	32.25	16.54	0.75	0.17	0.06	49.77
		2	32.94	16.15	0.76	0.16	0.18	50.19
		comb.	32.57	16.35	0.75	0.17	0.12	49.96
	female	1	26.00	17.33	5.67	0.92	0.31	50.23
		2	26.27	16.75	5.47	0.53	0.79	49.81
		comb.	26.14	17.06	5.58	0.73	0.53	50.04
all	1	59.21	33.87	6.23	1.09	0.37	100.00	
	2	59.21	32.90	6.23	0.69	0.97	100.00	
	comb.	58.71	33.41	6.33	0.90	0.65	100.00	
(64)								
7. Madhya Pradesh	male	1	28.71	22.22	1.92	0.05	0.14	53.04
		2	29.64	22.25	1.72	0.03	0.16	53.80
		comb.	29.23	22.24	1.81	0.04	0.15	53.47
	female	1	20.09	21.98	4.69	0.05	0.15	46.96
		2	20.30	21.54	4.12	0.02	0.22	46.20
		comb.	20.20	21.73	4.37	0.04	0.19	46.53
all	1	40.80	44.20	6.61	0.10	0.29	100.00	
	2	49.94	43.79	5.84	0.05	0.38	100.00	
	comb.	49.43	43.97	6.18	0.08	0.34	100.00	
(96)								

TABLE (4) (contd.) : PERCENTAGE DISTRIBUTION OF POPULATION BY SEX AND MARITAL STATUS IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	marital status					total
			single	married	widowed	divorced	separated	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
8. Madras	male	1	29.91	18.56	1.30	0.01	0.09	50.17
		2	29.40	19.69	1.26	0.03	0.12	50.50
		comb.	29.64	19.29	1.28	0.02	0.10	50.33
	female	1	23.16	19.88	6.51	0.03	0.25	49.83
		2	22.62	20.23	6.13	0.05	0.47	49.50
		comb.	22.89	20.06	6.31	0.04	0.37	49.67
all	1	53.07	38.74	7.81	0.04	0.34	100.00	
	2	52.02	39.92	7.39	0.08	0.59	100.00	
	comb.	52.53	39.35	7.59	0.06	0.47	100.00	
(224)		comb.	52.53	39.35	7.59	0.06	0.47	100.00
9. Maharashtra	male	1	30.80	21.44	1.45	0.05	0.12	53.86
		2	30.12	21.69	1.56	0.05	0.16	53.58
		comb.	30.46	21.57	1.50	0.05	0.14	53.72
	female	1	22.00	19.23	4.63	0.06	0.22	46.14
		2	21.36	19.90	4.76	0.05	0.35	46.42
		comb.	21.69	19.56	4.70	0.05	0.28	46.28
all	1	52.80	40.67	6.08	0.11	0.34	100.00	
	2	51.48	41.59	6.32	0.10	0.51	100.00	
	comb.	52.15	41.13	6.20	0.10	0.42	100.00	
(192)		comb.	52.15	41.13	6.20	0.10	0.42	100.00
10. Mysore	male	1	31.21	18.55	1.52	0.01	0.16	51.45
		2	31.16	18.60	1.47	0.02	0.13	51.38
		comb.	31.18	18.57	1.49	0.02	0.15	51.41
	female	1	23.16	18.99	5.94	0.01	0.45	48.55
		2	23.41	19.04	5.80	0.02	0.35	48.62
		comb.	23.30	19.02	5.87	0.01	0.39	48.59
all	1	54.37	37.54	7.46	0.02	0.61	100.00	
	2	54.57	37.64	7.27	0.04	0.48	100.00	
	comb.	54.48	37.59	7.36	0.03	0.54	100.00	
(128)		comb.	54.48	37.59	7.36	0.03	0.54	100.00

TABLE (4) (contd.) : PERCENTAGE DISTRIBUTION OF POPULATION BY SEX AND MARITAL STATUS IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	state		sex	sub- sample	marital status					total
	(1)	(2)			single	married	widowed	divorced	separated	
(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
11. Orissa	80.0	80.0	male	81.51	27.72	22.74	1.56	0.22	0.02	52.26
	80.0	80.0		82.5	28.14	22.88	1.27	0.11	0.17	52.57
	80.0	80.0		comb.	27.92	22.81	1.42	0.16	0.09	52.40
	80.0	80.0	female	88.01	19.81	20.88	6.52	0.37	0.16	47.74
	81.0	80.0		87.02	19.92	21.18	6.04	0.15	0.14	47.43
	81.0	80.0		comb.	19.87	21.02	6.29	0.27	0.15	47.60
	81.0	81.0	all	80.81	47.53	43.62	8.08	0.59	0.18	100.00
	81.0	81.0		80.82	48.06	44.06	7.31	0.26	0.31	100.00
	(32)	81.0	81.0	comb.	47.79	43.83	7.71	0.43	0.24	100.00
	12. Punjab	80.0	80.0	male	80.1	32.48	20.00	1.83	0.01	0.02
80.0		80.0		80.1	31.32	20.01	1.97	0.05	0.07	53.42
80.0		80.0		comb.	31.91	20.01	1.90	0.03	0.08	53.93
81.0		81.0	female	81.1	23.70	18.74	3.03	0.03	0.09	45.59
81.0		80.0		81.2	23.69	19.38	3.41	0.04	0.06	46.58
81.0		80.0		comb.	23.68	19.05	3.22	0.04	0.08	46.07
81.0		81.0	all	80.1	56.18	38.74	4.86	0.04	0.18	100.00
81.0		80.0		80.1	55.01	39.39	5.38	0.09	0.13	100.00
(160)		81.0	80.0	comb.	55.59	39.06	5.12	0.07	0.16	100.00
13. Rajasthan		80.0	80.0	male	80.1	28.09	21.09	1.64	0.06	0.03
	81.0	80.0		80.1	28.22	22.23	1.89	0.02	0.05	52.41
	81.0	80.0		comb.	28.15	21.66	1.76	0.04	0.04	51.65
	81.0	80.0	female	81.1	20.98	22.73	5.26	0.04	0.08	49.09
	81.0	80.0		81.2	20.29	22.26	4.97	0.03	0.04	47.59
	81.0	80.0		comb.	20.64	22.49	5.12	0.04	0.06	48.35
	81.0	81.0	all	80.1	49.07	43.82	6.90	0.10	0.11	100.00
	81.0	81.0		80.2	48.51	44.49	6.86	0.05	0.09	100.00
	(96)	81.0	80.0	comb.	48.79	44.15	6.88	0.08	0.10	100.00

TABLE (4) (contd.) : PERCENTAGE DISTRIBUTION OF POPULATION BY SEX AND MARITAL STATUS IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES: NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	marital status					total
			single	married	widowed	divorced	separated	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
14. Uttar Pradesh	male	1	28.80	22.16	2.59	0.08	0.09	53.72
		2	29.15	22.23	2.52	0.08	0.09	54.07
		comb.	28.96	22.20	2.56	0.08	0.09	53.89
	female	1	21.26	20.88	4.00	0.05	0.09	46.28
		2	20.93	20.76	4.07	0.05	0.12	45.93
		comb.	21.10	20.83	4.03	0.05	0.10	46.11
	all	1	50.06	43.04	6.59	0.13	0.18	100.00
2		50.08	42.99	6.59	0.13	0.21	100.00	
(288)	comb.	50.06	43.03	6.59	0.13	0.19	100.00	
15. West Bengal	male	1	27.10	23.98	1.58	0.06	0.03	52.75
		2	29.91	26.11	1.64	0.03	0.04	57.73
		comb.	28.47	25.02	1.61	0.04	0.04	55.18
	female	1	23.32	18.32	5.31	0.10	0.20	47.25
		2	20.00	16.72	5.38	0.05	0.12	42.27
		comb.	21.70	17.54	5.34	0.08	0.16	44.82
	all	1	50.42	42.30	6.89	0.16	0.23	100.00
2		49.91	42.83	7.02	0.08	0.16	100.00	
(224)	comb.	50.17	42.56	6.95	0.12	0.20	100.00	
16. All-India (urban)	male	1	29.45	21.20	1.65	0.05	0.10	52.45
		2	29.73	21.57	1.67	0.06	0.11	53.14
		comb.	29.60	21.39	1.66	0.05	0.10	52.80
	female	1	22.14	20.11	5.00	0.09	0.21	47.55
		2	21.62	19.93	4.99	0.08	0.24	46.86
		comb.	21.87	20.01	5.00	0.09	0.23	47.20
	all	1	51.59	41.31	6.65	0.14	0.31	100.00
2		51.35	41.50	6.66	0.14	0.35	100.00	
(2272)	comb.	51.47	41.40	6.66	0.14	0.33	100.00	

TABLE (5) : ANNUAL FERTILITY RATE PER 1000 FEMALES BY AGE OF MOTHER IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sub- sample	age of mother (years)								
		0—14	15—19	20—24	25—29	30—34	35—39	40—44	45 and above	all
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. Andhra Pradesh (160)	1	0.80	140.26	210.27	197.61	145.34	69.23	25.14	1.86	65.37
	2	0.15	127.83	230.50	184.30	155.06	89.49	26.81	1.11	65.57
	combined	0.39	134.66	220.03	191.44	149.86	78.55	25.97	1.49	65.46
2. Assam (32)	1	..	111.75	194.96	225.38	182.96	97.81	65.87	7.48	71.16
	2	..	79.63	174.03	182.84	173.12	91.58	25.47	4.41	56.8
	combined	..	96.26	186.83	206.80	178.73	94.77	48.39	6.16	64.80
3. Bihar (96)	1	0.84	112.43	219.82	209.01	155.34	126.51	47.28	3.36	67.86
	2	0.48	147.37	213.28	205.98	144.81	120.40	62.37	0.93	68.94
	combined	0.66	129.08	216.76	207.60	150.24	123.67	53.34	2.76	68.37
4. Gujarat (128)	1	0.12	72.33	233.24	239.39	176.88	125.30	40.27	4.73	70.41
	2	0.11	80.94	242.77	248.46	181.58	118.92	33.39	5.03	71.08
	combined	0.12	76.77	238.02	243.72	179.30	122.17	36.79	4.89	70.75
5. Jammu & Kashmir (227)	1	0.04	67.41	175.30	171.50	139.45	86.26	42.34	4.94	52.74
	2	0.06	57.97	184.57	143.09	114.97	94.60	40.01	3.26	47.27
	combined	0.05	62.55	179.80	157.58	127.23	90.39	41.18	4.05	49.99
6. Kerala (64)	1	0.40	71.18	210.82	219.97	203.67	105.18	45.02	1.56	65.29
	2	0.11	70.64	221.09	242.48	162.50	113.78	18.12	1.96	64.13
	combined	0.15	70.93	215.49	230.98	184.62	109.31	32.68	1.75	64.74

Fertility and Mortality Rates in Urban Areas of India

TABLE (5) (contd.) : ANNUAL FERTILITY RATE PER 1000 FEMALES BY AGE OF MOTHER IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sub- sample	age of mother (years)								all
		0—14	15—19	20—24	25—29	30—34	35—39	40—44	45 & above	
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
7. Madhya Pradesh (96)	1	0.17	137.87	278.17	235.12	227.58	113.20	75.96	2.54	82.65
	2	0.07	131.53	261.52	278.96	203.58	140.90	37.10	2.71	84.84
	combined	0.12	134.44	269.36	259.38	213.54	129.46	53.90	2.63	83.85
8. Madras (224)	1	0.23	91.08	224.31	210.08	140.54	86.30	30.05	0.93	64.63
	2	0.05	100.07	240.66	222.21	163.98	100.63	29.36	1.32	71.50
	combined	0.14	95.50	233.05	216.38	152.63	93.85	29.70	1.13	68.18
9. Maharashtra* (96)	2	0.13	105.37	306.36	171.67	149.29	98.01	36.10	2.32	69.66
10. Mysore* (64)	2	0.75	129.33	224.50	229.89	184.75	107.39	33.34	2.68	70.77
11. Orissa (32)	1	0.58	124.13	219.57	159.05	124.42	79.73	26.85	1.58	59.16
	2	1.49	129.78	216.35	253.15	160.83	102.62	39.40	0.98	72.75
	combined	1.02	126.95	217.92	205.58	140.31	90.94	33.23	1.30	65.76
12. Punjab (160)	1	..	86.38	235.51	265.15	167.87	103.54	44.95	1.47	67.66
	2	0.02	74.02	258.15	207.64	157.66	90.36	37.32	1.31	63.31
	combined	0.11	80.19	246.76	235.56	162.85	97.04	41.05	1.38	65.49
13. Rajasthan (96)	1	0.43	148.24	283.99	279.36	172.48	131.12	73.35	4.81	81.58
	2	0.22	131.85	270.61	289.76	200.18	150.00	72.89	3.19	79.94
	combined	0.32	140.03	277.41	284.12	185.57	140.28	73.13	4.01	80.78

*based on one sub-sample due to unavoidable reasons.

TABLE (5) (contd.) : ANNUAL FERTILITY RATE PER 1000 FEMALES BY AGE OF MOTHER IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sub- sample	age of mother (years)								all
		0—14	15—19	20—24	25—29	30—34	35—39	40—44	45 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
14. Uttar Pradesh (288)	1	0.27	137.02	273.82	271.51	213.11	147.84	74.43	6.59	83.67
	2	0.35	115.06	280.22	265.88	206.15	141.41	75.76	4.22	82.50
	combined	0.31	126.27	276.83	268.82	209.80	144.80	75.07	5.45	83.12
15. West Bengal (224)	1	0.07	53.05	156.95	107.70	98.74	57.50	37.24	0.97	43.95
	2	0.32	72.56	156.11	167.72	122.12	75.75	34.41	1.73	51.39
	combined	0.18	61.14	156.58	132.75	109.78	66.75	35.77	1.34	47.40
16. All-India* (1136)	2	0.26	104.98	244.68	218.60	168.89	110.67	41.53	2.53	70.70

*based on one sub-sample due to unavoidable reasons.

Fertility and Mortality Rates in Urban Areas of India

TABLE (6) : ANNUAL BIRTH RATE PER 1000 PERSONS BY PER CAPITA MONTHLY HOUSEHOLD EXPENDITURE GROUP IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sub- sample	per capita monthly household expenditure (Rs.)								
		0—7	8—10	11—15	16—20	21—25	26—30	31—50	51 & above	all
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. Andhra Pradesh (160)	1	42.77	37.95	38.29	29.45	26.67	19.50	25.94	17.12	32.76
	2	36.73	46.00	34.77	27.15	28.79	22.64	24.47	14.53	32.36
	combined	39.37	41.94	36.68	28.42	27.74	21.04	25.19	15.93	32.57
2. Assam (32)	1	..	41.80	36.97	37.37	35.22	26.70	24.22	17.12	30.66
	2	3.93	29.97	21.58	18.61	23.47	5.19	24.63
	combined	..	31.40	36.53	33.73	30.00	23.42	23.90	12.57	28.00
3. Bihar (96)	1	32.12	42.20	36.12	32.55	28.64	32.91	22.43	10.52	32.39
	2	32.81	38.67	34.40	29.80	34.82	25.54	24.77	15.61	31.76
	combined	32.38	40.61	35.25	31.19	31.30	29.34	23.51	12.64	32.09
4. Gujarat (128)	1	65.51	41.43	38.53	43.08	36.27	31.30	23.83	19.70	36.21
	2	28.63	34.55	37.12	37.26	40.05	29.25	25.26	15.01	34.08
	combined	44.97	38.01	37.89	40.33	38.24	30.08	24.62	17.51	35.13
5. Jammu & Kashmir (224)	1	31.44	28.18	26.94	22.69	21.89	19.46	17.77	12.54	23.43
	2	14.50	27.70	25.36	21.39	23.69	19.93	17.36	8.56	22.14
	combined	20.81	28.00	26.22	22.04	22.82	19.71	17.55	10.18	22.79
6. Kerala (64)	1	36.66	35.13	32.35	28.62	28.08	13.09	21.68	6.27	32.50
	2	34.36	39.25	31.28	28.33	32.33	23.67	22.12	6.53	31.95
	combined	35.85	37.03	31.78	28.46	30.36	19.11	21.92	6.42	32.24

TABLE (6) (contd.) : ANNUAL BIRTH RATE PER 1000 PERSONS BY PER CAPITA MONTHLY HOUSEHOLD EXPENDITURE GROUP IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sub- sample	per capita monthly household expenditure (Rs.)								all
		0-7	8-10	11-15	16-20	21-25	26-30	31-50	51 & above	
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
7 Madhya Pradesh (96)	1	51.61	55.11	42.66	39.37	35.05	25.13	27.78	14.75	38.55
	2	64.87	53.73	45.15	46.18	38.21	29.20	28.13	13.86	39.19
	combined	57.47	54.44	43.96	42.94	36.69	27.49	28.01	14.02	38.90
8 Madras (224)	1	38.76	37.70	35.23	32.73	32.06	27.30	24.33	15.24	32.27
	2	51.47	44.03	38.54	37.49	27.82	19.63	23.13	15.29	35.40
	combined	44.76	41.16	37.00	35.34	29.84	23.44	23.75	15.26	33.91
9 Maharashtra (192)	1	44.09	40.51	38.85	33.63	31.90	25.75	20.60	9.47	29.48
	2	45.33	45.20	40.63	34.88	30.83	29.63	23.71	13.05	32.33
	combined	44.71	42.75	39.72	34.30	31.33	27.69	22.09	10.95	30.89
10 Mysore (128)	1	35.78	40.59	34.55	32.88	29.10	19.96	21.59	19.41	32.76
	2	45.06	37.49	36.54	34.61	33.17	33.65	23.86	12.14	34.41
	combined	39.06	39.09	35.53	33.83	31.21	27.35	22.76	15.62	33.59
11 Orissa (32)	1	20.92	40.53	32.39	24.78	23.04	16.33	23.16	8.03	27.04
	2	28.99	33.21	41.20	41.06	29.05	22.94	21.66	14.53	34.50
	combined	25.46	36.47	36.64	32.82	25.95	19.24	22.50	10.53	30.66
12 Punjab (160)	1	48.69	42.75	36.51	35.41	36.24	23.85	19.89	16.19	30.84
	2	37.54	35.39	36.54	35.59	25.53	25.01	23.92	11.27	29.49
	combined	43.98	39.88	36.53	35.51	30.06	24.44	21.82	14.51	30.18

Fertility and Mortality Rates in Urban Areas of India

TABLE (6) (contd.): ANNUAL BIRTH RATE PER 1000 PERSONS BY PER CAPITA MONTHLY HOUSEHOLD EXPENDITURE GROUP IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sub- sample	per capita monthly household expenditure (Rs.)								
		0—7	8—10	11—15	16—20	21—25	26—30	31—50	51 & above	all
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
13. Rajasthan (96)	1	75.15	58.73	46.94	43.46	40.10	37.96	28.32	17.96	40.87
	2	44.55	51.15	48.80	33.85	36.00	32.25	27.00	19.54	38.05
	combined	58.10	54.39	47.96	38.33	38.36	35.53	27.77	18.53	39.47
14. Uttar Pradesh (288)	1	48.21	48.67	46.89	41.52	34.11	26.33	23.45	20.14	40.54
	2	50.70	49.04	42.92	35.75	28.14	23.91	24.94	20.64	37.89
	combined	49.53	48.86	44.97	38.85	31.05	25.13	24.18	20.38	39.24
15. West Bengal (224)	1	6.04	36.99	37.17	22.04	20.09	16.97	14.33	13.23	20.57
	2	36.71	47.29	33.47	28.94	22.91	19.28	12.66	15.87	21.73
	combined	19.89	40.52	35.59	25.37	21.41	18.07	13.42	14.54	21.13
16. All-India (2272)	1	39.62	42.22	39.51	34.97	31.35	24.86	21.74	14.24	32.87
	2	43.21	44.21	39.39	34.69	30.83	25.61	22.33	14.72	33.13
	combined	41.20	43.21	39.45	34.83	31.09	25.24	22.04	14.47	33.00

TABLE (7) : ANNUAL BIRTH RATE PER 1000 PERSONS BY HOUSEHOLD OCCUPATION GROUPS IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sub- sample	household occupation group ¹														all occu- pation
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
1. Andhra Pradesh (160)	1	34.52	30.55	33.56	34.20	29.69	44.38	33.99	35.33	32.65	30.72	39.29	33.86	30.68	18.44	32.76
	2	49.02	40.59	30.87	34.91	29.94	34.20	41.54	37.76	34.99	26.10	32.67	31.36	32.78	..	32.36
	comb.	41.73	35.39	32.26	34.55	29.81	38.68	38.05	36.76	33.85	29.74	36.79	32.76	31.73	9.55	32.57
2. Assam (32)	1	22.45	41.62	35.42	27.88	23.26	21.86	20.96	..	36.16	34.43	26.96	18.88	30.66
	2	22.82	24.43	27.69	21.10	33.72	47.67	32.43	..	44.32	26.51	27.71	..	24.63
	comb.	22.62	32.97	33.39	23.98	26.68	35.91	..	5.47	26.25	..	39.54	31.50	27.35	12.19	28.00
3. Bihar (96)	1	27.40	26.16	34.98	32.07	32.22	30.44	34.97	34.91	32.97	26.63	34.72	34.76	27.33	29.17	32.39
	2	71.13	29.34	27.97	32.28	37.72	19.09	28.35	25.85	32.67	21.82	35.39	34.41	24.38	..	31.76
	comb.	44.94	27.45	31.91	32.18	34.63	25.52	30.38	32.73	32.82	25.39	35.08	34.60	26.11	14.35	32.09
4. Gujarat (128)	1	26.54	31.63	29.85	34.91	39.05	34.09	48.39	29.47	40.21	..	43.14	40.63	39.13	14.15	36.21
	2	30.16	27.78	35.71	29.04	34.71	21.60	35.68	29.12	32.76	41.91	42.85	40.68	32.88	13.41	34.08
	comb.	28.31	30.68	32.95	31.57	36.68	22.33	41.07	29.26	35.82	12.80	43.00	40.66	36.28	13.76	35.13
5. Jammu & Kashmir (224)	1	18.51	21.88	20.41	22.95	24.05	33.08	60.60	24.86	26.55	..	24.82	24.36	27.45	18.70	23.43
	2	21.61	13.34	22.76	20.36	26.30	29.98	39.76	31.39	27.84	..	27.98	21.29	23.75	18.23	22.14
	comb.	20.27	17.69	21.58	21.74	25.27	31.31	51.18	28.03	27.25	..	26.41	22.87	25.86	18.48	22.79
6. Kerala (64)	1	28.62	31.92	33.79	30.35	25.27	16.13	34.74	33.40	29.82	..	27.88	38.51	32.74	19.28	32.50
	2	26.48	19.35	32.55	35.84	21.03	20.84	45.70	24.90	30.73	..	39.62	33.57	39.07	20.20	31.95
	comb.	27.48	27.46	33.12	32.96	23.24	17.53	39.89	27.84	30.28	..	33.18	36.32	35.64	19.74	32.24

¹household occupation groups : professional, technical and related work-1, administrative and executive work-2, clerical & related work-3, sales worker-4, farmer-5, cultivator-6, agricultural labour-7, other agricultural worker-8, all agricultural worker-9, mining & related work-10, transport & communication-11, crafts & production process-12, services, sports & recreation-13, others-14.

TABLE (7) (contd.) : ANNUAL BIRTH RATE PER 1000 PERSONS BY HOUSEHOLD OCCUPATION GROUPS IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sub- sample	household occupation group ¹														all occu- pation
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
7. Madhya Pradesh (96)	1	37.12	38.81	40.22	35.70	46.87	60.84	21.55	16.91	42.26	66.71	39.98	38.53	43.71	30.92	38.54
	2	30.68	22.56	43.41	33.10	41.15	66.52	65.74	54.74	47.89	48.63	46.01	45.35	38.87	8.40	39.19
	comb.	33.08	27.52	42.24	34.68	43.57	65.47	50.91	41.53	45.71	49.71	43.28	42.22	41.15	17.95	38.90
8 Madras (224)	1	29.47	29.27	33.13	31.09	29.46	33.81	34.55	27.42	31.72	66.67	40.03	34.98	37.87	19.22	32.27
	2	41.09	31.57	36.88	37.24	24.82	39.24	29.62	42.26	32.43	10.29	41.86	37.94	42.31	..	35.40
	comb.	35.20	30.39	34.99	34.25	27.24	37.16	31.59	41.17	32.15	25.72	40.94	36.58	40.08	12.60	33.91
9. Maharashtra (192)	1	20.49	25.76	28.63	29.10	31.02	45.73	32.68	28.65	32.02	37.01	35.07	33.96	28.03	14.55	29.48
	2	29.00	32.53	32.54	31.90	36.29	26.81	36.70	46.33	36.57	33.67	34.00	33.14	35.80	9.35	32.33
	comb.	24.36	29.06	30.46	30.30	33.84	37.14	34.60	38.81	34.38	36.25	34.52	33.50	31.55	12.07	30.89
10. Mysore (128)	i	30.22	26.44	31.67	35.18	35.03	37.71	28.24	24.45	32.94	31.96	34.72	36.18	32.41	18.67	32.76
	2	34.30	29.86	37.29	35.56	31.93	38.95	29.55	26.86	31.57	26.25	39.76	36.84	35.96	25.76	34.41
	comb.	32.29	28.16	34.83	35.37	33.48	38.16	28.76	26.35	32.31	29.59	36.91	36.51	34.42	22.47	33.59
11. Orissa (32)	1	23.01	35.07	34.14	31.57	24.24	18.38	31.16	12.57	24.43	..	26.15	27.18	10.91	22.36	27.04
	2	68.76	32.43	28.58	36.04	34.38	..	19.51	24.26	28.13	51.28	41.69	43.16	28.31	..	34.50
	comb.	46.08	33.93	31.28	32.95	28.73	17.72	25.09	19.71	25.64	51.28	35.33	35.99	20.93	12.19	30.66
12. Punjab (160)	1	23.93	25.07	29.58	27.32	40.94	22.32	38.33	38.18	35.64	..	50.09	34.90	38.09	21.01	30.84
	2	25.12	24.20	25.09	27.97	29.58	49.38	18.04	..	29.09	..	33.82	36.14	34.00	17.06	29.49
	comb.	24.35	24.81	27.16	27.64	33.17	31.68	34.54	22.24	32.26	..	43.40	35.56	35.94	18.87	30.18

¹household occupation groups : professional, technical and related work-1, administrative and executive work-2, clerical & related work-3, sales worker-4, farmer-5, cultivator-6, agricultural labour-7, other agricultural worker-8, all agricultural worker-9, mining & related work-10, transport & communication-11, crafts & production process-12, services, sports & recreation-13, others-14.

TABLE (7) (contd.) : ANNUAL BIRTH RATE PER 1000 PERSONS BY HOUSEHOLD OCCUPATION GROUPS IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sub- sample	household occupation group ¹														all occu- pation
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
13. Rajasthan (96)	1	31.78	24.09	42.74	40.77	40.42	..	52.07	42.53	41.24	..	48.63	44.94	47.58	32.63	40.87
	2	30.26	41.34	38.71	37.08	42.75	21.91	40.41	41.95	41.68	38.61	45.63	39.06	36.10	27.01	38.05
	comb.	31.06	31.45	40.76	39.22	41.90	20.08	46.79	42.22	41.52	32.32	46.87	41.98	42.18	30.43	39.47
14. Uttar Pradesh (288)	1	29.73	28.75	40.70	40.38	41.68	46.58	47.81	46.40	43.76	156.25	42.81	44.37	40.71	23.93	40.54
	2	29.99	38.88	36.03	36.78	43.65	36.31	36.63	33.60	41.10	..	41.42	39.92	46.07	21.30	37.89
	comb.	29.87	34.96	38.24	38.62	42.62	43.55	43.10	37.37	42.54	112.04	42.22	42.10	42.94	22.73	39.24
15. West Bengal (224)	1	11.77	15.00	18.18	20.07	17.16	22.28	24.92	10.51	18.07	..	27.41	24.52	19.22	17.83	20.57
	2	32.83	18.53	20.37	23.40	16.20	15.90	25.76	22.60	19.06	..	27.83	23.53	21.64	..	21.73
	comb.	22.85	16.56	19.18	21.82	16.61	19.53	25.26	15.30	18.56	..	27.60	24.05	20.52	8.86	21.13
16. All-India (2272)	1	26.23	26.87	31.15	32.56	34.57	38.68	35.15	30.01	34.79	30.40	37.82	36.36	34.06	20.81	32.87
	2	34.66	29.41	32.57	32.22	34.80	34.91	35.17	36.87	35.12	32.92	37.80	35.89	35.60	11.21	33.13
	comb.	30.46	28.07	31.87	32.40	34.69	36.74	35.16	34.59	34.97	31.37	37.81	36.12	34.80	16.19	33.00

¹household occupation groups : professional, technical and related work-1, administrative and executive work-2, clerical & related work-3, sales worker-4, farmer-5, cultivator-6, agricultural labour-7, other agricultural worker-8, all agricultural worker-9, mining & related work-10, transport & communication-11, crafts & production process-12, services, sports & recreation-13, others-14.

TABLE(8) : ANNUAL AGE-SPECIFIC DEATH RATE PER 1000 POPULATION BY SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age group (years)																
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	all ages	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	
1. Andhra Pradesh	male	1	54.98	8.13	1.07	0.28	1.62	0.93	1.16	1.07	3.55	8.54	5.56	9.06	17.32	29.44	67.24	7.10	
		2	68.72	9.04	2.47	2.38	..	1.51	1.11	2.50	4.22	3.38	9.66	18.72	14.64	31.24	31.67	7.77	
		comb.	61.53	8.56	1.74	1.25	0.86	1.21	1.14	1.73	3.87	6.19	7.52	13.87	16.00	30.33	50.09	7.42	
	female	1	61.36	10.37	1.40	0.54	3.26	3.08	2.89	2.37	1.46	1.16	3.83	6.06	15.80	8.71	31.36	6.16	
		2	51.03	9.36	2.71	1.81	0.74	2.69	1.78	2.95	1.88	3.63	0.45	3.71	5.60	4.38	22.72	5.24	
		comb.	56.56	9.89	2.01	1.14	2.12	2.89	2.38	2.64	1.65	2.38	2.12	4.92	10.91	6.79	26.77	5.72	
	total	1	58.02	9.25	1.24	0.41	2.43	2.04	2.04	1.71	2.52	5.27	4.74	7.54	16.55	18.93	48.62	6.63	
		2	60.49	9.20	2.59	2.10	0.35	2.14	1.44	2.72	3.10	3.50	5.01	11.27	10.23	18.84	26.60	6.52	
	(160)		comb.	59.19	9.22	1.87	1.20	1.47	2.09	1.76	2.18	2.79	4.43	4.88	9.38	14.47	18.90	37.43	6.58
	2. Assam	male	1	57.40	2.48	0.58	2.16	4.72	8.50	..	14.24	11.96	2.72
2			65.20	3.35	1.37	2.08	..	5.32	..	9.07	17.38	24.53	48.58	4.10	
comb.			63.31	2.83	0.94	2.13	..	2.30	2.58	8.73	6.79	18.73	29.78	3.32	
female		1	18.62	4.54	0.60	..	2.82	2.38	15.08	23.24	2.60	
		2	34.53	5.04	0.53	1.23	2.25	..	7.38	31.53	2.98	
		comb.	24.20	4.77	0.57	..	1.46	1.93	0.97	..	3.67	8.19	26.88	2.77	
total		1	38.44	3.48	0.58	..	1.10	1.02	..	1.32	3.32	5.50	..	14.64	17.68	2.68	
		2	51.15	4.23	0.95	0.45	0.89	1.22	2.43	3.68	..	5.59	11.03	12.11	40.79	3.61	
(32)			comb.	43.38	3.80	0.76	..	0.62	0.78	0.38	1.28	1.19	1.59	1.78	5.54	4.21	13.51	28.92	3.09

TABLE (8) (contd.): ANNUAL AGE-SPECIFIC DEATH RATE PER 1000 POPULATION BY SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age group (years)															all ages	
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	
3. Bihar	male	1	59.85	14.89	5.08	1.90	4.93	0.98	5.87	1.91	1.98	1.08	7.34	7.43	11.35	18.03	33.39	7.90	
		2	80.58	15.90	4.06	2.11	2.05	0.59	4.13	3.04	..	8.04	13.16	11.81	12.56	23.04	43.22	8.83	
		comb.	68.93	15.37	4.59	2.00	3.58	0.79	5.04	2.47	1.00	4.35	10.09	9.37	11.95	20.25	38.30	8.35	
	female	1	73.18	16.44	4.56	3.46	3.48	3.26	4.24	4.88	8.82	3.46	..	5.26	..	12.56	20.72	8.28	
		2	76.25	15.57	3.64	3.14	3.19	3.56	2.26	1.14	2.60	7.70	3.51	4.81	6.11	13.19	28.36	8.23	
		comb.	74.69	16.01	4.11	3.31	3.34	3.40	3.31	3.07	5.92	5.16	1.57	5.07	3.06	12.83	24.23	8.26	
	(96)	total	1	65.73	15.64	4.82	2.60	4.33	2.09	5.09	3.35	5.20	2.22	4.00	6.38	6.12	15.22	26.21	8.08
			2	78.42	15.74	3.85	2.54	2.53	1.99	3.27	2.14	1.14	7.90	9.00	8.64	9.50	18.24	35.37	8.55
			comb.	71.62	15.68	4.35	2.57	3.48	2.04	4.23	2.76	3.24	4.71	6.30	7.36	7.80	16.52	30.58	8.31
4. Gujarat	male	1	75.66	17.11	1.28	1.35	1.14	2.61	1.30	1.47	4.03	8.87	7.37	9.04	23.96	33.82	10.89	8.68	
		2	91.99	17.07	2.22	0.95	1.02	0.21	1.37	2.79	1.73	3.53	5.40	18.20	13.42	23.34	48.26	8.73	
		comb.	83.47	17.09	1.77	1.15	1.08	1.43	1.34	2.11	2.90	6.19	6.41	13.65	18.77	28.19	44.93	8.70	
	female	1	53.26	16.74	2.42	1.03	2.13	1.88	0.51	2.65	7.07	2.70	6.53	3.07	10.37	12.03	22.08	7.01	
		2	64.66	28.41	1.77	1.19	0.47	2.10	3.22	1.94	1.62	1.80	0.54	9.69	5.22	12.83	40.79	8.78	
		comb.	58.90	22.35	2.09	1.11	1.27	1.99	1.80	2.28	4.39	2.25	3.46	6.36	7.73	12.44	32.24	7.90	
	(128)	total	1	64.59	16.92	1.83	1.20	1.59	2.26	0.91	2.02	5.46	5.94	6.98	6.21	17.56	21.79	30.34	7.88
			2	78.03	22.46	2.01	1.06	0.77	1.13	2.26	2.37	1.68	2.70	3.04	14.21	9.39	17.82	44.11	8.75
			comb.	71.13	19.63	1.92	1.13	1.17	1.70	1.56	2.19	3.60	4.31	5.01	10.21	13.46	19.71	37.85	8.32

TABLE (8) (contd.) : ANNUAL AGE-SPECIFIC DEATH RATE PER 1000 POPULATION BY SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age group (years)															all ages
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
5. Jammu & Kashmir	male	1	62.17	6.43	0.65	0.66	0.65	0.87	0.96	0.69	3.14	4.63	10.35	12.18	23.69	23.87	49.73	5.81
		2	42.40	10.53	1.07	0.33	0.48	0.99	1.29	1.99	1.51	3.10	6.32	12.36	16.15	21.95	37.63	5.75
		comb.	52.47	8.46	0.86	0.49	0.56	0.93	1.12	1.31	2.35	3.88	8.32	12.27	19.96	22.87	42.03	5.78
	female	1	52.42	7.09	1.45	1.09	1.74	1.51	2.27	2.29	5.49	2.00	5.29	4.74	8.08	8.78	24.37	4.66
		2	46.53	8.99	1.24	0.58	0.39	2.28	3.05	4.60	3.48	3.74	3.30	7.03	9.43	5.04	13.39	4.64
		comb.	49.47	8.05	1.35	0.83	1.04	1.88	2.65	3.45	4.50	2.86	4.28	5.87	8.75	6.88	17.33	4.65
(224)	total	1	57.44	6.75	1.04	0.86	1.13	1.17	1.61	1.43	4.21	3.50	8.07	9.02	17.29	16.93	38.19	5.27
		2	44.41	9.76	1.15	0.45	0.44	1.56	2.15	3.24	2.42	3.38	4.95	10.13	13.40	14.87	26.64	5.23
		comb.	50.92	8.24	1.10	0.65	0.78	1.37	1.88	2.32	3.34	3.44	6.50	9.57	15.36	16.05	30.78	5.25
6. Kerala	male	1	49.81	15.94	4.11	..	0.45	1.27	1.04	3.31	4.76	3.70	12.13	9.19	33.75	37.64	60.82	8.98
		2	62.62	16.26	1.29	1.98	..	3.36	6.49	2.84	2.11	1.94	5.93	5.71	46.86	32.90	51.97	9.51
		comb.	56.86	16.09	2.78	0.93	0.23	2.25	3.50	3.08	3.51	2.86	9.07	7.61	39.55	35.50	56.77	9.23
	female	1	58.49	19.94	6.02	0.62	1.72	3.66	2.55	4.13	0.69	1.80	10.12	7.09	11.68	13.09	51.36	9.13
		2	40.48	14.49	2.93	0.66	..	3.06	4.13	2.67	1.49	6.43	5.74	10.31	6.43	22.37	54.25	7.91
		comb.	49.15	17.36	4.58	0.64	0.92	3.39	3.32	3.46	1.07	3.93	6.75	9.86	9.11	17.02	52.70	8.56
(64)	total	1	54.41	17.88	5.08	0.30	1.10	2.46	1.81	3.75	2.79	2.76	9.86	9.30	22.73	23.78	55.63	9.06
		2	51.61	15.41	2.12	1.34	..	3.21	5.20	2.76	1.80	4.09	5.84	8.10	24.76	27.12	53.23	8.71
		comb.	52.91	16.71	3.68	0.79	0.58	2.81	3.41	3.27	2.32	3.38	7.93	8.73	23.67	25.28	54.53	8.89

TABLE (8)(contd.) : ANNUAL AGE SPECIFIC DEATH RATE PER 1000 POPULATION BY SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age group (years)															65 & above	all ages
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	
7. Madhya Pradesh	male	1	87.46	11.99	1.02	2.49	0.32	1.70	0.39	1.16	2.66	1.95	1.49	13.66	6.44	25.36	48.27	7.84	
		2	135.60	22.06	1.98	0.88	5.07	4.04	3.81	1.78	6.68	6.04	8.39	3.83	17.86	95.42	11.71		
		comb.	113.51	17.54	1.54	1.58	0.15	3.64	2.41	2.65	2.14	4.60	3.94	10.68	4.90	21.10	71.07	9.99	
	female	1	105.05	19.71	2.41	2.69	2.96	6.31	2.54	1.91	5.63	5.20	2.07	2.33	3.46	8.74	41.71	10.73	
		2	142.72	21.53	0.93	0.27	4.86	1.03	8.88	4.70	5.57	5.79	8.73	3.46	41.59	11.89			
		comb.	125.88	20.66	1.59	1.34	3.99	3.51	6.05	3.55	2.32	5.41	4.05	5.85	1.50	6.11	41.65	11.37	
	(96) total	1	96.19	15.79	1.68	2.58	1.43	3.97	1.43	1.51	4.03	3.35	1.77	8.71	5.03	16.30	44.78	9.20	
		2	139.22	21.81	1.47	0.62	2.08	3.26	6.40	4.25	0.97	6.19	5.92	8.53	2.11	11.03	65.75	11.79	
		comb.	119.72	19.03	1.57	1.47	1.78	3.58	4.18	3.07	2.22	4.95	3.99	8.61	3.34	13.49	55.13	10.63	
8. Madras	male	1	72.38	14.27	2.72	0.25	0.96	0.47	1.40	4.93	2.62	7.18	8.01	13.88	19.12	24.49	46.10	8.40	
		2	92.11	19.48	2.69	0.50	1.58	2.35	2.15	2.93	2.47	3.34	9.92	18.41	13.56	17.22	46.69	9.85	
		comb.	83.07	17.04	2.71	0.38	1.27	1.41	1.80	3.88	2.54	5.25	8.99	16.23	16.09	20.70	46.40	9.15	
	female	1	66.29	15.66	2.55	0.95	3.91	1.46	2.24	1.86	3.88	4.41	5.95	2.57	6.46	9.49	31.73	7.19	
		2	78.10	24.93	4.03	0.41	2.32	3.02	2.95	5.16	3.19	5.92	5.71	4.26	3.64	14.50	20.81	8.98	
		comb.	72.57	20.53	3.31	0.67	3.13	2.29	2.61	3.56	3.52	5.18	5.78	3.44	5.02	12.00	26.07	8.11	
	(224) total	1	69.32	14.96	2.64	0.58	2.49	0.96	1.85	3.43	3.23	5.89	6.98	8.31	12.66	16.37	38.17	7.79	
		2	85.20	22.10	3.34	0.46	1.95	2.71	2.57	4.00	2.81	4.57	7.90	11.52	8.85	15.80	32.49	9.42	
		comb.	77.84	18.74	3.01	0.52	2.22	1.87	2.23	3.73	3.00	5.22	7.46	9.96	10.64	16.08	35.29	8.64	

TABLE 8 (contd.) : ANNUAL AGE SPECIFIC DEATH RATE PER 1000 POPULATION BY SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age group (years)															all ages
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
9. Maharashtra*	male	2	23.56	21.08	2.44	0.91	0.43	1.08	1.07	1.28	3.04	3.53	5.53	9.89	16.53	19.51	52.85	7.48
	female	2	24.85	19.80	2.69	0.97	2.00	4.85	1.82	1.37	2.91	4.63	4.19	1.56	13.54	11.28	27.53	7.33
	(96) total	2	24.19	20.46	2.56	0.94	1.13	2.74	1.44	1.32	2.98	4.00	4.92	6.11	15.22	15.59	40.03	7.41
10. Mysore*	male	2	85.80	22.27	1.78	3.43	..	4.49	1.57	0.42	2.01	7.82	7.37	9.51	20.56	22.17	48.37	9.81
	female	2	65.28	24.51	1.74	1.52	1.50	3.67	3.31	1.87	4.22	2.92	6.08	9.30	9.64	9.86	44.77	8.92
	(64) total	2	75.80	23.36	1.76	2.48	0.73	4.10	2.42	1.13	3.00	5.55	6.79	9.41	15.30	15.71	46.49	9.38
11. Orissa	male	1	32.04	11.10	3.95	2.76	2.16	6.20	..	7.78	5.95	22.09	40.43	5.03
		2	64.45	18.96	1.84	1.09	4.86	4.40	..	2.15	13.69	14.71	12.69	45.27	69.60	9.83
	comb.	56.10	15.09	0.90	0.53	4.40	1.44	..	2.26	1.14	4.36	6.70	11.26	9.15	34.04	53.94	7.38	
	female	1	21.60	10.34	1.08	3.08	1.34	5.46	3.42	..	7.10	23.00	3.92
		2	84.95	9.58	1.15	2.91	10.15	4.41	4.96	..	3.83	..	27.26	9.34	62.72	8.77
	comb.	54.17	9.94	1.13	3.00	5.70	5.01	2.43	..	2.04	1.79	11.70	8.24	41.30	5.36	
	(32) total	1	26.52	10.71	0.54	..	2.11	2.91	0.64	2.76	1.25	3.62	..	5.49	3.01	14.32	31.17	4.50
2		81.51	14.45	1.50	0.60	2.54	1.42	4.83	4.41	2.15	1.15	8.98	7.36	19.21	26.92	65.96	9.33	
comb.		55.10	12.53	1.01	0.30	2.33	2.18	2.71	3.55	1.68	2.44	4.55	6.41	10.35	20.77	47.24	6.85	

*based on one sub-sample only (sub-sample 2) for unavoidable reasons.

TABLE (8) (contd.) : ANNUAL AGE SPECIFIC DEATH RATE PER 1000 POPULATION BY SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age group (years)																
			0-4	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	all ages	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	
12. Punjab	male	1	64.36	7.11	..	0.64	1.12	0.87	..	0.62	..	0.79	..	7.24	9.21	17.84	36.52	5.07	
		2	42.73	8.10	0.28	1.42	1.58	..	0.73	6.59	2.81	4.79	13.77	11.66	29.89	4.58	
		comb.	54.31	7.59	0.14	0.33	0.60	1.14	0.80	0.32	0.38	3.47	1.45	6.10	11.42	14.86	33.08	4.83	
	female	1	43.84	4.42	1.23	..	2.66	2.19	1.91	..	0.87	2.96	2.66	4.61	10.94	4.63	16.02	3.83	
		2	55.20	7.87	0.97	..	0.51	..	0.58	0.74	0.90	2.83	6.17	..	11.48	7.88	26.56	4.46	
		comb.	49.64	6.09	1.10	..	1.58	1.10	1.23	0.36	0.89	2.89	4.46	2.31	5.50	6.37	21.60	4.15	
	(160)	total	1	54.78	5.82	0.58	0.34	1.77	1.46	0.89	0.33	0.41	1.76	1.16	6.18	9.91	11.94	27.79	4.51
			2	49.13	7.99	0.61	..	0.23	0.76	1.11	0.34	0.81	4.73	4.27	2.70	8.08	9.80	28.44	4.53
			comb.	52.02	6.87	0.59	0.18	1.03	1.12	1.00	0.34	0.61	3.20	2.76	4.51	9.10	10.88	28.13	4.52
13. Rajasthan	male	1	121.80	16.37	2.21	0.74	1.91	..	1.45	7.20	8.38	12.46	22.98	19.26	66.05	11.21	
		2	129.06	28.28	3.08	0.53	2.26	1.27	0.50	3.27	4.35	6.06	13.51	7.83	14.30	35.70	51.32	12.61	
		comb.	125.21	22.23	2.64	0.63	2.09	0.65	0.98	1.73	2.14	6.62	10.92	10.12	18.58	27.99	58.95	11.91	
	female	1	115.74	27.20	2.22	2.60	2.42	3.15	3.61	1.02	1.96	1.38	7.25	3.33	8.92	5.40	33.78	11.25	
		2	115.85	33.11	6.14	3.42	5.41	4.24	2.64	4.55	4.95	5.12	7.13	4.34	1.74	6.33	42.27	13.82	
		comb.	115.79	30.13	4.14	3.00	3.92	3.69	3.17	2.69	3.41	3.14	7.19	3.81	5.30	5.86	38.03	12.50	
	(9)	total	1	118.81	21.70	2.21	1.60	2.14	1.68	2.53	0.53	0.97	4.21	7.85	7.85	15.99	11.89	48.78	11.23
			2	122.35	30.67	4.51	1.83	3.64	2.77	1.49	3.87	4.65	5.62	10.48	6.18	8.07	21.03	46.53	13.19
			comb.	120.49	26.13	3.35	1.71	2.90	2.23	2.03	2.21	2.76	4.90	9.15	7.03	11.99	16.59	47.69	12.20

TABLE (8) (contd.) : ANNUAL AGE SPECIFIC DEATH RATE PER 1000 POPULATION BY SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age group (years)																
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	all ages	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	
14. Uttar Pradesh (288)	male	1	144.16	26.65	2.50	1.27	0.93	3.67	2.42	3.55	1.92	4.06	6.95	7.48	15.01	15.06	39.76	12.03	
		2	128.34	23.46	4.09	1.10	1.77	0.80	2.19	1.57	1.17	2.09	6.84	10.11	13.56	18.52	53.37	11.35	
		comb.	136.57	25.14	3.24	1.19	1.32	2.25	2.31	2.59	1.56	3.13	6.89	8.77	14.33	16.69	45.95	11.70	
	female	1	147.03	29.48	4.15	1.34	6.00	3.27	4.62	3.19	5.97	4.91	6.45	9.16	10.38	20.58	37.81	14.02	
		2	127.40	29.74	4.33	2.38	5.09	4.57	5.58	2.59	4.50	2.47	4.74	6.07	9.09	7.36	41.92	13.19	
		comb.	137.53	29.61	4.23	1.82	5.56	3.89	5.08	2.90	5.28	3.74	5.61	7.71	9.74	14.50	39.79	13.63	
	total	1	145.54	28.03	3.28	1.31	3.02	3.48	3.51	3.38	3.78	4.42	6.72	8.23	12.96	17.58	38.91	12.95	
		2	127.88	26.51	4.20	1.67	3.20	2.57	3.84	2.03	2.68	2.25	5.88	8.38	11.48	13.53	48.04	12.20	
		comb.	137.04	27.31	3.71	1.48	3.11	3.03	3.67	2.73	3.25	3.39	6.31	8.31	12.25	15.70	43.17	12.59	
15. West Bengal (224)	male	1	36.17	6.51	1.22	0.71	0.37	..	0.58	0.24	1.76	1.96	4.20	1.67	11.40	17.23	32.11	3.56	
		2	45.51	6.04	0.82	0.72	0.85	0.24	0.85	..	0.54	2.84	2.39	4.55	8.18	14.67	35.42	3.46	
		comb.	40.74	6.28	1.01	0.71	0.64	0.12	0.74	0.12	1.16	2.39	3.33	3.15	9.78	15.87	33.74	3.50	
	female	1	25.82	7.27	0.54	0.48	1.24	0.59	1.37	1.81	2.30	1.95	..	0.94	4.08	7.82	13.60	2.62	
		2	31.81	5.98	1.45	0.28	1.48	1.82	1.67	2.07	1.67	0.64	2.81	5.32	2.86	4.51	21.96	3.51	
		comb.	28.89	6.66	0.96	0.39	1.33	1.14	1.50	1.41	1.98	1.27	1.34	3.03	3.49	6.08	17.76	3.03	
	total	1	31.35	6.90	0.84	0.59	0.88	0.27	1.02	0.45	1.93	1.96	2.61	1.37	8.41	12.79	22.53	3.11	
		2	38.79	6.01	1.13	0.51	1.12	0.88	0.17	0.73	0.91	2.05	2.55	4.84	6.09	9.97	28.45	3.48	
		comb.	35.07	6.47	0.98	0.55	1.00	0.56	1.10	0.59	1.43	2.00	2.58	3.10	7.26	11.29	25.48	3.29	

TABLE (8) (contd.) : ANNUAL AGE SPECIFIC DEATH RATE PER 1000 POPULATION BY SEX IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sex	sub- sample	age group (years)															all ages
			0	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & above	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
16. all-India*	male	2	67.17	17.52	2.33	1.19	0.88	1.60	1.78	1.82	1.92	4.06	6.83	11.08	14.02	20.80	48.24	8.51
	female	2	62.50	20.11	2.75	1.21	2.29	3.00	3.23	2.62	2.63	3.79	4.15	5.16	6.47	9.08	32.90	8.47
	(1136) total	2	64.88	18.78	2.53	1.20	1.52	2.26	2.47	2.19	2.23	3.94	5.62	8.42	10.56	15.12	40.32	8.49

* based on one sub-sample only (sub-sample 2) for unavoidable reasons.

TABLE (9) : ANNUAL DEATH RATE PER 1000 PERSONS BY PER CAPITA MONTHLY HOUSEHOLD EXPENDITURE CLASSES IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sub- sample	per-capita monthly household expenditure (Rs.)								
		0—7	8—10	11—15	16—20	21—25	26—30	31—50	51 & above	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. Andhra Pradesh	1	6.37	4.59	5.62	6.26	4.82	6.99	4.88	5.41	6.63
	2	9.38	8.19	6.38	5.69	5.67	8.60	4.65	4.96	6.52
	(160)	comb.	8.07	6.38	5.97	6.00	5.25	7.78	4.76	5.20
2. Assam	1	2.01	4.53	2.34	0.71	2.54	0.70	2.68
	2	5.46	3.14	3.15	3.65	4.56	..	3.61
	(32)	comb.	4.18	3.85	2.65	1.90	3.41	0.43
3. Bihar	1	6.52	9.69	8.94	8.47	6.15	3.48	5.91	4.25	8.08
	2	7.64	12.40	10.11	6.82	9.14	4.46	7.39	..	8.55
	(96)	comb.	6.94	10.91	9.53	7.65	7.43	3.96	6.59	2.49
4. Gujarat	1	6.31	5.91	6.55	7.56	7.15	10.55	8.97	9.42	7.88
	2	5.40	10.92	7.23	8.14	9.29	7.72	9.93	11.89	8.75
	(128)	comb.	5.80	8.40	6.86	7.84	8.27	8.87	9.50	10.57
5. Jammu & Kashmir	1	1.74	6.43	5.26	4.34	3.38	4.96	3.28	4.09	5.27
	2	6.22	7.77	4.65	5.36	5.01	5.90	5.42	3.32	5.23
	(224)	comb.	4.55	6.96	4.98	4.86	4.23	5.46	4.42	3.63
6. Kerala	1	5.73	6.71	9.60	3.80	9.63	8.23	3.69	1.79	9.06
	2	9.80	10.57	9.52	5.48	10.87	8.08	3.78	..	8.71
	(64)	comb.	7.16	8.50	9.55	4.74	10.30	8.15	3.74	0.76
7. Madhya Pradesh	1	5.26	8.93	6.46	8.19	10.96	11.22	11.57	8.62	9.20
	2	19.46	8.05	13.85	14.48	12.77	10.89	7.59	5.78	11.79
	(96)	comb.	11.54	8.50	10.30	11.49	11.90	11.03	9.07	6.29
8. Madras	1	7.89	7.21	9.12	6.98	7.09	5.59	5.54	2.47	7.79
	2	11.04	10.23	10.00	10.09	7.64	10.28	6.51	5.64	9.42
	(224)	comb.	9.37	8.86	9.59	8.69	7.38	7.95	6.01	3.70
9. Maharashtra	1	7.82	6.07	6.27	6.05	5.25	6.16	3.58	2.72	5.18
	2	6.85	8.62	9.59	7.84	7.42	7.21	5.55	3.83	7.41
	(192)	comb.	7.33	7.29	7.89	7.02	6.41	6.69	4.52	3.18

TABLE (9) (contd.): ANNUAL DEATH RATE PER 1000 PERSONS BY PER CAPITA MONTHLY HOUSEHOLD EXPENDITURE CLASSES IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sub- sample	per capita monthly household expenditure (Rs.)								
		0-7	8-10	11-15	16-20	21-25	26-30	31-50	51 & above	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
10. Mysore	1	5.75	7.78	7.82	6.98	5.94	5.37	5.65	3.66	7.01
	2	8.19	8.56	9.38	11.73	8.99	10.36	6.37	7.65	9.38
	(128)	comb.	6.61	8.16	8.60	9.59	7.52	8.07	6.02	5.74
11. Orissa	1	2.58	2.57	4.96	5.34	4.63	6.00	4.00	3.58	4.50
	2	..	10.42	11.46	11.57	7.51	11.78	2.65	..	9.33
	(32)	comb.	1.14	6.92	8.10	8.42	6.02	8.54	3.40	2.21
12. Punjab	1	..	1.93	3.80	4.00	4.56	5.29	4.84	1.73	4.51
	2	9.52	3.80	4.69	3.86	3.62	4.68	6.48	5.02	4.53
	(160)	comb.	4.02	2.67	4.20	3.93	4.02	4.98	5.63	2.87
13. Rajasthan	1	..	12.59	11.01	10.98	11.29	8.21	9.12	5.36	11.23
	2	4.54	12.47	13.89	13.91	13.42	16.51	8.57	6.53	13.19
	(96)	comb.	2.53	12.52	12.59	12.55	12.20	11.72	8.89	5.78
14. Uttar Pradesh	1	10.28	13.30	13.76	15.66	14.39	14.16	8.34	5.48	12.95
	2	11.81	12.79	13.21	14.40	10.49	11.40	7.57	7.60	12.20
	(288)	comb.	11.10	13.04	13.50	15.08	12.39	12.80	7.97	6.48
15. West Bengal	1	10.37	2.95	5.58	3.70	1.76	2.54	3.07	1.90	3.10
	2	7.34	8.97	5.10	4.00	2.88	3.41	3.04	2.41	3.48
	(224)	comb.	9.00	5.01	5.38	3.85	2.28	2.96	3.05	2.16
16. all-India	1	6.72	8.08	8.26	7.69	6.85	6.78	5.52	3.44	7.24
	2	9.81	10.13	10.04	9.06	7.68	7.78	5.96	4.73	8.49
	(2272)	comb.	8.08	9.10	9.13	8.38	7.27	7.29	5.74	4.05

TABLE 10 : ANNUAL DEATH RATE PER 1000 PERSONS BY HOUSEHOLD OCCUPATION GROUPS IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND

state (number of blocks)	sub sample	household occupation groups ¹														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	all
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(8)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
1. Andhra Pradesh	1	3.35	2.43	4.67	4.92	5.63	9.14	7.11	6.63	6.44	3.55	4.93	6.21	6.50	7.28	6.63
	2	10.61	4.05	4.92	5.01	5.37	5.90	11.23	12.31	8.10	..	8.80	8.13	5.39	..	6.52
	(160) comb.	6.96	3.21	4.79	4.98	5.50	7.33	9.33	9.96	7.29	2.79	6.39	7.06	5.94	3.77	6.58
2. Assam	1	3.26	6.54	3.54	2.35	7.75	6.62	..	0.40	0.80	1.96	3.35	2.68
	2	14.14	..	7.02	1.87	2.69	1.29	..	8.42	1.88	4.09	..	3.61
	(32) comb.	7.80	3.25	4.45	2.08	6.11	4.16	..	3.71	1.19	3.00	2.17	3.09
3. Bihar	1	5.60	5.17	6.27	7.77	8.11	..	9.89	5.52	7.42	11.41	4.60	9.11	8.23	4.78	8.08
	2	19.31	1.42	3.19	9.93	6.60	14.34	16.32	9.70	10.70	10.91	8.86	8.44	9.82	..	8.55
	(96) comb.	11.10	3.65	4.92	8.87	7.45	6.24	14.35	6.53	8.99	11.28	6.90	8.79	8.89	2.35	8.31
4. Gujarat	1	4.37	4.18	5.88	6.51	10.54	42.01	11.15	5.10	10.88	..	7.97	7.94	9.15	10.85	7.88
	2	4.84	4.81	7.58	7.00	9.67	5.14	11.87	6.40	9.24	..	9.93	10.06	10.29	9.19	8.75
	(128) comb.	4.60	4.34	6.78	6.78	10.06	7.31	11.56	5.89	9.91	..	8.95	8.96	9.67	9.97	8.32
5. Jammu & Kashmir	1	3.28	2.37	3.42	2.45	4.87	9.40	..	15.92	7.20	..	1.93	5.86	4.91	5.35	5.27
	2	4.51	4.48	3.04	3.53	7.16	6.43	25.99	10.07	7.50	..	6.31	5.68	6.55	7.25	5.23
	(224) comb.	3.98	3.40	3.23	2.96	6.12	7.70	11.76	13.08	7.37	..	4.14	5.77	5.61	6.26	5.25
6. Kerala	1	7.42	5.30	4.90	3.37	4.92	14.00	6.99	7.52	6.64	..	5.59	7.88	7.86	10.06	9.06
	2	6.30	4.75	5.28	9.20	6.64	11.08	14.50	6.84	9.55	..	7.20	9.92	9.69	10.42	8.71
	(64) comb.	6.82	5.11	5.11	6.14	5.74	13.14	10.52	7.08	8.11	..	6.32	8.78	8.70	10.13	8.89

¹ household occupation groups: professional, technical and related work-1, administrative and executive work-2, clerical & related work-3, sales worker-4, farmer-5, cultivator-6, agricultural worker-7 other agricultural worker-8, all agricultural worker-9, mining and related worker-10, transport and communication-11, crafts and production process-12, services, sports & recreation-13, others-14.

TABLE 10 (contd.) : ANNUAL DEATH RATE PER 1000 PERSONS BY HOUSEHOLD OCCUPATION GROUPS IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLE : NES 16TH ROUND) (URBAN)

state (number of blocks)	sub- sample	household occupation groups ¹														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	all
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
7. Madhya Pradesh	1	6.59	5.05	7.28	6.64	18.91	29.75	17.92	..	8.42	9.11	9.59	3.85	9.20
	2	9.04	3.87	5.83	7.37	8.86	17.77	25.16	15.09	12.10	14.96	9.62	17.29	14.00	9.98	11.72
	(96)	comb.	8.13	4.23	6.36	6.93	13.10	14.49	16.44	20.21	14.35	14.08	9.08	13.53	11.93	7.38
8. Madras	1	5.93	3.31	5.78	5.47	6.58	11.65	10.03	20.86	8.80	..	7.59	7.80	8.39	9.26	7.79
	2	17.04	5.96	5.40	9.36	6.52	5.06	10.05	17.57	10.34	25.92	6.59	10.66	9.47	..	9.42
	(224)	comb.	11.41	4.59	5.59	7.47	6.55	7.59	10.04	17.79	9.74	23.25	7.09	9.35	8.92	6.07
9. Maharashtra	1	2.39	2.94	4.78	4.94	3.81	10.06	7.74	2.03	5.24	6.43	6.06	6.08	5.70	6.14	5.18
	2	7.95	3.49	5.21	5.63	9.88	13.43	12.88	14.02	10.99	27.29	5.19	7.86	8.44	4.85	7.41
	(192)	comb.	4.92	3.21	4.98	5.23	7.07	11.59	10.20	8.92	8.22	11.13	5.61	7.07	6.94	5.53
10. Mysore	1	2.96	6.71	5.18	3.95	9.88	2.81	8.50	11.15	8.44	3.99	2.39	9.14	7.89	8.22	7.01
	2	7.97	5.14	5.37	4.60	9.77	8.42	11.81	12.58	10.38	7.50	10.13	13.08	8.88	10.25	9.38
	(128)	comb.	5.50	5.92	5.29	4.28	9.83	4.82	9.81	12.28	9.34	5.45	5.75	11.11	8.45	9.31
11. Orissa	1	2.08	3.14	3.67	5.95	2.42	..	14.11	..	4.87	..	3.09	5.79	3.73	3.24	4.50
	2	30.57	4.86	4.97	8.79	13.89	..	21.42	28.18	18.37	..	9.40	8.65	4.16	..	9.33
	(32)	comb.	16.44	3.88	4.34	6.83	7.49	..	17.93	17.11	11.14	..	6.82	1.37	3.97	8.77

¹ household occupation groups: professional, technical and related worker-1, administrative and executive work-2, clerical & related work-3, sales worker-4, farmer-5, cultivator-6, agricultural worker-7, other agricultural worker-8, all agricultural worker-9, mining and related work-10, transport and communication-11, crafts and production process-12, services, sports & recreation-13, others-14.

TABLE (10) (contd.) : ANNUAL DEATH RATE PER 1000 PERSONS BY HOUSEHOLD OCCUPATION GROUPS IN THE URBAN AREAS OF DIFFERENT STATES AND ALL-INDIA (URBAN) FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (numbr of blocks)	sub- sample	household occupation groups ¹														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	all
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
12. Punjab	1	2.99	1.89	3.41	4.99	4.50	..	5.65	..	3.37	..	4.60	5.12	1.82	3.72	4.51
	2	5.43	1.21	3.10	4.04	4.14	..	12.14	..	4.76	..	4.84	4.89	8.85	3.96	4.53
	(160) comb.	3.87	1.68	3.24	4.52	4.26	..	6.87	..	3.65	..	4.70	5.00	5.53	3.85	4.52
13. Rajasthan	1	4.96	5.19	8.25	9.01	8.08	..	8.67	3.85	7.71	..	11.90	14.76	12.80	7.69	11.23
	2	6.86	6.82	7.53	8.42	16.85	9.17	26.35	16.92	16.88	14.56	15.46	16.22	10.35	15.96	13.19
	(96) comb.	5.86	5.89	7.90	8.77	13.64	8.41	16.68	10.76	13.45	12.19	14.00	15.50	11.65	10.93	12.20
14. Uttar Pradesh	1	5.65	6.01	8.24	11.71	17.98	8.66	12.67	32.44	16.05	62.50	14.01	15.55	13.99	14.37	12.95
	2	8.30	8.04	8.52	10.01	18.01	4.52	17.27	19.39	17.13	..	14.37	13.47	14.58	9.78	12.20
	(288) comb.	7.08	7.26	8.39	10.88	18.00	7.44	14.61	23.24	16.54	44.82	14.17	14.49	14.23	12.27	12.59
15. West Bengal	1	2.07	1.38	2.34	2.45	5.01	2.27	..	1.10	4.39	3.45	4.83	3.10
	2	6.68	3.65	4.39	2.98	1.06	..	8.83	4.86	3.15	..	2.22	3.79	2.85	..	3.48
	(224) comb.	4.50	2.38	3.28	2.73	2.77	..	3.63	1.92	2.70	..	1.60	4.10	3.15	2.40	3.28
16. all-India	1	4.18	3.56	5.15	6.18	9.22	7.20	8.59	9.07	8.89	6.06	6.61	8.52	8.02	7.87	7.24
	2	9.14	4.39	5.55	6.65	10.23	7.14	12.85	13.94	11.02	11.16	8.36	10.14	9.05	5.51	8.49
	(2272) comb.	6.63	3.95	5.35	6.41	9.76	7.17	10.72	12.32	10.01	8.03	7.51	9.33	8.51	6.74	7.82

¹ household occupation groups : professional, technical and related work—1, administrative and executive work—2, clerical & related work—3, sales workers—4, farmer—5, cultivator—6, agricultural workers—7, other agricultural worker—8, all agricultural worker—9, mining and related work—10, transport and communication—11, crafts and production process—12, services, sports & recreation—13, others—14.

TABLE (11) : AVERAGE HOUSEHOLD SIZE, SEX-RATIO AT BIRTH AND ANNUAL RATES OF BIRTHS, DEATHS AND NATURAL INCREASE PER 1000 PERSONS IN DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of sample blocks)	sub-sample	average house- hold size	sex- ratio at birth	rates per 1000 persons		
				births	deaths	natural increase
(1)	(2)	(3)	(4)	(5)	(6)	(7)
1. Andhra Pradesh	1	4.48	102.70	32.76	6.63	26.13
	2	4.49	116.49	32.36	6.52	25.84
	(160) combined	4.49	108.98	32.55	6.58	25.97
2. Assam	1	4.36	89.41	30.66	2.68	27.98
	2	4.67	123.91	24.63	3.61	21.02
	(32) combined	4.49	101.53	28.00	3.09	24.91
3. Bihar	1	4.47	132.20	32.39	8.08	24.31
	2	4.47	100.52	31.76	8.55	23.21
	(96) combined	4.47	116.12	32.09	8.31	23.78
4. Gujarat	1	4.89	105.15	36.21	7.88	28.33
	2	4.88	98.12	34.08	8.75	25.33
	(128) combined	4.89	101.54	35.13	8.32	26.81
5. Jammu & Kashmir	1	6.18	108.63	23.43	5.27	18.16
	2	6.28	106.85	22.14	5.23	16.91
	(224) combined	6.23	106.78	22.79	5.25	17.54
6. Kerala	1	5.31	87.41	32.50	9.06	23.44
	2	4.96	92.25	31.95	8.71	23.24
	(64) combined	5.14	89.62	32.24	8.89	23.35
7. Madhya Pradesh	1	4.84	101.03	38.55	9.20	29.35
	2	4.36	102.05	39.19	11.79	27.40
	(96) combined	4.56	101.59	38.90	10.63	28.27
8. Madras	1	4.34	100.54	32.27	7.79	24.48
	2	4.40	105.29	35.40	9.42	25.98
	(224) combined	4.37	103.08	33.91	8.64	25.27
9. Maharashtra	1	4.34	103.81	29.48	5.18	24.30
	2	4.72	99.04	32.33	7.41	24.92
	(192) combined	4.52	99.23	30.89	6.29	24.60

TABLE (11) (contd.): AVERAGE HOUSEHOLD SIZE, SEX-RATIO AT BIRTH AND ANNUAL RATES OF BIRTHS, DEATHS AND NATURAL INCREASE PER 1000 PERSONS IN DIFFERENT STATES AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of sample blocks)	sub-sample	average house- hold size	sex- ratio at birth	rates per 1000 persons		
				births	deaths	natural increase
(1)	(2)	(3)	(4)	(5)	(6)	(7)
10. Mysore	1	4.85	109.19	32.76	7.01	25.75
	2	4.90	104.88	34.41	9.38	25.03
	(128) combined	4.87	106.29	33.59	8.20	25.39
11. Orissa	1	4.13	91.39	27.04	4.50	22.54
	2	4.12	96.85	34.50	9.33	25.17
	(32) combined	4.12	94.28	30.66	6.85	23.81
12. Punjab	1	4.61	119.27	30.84	4.51	26.33
	2	4.75	93.77	29.49	4.53	24.96
	(160) combined	4.68	106.20	30.18	4.52	25.66
13. Rajasthan	1	4.95	102.54	40.87	11.23	29.64
	2	4.92	100.99	38.05	13.19	24.86
	(96) combined	4.94	101.79	39.47	12.20	27.27
14. Uttar Pradesh	1	4.60	106.12	40.54	12.95	27.59
	2	4.62	107.03	37.89	12.20	25.69
	(288) combined	4.61	106.55	39.24	12.59	26.65
15. West Bengal	1	3.98	114.88	20.57	3.10	17.47
	2	3.80	105.42	21.73	3.48	18.25
	(224) combined	3.89	110.02	21.13	3.28	17.85
16. all-India	1	4.54	105.39	32.87	7.24	25.63
	2	4.53	103.13	33.13	8.49	24.64
	(2,272) combined	4.53	104.20	33.00	7.82	25.18

TABLE (12) : SEX-RATIO (NUMBER OF MALES PER 100 FEMALES) OF POPULATION BY BROAD AGE-GROUPS IN THE URBAN AREAS OF EACH STATE AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES : NSS 16TH ROUND (URBAN)

state (number of blocks)	sub- sample	age-group (in years)			
		0-14	15-44	45 & above	all ages
(1)	(2)	(3)	(4)	(5)	(6)
1. Andhra Pradesh	1	102.90	102.27	100.04	102.20
	2	104.10	102.85	98.19	102.61
	(160) combined	103.46	102.55	99.13	102.40
2. Assam	1	106.88	163.99	155.71	136.37
	2	102.84	156.64	157.77	130.92
	(32) combined	105.06	160.74	156.59	133.95
3. Bihar	1	112.78	113.28	103.22	111.49
	2	112.93	122.47	113.17	117.07
	(96) combined	112.85	117.54	107.65	114.10
4. Gujarat	1	109.72	111.50	101.07	109.20
	2	111.39	109.44	99.08	108.60
	(128) combined	110.56	110.47	100.05	108.90
5. Jammu & Kashmir	1	107.39	117.13	128.90	114.18
	2	105.60	116.72	129.34	113.50
	(224) combined	106.50	116.93	129.14	113.84
6. Kerala	1	102.02	98.00	94.20	99.08
	2	104.78	100.24	91.32	100.75
	(64) combined	103.33	99.05	92.84	99.87
7. Madhya Pradesh	1	111.68	117.01	105.34	112.93
	2	114.88	118.68	114.52	116.50
	(96) combined	113.42	117.94	110.20	114.89
8. Madras	1	104.53	98.54	97.53	100.66
	2	106.63	98.73	100.08	101.99
	(224) combined	105.62	98.64	98.83	101.35
9. Maharashtra	1	104.77	126.78	118.85	116.72
	2	108.79	121.37	115.67	115.44
	(192) combined	106.78	124.08	117.26	116.08

TABLE (12) (contd.): SEX-RATIO (NUMBER OF MALES PER 100 FEMALES) OF POPULATION BY BROAD AGE GROUPS IN THE URBAN AREAS OF EACH STATE AND ALL-INDIA FROM TWO INTERPENETRATING SAMPLES: NSS 16TH ROUND (URBAN)

state (number of blocks)	age-group (in years)				
	0-14	15-44	45 & above	all ages	
(1)	(2)	(3)	(4)	(5)	
10. Mysore	105.72	106.71	104.44	105.96	
	102.58	108.91	105.23	105.66	
(128)	combined	104.14	107.81	104.83	105.81
11. Orissa	105.48	116.82	99.42	109.39	
	108.68	115.88	102.69	110.86	
(32)	combined	107.05	116.36	100.96	110.10
12. Punjab	112.11	121.57	136.64	119.39	
	110.37	114.85	126.88	114.65	
(160)	combined	111.26	118.20	131.62	117.03
13. Rajasthan	109.64	100.00	97.56	103.70	
	111.08	112.04	102.76	110.12	
(96)	combined	110.34	105.79	100.12	106.83
14. Uttar Pradesh	110.94	118.91	122.78	116.06	
	114.14	119.85	121.48	117.71	
(288)	combined	112.44	119.36	122.16	116.84
15. West Bengal	88.68	123.64	136.63	111.55	
	105.87	161.87	142.45	136.52	
(224)	combined	96.70	140.90	139.48	123.11
16. All-India	105.82	114.10	111.92	110.36	
	108.99	117.75	112.96	113.42	
(2,272)	combined	107.38	115.90	112.44	111.87

APPENDIX TWO
SAMPLE DESIGN

1. The sampling design for the enquiry on current population, births and deaths was generally uni-stage stratified with urban blocks as the sampling units.

2. The urban areas of each state and Union Territory excepting Maharashtra was divided into two sectors—sector 1 consisting of towns and cities with 1951 population 50,000 or more (class I and class II towns) and sector 2 consisting of the rest of the urban areas. Maharashtra had three sectors: sector 'O' consisting of Bombay city, sector 1 of state capital and all towns and cities with 1951 census population 50,000 or more excluding Bombay city and sector '2' the remaining urban areas. Sector 1 towns and cities within a state formed a separate stratum and the urban areas comprising sector 2 towns and cities within each of 48 regions covering the whole of India formed separate strata. In Maharashtra, Bombay city (sector 'O') formed a separate stratum.

3. The allocation of 2272 urban blocks to the two sectors was made with twice the weightage to sector 1 and within each sector the allocation to each state was made in proportion to its population in that sector. The final allocations to the states were rounded off to multiples of 16. In sector 2, the allocation to a state was further distributed to the regions in it, proportional to the number of urban blocks in that sector keeping the final allocations multiples of 2.

4. In each stratum of sector 1, the urban blocks were selected systematically with a random start for each of the two interpenetrating samples from the list of urban blocks of 1951 census excepting 81 towns in which the list of urban blocks prepared by NSS in the Urban Frame Survey (1960) was used. In case of sector 2 stratum, the towns within each region were arranged according to their means of livelihood pattern before selection and then the blocks were selected using the list of 1951 census blocks in a circular systematic fashion.

5. To reduce the work-load in case of a very large urban block, the investigator was allowed to divide the block into a number of compact identifiable sub-blocks of roughly equal population content and select one of them at random with equal probability.

6. The survey period of NSS 16th round was divided into two sub-rounds of equal duration. The blocks with odd order of selection were surveyed in the first sub-round and the blocks with even order in the second sub-round.

7. The estimates of rates and ratios given in this report were obtained from the simple unbiased estimates of the numerator and the denominator by applying the proper multiplying factors.

8. *Estimates of aggregates and ratios.*—Let Y_{hij} be the aggregates of Y characteristic in the j-th block of the i-th stratum of the h-th state. Let N_{hi} be the total number of urban blocks and n_{hi} the number of sample blocks of the hi-th stratum. The simple unbiased estimates of the aggregate of Y for the h-th state and all-India urban from one sub-sample are given by :

$$(i) \text{ h-th state : } \bar{Y}_{hxx} = \sum_i \frac{N_{hi}}{n_{hi}} \sum_{j=i}^{D_{hi}} Y_{hij}$$

$$(ii) \text{ all-India : } \bar{Y}_{xxx} = \sum_h \bar{Y}_{hxx}$$

The ratios of two simple unbiased estimates of aggregates Y and X are given at the h-th state and all-India levels from one sub-sample are given by :

$$(i) \text{ h-th state : } r_{hxx} = \bar{Y}_{hxx} / \bar{X}_{hxx}$$

$$(ii) \text{ all-India : } r_{xxx} = \bar{Y}_{xxx} / \bar{X}_{xxx}$$

where X_{hij} , X_{hxx} are similarly defined as for the Y's.

APPENDIX THREE
FACSIMILE OF THE SCHEDULES OF INVESTIGATION

CENTRAL*
STATE

ORIGIN *
DUPLICATE

GOVERNMENT OF INDIA NATIONAL SAMPLE SURVEY : 1960-61

Schedule 12 : Population, Births & Deaths

(4 pages)

URBAN

(Sixteenth Round)

[1] identification of sample block

1. serial number		7. state	
2. zone-state-region		8. district	
3. stratum		9. town	
4. sub-round		10. total number of births registered last year** in the ward/town/city*	
5. party		11. total number of deaths registered last year** in the ward/town/city*	
6. sample block		12. multiplier***	

[2] particulars of investigation

item	investigator	inspector	field scrutiny
1. name			
2. roll number			
3. date of survey/inspection/scrutiny	commencement		
	completion		
4. date of receipt/despatch			
5. number of scrutiny sheets attached	x	x	
6. signature			

[3] remarks by investigator

Area for handwritten remarks by the investigator, consisting of multiple horizontal lines.

[4] comments by inspector

Area for handwritten comments by the inspector, consisting of multiple horizontal lines.

* delete whichever is inapplicable.
 ** 365 days preceding the date of survey.
 *** not to be filled in by the investigator.

Sch. 12-2

[5] household characteristics as on.....

h. h. srl. no.	name of head of household	male*				female*				total persons	household		h. h. religion	duration of stay in the town/city	household monthly expenditure (Rs.)	per capita monthly h. h. expenditure (Rs. 0.00)*	number last year*	
		0-14	15-44	45-	total males	0-14	15-44	45-	total females		industry code	occupation code					births	deaths
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)

[6] demographic particulars of usual household members

item	h. h. srl. no. as in col. (1) of bl. [5].....	h. h. srl. no. as in col. (1) of bl. [5].....	h. h. srl. no. as in col. (1) of bl. [5].....	h. h. srl. no. as in col. (1) of bl. [5].....
1. serial number				
2. relation to head				
3. sex (m-1, f-2)				
4. age last birthday (years)				
5. educational standard				
6. marital status				
7. no. of children:** (a) born alive but since dead				
(b) now alive				
(c) total born alive = (a) + (b)				

[7] births during the two years ended on.....

[8] deaths during the two years ended on.....

srl. no. of birth	srl. no. as in bl. (6)	age of mother (yrs.)	time of birth				sex (m-1, f-2)	order of birth	time of death				relation of the deceased to the informant							
			week	calendar month	calendar year	how determined			week	calendar month	calendar year	how determined								
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)

srl. no. of h. h. as in col. (1) of bl. [5].....

srl. no. of h. h. as in col. (1) of bl. [5].....

srl. no. of h. h. as in col. (1) of bl. [5].....

srl. no. of h. h. as in col. (1) of bl. [5].....

* not to be filled by the investigator.
** for all ever-married females.

[5] household characteristics as on.....

h. h. srl. no.	name of head of household	male*				female*				total persons	household		h. h. religion	duration of stay in the town/city	household monthly expenditure (Rs. per capita monthly h. h. expenditure (Rs. 0.00)*	number last year*		
		0-14	15-44	45-44	total males	0-14	15-44	45-	total females		industry code	occupation code				births	deaths	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)

[6] demographic particulars of usual household members

item	h. h. srl. no. as in col. (1) of bl. (5).....	h. h. srl. no. as in col. (1) of bl. (5).....	h. h. srl. no. as in col. (1) of bl. (5).....	h. h. srl. no. as in col. (1) of bl. (5).....
1. serial number				
2. relation to head				
3. sex. (m-1, f-2)				
4. age last birthday (years)				
5. educational standard				
6. marital status				
7. no. of children:**				
(a) born alive but since dead				
(b) now alive				
(c) total born alive = (a) + (b)				

[7] births during the two years ended on.....

srl. no. of birth	srl. no. as in bl. [6]	age of mother (yrs.)	interval since previous birth (months)	order of birth	sex (m-1, f-2)	time of birth			place of birth	attendance type	born alive		relation of the child to the informant				
						week	calendar month	calendar year			how determined	percentage / also alive (weeks) / now		age at death/since (weeks) / dead			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

[8] deaths during the two years ended on.....

srl. no. of death	relation of deceased to head	sex (m-1, f-2)	age at death (years)	time of death			place of death	attendance type	relation of the deceased to the informant	
				week	calendar month	calendar year				how determined
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)

* not to be filled by the investigator.
 ** for all ever-married females.

srl. no. of h. h. as in col. (1) of bl. [5].....

srl. no. of h. h. as in col. (1) of bl. [5].....

srl. no. of h. h. as in col. (1) of bl. [5].....

srl. no. of h. h. as in col. (1) of bl. [5].....

Sch. 12-4

CODE LIST

(Schedule 12 : Population, Births & Deaths)

BLOCK [5] : HOUSEHOLD CHARACTERISTICS

1. Household religion (col. 14) :

Hinduism	1
Islam	2
Christianity	3
Sikhism	4
Jainism	5
Buddhism	6
Zoroastrianism	7
Jewish	8
others	9

BLOCK [6] : DEMOGRAPHIC PARTICULARS OF USUAL HOUSEHOLD MEMBERS

2. Educational standard (item 5) :

illiterate	1
literate but below primary	2
primary	3
middle	4
matric	5
intermediate	6
graduate	7
higher degrees	8

3. Marital status (item 6) :

never married	1
married	2
widowed	3
divorced	4
separated	5

BLOCK [7] : BIRTHS ; BLOCK [8] : DEATHS

4. Time of birth/death- } (col. 12 of bl. [7] ;	
how determined } col. 8 of bl. [8] ;	
definite statement of age	1
relating with :	
local and religious festivals	2
agricultural season	3
others whose ages are known	4
registration certificate	5
other evidence (specify)	6
guess; no evidence	7

5. Place of birth/death (col. 13 of bl. [7] ; col. 9 of bl. [8]) :

(a) Within the city/town :

own premises	1
child's mother's father's premises	2
other premises	3
hospitals, maternity homes and other medical institutions	4
others (specify)	5

(b) Outside the city/town :

own premises	6
child's mother's father's premises	7
other premises	8
hospitals, maternity homes and other medical institutions	9
others (specify)	0

6. Attendance type (col. 14 of bl. [7] ; col. 10 of bl. [8]) :

dhai	1
midwife or qualified nurse	2
physician	3
relatives	4
others	5
no attendance	6

7. The relation of the newborn/deceased to the informant (col. 18 of bl. [7]; col. 11 of bl. [8]):

*father	1
*mother	2
*spouse (husband or wife)	3
son	4
daughter	5
other relations in the household**	6
other relations outside the household	7
others	8

*not applicable in the case of births.

**grandson, grand-daughter, nephew, niece etc., for the birth or the death.

NOTE

In col (3) of bl. [7], (srl. no. of the child as in bl. [6], write the srl. no. of the child as in block [6], if it is a usual member of the household now; but 'B. D.' if the child was born dead; 'S. D.' if the child was born alive and since dead 'X' if the child is alive not a member of the household, specifying in a footnote where (e. g., grand-father's household) it is a usual member now.

NATIONAL SAMPLE SURVEY REPORTS ALREADY PUBLISHED

Sl. No.

- 1 General Report No. 1 on the First Round (October 1950-March 1951)
- 2 Tables with Notes on the Second Round (April-June 1951)
- 3 Tables with Notes on the Third Round (August-November 1951)
- 4 Special Report on the Survey of Persons in the "Leave Register" of Delhi Employment Exchange (August-September 1951)
- 5 Technical Paper on Some Aspects of the Development of the Sample Design
- 6 Survey of Faridabad Township (March-April 1954)
- 7 Couple Fertility (Second Round, April-June, 1951 and Fourth Round, April-September 1952)
- 8 Report on Preliminary Survey of Urban Unemployment (September 1953)
- 9 Report on the Sample Survey of Displaced Persons in the Urban Areas of the Bombay State (July-September 1953)
- 10 First Report on the Land Holdings, Rural Sector (Eighth Round : July 1954-March 1955)
- 11 Report on Sample Survey of Manufacturing Industries, 1949 and 1950
- 12 A Technical Note on Age Grouping, October 1958
- 13 Report on Household Transport Operations (Seventh Round : October 1953-March 1954)
- 14 Report on Some Characteristics of the Economically Active Population (Fourth to Seventh Round : April 1952-March 1954)
- 15 Report on Sample Survey of Manufacturing Industries, 1951
- 16 Preliminary Report on Employment and Unemployment (Ninth Round : May-November 1955)
- 17 Report on Sample Survey of Employment in (Calcutta 1943)
- 18 Tables with Notes on Consumer Expenditure (Fourth Round : April-September 1952)
- 19 Report on Small Scale Manufacture : Household Enterprises smaller than Registered Factories (Seventh Round : October 1953-March 1954)
- 20 Report on Pattern on Consumer Expenditure (Second to Seventh Rounds ; April 1951-March 1954)
- 21 Household Small Scale Manufacturing Establishment smaller than those covered by Industries Development and Regulations Act, 1951 (Ninth Round : May-November 1955)
- 22 Report on Sample Survey of Manufacturing Industries, 1952
- 23 Report on Sample Survey of Manufacturing Industries, 1953
- 24 Report on Household Retail Trade (Seventh to Ninth Rounds : October 1953-September 1955)
- 25 Sample Verification of Livestock Census : 1956
- 26 A Preliminary Report on Housing Condition (Seventh Round : October 1953-March 1954)
- 27 Technical Records of Sample Design Instructions to Field Workers and List of Sample Villages and Urban Blocks (Ninth Round : May-November 1955)
- 28 Report on Sample Survey of Manufacturing Industries, 1954 (1)
- 29 Notes on Some Results of the Land Utilisation Survey (Tenth Round : December 1955-May 1956)
- 30 Report on Land Holdings (2) : Operational Holdings in Rural India (Eighth Round : July 1954-April 1955)
- 31 Tables with Notes on Household Transport Operation (Eighth to Tenth Rounds : July 1954-May 1956)
- 32(I) Some Aspects of Costs of Cultivation of Paddy, Wheat, Jowar and Bajra (Fifth to Seventh Rounds : October 1952-March 1954)
- 32(II) Some Aspects of Costs of Cultivation of Barley, Maize, Ragi, Gram, Small Millets, Groundnuts, Cotton and Jute (Fifth to Seventh Rounds : October 1952-March 1954)
- 32(III) Some Aspects of Costs of Cultivation of Minor Cereals, Pulses, Sugarcane, Oil Seeds, Potato, Spices, and Tobacco (Fifth to Seventh Rounds : October 1952-March 1954)
- 33 Tables with Notes on Wages, Employment, Income and Indebtedness of Agricultural Labour Households in Rural Areas (Eleventh and Twelfth Rounds : August 1956-August 1957)
- 34 Tables with Notes on Employment and Unemployment (Tenth Round : December 1955-May 1956)
- 35 Tables with Notes on Livestock Products (Fifth to Seventh Rounds : April 1952-March 1954)
- 36 Report on Land Holdings (3) : Some Aspects of Ownership Holdings (Eight Round ; July 1954-April 1955)
- 37 Survey of Book Reader's Preference in India (Thirteenth Round : September 1957-May 1958)
- 38 Some Results of the Land Utilisation Survey and Crop-cutting Experiments : (Thirteenth Round : September 1957-May 1958)
- 39 Tables with Notes on Consumer Expenditure (Eighth Round : July 1954-March 1955)
- 40 Tables with Notes on Consumer Expenditure (Ninth Round : May-November 1955)
- 41 Household Retail Trade (Tenth Round : December 1955-May 1956)
- 42 Report on Small Scale Manufacture : Household Enterprises smaller than Registered Factories (Seventh to Eighth Rounds : October 1953-April 1955)
- 43 Tables with Notes on Small Scale Manufacture : Household Enterprises smaller than Registered Factories (Ninth and Tenth Rounds : May 1955-May 1956)
- 44 A Note on Profession and Services (Fourth to Eighth Rounds : April 1952-April 1955)

NATIONAL SAMPLE SURVEY REPORTS ALREADY PUBLISHED

Sl. No.

- 45 Report on Indian Village : A Study of Some Social and Economic Aspects (Tenth to Twelfth Rounds : December 1955-August 1957)
- 46 Tables with Notes on Consumer Expenditure of Agricultural Labour Households in Rural Area (Eleventh and Twelfth Rounds : August 1956-August 1957)
- 47 Tables with Notes on Consumer Expenditure (Tenth Round : December 1955-May 1956)
- 48 Preliminary Estimates of Birth and Death Rates and of the Rate of Growth of Population (Fourteenth Round : July 1958-July 1959)
- 49 Report on Morbidity seventh Round : October 1953-March 1954 and Eleventh to Thirteenth Rounds ; August 1956-May 1958)
- 50 Tables with Notes on Housing Condition (Tenth Round : December 1955-May 1956)
- 51 Tables with Notes on Housing Condition (Eleventh Round : August 1956-January 1957)
- 52 Tables with Notes on Employment and Unemployment (Eleventh and Twelfth Rounds : August 1956-August 1957)
- 53 Tables with Notes on Internal Migration (Ninth, Eleventh, Twelfth and Thirteenth Rounds : May-1955 May 1958)
- 54 Vital Rates (Seventh Round : October 1953-March 1954)
- 55 Report on Sample Survey of Manufacturing Industries, 1954(2) : Exploratory Survey of Scheduled Industries
- 56 Report on Sample Survey of Manufacturing Industries, 1955 (1) : Survey Scheduled Industries.
- 57 Report on Sample Survey of Manufacturing Industries, 1955(2)
- 58 Report on Sample Survey of Manufacturing Industries, 1956(1) : Survey of Scheduled Industries
- 59 Tables with Notes on Pattern of Household Ownership and Possession of Land in Rural Areas, 1950-51 to 1953-54 (Eighth Round : July 1954-April 1955)
- 60 Tables with Notes on Farming Condition and Practices in Rural Areas 1953-54 (Eighth Round : July 1954-April 1955)
- 61 Notes on the Results of the Land Utilisation Survey and Crop-cutting Experiments (Eleventh Round : August 1956-February 1957)
- 62 Supplementary Report on Employment and Unemployment (Ninth Round : May-November 1955)
- 63 Tables with Notes on Employment and Unemployment Urban Areas (Thirteenth Round : September 1957-May 1958)
- 64 Indian Villages: A Study of Some Social and Economic Aspects (Thirteenth Round : September 1957-May 1958)
- 65 Tables with Notes on Animal Husbandry (Eleventh Round : August 1956-January 1957)
- 66 Report on Land Holdings (4) : Rural Sector, States (Eighth Round : July 1954-April 1955)
- 67 Tables with Notes on Housing Condition (Twelfth Round : March-August 1957)
- 68 Tables with Notes on rural Indebtedness (Eighth Round : July 1954-April 1955)
- 69 Notes on the Results of the Land Utilisation Survey and Crop-cutting Experiments (Twelfth Round : March-August 1957)
- 70 Technical Paper on Sample Design (Fourteenth Round : July 1958-June 1959)
- 71 Consumer Expenditure by Level of Household Expenditure (Thirteenth Round : September 1957-May 1958)
- 72 Tables with Notes on Milk Production (Twelfth Round : March-August 1957)
- 73 Some Results of the Land Utilisation Survey and Crop-cutting Experiments (Fourteenth Round : July 1955-June 1959)
- 74 Report on Land Holdings (5), Rural Sector (Some Aspects of Operational Holdings—Population Zones and All India) (Eighth Round : July 1954-April 1955)
- 75 Report on Sample Survey of Manufacturing Industries 1956 (2)
- 76 Fertility and Mortality Rates in Rural India (Fourteenth Round : July 1958-June 1959)
- 77 Tables with Notes on Consumer Expenditure (Eleventh Round : August 1956-February 1957)
- 78 Tables with Notes on Consumer Expenditure (Twelfth Round : March-August 1957)
- 79 Some Results of the Land Utilisation Survey and Crop-cutting Experiments (Fifteenth Round : July 1959-June 1960)
- 80 Tables with Notes on Consumer Expenditure (Thirteenth Round : September 1957-May 1958)
- 81 Report on Land Holdings : Urban Sector (Eighth Round, July 1954-April 1955)
- 82 Tables with Notes on Some Aspects of Cost of Cultivation of a Paddy, Wheat, Barley, Maize, Millets, Pulses, Oil Seeds and Vegetables, Urban India (Fifth to Seventh Rounds : 1951-53)
- 83 Report on Sample Survey of Manufacturing Industries, 1957(1)
- 84 Tables with Notes on Sample Survey on Manufacturing Industries : Survey of Scheduled Industries, 1957(3)
- 85 Tables with Notes on Employment and Unemployment in Urban Areas (Fourteenth Round : July 1958-June 1959)
- 86 Tables with Notes on Sample Survey of Manufacturing Industries, 1957(2)
- 87 Tables with Notes on Average Budget of Agricultural Labour Households in Rural Areas (Eleventh and Twelfth Rounds : August 1956-August 1967)
- 88 Tables with Notes on Households Receipts and Disbursements in Rural and Urban Areas (Fourteenth Round : July 1958-June 1959)
- 89 Tables with Notes on Dwelling Habits of Occupants of the Two-room Government Residences in New Delhi, July 1960

NATIONAL SAMPLE SURVEY REPORTS ALREADY PUBLISHED

Sl. No.

- 90 Tables with Notes on Survey of Scheduled Industries, 1958, Sample Survey of Manufacturing Industries
- 91 Tables with Notes on the Annual Survey of Industries, 1959, Sample Sector: Summary Results
- 92 Some Results of Land Utilisation Survey and Crop-cutting Experiments (Sixteenth Round : July 1960-June 1961)
- 93 Tables with Notes on Sample Survey of Manufacturing Industries 1958, Factory Establishments : Summary Results
- 94 Tables with Notes on small Scale Manufacture : Rural and Urban (Household Enterprises Smaller than the Registered Factories) (Fourteenth Round, July 1958-June 1959)
- 95 Tables with Notes on Household Indebtedness (Sixteenth Round, July 1960-June 1961)
- 96 Tables with Notes on the Annual Survey of Industries, 1960 Sample Sector, Summary Results
- 97 Tables with Notes on Capital Formation (Fifteenth Round—Rural : July 1959-June 1960)
- 98 Tables with Notes on Consumer Expenditure (Preliminary) : Fifteenth Round, July 1959-June 1960
- 99 Tables with Notes on Household Non-Registered Trade (Fifteenth Round : July 1959-June 1960)
- 100 Table with Notes on Rural Employment and Unemployment (Fourteenth Round : July 1958-June 1959)
- 101 Tables with Notes on Consumer Expenditure (Preliminary) (Sixteenth Round : July 1960-June 1961)
- 102 Tables with Notes on Consumer Expenditure (Fourteenth Round : July 1958-June 1959)
- 103 Tables with Notes on Urban Labour Force (Sixteenth Round : July 1960-June 1961)
- 104 Tables with Notes on Consumer Expenditure (Fifteenth Round : July 1959-June 1960)
- 105 Tables with Notes on Household Non-Mechanised Transport and Utilisation of Working Animals (Fifteenth Round : July 1959-June 1960)
- 106 Tables with Notes on Land Utilisation Survey and Crop-cutting Experiments (Seventeenth Round : July 1961-June 1962)
- 107 Tables with Notes on Consumer Expenditure (Eleventh and Twelfth Round : August 1956-August 1957)
- 108 Report on the Type Study on Consumption and disposal of Cereals and Capital Formation by Households: 1959-60
- 109 Tables with Notes on Indian Villages (Fourteenth Round : July 1958-June 1959)
- 110 Tables with Notes on Rates of Birth Death and Growth of Rural Population (Fifteenth Round : July 1959-June 1960)
- 111 Tables with Notes on Sample Survey of Manufacturing Industries, 1958 : Factory Establishments : Detailed Results
- 112 Tables with Notes on Land Utilisation Survey and Crop-cutting Experiments (Eighteenth Round : July 1962-June 1963)
- 113 Tables with Notes on Agricultural Holdings in Rural India (Sixteenth Round : July 1960-June 1961)
- 114 Tables with Notes on Employment and Unemployment in rural areas (Sixteenth Round : July 1960-June 1961)
- 115 Tables with Notes on Disposal of Cereals by Producer Households in Rural Areas (Fifteenth Round : July 1959-June 1960)
- 116 Tables with Notes on Family Planning (Sixteenth Round : July 1960-June 1961)
- 117 Tables with Notes on the Enquiry of Physically Handicapped Persons (Sixteenth Round : July 1960-August 1961)
- 118 Tables with Notes on the Annual Survey of Industries, 1961 : Sample Sector, Summary Results
- 119 Special study on Morbidity (Sixteenth Round : Nov. 1960-Oct. 1961)
- 120 Tables with Notes on Annual Survey of Industries 1962: Sample Sector, Summary Results
- 121 Preliminary Estimates of Birth and Death Rate and of the Rate of Growth of Population (Eighteenth Round : February 1963-January 1964).
- 122 Tables with Notes on the Annual Survey of Industries, 1959, Sample Sector (Detailed Results)
- 123 Tables with Notes on the Annual Survey of Industries, 1963 Sample Sector (Summary Results)
- 124 Some Results of the Land Utilisation Survey and Crop-cutting Experiments (Eighteenth Round : June 1963-July 1964)
- 125 Technical Paper on Sample Design (Nineteenth Round : July 1964-June 1965)
- 126 Tables with Notes on Internal Migration (Fourteenth Round : July 1958-June 1959 and Fifteenth Round : July 1959-June 1960)
- 127 Tables with Notes on Urban Labour Force (Seventeenth Round : September 1961-July 1962)
- 128 Tables with Notes on Internal Migration (Rural) (Fourteenth Round : July 1958-June 1959)
- 129 Report on Pilot Enquiry on Morbidity (Seventeenth Round : September 1961-July 1962)
- 130 Tables with Notes on Profession and Liberal Arts (Eighteenth Round : February 1963-January 1964)
- 131 Tables with Notes on the Annual Survey of Industries, 1960 : Sample Sector (Detailed Results)
- 132 Tables with Notes on the Annual Survey of Industries, 1964 : Sample Sector (Summary Results)
- 133 Some Results of the Land Utilisation Survey and Crop-cutting Experiments (Nineteenth Round : July 1964-June 1965)
- 134 Tables with Notes on Income of Rural Labour Households (Eighteenth Round : February 1963- January 1964)
- 135 Tables with Notes on Consumer Expenditure (Preliminary) (Seventeenth Round : September 1961-July 1962)
- 136 Tables with Notes on Capital Formation (Urban) (Seventeenth Round : September 1961-July 1962)
- 137 Tables with Notes on Housing Condition (Sixteenth Round : July 1960-August 1961)
- 138 Tables with Notes on Consumer Expenditure (Sixteenth Rounds : July 1960-August 1961)
- 139 Tables with Notes on the Annual Survey of Industries, 1961 : Sample Sector (Detailed Results)
- 140 Tables with Notes on Some Aspects of Agriculture in India (Rural) (Eleventh Round : August 1956-February 1957)
- 141 Tables with Notes on Household Consumption of Fuel and Light (Eighteenth Round : February 1963-January 1964)
- 142 Tables with Notes on Consumer Expenditure (Preliminary) (Eighteenth Round : February 1963-January 1964)

NATIONAL SAMPLE SURVEY REPORTS ALREADY PUBLISHED

Sl. No.

- 143 Tables with Notes on Indebtedness of Scheduled Tribe Households (Eighteenth Round: February 1963-January 1964)
- 144 Tables with Notes on some Aspects of Land Holdings in Rural Areas (State and All-India Estimates) (Seventeenth Round : September 1961-July 1962)
- 145 Tables with Notes in Income of Scheduled Tribe Households (Eighteenth Round : February 1963-January 1964)
- 146 Tables with Notes on Housing Condition (Fifteenth Round : July 1959-June 1960)
- 147 Some Results of the Land Utilisation Survey and Crop-cutting Experiments (Twentieth Round : July 1965-June 1966)
- 148 Report on Special Survey on Household Entrepreneurial Activities in Aligarh Town, 1959-60
- 149 Report on Pilot Study on Non-Household Enterprises (Nineteenth Round : February 1965-June 1964)
- 150 Tables with Notes on Housing Condition (Seventeenth Round : September 1961-July 1962)
- 151 Tables with Notes on Consumer Expenditure (Some Selected Items) (Eighteenth Round : February-June 1964)
- 152 Tables with Notes on Urban Labour Force (Eighteenth Round : February 1963-January 1964)
- 153* Differential Birth, Death and Infant Mortality Rates in Rural Households (Fifteenth Round : July 1959-July 1960)
- 154* Tables with Notes on Couple Fertility (Seventeenth Round : September 1961-July 1962)
- 155* Tables with Notes on Consumer Expenditure (Some Important Items) (Eighteenth Round : February 1963-January 1964)
- 156 Tables with Notes on Rural Employment and Unemployment (Fifteenth Round : July 1959-June 1960)
- 157 Tables with Notes on Urban Employment and Unemployment (Fifteenth Round : July 1959-June 1960)
- 158* Tables with Notes on Consumer Expenditure of Scheduled Tribe Households (Eighteenth Round : June 1963-May 1964)
- 159* Tables with Notes on Some Aspects of Land Holdings in Rural India (Sixteenth Round : July 1960-June 1961)
- 160* Some Results the Land Utilisation Survey and Crop-cutting Experiments (Twenty-first Round : July 1966-June 1967)
- 161* Tables with Notes on the Annual Survey of Industries 1965 : Sample Sector : Summary Results*
- 162* Tables with Notes on Some Results of Land Holdings in Rural India (Seventeenth Round : September 1961-July 1962)
- 163* Tables with Notes on Urban Labour Force (Nineteenth Round : July 1964-June 1965)
- 164* Tables with Notes on Annual Survey of Industry—1962 Sample Sector : Detailed Results
- 165* Tables with Notes on Some Aspects of Land Holdings in Urban Areas (17th Round : September 1961-July 1962)
- 166* Tables with Notes on Urban Labour Force (20th Round : July 1965-June 1966)
- 167* Tables with Notes on Villages and Towns in India : Some Results (19th Round : July 1964-June 1965)
- 168* Tables with Notes on the Annual Survey of Industry—1963 Sample Sector : Detailed Results
- 169* Tables with Notes on Housing Condition of Scheduled Tribe Households of Union Territories of Manipur and Tripura (18th Round : June 1963-May 1964)
- 170* Tables with Notes on Housing Condition (18th Round : February 1963-January 1964)
- 171* Some Results relating to Construction of Pucca Houses in Rural and Urban Areas (22nd Round: July 1967-June 1968)
- 172* Tables with Notes on Indian Villages : Some Important Results (18th Round : February 1963-January 1964)
- 173* Tables with Notes on Employment and Unemployment in Rural and Urban Areas of India (19th Round : July 1964-June 1965)
- 174* Tables with Notes on the Annual Survey of Industry 1966 : Sample Sector—Summary Results.
- 175* Tables with Notes on Differential Fertility and Mortality Rates in India (18th Round : February 1963-January 1964)
- 176* Some Results of the Land Utilisation Survey and Crop-cutting Experiments (22nd Round : July 1967-June 1968)
- 177* Vital Rates in India (19th Round : July 1964-June 1965)
- 178* Tables with Notes on Annual Survey of Industry—1965, Sample Sector : Detailed Results.
- 179* Tables with Notes on Consumer Expenditure (Preliminary) (19th Round : July 1963-June 1965)
- 180* Tables with Notes on Fertility and Mortality Rates in Urban Areas of India (16th Round : July 1960-August 1961)
- 181* Tables with Notes on Urban Labour Force (21st Round : July 1966-June 1967)
- 182 Tables with Notes on Internal Migration (18th Round : February 1963-January 1964)

Note—Report Nos. marked* are underprint.

