

पुस्तक
DRAFT



भारत सरकार

GOVERNMENT OF INDIA

राष्ट्रीय प्रतिदर्श सर्वेक्षण संगठन

NATIONAL SAMPLE SURVEY ORGANISATION

तीसवाँ दौर

THIRTIETH ROUND

(जुलाई 1975 - जून 1976)

(JULY 1975 - JUNE 1976)

संख्या 306

NUMBER 306

गर्भ एवं भैंसों की संख्या एवं विभिन्न परस्पर संबंधित
घटकों के अनुसार वर्गीकृत दूध का उत्पादन

NUMBER OF BOVINES AND YIELD OF MILK CLASSIFIED BY
VARIOUS CO-RELATES

अप्रैल 1983

APRIL 1983

सांख्यिकी विभाग

DEPARTMENT OF STATISTICS

नई दिल्ली

NEW DELHI

Note of Caution

Being the scanned copy of old NSS report, this document may suffer from following limitations -

- i. Poor Quality of the Scanned images.
- ii. Page(s) missing in between.
- iii. Improper sequencing/arrangement.

NATIONAL SAMPLE SURVEY
THIRTEENTH ROUND (JULY 1975 & JUNE 1976)

NUMBER OF BOVINES AND YIELD OF MILK CLASSIFIED
BY VARIOUS CO-RELATES

C o n t e n t s

<u>Description</u>	<u>Page</u>
Section-1 : Introduction	1
Section-2 : Important findings of the survey	5
Appendix I : Sample design and estimation procedure	15
Appendix II : State and all-India tables	19
Appendix III : Fascicule of the schedule of investigation	138

NATIONAL SAMPLE SURVEY
THIRTIETH ROUND (JULY 1975 - JUNE 1976)
NUMBER OF BOVINES AND YIELD OF MILK CLASSIFIED BY VARIOUS
CO-RELATES

SECTION ONE

INTRODUCTION

1.0 A comprehensive survey on the livestock number, products and enterprises was carried out in the thirtieth round of NSS (JULY 1975 - JUNE 1976) with a view to filling up the gap in the field of animal husbandry statistics.

1.1 Geographical coverage : The survey covered the whole of the Indian Union (excepting Ladakh district of Jammu & Kashmir; rural areas of Pal and Samri tehsils of district Sarguja and Bijapur, Dantewara, Konta and Narayanpur tehsils of district Bastar of Madhya Pradesh; Rajura, Sironcha and Gadh-Chiroli tehsils of district Chandrapur and Melghat tehsil of district Amravati of Maharashtra; rural areas in Nagaland; the disturbed villages of Tripura; rural areas of the Union Territory of Chandigarh; the Union Territories of Andaman and Nicobar island, Mizoram, Laccadive, Minicoy and Aminidivi Islands and Dadra & Nagar Haveli.

1.2 Sample size and field work : The survey was carried out in 18856 sample villages and 20440 urban sample blocks. Of these, 8512 sample villages and 9744 blocks formed the Central Sample and were surveyed by the NSSO staff belonging to its Field Operations Division. Under the NSS matching scheme the remaining villages and blocks constituting the State Sample were surveyed by the field staff of the respective State Statistical Agencies. 24 Households from each of the sample villages and 24 households, on an average, from a urban sample block were selected for the survey, 1/

1/ For details, see the note on Sampling Design and Estimation Procedure given in appendix-I.

1.3 Subject coverage : The following six schedules of investigation were canvassed in the survey - (i) Household Schedule 19.1 - cattle, buffalo, yak, mithun and poultry; (ii) Household Schedule 19.2 - horse, donkey, mule, camel and elephant; (iii) Household schedule 19.3 - sheep, goat and pig; (iv) Household Schedule 19.4 - consumption of livestock products; (v) Household Schedule 20 - livestock enterprises and (vi) Schedule 20.1 - Non-household livestock enterprises. Thus the survey covered all the livestock ~~poss~~ possessed in the household sector (through schs. 19.1, 19.2, 19.3) and also such non-household establishments which are not registered under 2m(1) or 2m(ii) of Factories Act, 1948 and engaged in the enterprises such as (i) dairy, (ii) poultry and (iii) piggery (sch.20.1). Besides this, some ancillary village level data having some bearing on the development of animal husbandry activities were also collected through a village schedule 3.1. In addition, one village schedule 3.2 was also canvassed in the sample villages for collecting information on migratory flocks of bovines, pack animals and bovines.

1.4 Tabulation programme on Schedule 19.1 : Since bovine population forms the most important category of livestock, an elaborate programme for tabulating the data collected through schedule 19.1 (i.e. on bovine and poultry) has been approved by the Governing Council of the NSSO. The tabulation programme had been planned in such a manner that the first phase tabulation provided estimates on proportion of animals in milk to milch animals, quantity of milk produced and concentrates used per animal in-milk classified by species, age-groups and also by intervals since calved, quantity of milk produced per producer household (separately for cows and buffaloes), sale of fluid milk and milk products by producer households etc. From the second phase tabulation, estimates obtained were the average number of livestock possessed classified by age, sex, use, household land possessed, industry division, type of breed etc., birth, death and fertility rates of bovines, calving interval of adult females, increment of stock etc.

1.5. Content of the report : The results of the first phase of the tabulation containing estimates at region, state and all-India level and in some cases separately for each sub-round have already been released through NSS draft report No. 281-series. The part of the results of the second phase of the tabulation at state and all-India level have also been released through NSS draft report No. 299 entitled "Estimates of number, birth, death and calving interval of bovines". The present report is also based on the survey results obtained from the second phase of the tabulation plan in respect of each state and all-India for rural and urban sectors. In section Two, the important findings of the survey results have been discussed. The tables showing the survey results for all the four sub-rounds combined at the state and all-India levels for rural and urban sectors separately have been presented in Appendix-II. The results of altogether five tables have been provided in this report. In table (1) the percentage distribution of milch animals by species over conception type has been presented. Table (2) gives the distribution of dry animals classified by age-group over period of previous lactation. In table (3) the quantity of milk yield (0.00 litre) and concentrates used (0.00 Kg.) per animal in-milk by size group of milk yield and by species has been presented. Table (4) provides estimates of quantity (0.00 litre) of milk produced per animal in-milk classified by number of times calved and interval since last calving for each species. In table (5) is presented the percentage distribution of animals in-milk and quantity of milk yield per animal in-milk classified by species and amount of concentrates used.

In all the above tables, data in respect of only cattle and buffalo have been presented. Data in respect of yak and mithun are not presented in this report since the numbers of these animals were found to be too small to build up any reliable estimate.

1.6 Participation of States : All the States and Union Territories except Gujarat, Haryana, Maharashtra, Orissa, Delhi and Goa, Daman & Diu participated in the survey on full matching basis. While Gujarat and Delhi had double matching sample in both rural and urban sectors, Maharashtra and Orissa participated on double matching basis in rural sector only and on full matching basis in urban sector. Haryana had a sample size of two and a half times the Central Sample in rural areas and double matching sample in urban areas while for Goa, Daman & Diu, the same size was four times the size of the Central Sample in rural areas and three times in urban areas.

SECTION TWO

IMPORTANT FINDINGS OF THE SURVEY

2.0 This section deals with the various factors which have ~~some~~ ~~some~~ effects on the yield rate of milk of bovines. Some discussion on the extent of artificial insemination and the lactating periods of bovines have also been made here. An analysis of the effects of the use of concentrates, of the number of calves born and the interval since the calf is born on the yield of milk is also made in this section. Discussion ^{on} the above-mentioned aspects is generally made separately for cattle and buffaloes indicating also the extent of variations exhibited by different states.

2.1 Extent of artificial insemination of milch bovines in India : Data presented in table (1) of Appendix II reveal that the progress in introducing artificial insemination to the bovine population in India as a whole is not at all encouraging. Out of a total of about 34 million milch cattle in rural India only 2.36 per cent are artificially inseminated. The corresponding percentage for about 2 million milch cattle in urban India is 9.58. For buffaloes, the incidence of artificial insemination is still less. Of the 21 million and 1 million milch buffaloes in rural and urban India respectively only 1.73 percent and 4.12 per cent are artificially inseminated.

2.1.1 In the rural sector, the incidence of artificial insemination of cattle varies from state to state. Pondicherry recorded the highest percentage of 20.28 of the total milch cattle followed by Kerala (18.78) and Tripura (10.43). In Manipur, Tamil Nadu, West Bengal, Delhi, Goa, Daman & Diu, Karnataka, Punjab, Assam and Haryana, the percentage of milch cattle artificially inseminated ranges between 5 per cent to 3 per cent. For remaining states this figure is as low as 1 to 2 per cent. In urban areas, Kerala recorded the highest percentage of artificial insemination

of milch cattle (39.97 per cent.) followed by Madhya Pradesh (34.69 per cent) and Tripura (27.83 per cent.). The corresponding percentages for Karnataka, Himachal Pradesh, Tamil Nadu, Pondicherry and Haryana lie between about 20 to 15 percent and that for Punjab, West Bengal, Assam, Orissa, Goa, Daman & Diu, Andhra Pradesh, Manipur, Uttar Pradesh and Maharashtra between 10 to 15 percent. For the remaining states, this percentage varies between 4 percent to about 1.

2.1.2 In respect of the buffaloes in the rural areas, the percentage of milch buffaloes artificially inseminated is highest (14 per cent) in Goa, Daman & Diu, while it is between 7 percent to 5 percent in Assam, West Bengal, Tamil Nadu, Delhi, Tripura and Kerala, between 4 percent to 3 percent in Pondicherry, Gujarat, Madhya Pradesh, Meghalaya, Karnataka and Manipur and between 2 percent to about 1 percent in the remaining states (excepting Orissa). In the urban areas, Kerala recorded the highest percentage (26 per cent) of milch buffaloes being artificially inseminated whereas, in West Bengal and Tamil Nadu this rate is about 12 per cent followed by Manipur (about 8 per cent) and Karnataka (about 7 per cent). In Himachal Pradesh, Madhya Pradesh, Goa, Daman & Diu, Orissa and Andhra Pradesh the corresponding rate varies between about 6 per cent to 4 per cent. In the remaining states this estimate is less than 4 percent.

2.2.1 Lactation period of bovine population : To get an idea about the full lactation period bovines, information was collected in respect of such bovines which were reported to be "dry" on the date of survey. For such bovines the period of lactation prior to becoming "dry" was ascertained and recorded in the schedule of enquiry.

The survey results reveal that the average periods of previous lactation for cows are 9 and 8 months respectively in rural and urban areas and 10 and 9 months for buffaloes in these two sectors. However, there is wide variation in

2/ For details, see Table 4 of NSS Report No. 299.

of
the lactation period/bovines as evident from the data presented in Table (2) of Appendix II which shows the distribution of dry bovines classified by age group and period of previous lactation.

It is seen from the above table that at the all-India level in rural sector although about 42 per cent of cows have a lactation period of 10-15 months, about 25 and 18 per cent fall in the class of 7-9 and 4-6 months respectively. A similar pattern is observed in the urban sector where about 40, 27 and 18 per cent of the cows belong to the group of 10-15, 7-9 and 4-6 months respectively. It is interesting to note that about 7 per cent of cows in rural sector and 8 per cent in urban sector have reported lactation period as low as 3 months or below. So far as buffaloes are concerned, about 52 and 24 per cent reported to have the lactation period of 10-15 and 7-9 months respectively, in the rural sector, the corresponding percentages for the urban sector being 50 and 25. Further, about 10 per cent of buffaloes in the rural sector and 11 per cent in the urban sector have lactation period which extends between 4 to 6 months.

As far as the association between the age of female bovines and the duration of lactation is concerned, the survey results indicate that for cows as well as buffaloes the number falling under higher brackets of lactation period is constituted of proportionately more females of higher age-group and this feature is discernible both in rural and ^{urban} sectors. Interestingly, for both the species of bovines, the percentages falling under the lactation periods of 10-15 and above 15 months are more in the rural sector than those of the urban sector.

2.2.2. Duration of lactation of cows varies to an appreciable extent over the states. It is seen that more than 60 percent of the cows in rural areas have a lactation period of 10 months and above in Jammu & Kashmir, Gujarat and West Bengal while only 30 percent is reported to have

the same lactation period in Haryana and Delhi. On the other hand, although less than 4 per cent of cows report lactation period of 3 months or below in West Bengal (2.70), Meghalaya(2.72), Assam(3.43) and Andhra Pradesh (3.61), 13 per cent or more have been reported in the same lactation group in Delhi(30.78), Orissa(13.26), Manipur(13.03) and Haryana(12.89).

In the urban sector, more than 60 percent of the dry cows are found to be in the group of lactation period - 10 months and above again in Jammu & Kashmir and Gujarat alongwith Meghalaya. In contrast, Nagaland, Haryana and Delhi have 7, 28 and 30 per cent of the cows respectively in the same lactation period.

As regards the buffaloes in the rural sector, the lactation period of as high as 88, 83 and 71 per cent of the dry buffaloes are found to be in the group of 10 months and above in Jammu & Kashmir, Himachal Pradesh and West Bengal where as 50 per cent of the dry buffaloes are observed to be in the above lactation group in Haryana and Delhi. Further, less than 4 per cent of the dry buffaloes report lactation period of 3 months or below in Meghalaya(1.92), Jammu & Kashmir(2.24) and Uttar Pradesh(2.46) as opposed to 35.00, 20.39 and 19.43 per cent observed in Delhi, Manipur and Orissa respectively.

Of the buffaloes in the urban sector of the states, Jammu & Kashmir, Gujarat and Pondicherry report more than 70 per cent of the dry buffaloes in the lactation period of 10 months and above. On the other side of the scale is Tripura, Delhi and Uttar Pradesh which report less than 50 per cent in the said group.

2.3.1 Yield rate of bovine milk and the use of concentrates of bovine in-milk :

The milk yield per animal in-milk per day is quite low in India. It is seen from Table (3) of Appendix II that in rural sector the average yield rate of milk is 1.05 litres for cows and 2.61 litres for buffaloes. The corresponding rates in urban India are 1.98 and 3.60 litres. It is also noticed that the percentage of cows in-milk having yield rate of milk upto 1.00 litre is as high as 73.08 in

rural sector and 44.47 in urban sector. The percentage of buffaloes yielding milk upto 2.00 litres are 56.78 and 37.86 in rural and urban India respectively. The estimates also reveal that a considerable proportion of cows in-milk do not yield any milk for human consumption. The percentage of cows in-milk as well as buffaloes in-milk reporting no milk on the day prior to the date of enumeration is presented in Table 'A' for each state and all-India.

Table (A) : Percentage of animals-in-milk reporting practically no yield of milk to total number of animals in-milk by species.

s t a t e	c o w		b u f f a l o	
	rural	urban	rural	urban
(1)	(2)	(3)	(4)	(5)
1. All India	16.42	4.76	1.39	0.72
2. Andhra Pradesh	59.29	29.04	2.97	1.32
3. Assam	0.96	0.59	5.42	-
4. Bihar	10.83	4.99	1.22	0.79
5. Gujarat	1.05	-	-	-
6. Haryana	2.00	1.78	0.62	0.53
7. Himachal Pradesh	1.21	4.35	0.34	-
8. Jammu & Kashmir	0.39	0.37	0.47	-
9. Karnataka	5.08	5.01	0.79	0.67
10. Kerala	2.30	2.41	2.18	-
11. Madhya Pradesh	34.45	5.90	2.69	1.52
12. Maharashtra	20.77	10.45	0.58	0.67
13. Manipur	1.50	-	4.24	-
14. Meghalaya	9.13	-	2.27	-
15. Nagaland	-	-	-	-
16. Orissa	29.91	10.04	11.75	8.11
17. Punjab	1.01	0.41	0.72	0.14
18. Rajasthan	6.26	4.33	1.50	1.07
19. Tamil Nadu	13.97	1.88	3.24	0.40
20. Tripura	3.84	5.69	40.00	-
21. Uttar Pradesh	11.67	2.27	1.01	0.58
22. West Bengal	1.72	1.67	1.43	-
23. Chandigarh	-	-	-	-
24. Delhi	-	-	2.33	1.67
25. Goa, Daman & Diu	31.48	22.73	-	-
26. Pondicherry	3.88	.69	-	-

The figures of Table A indicate that of the total cows in-milk, 16.42 and 1.39 per cent cows respectively in the rural and urban sectors of India report practically no yield of milk for human consumption. The corresponding percentage figures for buffaloes are 4.76 and 0.72 respectively.

As far as the states are concerned, cows in-milk in rural sector reporting no yield is as high as 59.29 per cent in Andhra Pradesh followed by Madhya Pradesh (34.45), Goa, Daman & Diu (31.48) and Orissa (29.91). This feature is also observed in the urban sector of the states but with lesser magnitude. Cows in-milk reporting no milk is highest again in Andhra Pradesh (29.04) followed by Goa, Daman & Diu (22.73), Maharashtra (10.45) and Orissa (10.04). The practice of not milking the animals in-milk for human consumption is not very much applicable in case of buffaloes as most of the states have reported small percentage of such animals in-milk even in rural sector. It may be worthwhile to mention here that some of the schedules of enquiry have recorded that calves are allowed to consume the entire milk for bringing up strong bullock.

Further, the percentage distribution of animals in-milk over size group of milk yield (Table 3 of Appendix II) shows that in rural India the percentage of cows in-milk decreases progressively with the increase in the size group of milk yield. However, in the urban sector, the said percentage increases with the increase in the size group of milk yield upto the class 1.00 - 2.00 litres and starts decreasing thereafter. This feature is also noticed in case of buffalo both in rural and urban sectors.

2.3.2. The production of milk and the intake of concentrates by the in-milk bovine population are expected to be inter related. Generally, oil cake, crushed pulse, gram, grains, bran, husk, oil seeds and gur are categorised under concentrates.

Table (B) : Quantity of milk yield (0.00 litre) and concentrates used(0.00kg.) per animal-in-milk by species

srl. no.	state/union territory	rural				urban			
		cow		buffalo		cow		buffalo	
		average quantity of milk produced	average quantity of concentrates used	average quantity of milk produced	average quantity of concentrates used	average quantity of milk produced	average quantity of concentrates used	average quantity of milk produced	average quantity of concentrates used
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1.	All India	1.05	0.30	2.61	0.80	1.98	0.87	3.60	1.54
2.	Andhra Pradesh	0.31	0.25	1.18	0.62	0.98	0.85	1.74	1.05
3.	Assam	0.88	0.12	2.59	0.18	1.23	1.58	0.50	-
4.	Bihar	1.26	0.16	3.15	0.38	2.00	0.51	4.23	0.84
5.	Gujarat	2.13	0.66	3.20	1.46	3.53	1.34	4.83	1.83
6.	Haryana	2.75	0.66	4.35	1.29	3.12	1.01	5.02	1.90
7.	Himachal Pradesh	1.06	0.16	2.34	0.39	1.95	0.66	3.69	0.97
8.	Jammu & Kashmir	1.50	0.82	2.52	0.36	1.78	1.63	2.71	1.04
9.	Karnataka	0.83	0.21	1.38	0.28	1.91	0.86	1.83	0.62
10.	Kerala	1.59	0.92	2.19	2.06	2.54	1.76	3.79	2.62
11.	Madhya Pradesh	0.56	0.15	1.79	0.54	1.20	0.52	3.34	1.44
12.	Maharashtra	0.68	0.14	2.24	0.90	1.24	0.56	3.56	1.49
13.	Manipur	1.31	0.50	1.71	0.39	1.48	0.35	2.71	1.86
14.	Meghalaya	0.94	0.11	0.87	-	3.84	2.15	-	-
15.	Nagaland	-	-	-	-	1.52	1.01	-	-
16.	Orissa	0.38	0.16	0.92	0.28	1.04	0.71	2.25	1.91
17.	Punjab	2.27	0.42	3.57	0.86	3.48	0.99	4.72	1.93
18.	Rajasthan	1.87	0.62	3.01	1.10	2.60	0.99	4.35	1.87
19.	Tamil Nadu	1.02	0.60	1.80	0.90	2.27	1.00	2.60	1.20
20.	Tripura	0.68	0.12	0.30	-	0.82	0.50	1.00	-
21.	Uttar Pradesh	1.15	0.27	2.73	0.72	2.15	0.76	3.76	1.48
22.	West Bengal	1.08	0.24	3.04	0.76	1.82	0.55	6.18	2.56
23.	Chandigarh	-	-	-	-	-	-	3.30	0.76
24.	Delhi	2.71	1.45	5.04	2.56	2.81	3.11	5.91	3.40
25.	Goa, Daman & Diu	0.71	0.44	2.51	1.35	1.00	0.50	3.10	1.89
26.	Pondicherry	1.45	1.39	2.20	1.41	4.97	1.70	9.22	1.44

The average consumption of concentrates, as seen from Table 'B', is low both for cows and buffaloes in all the states particularly in the rural sector. The consumption rates for buffaloes in both the sectors of all the states are higher than those of the cows. Further, compared to rural sector, the rate of average consumption of concentrates by cows and buffaloes in urban sector is higher in all the states except for cows in Manipur and for buffaloes in Assam. It may not be out of place to mention that the average milk yield for both cows and buffaloes are higher in the urban sector compared to rural sector. However, the low rate of average consumption of concentrates by bovine observed in rural and urban India is explained by the fact that large number of bovines in-milk do not consume any concentrate at all. The data presented in Table 5 of Appendix I show that in rural India as high as 70.53 percent cows and 41.4 percent buffaloes of the respective in-milk bovines are not provided with concentrates. The corresponding percentage figures for urban India are 39.28 and 21.71 respectively for in-milk cows and buffaloes.

The situation in some of the states is still worse. In rural sector of Meghalaya, Orissa, Assam, Madhya Pradesh, Tripur and Maharashtra, the percentage of cows in-milk not consuming any concentrate varies between 82 to 97. In contrast, for Pondicherry, Kerala and Delhi this rate varies between 9 to 20. So far as buffaloes in rural sector are concerned, concentrate is not used at all in Meghalaya and Tripura. Also concentrates are not given to more than 80 percent of the in-milk buffaloes in Assam, Orissa and Manipur. However, for Pondicherry, Kerala and Delhi, the percentage of buffaloes in-milk not using any concentrate is quite small. Similar feature in respect of non-use of concentrates by the in-milk bovine is observed in the urban sector also.

The quantity of milk yield per animal in-milk, except in few cases, increases progressively over the amount of concentrates upto the class 5.0-10.0 kg. But, of the total cows in-milk who are given any concentrate, about 93 and 87 percent

respectively in rural and urban sectors are found to be using concentrates only upto 2.0 kg. The said percentage figures for buffaloes in-milk are 86 and 74.

2.4.1 Average milk yield of in-milk bovines classified by the interval since last calving and number of times calved :

In table 4, appendix II of the report, data have been presented to study as to whether yield rate of milk per in-milk bovine is dependent on the factors, like, 'interval since calved' and 'number of times calved'. These data have been presented for rural and urban areas for each state and all-India.

It is seen that at the all-India level in the rural sector the highest yield rate for cattle (1.30 kg.) and buffaloes (3.53 kg.) is reported in the 3rd and 2nd months from the last calving respectively. In urban sector, the maximum yield rate of milk is reported by cows (2.55 kg.) in the 2nd month and that by buffaloes (4.64 kg.) in the 3rd month since calved.

However, state level estimates indicate that normally highest yield rate of milk is obtained from in-milk bovines within 4 months from their calving. This phenomenon is observed in both rural and urban areas for cows as well as buffaloes in most of the states.

As regards the relation, between the highest yield rate of milk of in-milk bovines and the number of times they are calved, it is seen that in rural India, cows calved eight times recorded the highest average yield of 1.20 kg., whereas in urban India cows calved 5 times reported highest average yield of 2.16 kg. For the buffaloes, on the other hand, highest average yield (2.75 kg. and 4.00 kg. respectively in rural and urban sectors of India) is recorded for 3 and 7 times of calving in rural and urban India respectively.

In majority of the states, cows which calved 3 times & above are reported to have maximum yield rate of milk in both rural and urban sectors.

For the buffaloes, although 15 states in the rural sector and 13 states in the urban sector report highest rate of milk yield with number of times calved 3 times & above, 8 states in the rural areas and 10 states in the urban areas report highest average yield with number of time calved once or twice only.

It can also be seen that the higher the number of times calved the higher generally the yield rate of milk of in-milk bovines in both rural and urban areas of India and it is more evident in respect of cows.

----- X -----

APPENDIX - I
SAMPLE DESIGN AND ESTIMATION PROCEDURE

Sample Design

1. Sample Design : The sample design is a stratified two stage design. The first stage units are 1971 census villages in rural areas and urban blocks in urban areas. The second stage units are households. The design has been made self-weighting at the region level in rural sector and at the state level in urban sector.
2. Sample size (Central Sample) : The Central Sample consists of 8512 villages and 9744 blocks.
3. Stratification : The whole of India has been divided into a number of basic strata so that the basic strata do not cut across district boundaries. Districts with more than 1.5 million 1971 census rural population have been divided into 2 or more basic strata by grouping contiguous tehsils (or sub-divisions in Bihar, Orissa and West Bengal) homogeneous, as far as possible, with respect to density of rural population and crop-pattern, so that the population of each basic stratum is 1.5 million and less. Each district with 1.5 million and less 1971 rural population forms one basic stratum by itself except in Gujarat where some districts with less than 1.5 million rural population have been divided into 2 basic strata on consideration of concentration of the tribal population and dry areas of the state. Basic strata so formed have been treated as basic strata both for rural and urban sectors. In the urban sector, however, some of the basic strata with very low urban population content have been merged together to form urban strata with sizeable urban population. In all such cases, however, the separate entity of the district has been retained in general except in case of districts with very low urban population where such districts have been merged with neighbouring districts in the same region for urban strata formation.

Out of 374 districts in India, 366 districts are within the survey coverage of the NSS. Total number of basic strata formed in these 366 districts is 520 in rural areas and 511 in urban areas. Total number of urban strata is 386.

4. Allocation : The all-India sample of villages and blocks have been allocated to the different states and union territories considering their investigator strengths and rural/urban population.

Within each state and union territory, the allocated number of villages and blocks have been distributed over the constituent basic strata and urban strata in proportion to their rural and urban population respectively. These allocations have been made multiples of 4.

5. Selection of villages : The 1971 census list of villages has been used as the sampling frame for selection of villages. Sample villages within each basic stratum have been selected with probability proportional to 1971 census population and with replacement, in the form of two independent sub-samples.

6. Selection of blocks : Within each urban stratum the allocated number of blocks have been selected with probability proportional to size (pps) where size is a measure of population, and with replacement, in the form of two independent sub-samples.

Urban Frame Survey (UFS) blocks in cities and towns where UFS has been done and 1971 census blocks where UFS has not been done have been used for selection of blocks.

7. Selection of revenue village : In rural areas the first stage sampling unit and also the unit of survey is the census village (1971 population census). Generally the survey work is conducted in the sampled census village. But sometimes the sample census village cannot be uniquely identified. In such cases two types of situations may arise - (a) the sample census

village contains two or more revenue villages wholly or partly. Then all the revenue villages taken together is taken as the unit of survey, (b) the sample census village is wholly contained within a bigger revenue village which contains, wholly or partly, other census villages also. Then this bigger revenue village is surveyed.

8. Hamlet group/sub-block selection : Villages/blocks with large population content are divided into two or more compact, areal sub-divisions of nearly equal population content. These sub-divisions are called hamlet-groups and sub-blocks in the case of villages and blocks respectively. The survey is conducted in one of the sub-divisions (formed in a village or block) selected at random.

9. Selection of sample households :

Schedule 19.1 : All the households in a sample village/block are arranged in a frame with households possessing any livestock or poultry on the date of listing coming first followed by the other households. In a sample village, a sample of 24 households is selected circular systematically from this arranged frame whereas in a sample block, a sample of households (24 on the average) is selected linear systematically with a pre-specified interval. All the selected households in a sample village/block are surveyed for schedules 19.1.

10. ESTIMATION PROCEDURE

The estimation procedure adopted for schedule 19-series is described below for rural and urban sectors separately.

11. Rural sector :

Let Y_r denote the aggregate for region r of any item y on which information is collected in any schedule of 19-series. Then its estimate \hat{Y}_r is given by

$$\hat{Y}_r = \sum_i M_{ri} y_{ri} \dots \dots \dots (1)$$

where y_{ri} is the value for i sample household of r^{th} region and M_r is the multiplier for r^{th} region given by

$$M_r = \frac{\hat{H}_r}{h_r} \dots \dots \dots (2)$$

where \hat{H}_r is the total number of households in the r^{th} region as estimated unbiasedly from schedule 0.1 (listing schedule), and h_r is the number of sample households available for tabulation for schedule 19 series.

12. The estimates of State aggregates are obtained by adding the estimates of all the constituent regions.

13. Estimates of ratios are derived by first obtaining the estimates of aggregates of the numerator and denominator of a given ratio and then by division at the final stage.

Urban Sector

14. In the urban sector, the aggregate of item y at state level is given by

$$\hat{Y} = M \sum_i y_i \dots \dots \dots (3)$$

where M is the self-weighting multiplier at state level and y_i is the value of y for the i^{th} sample household.

15. Regionwise estimates are obtained by restricting the summation to the sample households of each given region.

16. Estimates of ratios are computed, as in the rural sector, by estimating first the numerator and the denominator and then by division at the final stage.

NATIONAL SAMPLE SURVEY
THIRTIETH ROUND (JULY 1975 - JUNE 1976)

APPENDIX - II

LIST OF TABLES

srl.no.	table no.	description of table	page no.
(1)	(2)	(3)	(4)
1.	0	Number of sample villages/blocks and households by states/union territories and all-India.	20
2.	1	Percentage distribution of milch animals over conception type by states in rural and urban areas separately for each species.	21
3.	2	Percentage distribution of dry animals classified ^{by} age-group over period of previous lactation by species in rural and urban areas for states and all-India.	23
4.	3	Quantity of milk yield and concentrates used per animal in-milk by size group of milk yield and by species in rural and urban areas for states and all-India.	49
5.	4	Quantity of milk produced per animal in-milk classified by number of times calved and interval since last calving for each species in rural and urban areas of states and all-India.	75
6.	5	Percentage distribution of animals in-milk and quantity of milk yield per animal in-milk classified by species and concentrates used in rural and urban areas for states and all-India.	125

NATIONAL SAMPLE SURVEY, 30TH ROUND : JULY 1975-JUNE 1976

Table (O) : Number of sample villages/blocks and households
by states

s t a t e s	rural		urban	
	no. of sample villages	no. of sample households	no. of sample villages	no. of sample households
(1)	(2)	(3)	(4)	(5)
1. Andhra Pradesh	672	16096	768	14851
2. Assam	360	8493	268	5497
3. Bihar	768	19187	624	12412
4. Gujarat	312	7471	480	9993
5. Haryana	144	3456	144	3232
6. Himachal Pradesh	192	4169	96	1962
7. Jammu & Kashmir*	720	17016	576	11671
8. Karnataka	360	8550	432	8533
9. Kerala	360	8640	288	7118
10. Madhya Pradesh	720	17068	576	9868
11. Maharashtra	624	14871	1200	22474
12. Manipur	120	2815	72	1445
13. Meghalaya	120	2614	72	1505
14. Nagaland	-	-	48	944
15. Orissa	360	8434	288	5443
16. Punjab	360	8581	288	5595
17. Rajasthan	360	8574	432	8837
18. Tamil Nadu	536	12837	912	20140
19. Tripura	120	2669	72	1373
20. Uttar Pradesh	1056	24985	1152	22018
21. West Bengal	552	13140	864	17731
22. Chandigarh	-	-	24	511
23. Delhi	8	192	240	5308
24. Goa, Daman & Diu	24	575	48	769
25. Pondicherry	24	572	48	827
26. All-India*	8872	210005	10032	200057

* including the figures for the state sample of Jammu & Kashmir.

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (1) : Percentage distribution of milch animals by species over conception type

Cattle

srl. no.	state	rural			urban				
		estimated number of milch animals (000)	percentage of milch animals by conception type		estimated number of milch animals (000)	percentage of milch animals by conception type			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1.	All-India	34249	97.64	2.36	100.00	1664	90.42	9.58	100.00
2.	Andhra Pradesh	2122	99.12	0.88	100.00	50	93.83	6.17	100.00
3.	Assam	1128	96.84	3.16	100.00	35	92.84	7.16	100.00
4.	Bihar	2659	99.31	0.69	100.00	134	96.79	3.21	100.00
5.	Gujarat	1020	97.67	2.33	100.00	65	96.87	3.13	100.00
6.	Haryana	503	97.33	2.67	100.00	30	85.12	14.88	100.00
7.	Himachal Pradesh	503	98.94	1.06	100.00	4	82.11	17.89	100.00
8.	Jammu & Kashmir	470	98.52	1.48	100.00	23	98.64	1.36	100.00
9.	Karnataka	2032	96.42	3.58	100.00	168	80.39	19.61	100.00
10.	Kerala	795	81.22	18.78	100.00	68	60.03	39.97	100.00
11.	Madhya Pradesh	5573	98.04	1.96	100.00	146	65.31	34.69	100.00
12.	Maharashtra	2779	98.44	1.56	100.00	142	95.36	4.64	100.00
13.	Manipur	36	95.20	4.80	100.00	3	94.78	5.22	100.00
14.	Meghalaya	78	98.61	1.39	100.00	1	95.83	4.17	100.00
15.	Nagaland	-	-	-	-	1	100.00	0.00	100.00
16.	Orissa	1937	97.93	2.07	100.00	89	92.92	7.08	100.00
17.	Punjab	677	96.60	3.40	100.00	45	89.65	10.35	100.00
18.	Rajasthan	2908	99.73	0.27	100.00	114	98.66	1.34	100.00
19.	Tamil Nadu	1762	95.37	4.63	100.00	206	84.16	15.84	100.00
20.	Triouara	118	89.57	10.43	100.00	4	72.17	27.83	100.00
21.	Uttar Pradesh	4490	99.07	0.93	100.00	131	94.88	5.12	100.00
22.	West Bengal	2600	95.52	4.48	100.00	192	91.04	8.96	100.00
23.	Chandigarh	-	-	-	-	-	-	-	-
24.	Delhi	14	95.65	4.35	100.00	7	95.83	4.17	100.00
25.	Goa, Daman & Diu	25	96.03	3.97	100.00	2	93.02	6.98	100.00
26.	Pondicherry	20	79.72	20.28	100.00	4	84.52	15.48	100.00

Ashim/

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (1). Contd.) : Percentage distribution of milch animals by species over conception type

Buffalo		rural				urban			
srd. no.	state	estimated number of milch animals (000)	percentage of milch animals by conception type			estimated number of milch animals (000)	percentage of milch animals by conception type		
			natural	artificial insemination	total		natural	artificial insemination	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
..	All-India	21259	98.27	1.73	100.00	1276	95.88	4.12	100.00
2.	Andhra Pradesh	2341	98.53	1.47	100.00	170	96.09	3.91	100.00
3.	Assam	51	92.56	7.44	100.00	-	100.00	0.00	100.00
4.	Bihar	1333	99.14	0.86	100.00	41	99.52	0.48	100.00
5.	Gujarat	1490	96.43	3.57	100.00	88	99.27	0.73	100.00
6.	Haryana	1121	99.66	0.34	100.00	62	97.81	2.19	100.00
7.	Himachal Pradesh	272	99.26	0.74	100.00	3	94.12	5.88	100.00
8.	Jammu & Kashmir	170	99.83	0.17	100.00	2	98.64	1.36	100.00
9.	Karnataka	1212	97.00	3.00	100.00	132	92.64	7.36	100.00
10.	Kerala	112	95.21	4.79	100.00	12	74.25	25.75	100.00
11.	Madhya Pradesh	1603	96.58	3.42	100.00	59	95.21	4.79	100.00
12.	Maharashtra	1178	98.86	1.14	100.00	157	98.18	1.82	100.00
13.	Manipur	8	97.43	2.57	100.00	-	91.67	8.33	100.00
14.	Meghalaya	7	96.88	3.12	100.00	-	-	-	-
15.	Nagaland	-	-	-	-	-	-	-	-
16.	Orissa	137	100.00	0.00	100.00	7	95.65	4.35	100.00
17.	Punjab	1795	99.59	0.41	100.00	122	98.92	1.08	100.00
18.	Rajasthan	1906	99.92	0.08	100.00	74	97.74	2.26	100.00
19.	Tamil Nadu	796	93.46	6.54	100.00	115	88.50	11.50	100.00
20.	Tripura	4	95.00	5.00	100.00	-	100.00	-	100.00
1.	Uttar Pradesh	5618	98.42	1.58	100.00	151	96.95	3.05	100.00
22.	West Bengal	56	92.71	7.29	100.00	40	87.89	12.11	100.00
23.	Chandigarh	-	-	-	-	2	100.00	-	100.00
24.	Delhi	36	93.65	6.35	100.00	37	100.00	-	100.00
25.	Goa, Daman & Diu	9	86.00	14.00	100.00	1	95.45	4.55	100.00
26.	Pondicherry	4	96.08	3.92	100.00	1	100.00	-	100.00

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (2) : Percentage Distribution of dry animals classified by age-group over period of

Srl. no.	age-group (in completed years)	percentage distribution of dry animals by period of previous lactation (in mths)													
		upto 3							upto 3						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
<u>All-India</u>															
1.	2	100.00	-	-	-	-	-	100.00	-	-	61.14	38.86	-	-	100.00
2.	3 - 4	13.59	26.46	24.05	27.14	0.97	7.79	100.00	15.16	16.88	26.47	34.62	0.92	5.95	100.00
3.	5 - 6	8.85	18.76	26.15	40.31	3.15	2.78	100.00	6.93	12.15	25.37	49.28	4.56	1.71	100.00
4.	7 - 9	7.08	17.43	25.34	43.75	4.36	2.04	100.00	5.99	9.05	24.49	53.38	5.88	1.21	100.00
5.	10 & above	6.65	18.78	24.65	43.00	5.22	1.70	100.00	6.56	9.66	21.37	53.54	7.92	0.95	100.00
6.	not recorded	19.10	-	14.00	35.30	4.43	27.17	100.00	14.39	8.85	41.87	34.89	-	-	100.00
7.	total	7.46	18.35	25.25	42.40	4.31	2.23	100.00	6.54	10.04	23.65	52.26	6.21	1.30	100.00
8.	estimated number (000)							17359							8675
<u>rural</u>															
<u>All-India</u>															
1.	2	100.00	-	-	-	-	-	100.00	-	-	-	-	-	-	-
2.	3 - 4	14.93	25.14	27.21	26.81	0.22	5.69	100.00	9.76	13.35	40.35	25.60	3.40	7.54	100.00
3.	5 - 6	9.72	16.22	28.79	37.72	2.63	2.92	100.00	5.80	11.91	25.98	48.73	5.43	2.15	100.00
4.	7 - 9	7.59	18.43	27.43	40.91	3.82	1.82	100.00	5.09	11.71	26.01	50.50	5.32	1.31	100.00
5.	10 & above	7.40	18.06	26.36	41.51	4.53	2.14	100.00	5.32	10.11	22.45	52.68	7.76	1.68	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	92.16	7.84	-	-	100.00
7.	total	8.24	18.47	27.38	39.96	3.67	2.28	100.00	5.41	11.24	25.10	50.35	6.16	1.74	100.00
8.	estimated number(000)							688							426
<u>urban</u>															

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (2)Contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

Sl. no.	age-group (in completed years)	cattle							buffalo							
		percentage distribution of dry animals by period of previous lactation (months)														
		upto 3	4-6	7-9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	
<u>Andhra Pradesh</u>																
<u>rural</u>																
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2.	3 - 4	9.43	19.95	25.11	31.65	1.08	12.78	100.00	13.14	14.56	30.22	28.92	1.30	11.86	100.00	
3.	5 - 6	4.56	16.11	17.84	48.54	6.77	6.18	100.00	4.86	11.79	20.84	50.97	4.56	6.98	100.00	
4.	7 - 9	2.73	13.92	17.84	51.76	8.49	5.36	100.00	2.92	10.63	18.21	56.43	5.75	6.06	100.00	
5.	10 & above	2.78	11.76	20.54	52.30	8.38	4.24	100.00	3.72	12.22	13.04	54.87	10.58	5.57	100.00	
6.	not recorded	-	-	-	-	-	-	-	-	-	-	100.00	-	-	100.00	
7.	total	3.61	14.39	18.69	50.00	7.61	5.70	100.00	4.04	11.48	18.21	53.50	6.35	6.42	100.00	
8.	estimated number (000)	1094														989
<u>Andhra Pradesh</u>																
<u>urban</u>																
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2.	3 - 4	40.27	20.13	-	20.13	-	19.47	100.00	-	8.36	41.82	33.03	-	16.79	100.00	
3.	5 - 6	15.38	15.57	17.20	41.56	1.75	8.54	100.00	3.70	13.30	18.60	56.20	5.24	2.96	100.00	
4.	7 - 9	6.03	8.19	24.00	50.86	3.67	7.25	100.00	5.98	11.37	17.85	52.03	9.40	3.37	100.00	
5.	10 & above	4.55	17.63	24.03	42.68	6.71	4.40	100.00	0.73	10.76	16.80	58.03	9.79	3.89	100.00	
6.	not recorded	-	-	-	-	-	-	-	-	-	100.00	-	-	-	-	
7.	total	10.22	13.14	20.76	44.66	3.61	7.61	100.00	3.90	11.63	18.49	54.11	8.17	3.70	100.00	
8.	estimated number (000)	23														62

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (2)Contd. : Percentage Distribution of dry animals classified by age-group over period of previous lactation

srl. no.	age-group (in completed years)	cattle							buffalo						
		percentage distribution of dry animals by period of previous lactation (months)													
(1)	(2)	upto 3	4-6	7-9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
<u>Assam</u>		<u>rural</u>													
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	5.80	4.35	18.84	42.02	-	28.99	100.00	33.33	-	-	66.67	-	-	100.00
3.	5 - 6	3.76	7.06	21.26	52.27	1.72	13.93	100.00	10.21	5.10	19.04	60.55	-	5.10	100.00
4.	7 - 9	2.50	11.37	29.92	40.35	2.90	12.96	100.00	5.28	1.93	16.37	57.92	7.93	10.57	100.00
5.	10 & above	3.78	11.81	36.24	29.28	8.03	10.86	100.00	-	2.97	8.11	48.67	7.02	33.23	100.00
6.	not recorded	-	-	-	100.00	-	-	100.00	-	-	-	100.00	-	-	100.00
total		3.43	9.23	26.71	43.63	3.11	13.89	100.00	6.62	3.28	14.61	57.38	4.48	13.43	100.00
estimated number (000)		339													
<u>Assam</u>		<u>urban</u>													
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	5.88	5.88	41.18	23.53	5.88	17.65	100.00	-	-	-	-	-	-	-
3.	5 - 6	5.17	8.26	30.86	37.12	1.03	17.56	100.00	-	100.00	-	-	-	-	100.00
4.	7 - 9	7.10	13.18	32.13	29.34	1.01	17.24	100.00	-	-	-	50.00	50.00	-	100.00
5.	10 & above	9.10	18.21	33.99	25.04	6.83	6.83	100.00	-	-	-	100.00	-	-	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
total		6.63	11.70	32.56	31.17	2.34	15.60	100.00	-	25.00	-	50.00	25.00	-	100.00
estimated number (000)		12													

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table(2)Contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

srl. no.	age-group (in completed years)	cattle							buffalo								
		percentage distribution of dry animals by							period of previous lactation (months)								
		upto 3	4-6	7-9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)		
<u>Bihar</u>																	
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2.	3 - 4	16.98	18.91	25.98	38.13	-	-	100.00	21.62	15.83	5.02	52.51	5.02	-	100.00		
3.	5 - 6	12.41	20.52	33.64	31.26	2.17	-	100.00	15.41	10.14	18.52	52.51	3.42	-	100.00		
4.	7 - 9	10.52	22.49	25.69	39.52	1.78	-	100.00	10.87	8.17	25.88	52.21	2.87	-	100.00		
5.	10 & above	8.35	21.17	27.94	39.47	3.07	-	100.00	8.07	10.99	27.26	49.76	3.92	-	100.00		
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7.	total	10.66	21.50	28.47	37.20	2.17	-	100.00	11.28	9.53	24.27	51.60	3.32	-	100.00		
8.	estimated number (000)								1405								601
<u>urban</u>																	
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2.	3 - 4	15.00	40.00	25.00	15.00	5.00	-	100.00	-	56.67	-	33.33	-	-	100.00		
3.	5 - 6	12.82	23.59	29.23	32.82	1.54	-	100.00	13.16	5.26	28.95	50.00	2.63	-	100.00		
4.	7 - 9	10.29	26.84	31.98	28.68	2.21	-	100.00	8.22	6.85	26.03	56.16	2.74	-	100.00		
5.	10 & above	12.77	17.02	26.24	41.84	2.13	-	100.00	10.42	8.33	33.33	43.75	4.17	-	100.00		
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7.	total	11.78	24.04	29.62	32.49	2.07	-	100.00	9.38	8.02	28.40	50.61	3.09	-	100.00		
8.	estimated								60								15

Table(2)Contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

srl. no.	age-group (in completed years)	cattle							buffalo								
		percentage distribution of dry animals by period of previous lactation (months)															
		upto 3	4-6	7-9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)		
<u>Gujarat</u>																	
<u>rural</u>																	
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2.	3 - 4	26.06	12.96	20.08	38.99	1.91	-	100.00	21.92	9.30	16.88	50.26	1.64	-	100.00		
3.	5 - 6	8.25	8.26	21.25	57.43	4.81	-	100.00	8.43	6.08	21.81	59.14	4.54	-	100.00		
4.	7 - 9	9.07	6.99	19.97	59.22	4.75	-	100.00	5.17	7.52	16.42	63.35	7.54	-	100.00		
5.	10 & above	8.43	12.77	19.21	50.18	9.41	-	100.00	6.73	6.80	18.30	59.06	9.11	-	100.00		
6.	not recorded	-	-	-	100.00	-	-	100.00	-	-	-	-	-	-	-		
7.	total	9.50	9.18	19.90	55.48	5.94	-	100.00	7.16	7.16	18.24	60.47	6.97	-	100.00		
8.	estimated number (000)								545								613
<u>Gujarat</u>																	
<u>urban</u>																	
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2.	3 - 4	11.11	11.11	33.33	44.45	-	-	100.00	-	-	40.00	60.00	-	-	100.00		
3.	5 - 6	22.92	8.33	14.58	50.00	4.17	-	100.00	14.06	4.69	7.81	64.06	9.38	-	100.00		
4.	7 - 9	9.26	12.04	12.04	62.63	4.63	-	100.00	10.34	4.31	14.66	67.24	3.45	-	100.00		
5.	10 & above	12.66	7.59	15.19	56.97	7.59	-	100.00	6.02	4.82	21.69	63.86	3.61	-	100.00		
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7.	total	13.11	9.84	14.34	57.38	5.33	-	100.00	9.70	4.48	15.67	65.30	4.85	-	100.00		
8.	estimated number (000)								33								36

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (2)Contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

srl. no.	age-group (in completed years)	cattle							buffalo						
		percentage distribution of dry animals by period of previous lactation (months)													
		upto 3	4-6	7-9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
<u>Haryana</u>															
<u>rural</u>															
1.	2	100.00	-	-	-	-	-	100.00	-	-	-	-	-	-	-
2.	3 - 4	17.56	33.74	35.96	12.74	-	-	100.00	17.71	27.43	31.42	23.44	-	-	100.00
3.	5 - 6	17.66	15.48	33.65	30.63	2.58	-	100.00	9.30	11.56	31.22	43.43	4.49	-	100.00
4.	7 - 9	11.16	19.57	38.63	27.34	3.30	-	100.00	6.29	6.77	35.66	47.39	3.60	0.29	100.00
5.	10 & above	5.60	23.10	34.53	31.37	5.40	-	100.00	10.05	5.54	32.76	46.20	3.98	1.47	100.00
6.	not recorded	-	-	-	-	-	-	-	-	100.00	-	-	-	-	100.00
7.	total	12.89	19.38	35.85	28.59	3.29	-	100.00	8.42	8.52	33.45	45.25	3.87	0.49	100.00
8.	estimated number (000)	-	-	-	-	-	-	204	-	-	-	-	-	-	360
<u>Haryana</u>															
<u>urban</u>															
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	23.47	-	-	76.53	-	-	100.00	-	25.00	25.00	50.00	-	-	100.00
3.	5 - 6	4.61	24.65	47.29	18.84	4.61	-	100.00	11.19	2.62	36.19	38.81	11.19	-	100.00
4.	7 - 9	2.80	32.55	43.55	21.10	-	-	100.00	2.06	8.42	32.35	54.93	2.24	-	100.00
5.	10 & above	-	5.93	56.96	30.67	6.44	-	100.00	3.20	26.14	21.36	66.10	3.20	-	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	3.78	23.24	45.04	25.38	2.56	-	100.00	5.08	6.61	30.27	52.89	5.15	-	100.00
8.	estimated number (000)	-	-	-	-	-	-	10	-	-	-	-	-	-	14

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (2)Contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation.

srl. no.	age-group (in completed years)	cattle							buffalo						
		percentage distribution of dry animals by period of previous lactation (months)													
		upto 3	4-6	7-9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
<u>Himachal Pradesh</u>															
<u>rural</u>															
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	28.00	34.00	10.00	26.00	-	2.00	100.00	50.00	-	-	50.00	-	-	100.00
3.	5 - 6	8.78	14.39	25.96	45.61	4.56	0.70	100.00	6.25	7.81	7.81	60.94	17.19	-	100.00
4.	7 - 9	4.09	14.34	25.35	48.35	7.87	-	100.00	5.05	2.53	10.47	58.48	23.47	-	100.00
5.	10 & above	3.48	16.02	24.50	46.94	8.36	0.70	100.00	3.79	3.25	7.06	60.43	25.20	0.27	100.00
6.	not recorded	-	-	100.00	-	-	-	100.00	-	-	-	-	-	-	-
7.	total	5.33	15.63	24.69	46.60	7.28	0.47	100.00	4.63	3.37	8.43	59.69	23.74	0.14	100.00
8.	estimated number (000)	-	-	-	-	-	-	243	-	-	-	-	-	-	102
<u>Himachal Pradesh</u>															
<u>urban</u>															
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	50.00	-	-	50.00	-	-	100.00	-	-	-	-	-	-	-
3.	5 - 6	11.12	11.11	44.44	22.22	11.11	-	100.00	-	-	100.00	-	-	-	100.00
4.	7 - 9	10.00	10.00	35.00	45.00	-	-	100.00	21.43	-	28.57	42.86	7.14	-	100.00
5.	10 & above	-	8.70	34.78	43.48	13.04	-	100.00	11.11	-	11.11	77.78	-	-	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	7.40	9.26	35.19	40.74	7.41	-	100.00	16.66	-	25.00	54.17	4.17	-	100.00
8.	estimated number (000)	-	-	-	-	-	-	2	-	-	-	-	-	-	1

National Sample Survey, Thirtieth Round : July 1973 - June 1976

Table (2) contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

srl. no.	age-group (in completed years)	cattle							buffalo						
		percentage distribution of dry animals by period of previous lactation (months)													
		upto 3	4-6	7-9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
<u>Jammu & Kashmir</u>															
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	11.21	11.40	34.86	37.86	1.54	3.13	100.00	-	12.30	12.30	50.48	24.76	-	100.00
3.	5 - 6	5.08	13.03	20.40	49.72	11.53	0.17	100.00	3.88	4.01	7.98	62.07	20.64	1.42	100.00
4.	7 - 9	3.12	10.31	18.02	54.91	13.60	0.04	100.00	2.20	1.62	6.29	62.47	25.42	-	100.00
5.	10 & above	4.44	9.72	16.83	53.92	14.82	0.07	100.00	1.90	1.46	5.82	56.06	34.43	0.33	100.00
6.	not recorded	16.84	-	-	61.16	-	-	100.00	100.00	-	-	-	-	-	100.00
7.	total	4.07	10.85	18.44	53.22	13.30	0.12	100.00	2.24	1.79	7.04	59.13	29.52	0.23	100.00
8.	estimated number (000)	-	-	-	-	-	-	193	-	-	-	-	-	-	69
<u>Jammu & Kashmir : urban</u>															
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	19.27	-	24.63	43.66	12.44	-	100.00	-	-	-	-	100.00	-	100.00
3.	5 - 6	7.11	11.02	19.73	43.33	13.76	-	100.00	16.56	-	-	83.44	-	-	100.00
4.	7 - 9	3.58	9.14	15.39	52.25	19.37	0.27	100.00	-	-	16.74	60.59	22.67	-	100.00
5.	10 & above	6.44	10.39	17.87	45.47	19.83	-	100.00	5.92	-	12.09	56.16	25.83	-	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	100.00	-	-	100.00
7.	total	5.50	9.71	17.27	49.43	17.96	0.13	100.00	4.56	-	11.84	61.38	22.22	-	100.00
8.	estimated number (000)	-	-	-	-	-	-	9	-	-	-	-	-	-	1

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (2) contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

srl. no.	age-group (in completed years)	cattle							buffalo						
		percentage distribution of dry animals by period of previous lactation (months)													
		upto 3	4-6	7-9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		rural							rural						
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	10.76	12.97	21.52	26.98	2.44	25.33	100.00	9.06	9.56	34.65	27.96	-	13.77	100.00
3.	5 - 6	6.97	17.50	24.35	40.61	3.81	6.76	100.00	4.50	16.49	29.48	42.11	3.17	4.25	100.00
4.	7 - 9	4.60	16.26	20.29	48.81	4.58	5.46	100.00	2.81	11.09	24.87	51.86	5.17	4.20	100.00
5.	10 & above	5.45	22.77	23.15	30.11	3.95	6.37	100.00	4.14	12.05	17.11	32.57	9.23	4.90	100.00
6.	not recorded	-	-	-	35.67	-	64.33	100.00	32.81	-	67.19	-	-	-	100.00
7.	total	5.69	18.37	22.16	42.59	4.10	7.07	100.00	3.93	12.80	24.11	46.50	5.73	4.33	100.00
8.	estimated number (000)							1056							515
		urban							urban						
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	4.18	27.55	22.95	35.72	-	9.60	100.00	21.56	10.78	44.51	23.15	-	-	100.00
3.	5 - 6	3.49	17.98	35.80	38.52	-	4.31	100.00	4.30	13.10	32.42	41.16	5.94	3.08	100.00
4.	7 - 9	6.63	17.36	27.33	43.24	2.88	2.06	100.00	1.86	23.52	19.10	45.27	6.52	3.73	100.00
5.	10 & above	3.68	18.05	22.07	46.33	6.85	2.96	100.00	2.87	15.93	20.33	40.45	12.42	7.45	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	100.00	-	-	-	100.00
7.	total	4.71	18.52	28.33	42.12	2.65	3.47	100.00	3.44	17.88	24.10	41.73	8.15	4.70	100.00
8.	estimated number (000)							66							49

National Sample survey, Thirtieth Round : July 1975 - June 1976

Table (2) contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

srl. no.	age-group (in completed years)	cattle							buffalo						
		percentage distribution of dry animals by period of previous lactation (months)													
		upto 3	4-6	7-9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
<u>Kerala</u>															
		<u>rural</u>													
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	15.03	13.97	39.80	31.20	-	-	100.00	27.20	9.02	10.05	45.73	-	-	100.00
3.	5 - 6	9.38	15.00	33.44	40.00	2.18	-	100.00	3.67	18.46	33.40	40.75	3.72	-	100.00
4.	7 - 9	8.31	15.51	30.49	43.76	1.93	-	100.00	8.32	11.12	3.32	63.92	8.32	-	100.00
5.	10 & above	6.43	17.89	29.35	40.80	5.03	-	100.00	12.09	9.08	21.25	54.57	3.01	-	100.00
6.	not recorded	39.52	-	-	14.42	-	-	100.00	19.79	-	60.16	20.05	-	-	100.00
7.	total	9.41	15.61	31.95	40.54	2.49	-	100.00	10.67	11.59	21.46	51.82	6.46	-	100.00
8.	estimated number (000)							374							42
<u>Kerala : urban</u>															
		<u>urban</u>													
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	10.34	17.24	20.69	51.73	-	-	100.00	-	-	33.33	33.33	33.34	-	100.00
3.	5 - 6	9.57	17.02	25.53	44.69	3.13	-	100.00	12.50	-	12.50	62.50	12.50	-	100.00
4.	7 - 9	13.19	9.89	34.07	38.43	4.40	-	100.00	9.09	9.09	18.18	54.55	9.09	-	100.00
5.	10 & above	5.00	12.50	35.00	47.50	-	-	100.00	11.11	11.11	22.22	44.55	11.11	-	100.00
6.	not recorded	33.33	-	33.33	33.34	-	-	100.00	-	-	-	-	-	-	-
7.	total	10.51	15.62	29.57	43.58	2.72	-	100.00	9.68	6.45	19.35	51.62	12.90	-	100.00
8.	estimated number (000)							24							3

ational sample survey, Thirtieth round : July 1975

Table () contd. : Percentage distribution of dry animals classified by sex and age group of previous lactation

srl. no.	age-group (in completed years)	cattle							buffalo						
		percentage distribution of dry animals by period of previous lactation (months)													
		upto 3	4-6	7-9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
<u>Madhya Pradesh</u>															
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3-4	24.31	30.62	13.31	29.10	2.58	-	100.00	36.24	-	24.11	37.65	-	-	100.00
3.	5-6	10.42	22.93	21.42	40.03	3.52	1.68	100.00	10.84	15.74	22.69	46.62	4.11	-	100.00
4.	7-9	3.73	23.12	21.93	41.30	3.78	1.14	100.00	9.05	12.49	20.61	51.93	5.53	0.29	100.00
5.	10 & above	8.34	21.45	20.73	43.86	5.15	0.47	100.00	7.36	13.25	14.61	57.50	6.90	0.38	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	9.12	22.56	21.30	41.82	4.20	1.00	100.00	3.67	13.27	18.16	53.65	5.94	0.29	100.00
8.	estimated number (000)	3012							730						
<u>Madhya Pradesh</u>															
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3-4	31.30	12.30	25.05	17.85	12.50	-	100.00	-	-	-	-	-	-	-
3.	5-6	14.04	31.61	21.87	27.55	7.95	-	100.00	11.93	16.10	20.14	39.30	12.03	-	100.00
4.	7-9	9.61	30.40	27.03	35.59	3.57	-	100.00	5.19	12.06	24.05	55.27	3.43	-	100.00
5.	10 & above	12.54	22.76	25.64	36.03	1.80	-	100.00	-	7.23	17.33	63.86	11.58	-	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	12.54	27.35	23.00	33.57	3.54	-	100.00	3.95	10.54	20.36	56.61	8.54	-	100.00
8.	estimated number (00)	69							19						

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (2)Contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

srl. no.	age-group (in completed years)	c a t t l e							b u f f a l o						
		percentage distribution of dry animals by period of previous lactation (months)													
		upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total	upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		<u>Maharashtra</u>							<u>rural</u>						
1.	2	-	-	-	-	-	-	-	-	-	100.00	-	-	-	100.00
2.	3 - 4	17.08	16.26	22.98	42.18	0.75	0.75	100.00	8.14	16.42	50.04	17.26	8.14	-	100.00
3.	5 - 6	7.44	13.94	27.42	46.27	4.57	0.36	100.00	6.48	11.68	20.78	55.85	5.21	-	100.00
4.	7 - 9	5.06	15.71	27.51	46.26	5.19	0.27	100.00	7.96	6.63	18.75	58.93	7.73	-	100.00
5.	10 & above	6.42	21.94	25.20	42.24	3.80	0.40	100.00	4.32	8.84	18.08	58.18	10.05	0.53	100.00
6.	not recorded	100.00	-	-	-	-	-	100.00	-	-	-	-	-	-	-
7.	total	6.68	17.19	26.56	44.82	4.40	0.35	100.00	6.30	8.56	19.33	57.51	8.10	0.20	100.00
8.	estimated number (000)	-	-	-	-	-	-	1378	-	-	-	-	-	-	455
		<u>Maharashtra</u>							<u>urban</u>						
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	24.20	23.72	39.82	12.26	-	-	100.00	9.85	9.78	40.62	20.20	19.55	-	100.00
3.	5 - 6	12.44	22.05	25.57	38.06	1.88	-	100.00	8.82	7.52	25.37	46.00	10.71	1.58	100.00
4.	7 - 9	9.54	21.96	22.69	39.36	6.45	-	100.00	5.57	11.64	29.43	49.32	4.04	-	100.00
5.	10 & above	9.52	26.04	25.46	33.93	5.05	-	100.00	7.36	12.55	14.71	55.30	10.08	-	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	11.04	23.51	25.30	35.63	4.52	-	100.00	7.01	11.28	22.71	50.56	8.17	0.27	100.00
8.	estimated	-	-	-	-	-	-	60	-	-	-	-	-	-	-

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (2)Contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

sr1.	age-group (in completed years)	c a t t l e							b u f f a l o						
		percentage distribution of dry animals by period of previous lactation (month)													
		upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		<u>Manipur</u>							<u>rural</u>						
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3.	5 - 6	17.21	7.45	10.65	0.98	-	63.71	100.00	11.54	7.55	17.31	-	-	65.38	100.00
4.	7 - 9	10.03	3.19	5.86	1.33	0.67	78.92	100.00	27.34	-	8.75	5.83	-	58.08	100.00
5.	10 & above	13.69	6.20	2.74	16.42	-	60.95	100.00	-	-	-	-	-	100.00	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	13.03	5.07	7.15	3.12	0.35	71.28	100.00	20.39	1.79	10.76	3.59	-	63.47	100.00
8.	estimated number (000)							15							4
		<u>Manipur</u>							<u>urban</u>						
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	100.00	-	-	-	-	-	100.00	-	-	-	-	-	-	-
3.	5 - 6	11.80	-	17.70	-	-	70.50	100.00	-	100.00	-	-	-	-	100.00
4.	7 - 9	5.77	5.77	23.06	2.88	-	62.52	100.00	100.00	-	-	-	-	-	100.00
5.	10 & above	-	11.11	22.22	-	-	66.67	100.00	-	-	-	-	-	100.00	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	8.11	4.87	21.09	1.62	-	64.31	100.00	20.00	20.00	-	-	-	60.00	100.00
8.	estimated number (000)							1							0

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (2) contd. * Percentage distribution of dry animals classified by age-group over period of previous lactation

srl. no.	age-group (in completed years)	cattle							buffalo							
		percentage distribution of dry animals by period of previous lactation (months)														
		upto 3	4-6	7-9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	
	<u>Nagaland</u>															
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3-4	-	-	100.00	-	-	-	100.00	-	-	-	-	-	-	-	-
3.	5-6	-	30.00	20.00	-	-	-	100.00	-	-	-	-	-	-	-	-
4.	7-9	-	66.67	33.33	-	-	-	100.00	-	-	-	-	-	-	-	-
5.	10 & above	10.00	20.00	50.00	20.00	-	-	100.00	-	-	-	-	-	-	-	-
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	3.70	51.85	37.04	7.41	-	-	100.00	-	-	-	-	-	-	-	-
8.	estimated number (000)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

* The survey was conducted only in urban areas.

National sample survey, Thirteenth Round : July 1975 - June 1976

Table (2) contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

Sl. no.	age-group (in completed years)	cattle							buffalo								
		percentage distribution of dry animals by period of previous lactation (months)															
		upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total	upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)		
<u>Orissa</u>																	
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<u>rural</u>	
2.	3 - 4	26.14	23.22	16.79	30.73	3.12	-	100.00	41.33	20.67	19.00	19.00	-	-	-	100.00	
3.	5 - 6	14.76	15.76	17.73	46.29	3.41	-	100.00	16.17	13.96	11.01	43.50	13.31	-	-	100.00	
4.	7 - 9	11.78	17.40	22.85	40.07	7.90	-	100.00	24.03	4.71	23.69	36.73	10.84	-	-	100.00	
5.	10 & above	11.40	15.13	18.07	40.94	10.66	-	100.00	13.96	9.67	13.34	36.25	24.58	-	-	100.00	
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7.	total	13.26	17.36	20.03	41.73	7.62	-	100.00	19.43	9.53	17.65	37.69	15.50	-	-	100.00	
8.	estimated number (000)								996								76
<u>Orissa</u>																	
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<u>urban</u>	
2.	3 - 4	26.47	26.47	17.65	26.47	2.94	-	100.00	-	-	100.00	-	-	-	-	100.00	
3.	5 - 6	11.85	17.78	23.70	41.48	5.13	-	100.00	-	50.00	-	-	50.00	-	-	100.00	
4.	7 - 9	11.45	19.28	22.89	41.56	4.82	-	100.00	12.50	6.25	25.00	37.50	18.75	-	-	100.00	
5.	10 & above	8.33	22.22	32.42	28.70	8.33	-	100.00	9.09	-	9.09	72.73	9.09	-	-	100.00	
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7.	total	11.95	20.09	25.06	37.25	5.64	-	100.00	9.38	9.38	18.75	43.74	18.75	-	-	100.00	
8.	estimated number (000)								38								3

- 38 -

National Sample Survey, Thirtieth round : July 1975 - June 1976

Table (2) Contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

srl. no.	age-group (in completed years)	cattle							buffalo								
		percentage distribution of dry animals by period of previous lactation (months)															
		upto 3	4-6	7-9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)		
<u>Punjab</u>																	
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2.	3-4	23.38	19.16	38.32	14.88	2.14	2.12	100.00	39.22	5.36	17.85	37.57	-	-	100.00		
3.	5-6	4.68	18.23	33.76	39.15	4.18	-	100.00	4.04	7.00	27.04	54.32	7.60	-	100.00		
4.	7-9	4.74	15.96	34.43	37.86	6.01	-	100.00	2.97	8.39	25.52	54.30	8.73	0.09	100.00		
5.	10 & above	3.99	17.78	31.25	39.12	6.58	1.32	100.00	2.62	8.72	25.79	52.74	10.01	0.12	100.00		
6.	not recorded	-	-	33.33	66.67	-	-	100.00	-	-	100.00	-	-	-	100.00		
7.	total	3.20	17.58	33.62	37.80	5.42	0.38	100.00	3.63	8.08	25.89	53.41	8.67	0.07	100.00		
8.	estimated number (000)								296								604
<u>Punjab</u>																	
<u>urban</u>																	
1.	2	100.00	-	-	-	-	-	100.00	-	-	-	-	-	-	-		
2.	3-4	18.13	18.28	34.53	9.06	-	-	100.00	39.87	-	40.20	19.93	-	-	100.00		
3.	5-6	3.00	15.22	30.30	45.47	6.01	-	100.00	3.10	9.40	29.80	56.15	1.55	-	100.00		
4.	7-9	10.81	23.31	27.73	29.10	3.05	-	100.00	5.92	13.71	32.17	47.68	5.52	-	100.00		
5.	10 & above	-	15.69	29.17	54.14	-	-	100.00	1.12	11.07	38.98	46.63	2.20	-	100.00		
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7.	total	8.23	22.46	30.80	35.76	2.98	-	100.00	2.23	11.54	34.04	48.83	3.36	-	100.00		
8.	estimated number (000)								16								32

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (2) contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation.

srl. no.	age-group (in completed years)	cattle							buffalo						
		percentage distribution of dry animals by period of previous lactation (months)													
		upto 3	4-6	7-9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
<u>Rajasthan</u>															
<u>rural</u>															
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3-4	25.92	31.29	21.70	20.12	0.97	-	100.00	41.74	8.35	15.70	33.21	-	-	100.00
3.	5-6	8.04	11.85	29.34	41.43	2.06	0.28	100.00	6.30	3.79	20.70	60.33	3.63	-	100.00
4.	7-9	5.46	17.42	20.34	44.32	3.44	-	100.00	4.72	5.27	20.75	64.15	4.81	0.27	100.00
5.	10 & above	4.14	16.92	26.80	39.82	2.32	-	100.00	5.92	7.10	17.83	64.15	4.96	-	100.00
6.	not recorded	32.37	-	-	33.81	33.82	-	100.00	-	-	-	100.00	-	-	100.00
7.	total	6.52	18.13	28.35	44.21	2.72	0.67	100.00	5.96	6.58	19.56	63.16	4.62	0.12	100.00
8.	estimated number (000)							1390							783
<u>Rajasthan</u>															
<u>urban</u>															
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3-4	28.23	13.73	47.76	8.22	-	-	100.00	-	17.42	47.74	34.84	-	-	100.00
3.	5-6	5.94	19.94	42.35	25.95	4.64	-	100.00	5.12	5.12	20.14	67.05	2.56	-	100.00
4.	7-9	5.46	16.69	13.86	41.99	2.00	-	100.00	1.93	8.67	31.63	58.91	3.35	-	100.00
5.	10 & above	3.76	14.42	30.99	47.06	3.77	-	100.00	6.48	10.29	33.27	41.99	7.97	-	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	5.53	16.61	34.35	39.94	3.07	-	100.00	3.96	8.22	30.59	51.72	4.91	-	100.00
8.	estimated number (000)							47							24

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (2)Contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

Srl. no.	Age group (in complete years)	cattle							buffalo						
		percentage distribution of dry animals by period of previous lactation (months)													
		upto 3	4 - 5	7 - 9	10-15	above 15	n.r.	total	upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
<u>Tamil Nadu</u>															
<u>rural</u>															
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	6.15	36.35	15.37	25.63	0.68	11.77	100.00	7.56	27.29	12.33	43.84	-	2.98	100.00
3.	5 - 6	4.23	26.22	24.35	37.67	1.27	5.20	100.00	3.69	14.44	29.29	48.02	2.30	2.26	100.00
4.	7 - 9	6.85	20.67	23.99	37.25	0.64	3.60	100.00	2.25	15.03	22.02	50.00	6.15	3.79	100.00
5.	10 & above	3.64	13.69	23.19	41.91	11.61	2.96	100.00	7.51	7.46	20.39	54.99	9.61	-	100.00
6.	not recorded	25.81	-	12.18	36.52	-	25.49	100.00	-	-	-	100.00	-	-	100.00
7.	total	5.34	29.12	23.51	36.24	5.03	5.76	100.00	4.32	14.41	23.55	50.21	5.96	2.44	100.00
8.	still fed number (000)	1055							347						
<u>Tamil Nadu</u>															
<u>urban</u>															
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	11.14	31.90	26.55	31.21	-	-	100.00	33.67	16.54	33.25	16.54	-	-	100.00
3.	5 - 6	6.57	12.82	26.74	49.13	2.74	-	100.00	6.42	12.77	28.95	48.55	3.30	-	100.00
4.	7 - 9	3.33	9.54	21.71	51.33	0.09	-	100.00	1.57	13.12	29.36	54.44	1.51	-	100.00
5.	10 & above	3.40	15.60	20.93	52.74	7.28	-	100.00	6.08	9.10	24.20	54.59	6.03	-	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	6.97	17.33	23.73	52.7	3.22	-	100.00	5.32	12.26	26.25	51.17	3.09	-	100.00
8.	still fed number (000)	76							44						

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (2), contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

srl. no.	age-group (in completed years)	cattle						buffalo							
		percentage distribution of dry animals by period of previous lactation (months)													
		upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total	upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
<u>Tripura</u>															
														<u>rural</u>	
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	16.67	35.33	-	50.00	-	-	100.00	-	100.00	-	-	-	-	100.00
3.	5 - 6	5.92	11.11	34.64	37.91	5.36	6.54	100.00	-	-	16.67	83.33	-	-	100.00
4.	7 - 9	5.00	8.75	30.00	41.66	5.42	9.17	100.00	-	10.00	20.00	30.00	-	20.00	100.00
5.	10 & above	4.50	13.00	30.50	35.00	7.00	10.00	100.00	23.08	15.58	23.08	23.08	-	15.38	100.00
6.	not recorded	-	-	33.33	16.67	-	50.00	100.00	-	-	-	-	-	-	-
7.	total	4.63	10.91	31.07	33.35	5.93	9.09	100.00	10.00	13.33	20.00	43.34	-	13.33	100.00
8.	estimated number (000)							37							3
<u>Tripura</u>															
														<u>urban</u>	
1.	2	-	-	-	100.00	-	-	100.00	-	-	-	-	-	-	-
2.	3 - 4	100.00	-	-	-	-	-	100.00	-	-	-	-	-	-	-
3.	5 - 6	9.52	14.29	23.81	47.62	-	4.76	100.00	-	-	-	-	-	-	-
4.	7 - 9	5.41	22.43	32.43	27.03	-	2.70	100.00	50.00	-	50.00	-	-	-	100.00
5.	10 & above	3.70	14.81	29.64	44.45	3.70	3.70	100.00	-	-	-	100.00	-	-	100.00
6.	not recorded	50.00	50.00	-	-	-	-	100.00	-	-	-	-	-	-	-
7.	total	7.67	22.47	29.09	37.08	1.12	3.37	100.00	33.34	-	33.33	33.33	-	-	100.00
8.	estimated number (000)							2							0

National sample survey, Thirtieth round : July 1975 - June 1976

Table (2) contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

srl. no.	age-group (in completed years)	cattle							buffalo							
		percentage distribution of dry animals by period of previous lactation (months)														
		upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total	upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	
<u>Uttar Pradesh</u>																
<u>rural</u>																
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	13.40	31.22	31.08	24.30	-	-	100.00	5.72	17.89	31.26	43.22	1.91	-	100.00	
3.	5 - 6	5.02	21.95	29.36	35.61	2.35	5.31	100.00	2.76	12.57	29.91	45.66	4.53	3.57	100.00	
4.	7 - 9	3.98	13.96	31.04	38.45	3.67	2.90	100.00	1.97	9.10	32.36	45.86	5.41	4.30	100.00	
5.	10 & above	3.30	22.98	30.61	33.72	4.83	4.56	100.00	2.95	10.93	28.77	46.79	5.45	5.11	100.00	
6.	not recorded	-	-	100.00	-	-	-	100.00	2.46	10.60	30.65	-	-	-	100.00	
7.	total	4.24	21.64	30.61	35.95	3.47	4.09	100.00	2.46	10.60	30.58	46.73	5.17	4.38	100.00	
8.	estimated number (000)	2446							2302							
<u>Uttar Pradesh</u>																
<u>urban</u>																
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	13.77	42.52	6.89	36.82	-	-	100.00	-	43.48	37.68	18.84	-	-	100.00	
3.	5 - 6	7.26	13.36	37.43	29.37	1.39	5.14	100.00	9.22	19.63	30.17	30.51	4.17	-	100.00	
4.	7 - 9	5.48	20.97	34.60	30.87	4.32	3.75	100.00	3.23	12.79	41.43	34.66	5.29	2.51	100.00	
5.	10 & above	5.69	24.91	26.63	32.84	2.24	7.59	100.00	1.27	15.39	25.71	44.49	6.74	5.40	100.00	
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7.	total	6.12	22.17	32.48	31.14	2.71	5.33	100.00	2.97	15.93	34.00	38.22	5.46	3.82	100.00	
8.	estimated number (000)	55							50							

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (2) Contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

age-group (in completed years)	c a t t l e							b u f f a l o						
	percentage distribution of dry animals by period of previous lactation (months)													
	upto 3	4-6	7-9	10-15	above 15	n.r.	total	upto 3	4-6	7-9	10-15	above 15	n.r.	total
(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
<u>West Bengal</u>							<u>rural</u>							
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 - 4	-	25.67	40.68	21.24	-	14.41	100.00	-	-	-	-	-	-	-
5 - 6	4.30	9.80	27.19	50.90	1.67	6.14	100.00	-	22.00	22.10	55.90	-	-	100.00
7 - 9	2.51	9.27	25.33	54.43	1.84	6.62	100.00	5.62	-	11.01	66.79	11.18	5.40	100.00
10 & above	2.07	10.74	26.35	50.98	3.11	6.75	100.00	4.07	-	20.04	67.84	4.10	3.95	100.00
not recorded	-	-	25.08	50.60	-	24.32	100.00	-	-	-	-	-	-	-
total	2.70	10.08	26.29	52.01	2.22	6.70	100.00	3.90	3.83	17.25	65.39	5.86	3.77	100.00
estimated number (000)							1181							24
<u>West Bengal</u>							<u>urban</u>							
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 - 4	3.71	21.18	38.74	14.19	-	15.88	100.00	-	-	-	-	-	-	-
5 - 6	5.50	15.27	31.20	41.88	3.27	4.71	100.00	-	-	39.33	66.67	-	-	100.00
7 - 9	2.55	10.13	32.39	45.16	3.55	6.09	100.00	5.46	3.01	32.91	47.58	-	11.14	100.00
10 & above	1.14	10.44	31.09	42.15	4.36	10.31	100.00	7.16	-	12.55	70.14	2.69	7.46	100.00
not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
total	2.66	12.15	32.01	42.20	3.76	7.24	100.00	5.62	1.26	25.42	60.27	1.26	8.15	100.00
estimated number (000)							80							13

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (2) Contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation.

	age-group (in completed years)	c a t t l e							b u f f a l o							
		percentage distribution of dry animals by period of previous lactation (months)														
		upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total	upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	
	<u>Chandigarh</u>															
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3.	5 - 6	-	-	-	-	-	-	-	-	-	-	100.00	-	-	100.00	-
4.	7 - 9	-	-	-	-	-	-	-	-	-	-	100.00	-	-	100.00	-
5.	10 & above	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	-	-	-	-	-	-	-	-	-	-	100.00	-	-	100.00	-
8.	estimated number (000)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1

* The survey was conducted only in urban areas.

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (2) Contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

srl. no.	age-group (in completed years)	c a t t l e						b u f f a l o							
		percentage distribution of dry animals by period of previous lactation (months)													
		upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total	upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
		<u>Delhi</u>						<u>rural</u>							
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	-	-	-	-	100.00	-	100.00	100.00	-	-	-	-	-	100.00
3.	5 - 6	16.66	66.67	-	16.67	-	-	100.00	20.00	20.00	-	60.00	-	-	100.00
4.	7 - 9	50.00	-	25.00	-	25.00	-	100.00	44.44	-	11.11	33.34	11.11	-	100.00
5.	10 & above	50.00	-	-	50.00	-	-	100.00	20.00	-	20.00	40.00	20.00	-	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	50.78	30.77	7.79	15.38	15.38	-	100.00	35.00	5.00	10.00	40.00	10.00	-	100.00
8.	estimated number (000)							8	-	-	-	-	-	-	11
		<u>Delhi</u>						<u>urban</u>							
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	-	-	-	-	-	-	-	-	-	50.00	50.00	-	-	100.00
3.	5 - 6	-	66.67	-	33.33	-	-	100.00	-	22.23	44.44	33.33	-	-	100.00
4.	7 - 9	-	50.00	-	50.00	-	-	100.00	14.29	7.14	14.29	57.14	7.14	-	100.00
5.	10 & above	-	33.33	66.67	-	-	-	100.00	44.44	33.34	11.11	11.11	-	-	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	-	50.00	20.00	30.00	-	-	100.00	17.65	6.82	29.41	38.24	5.88	-	100.00
8.	estimated number														

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (2) Contd. : Percentage distribution of dry animals classified by age-group over period of previous lactation

srl. no.	age-group (in completed years)	c a t t l e						b u f f a l o							
		percentage distribution of dry animals by period of previous lactation (months)													
		upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total	upto 3	4 - 6	7 - 9	10-15	above 15	n.r.	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
<u>Goa, Daman & Diu</u>		<u>Diu & rural</u>													
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	-	-	-	-	-	-	100.00	-	-	-	-	-	-	-
3.	5 - 6	-	50.00	-	50.00	-	-	100.00	33.33	-	66.67	-	-	-	100.00
4.	7 - 9	-	22.58	29.03	45.16	5.23	-	100.00	-	33.33	33.34	33.33	-	-	100.00
5.	10 & above	8.57	22.86	25.71	40.00	2.86	-	100.00	-	7.14	14.29	71.43	7.14	-	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	4.17	25.00	25.00	43.05	2.78	-	100.00	5.00	10.00	25.00	55.00	5.00	-	100.00
8.	estimated number (000)	-	-	-	-	-	-	16	-	-	-	-	-	-	5
<u>Goa, Daman & Diu</u>		<u>urban</u>													
1.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.	3 - 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3.	5 - 6	-	33.33	33.34	33.33	-	-	100.00	100.00	-	-	-	-	-	100.00
4.	7 - 9	-	25.00	-	25.00	-	50.00	100.00	-	-	-	-	-	100.00	100.00
5.	10 & above	7.14	21.43	14.29	42.85	-	14.29	100.00	-	-	20.00	80.00	-	-	100.00
6.	not recorded	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.	total	4.76	23.81	14.29	38.09	-	19.05	100.00	14.29	-	14.29	57.13	-	14.29	100.00
8.	estimated number (000)	-	-	-	-	-	-	1	-	-	-	-	-	-	0

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (3) : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g) per animal-in-milk by size group of milk yield and by species

	cattle				buffalo		
	size group of milk yield (litre)	percentage distribution of animals in milk	average quantity of milk produced	percentage of concentrates used	percentage distribution of animals in milk	average quantity of milk produced	percentage of concentrates used
	(2)	(3)	(4)	(5)	(6)	(7)	(8)
<u>All - India : rural</u>							
	0.00*	16.42	0.00	0.05	1.39	0.00	0.20
	0.01 - 0.50	31.69	0.43	0.14	11.03	0.11	0.24
	0.51 - 1.00	24.97	0.95	0.27	17.78	0.97	0.37
	1.01 - 2.00	16.62	1.78	0.50	26.58	1.84	0.63
	2.01 - 3.00	5.39	2.80	0.72	14.41	2.84	0.85
	3.01 - 4.00	2.87	3.91	1.09	13.12	2.93	1.10
	4.01 - 5.00	1.01	4.86	1.32	6.10	4.92	1.37
	5.01 - 7.00	0.77	6.14	1.65	6.61	5.17	1.73
	above 7.00	0.26	8.92	2.69	2.98	8.91	2.59
10.	all classes	100.00	1.05	0.30	100.00	2.51	0.80
1.	estimated no. (000)	16890	-	-	12584	-	-
<u>All - India : urban</u>							
	0.00*	4.76	0.00	0.19	0.72	0.00	0.68
	0.01 - 0.50	18.06	0.43	0.27	5.26	0.45	0.40
	0.51 - 1.00	21.63	0.97	0.56	10.64	0.96	0.64
	1.01 - 2.00	25.23	1.76	0.85	21.24	1.83	0.87
	2.01 - 3.00	12.74	2.77	1.13	16.06	2.81	1.22
	3.01 - 4.00	8.25	3.84	1.48	15.53	3.83	1.54
	4.01 - 5.00	3.98	4.87	1.89	9.70	4.91	2.01
	5.01 - 7.00	3.65	6.17	2.36	12.94	6.27	2.71
	above 7.00	1.68	10.13	3.21	7.91	9.05	3.49
10.	all classes	100.00	1.98	0.87	100.00	3.60	1.54
1.	estimated no. (000)	976	-	-	850	-	-

* including cases reporting no yield

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (3) Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g) per animal-in-milk by size group of milk yield and by species

sr. no.	size group of milk yield (litre)	c a t t l e			b u f f a l o		
		percentage distribution of animals in milk	average quantity of milk produced	percentage distribution of animals in milk	average quantity of concentrates used	percentage distribution of animals in milk	average quantity of concentrates used
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
<u>Andhra Pradesh : rural</u>							
1.	0.00*	59.29	0.00	0.06	2.97	0.00	0.15
2.	0.01 - 0.50	24.06	0.39	0.38	30.62	0.43	0.35
3.	0.51 - 1.00	10.92	0.96	0.62	30.12	0.95	0.53
4.	1.01 - 2.00	5.12	1.73	0.89	28.07	2.36	1.14
5.	2.01 - 3.00	0.46	2.77	1.61	5.66	2.67	1.29
6.	3.01 - 4.00	0.05	4.00	2.00	2.11	3.75	1.39
7.	4.01 - 5.00	0.05	5.00	2.50	0.28	4.75	1.35
8.	5.01 - 7.00	0.05	6.00	0.30	0.07	6.50	5.00
9.	above 7.00	-	-	-	0.10	8.00	2.01
10.	all classes	100.00	0.31	0.25	100.00	1.18	0.62
11.	estimated number (000)	1028	-	-	1352	-	-
<u>Andhra Pradesh : urban</u>							
1.	0.00*	29.03	0.00	0.06	1.32	0.00	0.21
2.	0.01 - 0.50	21.89	0.43	0.40	14.86	0.43	0.52
3.	0.51 - 1.00	21.48	0.98	1.46	22.06	0.94	0.79
4.	1.01 - 2.00	20.07	1.66	1.62	37.21	1.75	1.00
5.	2.01 - 3.00	3.94	2.73	1.48	14.77	2.13	1.04
6.	3.01 - 4.00	0.91	4.00	2.25	6.63	3.78	0.22
7.	4.01 - 5.00	0.43	5.00	1.00	1.45	4.75	2.82
8.	5.01 - 7.00	1.36	6.00	5.00	1.12	5.90	2.45
9.	above 7.00	0.88	7.76	4.97	0.56	8.30	2.68
10.	all classes	100.00	0.98	0.85	100.00	1.74	1.05
11.	estimated number (000)	27	-	-	108	-	-

* including cases reporting no yield

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (3) : ^(Contd.) quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g) per animal-in-milk by size group of milk yield and by species

size group of milk yield (litre)	cattle				buffalo		
	percentage distribution of animals in milk	percentage distribution of animals in milk	average quantity of milk produced	concentrates used	percentage distribution of animals in milk	average quantity of milk produced	concentrates used
(2)	(3)	(4)	(5)	(6)	(7)	(8)	(8)
<u>Assam : rural</u>							
0.00*	0.96	0.00	-	5.42	0.30	-	-
0.01 - 0.50	42.08	0.43	0.08	7.28	0.46	0.08	0.08
0.51 - 1.00	39.46	0.94	0.13	11.49	1.00	0.26	0.26
1.01 - 2.00	14.78	1.64	0.21	40.94	1.86	0.15	0.15
2.01 - 3.00	2.31	2.70	0.22	6.96	3.00	0.52	0.52
3.01 - 4.00	0.31	3.72	0.22	6.07	4.00	-	-
4.01 - 5.00	0.03	5.00	-	15.78	4.85	0.31	0.31
5.01 - 7.00	-	-	-	4.85	5.75	-	-
above 7.00	0.07	10.25	-	1.21	3.00	-	-
all classes	100.00	0.88	0.12	100.00	2.59	0.18	0.18
estimated number (000)	789	-	-	22	-	-	-
<u>Assam : urban</u>							
0.00*	0.59	0.00	0.67	-	-	-	-
0.01 - 0.50	29.10	0.43	0.75	100.00	0.50	-	-
0.51 - 1.00	43.32	0.96	1.14	-	-	-	-
1.01 - 2.00	19.55	1.65	2.15	-	-	-	-
2.01 - 3.00	3.52	2.69	5.56	-	-	-	-
3.01 - 4.00	1.76	3.94	1.47	-	-	-	-
4.01 - 5.00	0.98	5.00	19.98	-	-	-	-
5.01 - 7.00	0.59	5.67	1.00	-	-	-	-
above 7.00	0.59	9.72	2.67	-	-	-	-
all classes	100.00	1.23	1.58	100.00	0.50	-	-
estimated number (000)	23	-	-	0	-	-	-

* including cases reporting no yield

National Sample Survey : Thirtieth Round : July 1975 - June 1976

Table (3) : Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 kg.) per ~~per~~ animal-in-milk by size group of milk yield and by species

sr. no.	size group of milk yield (litre)	c a t t l e			b u f f a l o		
		percentage distribution of animals in milk	average quantity of milk produced	average quantity of concentrates used	percentage distribution of animals in milk	average quantity of milk produced	average quantity of concentrate used
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
<u>Bihar : rural</u>							
1.	0.00*	10.83	0.00	0.01	1.22	0.00	-
2.	0.01 - 0.50	26.08	0.43	0.04	4.00	0.49	0.
3.	0.51 - 1.00	26.28	0.97	0.14	14.31	0.99	0.
4.	1.01 - 2.00	22.79	1.79	0.26	24.28	1.85	0.
5.	2.01 - 3.00	7.77	2.77	0.34	15.72	2.87	0.
6.	3.01 - 4.00	4.53	3.88	0.42	17.64	3.94	0.
7.	4.01 - 5.00	1.23	4.77	0.71	8.45	4.84	0.
8.	5.01 - 7.00	0.33	6.00	0.62	10.29	6.15	0.
9.	above 7.00	0.16	9.75	1.25	1.09	8.81	0.
10.	all classes	100.00	7.25	0.73	100.00	9.15	0.
	estimated number (000)	1254	-	-	732	-	-
<u>Bihar : urban</u>							
1.	0.00*	4.99	0.00	0.05	0.79	0.00	0.
2.	0.01 - 0.50	15.52	0.44	0.11	1.96	0.37	0.
3.	0.51 - 1.00	21.32	0.97	0.26	5.88	0.98	0.
4.	1.01 - 2.00	26.05	1.83	0.58	16.08	1.89	0.
5.	2.01 - 3.00	14.98	2.85	0.73	15.29	2.89	0.
6.	3.01 - 4.00	10.26	3.89	0.86	20.00	3.86	0.
7.	4.01 - 5.00	2.83	4.86	0.95	12.94	4.89	0.
8.	5.01 - 7.00	2.97	6.14	1.25	18.82	6.18	1.
9.	above 7.00	1.08	10.00	1.69	8.24	10.38	1.
10.	all classes	100.00	2.00	0.51	100.00	4.23	0.
11.	estimated number (000)	74	-	-	26	-	-

* including cases reporting no yield

National Sample Survey, Thirtieth Round : July 1975 - June 76

Table (3) Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species.

size group of milk yield (litre)	cattle			buffalo		
	percentage distribution of animals in milk	average quantity of milk produced	quantity of concentrates used	percentage distribution of animals in milk	average quantity of milk produced	quantity of concentrates used
(2)	(3)	(4)	(5)	(6)	(7)	(8)
Gujarat : rural						
0.00*	1.05	0.00	-	-	0.00	-
0.01 - 0.50	13.93	0.41	0.11	4.74	0.47	0.26
0.51 - 1.00	23.62	0.98	0.34	13.81	0.98	0.56
1.01 - 2.00	25.33	1.89	0.70	26.39	1.89	1.20
2.01 - 3.00	13.84	2.89	1.06	14.00	2.85	1.46
3.01 - 4.00	14.14	3.95	0.98	18.42	3.93	1.83
4.01 - 5.00	3.43	4.84	1.35	9.06	4.89	1.86
5.01 - 7.00	3.95	6.14	1.68	9.24	6.20	2.44
above 7.00	0.70	8.97	1.95	4.34	8.82	2.77
all classes	100.00	2.13	0.66	100.00	3.20	1.46
estimated number(000)	475	-	-	877	-	-
Gujarat : urban						
0.00*	-	-	-	-	-	-
0.01 - 0.50	2.62	0.41	0.50	1.17	0.46	0.20
0.51 - 1.00	8.99	0.99	0.58	5.15	0.98	0.73
1.01 - 2.00	32.81	1.94	1.29	16.44	1.92	1.26
2.01 - 3.00	18.59	2.89	1.17	13.84	2.92	1.58
3.01 - 4.00	20.88	3.93	1.76	22.09	3.93	1.74
4.01 - 5.00	7.49	4.98	2.07	15.26	4.92	2.05
5.01 - 7.00	5.62	6.20	2.14	16.91	6.23	2.49
above 7.00	3.00	9.75	2.78	9.14	9.65	2.73
all classes	100.00	3.53	1.34	100.00	4.83	1.83
estimated number(000)	32	-	-	52	-	-

* Including cases reporting no yield

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (3) Contd. . Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species

Srl. no.	size group of milk yield(litre)	c a t t l e			b u f f a l o		
		percentage distribution of animals in milk	average quantity of milk produced	concentrates used	percentage distribution of animals in milk	average quantity of milk produced	concentrates used
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
			Haryana	rural			
1.	0.00*	2.00	0.00	0.09	0.62	0.00	0.
2.	0.01 - 0.50	7.50	0.47	0.10	3.08	0.49	0.
3.	0.51 - 1.00	15.80	0.99	0.18	6.67	0.99	0.
4.	1.01 - 2.00	25.72	1.80	0.36	15.02	1.88	0.
5.	2.01 - 3.00	18.29	2.84	0.46	12.82	2.86	0.
6.	3.01 - 4.00	13.85	3.93	1.05	18.34	3.96	0.
7.	4.01 - 5.00	8.05	4.93	1.10	12.88	4.94	1.
8.	5.01 - 7.00	5.09	6.06	1.85	18.10	6.24	1.
9.	above 7.00	2.59	9.07	3.50	12.47	8.99	3.
10.	all classes	100.00	2.75	0.56	100.00	4.35	1.
11.	estimate number(000)	299	-	-	761	-	-
			Haryana	urban			
1.	0.00*	1.78	0.00	-	0.53	0.00	-
2.	0.01 - 0.50	8.69	0.47	0.05	1.31	0.50	0.6
3.	0.51 - 1.00	8.89	1.00	0.59	4.38	0.97	0.3
4.	1.01 - 2.00	18.85	1.81	0.44	6.44	1.86	0.7
5.	2.01 - 3.00	23.11	2.83	0.82	9.70	2.87	0.9
6.	3.01 - 4.00	18.75	3.91	1.15	20.34	3.91	1.0
7.	4.01 - 5.00	5.36	4.85	2.21	17.88	4.94	1.7
8.	5.01 - 7.00	11.18	6.00	2.30	24.71	6.29	2.6
9.	above 7.00	2.39	9.79	2.74	14.71	8.90	3.1
10.	all classes	100.00	3.12	1.01	100.00	5.02	1.9
11.	estimated number(000)	20	-	-	48	-	-

Including cases reporting no yield

/tkb/

National Sample Survey, Thirtieth Round . July 1975 - June 1976

Table (3) Contd. Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species

size group of milk yield(litre)	c a t t l e			b u f f a l o			
	percentage distribution of animals in milk	average quantity of milk produced	concentrates used	percentage distribution of animals in milk	average quantity of milk produced	concentrates used	
(2)	(3)	(4)	(5)	(6)	(7)	(8)	
Himachal Pradesh : rural							
1.	0.00*	1.21	0.00	0.11	0.34	0.00	-
2.	0.01 - 0.50	34.83	0.45	0.08	8.12	0.45	0.14
3.	0.51 - 1.00	41.60	0.98	0.14	22.50	0.99	0.25
4.	1.01 - 2.00	16.91	1.81	0.32	30.13	1.90	0.37
5.	2.01 - 3.00	3.22	2.86	0.38	15.33	2.90	0.48
6.	3.01 - 4.00	1.28	3.95	0.28	14.21	3.92	0.50
7.	4.01 - 5.00	0.67	4.92	0.55	4.31	4.90	0.68
8.	5.01 - 7.00	0.17	6.33	-	3.30	6.17	0.77
9.	above 7.00	0.06	10.00	-	0.76	8.44	0.94
	all classes	100.00	1.06	0.15	100.00	2.34	0.39
	estimated number(000)	260	-	-	170	-	-
Himachal Pradesh : urban							
1.	0.00*	4.35	0.00	0.77	-	-	-
2.	0.01 - 0.50	20.29	0.46	0.07	4.92	0.43	0.07
3.	0.51 - 1.00	21.74	1.00	0.40	6.56	1.00	0.13
4.	1.01 - 2.00	20.28	1.87	0.41	21.31	2.00	0.59
5.	2.01 - 3.00	17.39	2.94	0.42	14.75	3.00	2.39
6.	3.01 - 4.00	8.70	3.92	0.83	21.31	4.00	0.28
7.	4.01 - 5.00	2.90	5.00	3.00	14.75	4.83	0.78
8.	5.01 - 7.00	2.90	5.75	2.25	11.48	6.14	2.07
9.	above 7.00	1.45	8.00	10.00	4.92	9.33	0.83
	all classes	100.00	1.95	0.66	100.00	5.84	0.97
	estimated number(000)	2	-	-	2	-	-

* Including cases reporting no yield

National Sample Survey, Third Fifth Round, July 1975 - June 1976

Table (3) Contd. Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species

srl. no.	size group of milk yield (litre)	c a t t l e			b u f f a l o		
		percentage distribution of animals in milk	average quantity of milk produced	concentrates used	percentage distribution of animals in milk	average quantity of milk produced	concentrates used
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Jammu & Kashmir : rural							
1.	0.00*	0.39	0.00	0.28	0.47	0.00	-
2.	0.01 - 0.50	16.57	0.47	0.57	5.46	0.47	0.0
3.	0.51 - 1.00	37.85	0.99	0.66	18.53	0.98	0.1
4.	1.01 - 2.00	31.36	1.87	0.93	32.15	1.83	0.2
5.	2.01 - 3.00	8.38	2.88	1.01	16.85	2.86	0.3
6.	3.01 - 4.00	4.25	3.95	1.48	14.95	3.93	0.4
7.	4.01 - 5.00	0.71	4.97	2.11	4.29	4.89	0.4
8.	5.01 - 7.00	0.31	6.00	2.67	4.54	6.11	0.9
9.	above 7.00	0.18	9.24	2.24	1.36	9.02	2.3
10.	all classes	100.00	1.50	0.82	100.00	2.52	0.3
11.	estimated number(000)	272	-	-	101	-	-
Jammu & Kashmir : urban							
1.	0.00*	0.37	0.00	0.13	-	0.00	-
2.	0.01 - 0.50	12.58	0.48	0.92	5.93	0.46	0.08
3.	0.51 - 1.00	29.01	1.00	1.36	9.05	1.00	0.33
4.	1.01 - 2.00	34.60	1.87	1.55	24.08	1.90	0.64
5.	2.01 - 3.00	12.07	2.90	1.90	16.12	2.88	0.75
6.	3.01 - 4.00	7.85	3.95	2.40	25.58	3.94	1.41
7.	4.01 - 5.00	1.35	4.97	2.55	4.79	5.00	1.48
8.	5.01 - 7.00	1.17	6.31	3.85	12.38	6.04	1.55
9.	above 7.00	0.99	10.53	4.73	1.96	10.00	5.6
10.	all classes	100.00	1.78	1.53	100.00	2.71	1.04
11.	estimated number(000)	14	-	-	1	-	-

* Including cases reporting no yield

(10)

National Sample Survey, Thirtieth Round · July 1975 - June 1976

Table (3) : Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species.

size group of milk yield (litre)	c a t t l e			b u f f a l o		
	percentage distribution of animals in milk	average quan- tity of		percentage distribution of animals in milk	average quantity of	
		milk produced	concen- trates used		milk conc- produced	entra- tes used
(2)	(3)	(4)	(5)	(6)	(7)	(8)
<u>Karnataka: rural</u>						
0.00*	5.08	0.00	0.04	0.79	0.00	-
0.01 - 0.50	45.29	0.41	0.12	23.32	0.45	0.14
0.51 - 1.00	31.32	0.94	0.25	31.57	0.96	0.20
1.01 - 2.00	15.09	1.73	0.35	31.78	1.80	0.36
2.01 - 3.00	2.41	2.64	0.42	8.95	2.79	0.39
3.01 - 4.00	0.54	3.80	1.11	3.04	3.88	0.88
4.01 - 5.00	0.05	4.50	1.00	0.35	4.74	1.58
5.01 - 7.00	0.11	6.50	1.75	0.07	6.00	1.00
above 7.00	0.11	8.00	1.50	0.13	10.12	2.28
all classes	100.00	0.83	0.21	100.00	1.38	0.28
estimated num-	976	-	-	697	-	-
<u>Urban</u>						
0.00*	5.01	0.00	0.13	0.67	0.00	1.20
0.01 - 0.50	24.73	0.43	0.22	10.79	0.44	0.23
0.51 - 1.00	24.92	0.96	0.44	26.85	0.95	0.49
1.01 - 2.00	21.16	1.70	0.70	36.61	1.76	0.57
2.01 - 3.00	6.18	2.84	1.03	10.93	2.78	0.50
3.01 - 4.00	5.06	3.80	1.69	10.80	3.85	1.07
4.01 - 5.00	3.97	4.90	2.92	11.34	4.64	2.01
5.01 - 7.00	5.15	6.41	2.34	1.50	6.76	2.76
above 7.00	3.82	12.11	4.11	0.41	11.95	2.02
all classes	100.00	1.91	0.86	100.00	1.83	0.62
estimated number (0.00)102	-	-	-	83	-	-

Including cases reporting no yield.

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (3) Contd. : Quantity of milk yield (0.00 ^{litre} and concentrates (0.00 k.g.) per animal-in-milk by size group of milk yield and by species.

srl. no.	size group of milk yield (litre)	cattle			buffalo		
		percentage distribution of animals in milk used	average quantity of milk produced	concentrates used	percentage distribution of animals in milk	average quantity of milk produced	concentrates used
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
<u>Kerala . rural</u>							
1.	0.00*	2.30	0.00	0.41	2.18	0.00	1.13
2.	0.01 - 0.50	20.59	0.35	0.30	7.65	0.39	0.34
3.	0.51 - 1.00	23.70	0.86	0.54	17.44	0.90	0.93
4.	1.01 - 2.00	30.00	1.59	0.96	28.98	1.57	1.68
5.	2.01 - 3.00	12.42	2.59	1.45	21.30	2.68	1.86
6.	3.01 - 4.00	4.88	3.62	1.99	9.85	3.64	4.00
7.	4.01 - 5.00	3.54	4.76	2.33	7.66	4.69	3.63
8.	5.01 - 7.00	1.95	5.98	2.43	4.94	5.86	5.94
9.	above 7.00	0.62	9.07	4.22	-	-	-
10.	all classes	100.00	1.59	0.92	100.00	2.19	2.06
11.	estimated no. (000)	421	-	-	70	-	-
<u>Kerala : urban</u>							
1.	0.00*	2.41	0.00	1.14	-	0.00	-
2.	0.01 - 0.50	10.75	0.38	0.54	5.56	0.47	1.10
3.	0.51 - 1.00	11.40	0.86	0.83	4.44	0.90	1.38
4.	1.01 - 2.00	24.79	1.63	1.25	13.33	1.73	1.79
5.	2.01 - 3.00	19.08	2.67	1.85	17.78	2.61	2.28
6.	3.01 - 4.00	11.40	3.65	2.52	15.56	3.63	2.61
7.	4.01 - 5.00	9.21	4.78	2.64	18.89	4.69	3.11
8.	5.01 - 7.00	8.11	6.08	3.29	14.44	5.74	2.66
9.	above 7.00	2.85	8.74	4.04	10.00	10.20	4.78
10.	all classes	100.00	2.54	1.76	100.00	3.79	2.62
11.	estimated no. (000)	44	-	-	9	-	-

* Including cases reporting no. yield.

h/d.

National Sample Survey, Thirtieth Round - July 1975 - June 1976

(3) Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species.

size group of milk yield (litre)	c a t t l e			b u f f a l o			
	percentage distribu- tion of animals in milk	average quantity of milk produced	concen- trates used	percentage distribu- tion of animals in milk	average quantity of milk produced	concen- trates used	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
<u>Madhya Pradesh : rural</u>							
1.	0.00*	34.45	0.00	-	2.69	0.00	-
2.	0.01 - 0.50	37.94	0.42	0.16	18.45	0.43	0.24
3.	0.51 - 1.00	20.57	0.94	0.24	24.68	0.97	0.25
4.	1.01 - 2.00	5.83	1.79	0.42	27.33	1.85	0.59
5.	2.01 - 3.00	0.73	2.85	0.54	14.00	2.87	0.97
6.	3.01 - 4.00	0.32	3.96	0.83	8.10	3.94	0.91
7.	4.01 - 5.00	0.06	5.00	0.84	2.98	4.88	1.26
8.	5.01 - 7.00	0.06	6.50	1.63	1.64	6.09	1.44
9.	above 7.00	0.04	13.73	16.04	0.13	9.13	4.69
0.	all classes	100.00	0.56	0.15	100.00	1.79	0.54
1.	estimated no.	(000) 2561	-	-	873	-	-
<u>Madhya Pradesh : urban</u>							
1.	0.00*	5.90	0.00	-	1.52	0.00	-
2.	0.01 - 0.50	31.56	0.44	0.24	2.75	0.47	0.44
3.	0.51 - 1.00	29.45	0.96	0.49	8.88	1.00	0.95
4.	1.01 - 2.00	22.45	1.79	0.59	25.70	1.84	1.17
5.	2.01 - 3.00	6.36	2.81	1.50	20.19	2.89	1.11
6.	3.01 - 4.00	2.06	3.96	2.12	18.04	3.96	1.64
7.	4.01 - 5.00	1.27	4.94	0.81	8.58	4.93	2.16
8.	5.01 - 7.00	0.95	6.00	2.09	10.44	6.07	2.18
9.	above 7.00	-	-	-	3.90	8.61	2.96
0.	all classes	100.00	1.20	0.52	100.00	3.34	1.44
1.	estimated no.	(000) 77	-	-	40	-	-

* Including cases reporting no yield.

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (3) Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species.

sri. no.	size group of milk yield(litre)	c a t t l e			b u f f a l o		
		percen- tage distri- bution of animals in milk	average quan- tity of milk produced	quan- tity of concen- trates used	percen- tage distri- bution of animals in milk	average quan- tity of milk produced	quan- tity of concen- trates use
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
<u>Maharashtra : rural</u>							
1.	0.00*	20.77	0.00	0.02	0.58	0.00	0.1
2.	0.01 - 0.50	21.45	0.38	0.07	10.82	0.43	0.2
3.	0.51 - 1.00	25.01	0.98	0.20	20.48	0.98	0.3
4.	1.01 - 2.00	9.96	1.84	0.41	33.69	1.88	0.7
5.	2.01 - 3.00	1.96	2.80	0.72	14.50	2.82	0.9
6.	3.01 - 4.00	0.46	3.86	0.71	11.22	3.89	1.4
7.	4.01 - 5.00	0.24	4.37	1.38	4.29	4.89	2.6
8.	5.01 - 7.00	0.09	5.83	0.83	3.04	6.03	2.9
9.	above 7.00	0.06	8.74	0.05	1.38	8.77	4.0
10.	all classes	100.00	0.68	0.14	100.00	2.24	0.9
11.	estimated no.(000)	1401	-	-	723	-	-
<u>Maharashtra : urban</u>							
1.	0.00*	10.45	0.00	0.08	0.67	0.00	1.0
2.	0.01 - 0.50	27.49	0.42	0.20	5.66	0.45	0.2
3.	0.51 - 1.00	26.91	0.98	0.51	10.72	0.97	0.5
4.	1.01 - 2.00	20.67	1.80	0.89	22.23	1.88	0.8
5.	2.01 - 3.00	7.57	2.87	0.90	15.54	2.85	1.7
6.	3.01 - 4.00	5.23	3.97	1.40	16.10	3.90	1.7
7.	4.01 - 5.00	1.03	4.91	1.67	8.92	4.94	1.9
8.	5.01 - 7.00	0.33	6.46	4.16	11.90	6.35	2.7
9.	above 7.00	0.32	8.00	0.70	7.26	9.66	2.2
10.	all classes	100.00	1.24	0.56	100.00	3.56	1.4
11.	estimated no.(000)	82	-	-	103	-	-

* Including cases reporting no yield.

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (3) : Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g) per animal-in-milk by size group of milk yield and by species

size group of milk yield (litre)	cattle			buffalo			
	percentage distribution of animals in milk	average quantity of milk produced	quantity of concentrates used	percentage distribution of animals in milk	average quantity of milk produced	quantity of concentrates used	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
<u>Manipur : rural</u>							
1.	0.00*	1.50	0.00	0.35	4.24	0.00	-
2.	0.01 - 0.50	16.61	0.48	0.48	1.30	0.50	-
3.	0.51 - 1.00	34.82	0.96	0.54	32.31	0.39	0.36
4.	1.01 - 2.00	36.98	1.78	0.54	26.35	1.82	0.02
5.	2.01 - 3.00	9.84	2.65	0.13	21.18	2.82	0.14
6.	3.01 - 4.00	0.25	4.00	5.00	13.32	3.79	0.78
7.	4.01 - 5.00	-	-	-	-	-	-
8.	5.01 - 7.00	-	-	-	1.30	6.00	10.00
9.	above 7.00	-	-	-	-	-	-
10.	all classes	100.00	1.31	0.50	100.00	1.71	0.39
1.	estimated no. (000)	21	-	-	4	-	-
<u>Manipur : urban</u>							
1.	0.00*	-	-	-	-	-	-
2.	0.01 - 0.50	18.95	0.48	0.21	14.29	0.50	-
3.	0.51 - 1.00	21.92	0.97	0.58	-	-	-
4.	1.01 - 2.00	37.80	1.77	0.22	28.57	1.75	5.00
5.	2.01 - 3.00	12.63	2.63	0.39	-	-	-
6.	3.01 - 4.00	2.70	4.00	0.67	57.14	3.75	0.75
7.	4.01 - 5.00	-	-	-	-	-	-
8.	5.01 - 7.00	-	-	-	-	-	-
9.	above 7.00	-	-	-	-	-	-
10.	all classes	100.00	1.48	0.35	100.00	2.71	1.86
1.	estimated no. (000)	2	-	-	-	-	-

* including cases reporting no yield.

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (3) Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g) per animal-in-milk by size group of milk yield and by species.

sr. no.	size group of milk yield (litre)	cattle			buffalo	
		percentage distribution of animals in milk	average quantity of milk concentrates produced used		percentage distribution of animals in milk	average quantity of milk produced
(1)	(2)	(3)	(4)	(5)	(6)	(7)
<u>Meghalaya : rural</u>						
1.	0.00*	9.13	0.00	-	2.27	0.00
2.	0.01 - 0.50	38.97	0.44	-	38.64	0.16
3.	0.51 - 1.00	31.18	1.00	0.04	31.82	0.98
4.	1.01 - 2.00	18.25	1.62	0.08	27.27	1.54
5.	2.01 - 3.00	0.57	2.67	0.67	-	-
6.	3.01 - 4.00	0.38	4.00	1.50	-	-
7.	4.01 - 5.00	0.38	5.00	3.75	-	-
8.	5.01 - 7.00	-	-	-	-	-
9.	above 7.00	1.14	9.27	4.83	-	-
10.	all classes	100.00	0.94	0.11	100.00	0.87
11.	estimated no. (000)	38	-	-	3	-
<u>Meghalaya : urban</u>						
1.	0.00*	-	-	-	-	-
2.	0.01 - 0.50	12.12	0.50	3.50	-	-
3.	0.51 - 1.00	9.09	0.90	-	-	-
4.	1.01 - 2.00	12.12	1.88	5.25	-	-
5.	2.01 - 3.00	3.03	3.00	-	-	-
6.	3.01 - 4.00	15.15	4.00	0.40	-	-
7.	4.01 - 5.00	24.25	4.94	2.00	-	-
8.	5.01 - 7.00	15.15	5.70	-	-	-
9.	above 7.00	9.09	9.50	8.67	-	-
10.	all classes	100.00	3.84	2.15	-	-
11.	estimated no. (000)	1	-	-	-	-

National Sample Survey, Thirtieth Round : July 1975 - June 1976.

Table (3) Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00, k.g) per animal-in-milk by size group of milk yield and by species

size group of milk yield (litre)	c a t t l e				b u f f a l o			
	percentage distribution of animals in milk	average quantity of milk produced		concentrates used	percentage distribution of animals in milk	average quantity of milk produced		concentrates used
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
New Zealand : urban **								
0.00*	-	-	-	-	-	-	-	-
0.01 - 0.50	8.33	0.38	0.50	-	-	-	-	-
0.51 - 1.00	16.66	1.00	0.20	-	-	-	-	-
1.01 - 2.00	54.17	1.78	1.35	-	-	-	-	-
2.01 - 3.00	4.17	2.25	1.00	-	-	-	-	-
3.01 - 4.00	4.17	4.00	2.00	-	-	-	-	-
4.01 - 5.00	4.17	5.00	-	-	-	-	-	-
5.01 - 7.00	8.33	6.00	1.00	-	-	-	-	-
above 7.00	-	-	-	-	-	-	-	-
all classes	100.00	1.52	1.01	-	-	-	-	-
estimated no. (000)	0	-	-	-	-	-	-	-

* including cases reporting no yield

** The survey was conducted in urban areas only.

National Sample Survey , Thirtieth Round : July 1975 - June 1976

Table (3) Contd. : Quantity of milk yield (0.00 litre) ~~and~~ and concentrates used (0.00 k.g) per animal-in-milk by size group of milk yield and by species.

sr. no.	size group of milk yield(litre)	c a t t l e			b u f f a l o		
		percentage distribution of animals	average quantity of milk produced	concentrates used	percentage distribution of animals in milk	average quantity of milk produced	concentrates used
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
<u>Orissa - rural</u>							
1.	0.00*	29.91	0.00	0.12	11.75	0.00	-
2.	0.01 - 0.50	53.25	0.37	0.14	46.62	0.41	0.
3.	0.51 - 1.00	13.99	0.94	0.29	16.49	1.00	0.
4.	1.01 - 2.00	2.49	1.78	0.29	17.53	1.73	0.
5.	2.01 - 3.00	0.30	2.63	0.43	3.27	2.62	-
6.	3.01 - 4.00	0.06	4.00	2.00	2.60	3.67	1.
7.	4.01 - 5.00	-	-	-	0.87	4.50	2.
8.	5.01 - 7.00	-	-	-	0.87	6.00	3.
9.	above 7.00	-	-	-	-	-	-
10.	all classes	100.00	0.38	0.16	100.00	0.92	0.
11.	estimated no. (000)	941	-	-	61	-	-
<u>Orissa : urban</u>							
1.	0.00*	10.04	0.00	0.45	8.11	0.00	-
2.	0.01 - 0.50	39.18	0.39	0.34	2.70	0.50	-
3.	0.51 - 1.00	27.41	0.94	0.55	18.92	0.88	2.07
4.	1.01 - 2.00	13.13	1.70	1.14	32.44	1.88	1.25
5.	2.01 - 3.00	5.02	2.72	2.10	13.51	2.80	3.20
6.	3.01 - 4.00	2.32	3.96	2.75	18.92	4.00	2.79
7.	4.01 - 5.00	0.97	4.80	-	2.70	5.00	3.00
8.	5.01 - 7.00	1.54	6.44	2.50	2.70	7.00	2.50
9.	above 7.00	0.39	8.00	5.50	-	-	-
10.	all classes	100.00	1.04	0.21	100.00	2.25	1.91
11.	estimated no. (000)	51	-	-	4	-	-

* including cases reporting no yield.

National Sample Survey, Thirtieth Round July 1975 - June 1976

Table (3) Contd. Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species

1. size group of milk yield (litre)	c a t t l e			b u f f a l o			
	percentage distribution of animals in milk	average quantity of milk produced	concentrates used	percentage distribution of animals in milk	average quantity of milk produced	concentrates used	concentrates used
Punjab : rural							
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
1.	0.00*	1.01	0.00	-	0.72	0.00	0.01
2.	0.01 - 0.50	11.03	0.45	0.14	2.92	0.46	0.13
3.	0.51 - 1.00	16.48	0.99	0.17	10.02	0.99	0.33
4.	1.01 - 2.00	34.92	1.92	0.34	21.35	1.91	0.52
5.	2.01 - 3.00	17.24	2.89	0.46	15.34	2.91	0.78
6.	3.01 - 4.00	12.63	3.97	0.74	20.99	3.97	0.91
7.	4.01 - 5.00	3.14	4.95	1.14	10.56	4.97	1.21
8.	5.01 - 7.00	2.84	6.08	1.21	12.56	6.19	1.41
9.	above 7.00	0.71	8.17	1.54	5.53	8.54	1.73
10.	all classes	100.00	2.27	0.42	100.00	3.57	0.86
11.	estimated no. (000)	381	-	-	1191	-	-
Punjab urban							
1.	0.00*	0.41	0.00	-	0.14	0.00	-
2.	0.01 - 0.50	1.66	0.44	0.50	1.06	0.43	-
3.	0.51 - 1.00	10.71	0.98	0.42	3.49	1.00	0.60
4.	1.01 - 2.00	20.21	1.91	0.71	11.93	1.90	0.65
5.	2.01 - 3.00	23.88	2.87	0.67	12.98	2.87	1.18
6.	3.01 - 4.00	19.73	3.94	0.89	19.68	3.96	1.46
7.	4.01 - 5.00	8.63	4.98	1.31	12.72	4.96	2.10
8.	5.01 - 7.00	9.84	6.12	1.95	26.08	6.32	2.76
9.	above 7.00	4.93	9.71	3.15	11.92	8.58	3.34
10.	all classes	100.00	3.48	0.90	100.00	4.72	1.93
11.	estimated no (000)	29	-	-	-	-	-

* Including cases not actually milked

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (3) Contd. Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk size group of milk yield and by species

srl. no.	size group of milk yield (litre)	c a t t l e			b u f f a l o		
		percen- tage dis- tribution of animals in milk	average quan- tity of milk pro- duced	quan- tity of concen- trates used	percen- tage dis- tribution of ani- mals in milk	average qua- nty of milk pro- duced	con- tr us
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Rajasthan rural							
1.	0.00	6.26	0.00	0.08	1.50	0.00	0
2.	0.01 - 0.50	18.43	0.43	0.16	7.72	0.45	0
3.	0.51 - 1.00	22.26	0.98	0.35	12.33	0.98	0
4.	1.01 - 2.00	25.70	1.90	0.64	26.03	1.87	0
5.	2.01 - 3.00	11.12	2.89	0.93	17.09	2.86	0
6.	3.01 - 4.00	9.14	3.96	1.42	15.42	3.95	1
7.	4.01 - 5.00	3.19	4.88	1.44	6.30	4.92	1
8.	5.01 - 7.00	3.08	6.16	1.69	9.50	6.18	2
9.	above 7.00	0.82	7.42	0.91	4.11	9.02	3
10.	all cla ses	100.00	1.87	0.62	100.00	3.01	1
11.	estimated no. (000)	1513	-	-	1118	-	-
Rajasthan , urban							
1.	0.00*	4.33	0.00	0.29	1.07	0.00	0
2.	0.01 - 0.50	9.37	0.44	0.20	3.23	0.50	0
3.	0.51 - 1.00	15.92	0.99	0.46	6.46	0.98	0
4.	1.01 - 2.00	23.67	1.86	0.77	14.61	1.89	0
5.	2.01 - 3.00	16.86	2.85	1.05	15.25	2.84	1
6.	3.01 - 4.00	13.19	3.94	1.52	14.56	3.95	1
7.	4.01 - 5.00	7.58	4.90	1.70	13.95	4.89	2
8.	5.01 - 7.00	7.53	6.09	2.00	15.62	6.11	2
9.	above 7.00	1.55	8.42	2.45	15.25	8.84	3
10.	all classes	100.00	2.60	0.99	100.00	4.35	-
11.	estimated no. (000)	67	-	-	50	-	-

* Including cases reporting no yield

/tkb/

Table (3) Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species

Sl. no.	size group of milk yield (litre)	c a t t l e			b u f f a l o		
		percen- tage dis- tribution of animals in milk	average quan- tity of milk produ- ced	quan- tity of concen- trates used	percen- tage dis- tribution of animals in milk	average quan- tity of milk produ- ced	quan- tity of concen- trates used
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Tamil Nadu : rural							
1.	0.00*	13.97	0.00	0.20	3.24	0.00	0.30
2.	0.01 - 0.50	26.44	0.40	0.30	13.12	0.45	0.40
3.	0.51 - 1.00	29.33	0.91	0.60	20.78	0.93	0.70
4.	1.01 - 2.00	21.49	1.66	0.80	31.26	1.69	0.90
5.	2.01 - 3.00	6.20	2.65	0.90	18.17	2.66	1.30
6.	3.01 - 4.00	1.22	3.65	1.40	10.76	3.66	1.30
7.	4.01 - 5.00	0.64	4.69	2.10	2.02	4.61	1.70
8.	5.01 - 7.00	0.64	6.69	2.10	0.57	6.49	1.50
9.	above 7.00	0.07	16.00	1.00	0.11	9.60	0.50
10.	all classes	100.00	1.02	0.60	100.00	1.80	0.90
11.	estimated no. (000)	707	-	-	449	-	-
Tamil Nadu : urban							
1.	0.00*	1.88	0.00	0.30	0.40	0.00	-
2.	0.01 - 0.50	8.93	0.42	0.40	5.81	0.41	0.50
3.	0.51 - 1.00	17.80	0.93	0.80	12.48	0.94	0.70
4.	1.01 - 2.00	31.53	1.74	0.90	26.30	1.86	1.00
5.	2.01 - 3.00	18.00	2.66	1.20	28.38	2.71	1.20
6.	3.01 - 4.00	11.13	3.66	1.40	15.62	3.65	1.50
7.	4.01 - 5.00	3.88	4.76	1.50	6.41	4.80	1.90
8.	5.01 - 7.00	5.11	6.02	2.20	3.59	6.21	2.60
9.	above 7.00	1.74	10.65	2.60	1.01	8.87	4.80
10.	all classes	100.00	2.27	1.00	100.00	2.60	1.20
11.	estimated no. (000)	130	-	-	71	-	-

* Including cases reporting no yield

tkb/

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (3) Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species

srl. no.	size group of milk yield(litre)	c a t t l e			b u f f a l o		
		percen- tage dis- tribution of animals in milk	average quan- tity of milk pro- duced	concen- trates used	percen- tage distrib- ution of ani- mals in milk	average quan- tity of milk pro- duced	conce- ntrates used
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Tripura : rural							
1.	0.00	3.84	0.00	0.08	40.00	0.00	-
2.	0.01 - 0.50	49.46	0.42	0.07	40.00	0.44	-
3.	0.51 - 1.00	33.95	0.91	0.13	10.00	1.00	-
4.	1.01 - 2.00	12.13	1.49	0.18	10.00	1.25	-
5.	2.01 - 3.00	0.31	2.38	1.75	-	-	-
6.	3.01 - 4.00	0.31	3.50	2.50	-	-	-
7.	4.01 - 5.00	-	-	-	-	-	-
8.	5.01 - 7.00	-	-	-	-	-	-
9.	above 7.00	-	-	-	-	-	-
10.	all classes	100.00	0.68	0.12	100.00	0.30	-
11.	estimated no. (000)	61	-	-	1	-	-
Tripura : urban							
1.	0.00*	5.69	0.00	0.81	-	-	-
2.	0.01 - 0.50	36.59	0.41	0.19	-	-	-
3.	0.51 - 1.00	30.08	0.91	0.69	100.00	1.00	-
4.	1.01 - 2.00	23.58	1.59	0.49	-	-	-
5.	2.01 - 3.00	2.44	2.83	1.77	-	-	-
6.	3.01 - 4.00	-	-	-	-	-	-
7.	4.01 - 5.00	-	-	-	-	-	-
8.	5.01 - 7.00	1.62	6.25	1.20	-	-	-
9.	above 7.00	-	-	-	-	-	-
10.	all classes	100.00	0.82	0.50	100.00	1.00	-
11.	estimated no. (000)	2	-	-	0	-	-

* Including cases reporting no yield

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (3) Contd. : Quantity of milk yield(0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species

size group of milk yield(litre)	c a t t l e			b u f f a l o			
	percen- tage distri- bution of animals in milk	average quantity of		percen- tage distri- bution of animals in milk	average quantity of		
		milk produced	concen- trates used		milk produced	concen- trates used	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
<u>Uttar Pradesh : rural</u>							
1.	0.00*	11.67	0.00	0.06	1.01	0.00	0.49
2.	0.01 - 0.50	27.44	0.41	0.08	7.20	0.45	0.19
3.	0.51 - 1.00	29.06	0.97	0.20	15.96	0.98	0.31
4.	1.01 - 2.00	21.64	1.83	0.44	27.64	1.85	0.49
5.	2.01 - 3.00	6.58	2.83	0.65	17.57	2.84	0.74
6.	3.01 - 4.00	1.95	3.92	1.16	14.72	3.94	0.97
7.	4.01 - 5.00	0.94	4.91	0.87	7.00	4.94	1.24
8.	5.01 - 7.00	0.55	6.18	1.32	6.64	6.13	1.59
9.	above 7.00	0.17	8.25	1.34	2.26	9.22	2.00
10.	all classes	100.00	1.15	0.27	100.00	2.73	0.72
11.	estimated no(000)	2044	-	-	3316	-	-
<u>Uttar Pradesh : urban</u>							
12.	0.00*	2.27	0.00	0.23	0.58	0.00	1.29
13.	0.01 - 0.50	14.40	0.46	0.20	3.48	0.46	0.21
14.	0.51 - 1.00	20.80	0.96	0.36	7.16	0.97	0.47
15.	1.01 - 2.00	31.43	1.81	0.67	17.48	1.83	0.70
16.	2.01 - 3.00	14.47	2.81	1.09	23.39	2.86	1.07
17.	3.01 - 4.00	9.49	3.87	1.56	19.22	3.94	1.65
18.	4.01 - 5.00	4.89	4.87	1.78	13.00	4.93	1.91
19.	5.01 - 7.00	1.39	6.21	1.71	10.29	6.21	2.47
20.	above 7.00	0.86	9.42	3.46	5.40	9.05	4.39
21.	all classes	100.00	2.15	0.75	100.00	2.6	1.48
22.	estimated no(000)	76	-	-	11	-	-

* Including cases reporting no yield.

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (3) Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species.

srl. no.	size group of milk yield (litre)	c a t t l e			b u f f a l o		
		percentage distribution of animals in milk	average quantity of milk produced	average concentration of milk used	percentage distribution of animals in milk	average quantity of milk produced	average concentration of milk used
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
<u>West Bengal : rural</u>							
1.	0.00*	1.72	0.00	0.13	1.43	0.00	-
2.	0.01 - 0.50	36.37	0.40	0.09	11.09	0.38	0.15
3.	0.51 - 1.00	31.41	0.91	0.22	18.22	0.91	0.35
4.	1.01 - 2.00	21.38	1.54	0.37	28.27	1.86	0.59
5.	2.01 - 3.00	5.93	2.72	0.49	12.59	2.74	0.71
6.	3.01 - 4.00	1.51	3.70	0.61	5.60	4.00	1.00
7.	4.01 - 5.00	0.34	4.87	0.95	8.49	4.92	1.58
8.	5.01 - 7.00	0.11	6.33	1.28	4.45	6.35	0.80
9.	above 7.00	0.23	11.35	3.15	9.86	9.86	1.99
10.	all classes	100.00	1.08	0.24	100.00	3.04	0.76
11.	estimated no. (000)	1419	-	-	32	-	-
<u>West Bengal : urban</u>							
1.	0.00*	1.67	0.00	0.44	-	0.00	-
2.	0.01 - 0.50	19.21	0.42	0.21	-	-	-
3.	0.51 - 1.00	24.36	0.90	0.34	-	-	-
4.	1.01 - 2.00	29.58	1.65	0.61	4.16	1.84	1.82
5.	2.01 - 3.00	13.89	2.70	0.85	6.65	2.93	0.62
6.	3.01 - 4.00	4.26	3.84	0.99	11.03	3.94	1.24
7.	4.01 - 5.00	2.56	4.89	1.12	16.26	4.87	2.23
8.	5.01 - 7.00	3.02	6.21	1.43	33.79	6.35	3.10
9.	above 7.00	1.45	10.55	0.51	28.11	8.93	3.18
10.	all classes	100.00	1.82	0.55	100.00	6.12	2.56
11.	estimated no. (000)	112	-	-	27	-	-

* Including cases reporting no yield.

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (3) Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species

Sl. no.	size group of milk yield (litre)	c a t t l e			b u f f a l o		
		percentage distribution of animals in milk	average quantity of milk produced	concentration of concentrates used	percentage distribution of animals in milk	average quantity of milk produced	concentration of concentrates used
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Chandigarh : urban **							
1.	0.00*	-	-	-	-	-	-
2.	0.01 - 0.50	-	-	-	9.09	0.50	0.20
3.	0.51 - 1.00	-	-	-	-	-	-
4.	1.01 - 2.00	-	-	-	18.18	1.75	0.50
5.	2.01 - 3.00	-	-	-	18.18	3.00	0.85
6.	3.01 - 4.00	-	-	-	18.18	3.50	1.00
7.	4.01 - 5.00	-	-	-	36.37	5.00	0.88
8.	5.01 - 7.00	-	-	-	-	-	-
9.	above 7.00	-	-	-	-	-	-
10.	all classes	-	-	-	100.00	3.30	0.76
11.	estimated no. (000)	-	-	-	1	-	-

* Including cases reporting no yield

** The survey was conducted in urban areas only

tkb/

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (3) Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species

srl. no.	size group of milk yield(litre)	c a t t l e			b u f f a l o		
		percentage distribution of animals in milk	average quantity of milk produced	concentrates used	percentage distribution of animals in milk	average quantity of milk produced	concentrates used
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
<u>Delhi : rural</u>							
1.	0.00*	-	-	-	2.33	-	3.00
2.	0.01 - 0.50	-	-	-	-	-	-
3.	0.51 - 1.00	10.00	1.00	0.50	-	-	-
4.	1.01 - 2.00	40.00	1.88	2.38	2.33	2.00	1.50
5.	2.01 - 3.00	20.00	3.00	0.50	13.95	2.75	1.83
6.	3.01 - 4.00	20.00	4.00	1.00	30.23	3.88	2.50
7.	4.01 - 5.00	10.00	5.00	1.50	16.28	4.75	1.57
8.	5.01 - 7.00	-	-	-	16.28	6.29	2.29
9.	above 7.00	-	-	-	18.60	8.75	4.38
10.	all classes	100.00	2.71	1.45	100.00	5.04	2.56
11.	estimated (000)	6	-	-	25	-	-
<u>Delhi : urban</u>							
1.	0.00*	-	-	-	1.67	-	2.67
2.	0.01 - 0.50	5.26	0.50	1.50	0.56	0.50	-
3.	0.51 - 1.00	15.79	1.00	0.50	-	-	-
4.	1.01 - 2.00	23.69	2.00	0.89	7.78	1.91	0.93
5.	2.01 - 3.00	10.53	2.75	1.50	7.78	2.79	1.29
6.	3.01 - 4.00	13.16	3.80	2.80	10.00	3.94	1.50
7.	4.01 - 5.00	7.89	4.67	1.33	11.11	4.93	2.63
8.	5.01 - 7.00	18.42	6.50	8.00	30.55	6.45	4.12
9.	above 7.00	5.25	8.50	12.00	30.55	8.49	4.85
10.	all classes	100.00	2.81	3.11	100.00	5.91	3.40
11.	estimated (000)	5	-	-	32	-	-

* Including cases reporting no yield.

National Sample Survey, Thirtieth Round July 1975 - June 1976

Table (3) Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species

srl. no.	size group of milk yield (litre)	c a t t l e			b u f f a l o		
		percentage distribution of animals in milk	average quantity of		percentage distribution of animals in milk	average quantity of	
(1)	(2)	(3)	milk produced (4)	concentrates used (5)	(6)	milk produced (7)	concentrates used (8)
Goa, Daman & Diu : rural							
1.	0.00*	31.48	0.00	-	-	-	-
2.	0.01 - 0.50	27.78	0.48	0.10	3.33	0.50	1.00
3.	0.51 - 1.00	20.37	0.93	0.58	6.67	1.00	0.50
4.	1.01 - 2.00	12.96	1.53	1.07	33.33	1.73	0.79
5.	2.01 - 3.00	1.85	2.70	2.00	36.67	2.91	1.41
6.	3.01 - 4.00	5.56	3.37	2.17	23.33	3.86	1.79
7.	4.01 - 5.00	-	-	-	-	-	-
8.	5.01 - 7.00	-	-	-	6.67	6.00	2.50
9.	above 7.00	-	-	-	-	-	-
10.	all classes	100.00	0.71	0.44	100.00	2.51	1.35
11.	estimated no. (000)	9	-	-	4	-	-
Goa, Daman & Diu : urban							
1.	0.00*	22.73	0.00	-	-	-	-
2.	0.01 - 0.50	31.82	0.42	0.29	-	-	-
3.	0.51 - 1.00	9.09	0.90	1.00	13.33	1.00	1.00
4.	1.01 - 2.00	9.09	1.75	1.25	20.00	1.83	1.30
5.	2.01 - 3.00	18.18	2.75	0.75	13.33	2.75	2.25
6.	3.01 - 4.00	9.09	4.00	0.70	26.67	3.75	2.00
7.	4.01 - 5.00	-	-	-	6.67	4.50	3.00
8.	5.01 - 7.00	-	-	-	20.00	6.17	2.33
9.	above 7.00	-	-	-	-	-	-
10.	all classes	100.00	1.00	0.50	100.00	3.16	1.89
11.	estimated no. (000)	1	-	-	1	-	-

Including cases reporting no yield

National Sample Survey, Thirtieth Round . July 1975 - June 1976

Table (3) Contd. : Quantity of milk yield (0.00 litre) and concentrates used (0.00 k.g.) per animal-in-milk by size group of milk yield and by species

srl. no.	size group of milk yield (litre)	c a t t l e			b u f f a l o		
		percentage distribution of animals in milk	average quantity of milk produced	average quantity of concentrates used	percentage distribution of animals in milk	average quantity of milk produced	average quantity of concentrates used
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
<u>Pondicherry : rural</u>							
1.	0.00*	3.88	0.00	1.25	-	-	-
2.	0.01 - 0.50	14.56	0.41	0.75	5.88	0.50	1.50
3.	0.51 - 1.00	33.99	0.94	1.00	14.71	0.80	0.82
4.	1.01 - 2.00	23.30	1.44	1.03	29.41	1.78	1.44
5.	2.01 - 3.00	14.56	2.61	1.61	38.24	2.81	1.46
6.	3.01 - 4.00	7.77	3.58	4.00	11.76	3.50	1.88
7.	4.01 - 5.00	1.94	5.00	5.25	-	-	-
8.	5.01 - 7.00	-	-	-	-	-	-
9.	above 7.00	-	-	-	-	-	-
10.	all classes	100.00	1.45	1.39	100.00	2.20	1.41
11.	estimated no. (000)	9	-	-	2	-	-
<u>Pondicherry : urban</u>							
1.	0.00*	1.59	0.00	-	-	-	-
2.	0.01 - 0.50	5.78	0.50	0.50	-	-	-
3.	0.51 - 1.00	16.95	0.91	1.05	5.88	1.00	1.50
4.	1.01 - 2.00	16.96	1.57	1.38	-	-	-
5.	2.01 - 3.00	13.56	2.56	1.84	35.30	2.75	1.17
6.	3.01 - 4.00	11.86	3.50	2.36	-	-	-
7.	4.01 - 5.00	6.78	4.88	3.50	-	-	-
8.	5.01 - 7.00	6.78	6.33	2.25	5.88	6.50	2.50
9.	above 7.00	18.64	13.64	1.82	52.94	14.44	1.50
10.	all classes	100.00	4.97	1.70	100.00	9.22	1.44
11.	estimated no. (000)	3	-	-	1	-	-

Including cases reporting no yield.

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 Litre) of milk produced per animal-1 milk classified by number of times calved and interval since last calving for each species

sri. no.	months since calved	average quantity of milk produced by number of times calved									
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
<u>All India : rural</u>											
1.	0	0.82	0.94	1.12	1.09	1.08	1.13	1.23	1.25	0.85	0.81
2.	1	1.18	1.20	1.39	1.35	1.18	1.47	1.03	1.20	1.07	1.29
3.	2	1.20	1.27	1.43	1.46	1.37	1.05	1.49	1.35	1.30	1.1
4.	3	1.16	1.12	1.50	1.16	1.31	1.30	1.20	1.33	1.65	0.91
5.	4	1.19	1.21	1.26	1.33	1.44	1.21	1.62	1.82	1.29	0.94
6.	5	1.10	1.10	1.19	1.22	1.27	1.05	0.84	1.31	1.18	1.2
7.	6	1.04	1.07	1.15	1.13	1.23	1.29	1.16	1.10	1.08	0.88
8.	7	0.95	1.05	1.17	1.14	0.98	0.84	0.71	1.90	0.78	0.69
9.	8	1.02	1.01	1.04	1.04	1.28	0.92	1.40	1.14	0.61	0.86
10.	9	0.78	0.89	0.94	0.93	0.84	1.04	1.36	0.65	1.02	0.60
11.	10	0.80	0.81	0.89	0.97	1.26	1.04	1.30	0.65	0.98	0.49
12.	11	0.72	0.90	0.75	0.64	0.67	1.10	1.06	0.33	0.98	0.63
13.	12 & above	0.67	0.66	0.84	0.74	0.80	0.81	0.70	0.99	1.14	0.37
14.	not recorded	1.35	1.01	1.55	1.87	1.70	4.27	2.87	-	3.00	2.67
15.	total	1.00	1.02	1.13	1.11	1.14	1.10	1.16	1.20	1.10	0.88
<u>All India : urban</u>											
1.	0	1.69	1.34	1.89	1.75	1.71	2.27	3.10	2.25	1.00	1.73
2.	1	2.28	2.75	2.69	2.56	2.60	2.98	2.60	1.37	3.01	1.19
3.	2	2.26	2.33	2.42	2.64	2.73	2.87	2.78	3.28	2.83	2.54
4.	3	2.14	2.46	2.30	2.34	2.28	1.60	2.98	2.84	3.05	2.39
5.	4	2.09	2.17	2.08	2.34	3.08	2.13	2.08	1.00	2.47	2.93
6.	5	2.25	2.00	2.36	2.40	1.99	1.63	2.14	5.25	2.66	1.72
7.	6	2.02	1.76	2.02	1.86	2.38	2.04	1.68	0.85	1.59	1.31
8.	7	1.59	1.74	2.05	1.70	1.75	2.60	1.73	2.44	0.25	0.92
9.	8	1.77	1.78	1.82	1.66	1.76	2.03	0.99	2.18	1.79	1.54
10.	9	1.54	1.50	1.56	2.22	1.54	0.70	1.72	2.01	4.00	1.78
11.	10	1.48	1.65	1.68	1.52	2.02	1.32	1.07	-	-	0.77
12.	11	1.63	1.28	1.87	1.21	1.74	1.83	0.40	0.50	1.34	0.67
13.	12 & above	1.41	1.29	1.62	1.65	1.01	0.98	1.77	1.96	1.09	1.90
14.	not recorded	1.83	2.33	1.64	-	3.00	-	1.00	-	0.50	1.00
15.	total	1.91	1.93	2.12	2.04	2.16	2.01	1.96	1.96	2.00	1.80

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo

average quantity of milk produced by number of times calved												
srl. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	of data	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>All-India : rural</u>												
1.	0	2.53	3.32	3.20	3.58	4.07	3.84	2.85	2.72	2.23	2.09	3.27
2.	1	3.00	3.66	3.80	3.83	3.95	3.91	2.80	3.65	4.03	2.78	3.53
3.	2	3.07	3.58	3.70	3.62	3.87	3.83	4.38	3.07	4.43	2.53	3.52
4.	3	2.82	3.30	3.41	3.38	3.23	3.17	3.60	5.18	3.81	3.25	3.23
5.	4	2.80	3.21	3.31	3.25	3.14	3.23	3.35	2.99	2.35	2.22	3.16
6.	5	2.75	3.05	2.93	2.96	2.19	3.01	3.17	3.15	2.13	2.51	2.99
7.	6	2.55	2.65	2.79	2.79	2.75	2.60	2.90	3.82	2.03	1.67	2.69
8.	7	2.32	2.40	2.63	2.61	2.05	2.41	3.03	2.03	2.56	1.31	2.52
9.	8	2.13	2.21	2.45	2.51	2.83	2.17	2.35	2.10	2.49	1.62	2.29
10.	9	2.01	2.14	2.01	2.12	2.12	2.03	2.01	2.02	2.67	2.31	2.08
11.	10	2.01	2.01	2.03	1.99	1.99	1.95	2.07	1.61	1.34	1.41	2.00
12.	11	1.81	1.78	1.82	2.02	1.86	1.63	1.66	1.61	3.04	1.69	1.84
13.	12 & above	1.52	1.66	1.75	1.77	1.57	1.51	1.67	1.33	1.32	1.51	1.63
14.	not recorded	2.65	3.50	4.31	3.35	2.94	3.02	2.40	4.50	2.00	1.83	3.48
15.	total	2.39	2.65	2.75	2.83	2.85	2.82	2.76	2.40	2.50	1.88	2.61
<u>All-India : urban</u>												
1.	0	3.31	4.05	4.19	3.75	3.53	3.32	3.79	2.64	4.44	2.35	3.73
2.	1	3.32	4.56	4.88	5.19	4.31	5.02	3.62	6.86	5.07	5.34	4.58
3.	2	4.15	4.49	4.88	4.67	4.93	4.56	4.95	6.11	3.18	6.35	4.64
4.	3	3.62	4.36	4.65	4.30	4.61	4.96	4.06	2.23	4.97	1.63	4.32
5.	4	3.60	4.38	4.14	4.55	4.82	4.42	5.58	5.02	3.44	2.55	4.27
6.	5	3.58	4.34	3.81	3.62	4.18	3.40	5.10	5.85	5.00	2.78	3.90
7.	6	3.03	4.02	3.38	3.51	3.70	3.87	3.30	3.50	1.95	2.73	3.55
8.	7	3.75	3.66	3.73	3.30	3.32	3.72	3.74	4.15	5.11	2.55	3.59
9.	8	2.71	3.35	3.10	3.00	2.69	3.44	4.44	2.71	3.34	3.55	3.15
10.	9	3.18	3.19	3.17	3.30	2.42	2.14	4.03	4.00	1.53	3.04	3.10
11.	10	2.21	2.70	2.55	3.19	3.16	2.91	3.25	1.93	2.83	3.37	2.73
12.	11	2.26	2.76	2.46	2.71	2.31	2.64	2.60	4.25	3.41	1.99	2.46
13.	12 & above	2.00	1.95	2.40	2.53	2.23	2.61	2.51	2.55	2.49	2.80	2.27
14.	not recorded	3.80	2.54	3.44	2.96	3.02	3.22	2.71	2.71	2.71	3.00	3.27
15.	total	3.10	3.72	3.63	3.70	3.60	3.67	3.60	3.53	3.41	3.10	3.57

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table(4)Contd.: Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

sl. no.	months since calved	average quantity of milk produced by number of times calved										to tal
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Uttar Pradesh : rural</u>												
1.	0	0.09	0.77	0.35	0.33	0.05	-	0.25	-	-	-	0.25
2.	1	0.19	0.11	0.34	0.54	1.50	0.49	-	1.00	-	0.25	0.37
3.	2	0.40	0.37	0.40	0.58	0.25	-	-	-	-	-	0.39
4.	3	0.45	0.32	0.45	0.37	0.68	0.12	-	-	-	0.33	0.39
5.	4	0.37	0.39	0.32	0.50	0.25	-	-	-	-	-	0.37
6.	5	0.22	0.47	0.40	0.25	-	-	-	-	-	0.50	0.35
7.	6	0.27	0.37	0.13	0.56	0.44	0.45	-	-	-	0.50	0.34
8.	7	0.32	0.15	0.28	0.35	-	0.75	0.50	-	-	-	0.25
9.	8	0.35	0.35	0.50	0.63	0.80	-	-	-	-	0.50	0.43
10.	9	0.31	0.27	0.12	0.06	0.25	-	-	-	-	-	0.23
11.	10	0.28	0.11	0.26	0.52	0.32	-	-	-	-	-	0.29
12.	11	0.37	0.15	0.40	0.15	-	-	-	-	-	-	0.30
13.	12 & above	0.17	0.20	0.09	0.16	0.09	1.00	-	-	-	0.15	0.17
14.	not recorded	0.19	-	-	-	-	-	-	-	-	-	0.11
15.	total	0.28	0.31	0.32	0.38	0.42	0.41	0.19	1.00	-	0.28	0.31
<u>Andhra Pradesh : urban</u>												
	0	0.36	-	0.62	1.60	-	-	-	-	-	-	0.47
	1	1.04	5.17	3.62	-	1.10	-	-	-	-	0.50	2.37
	2	1.03	2.20	1.04	-	-	-	-	-	-	-	1.22
	3	0.89	0.28	0.74	1.09	1.50	-	-	-	-	2.00	0.81
	4	0.33	0.85	1.24	1.81	-	-	-	-	-	-	1.07
	5	-	0.61	1.00	0.50	0.50	-	-	-	-	-	0.49
	6	1.23	0.86	0.78	0.57	-	-	-	-	-	-	0.91
	7	0.13	-	1.20	0.50	-	2.00	-	-	-	-	0.51
	8	0.42	0.57	0.72	1.00	1.75	-	-	-	-	-	0.73
	9	0.75	0.40	1.00	-	-	-	1.40	4.00	-	-	0.99
	10	0.08	0.85	0.69	1.00	-	-	-	-	-	-	0.62
	11	0.20	0.25	-	-	-	-	-	-	-	-	0.15
	12 & above	1.22	1.12	1.49	0.67	-	-	-	-	-	-	1.06
	not recorded	-	-	-	-	-	-	-	-	-	-	-
	total	0.84	1.01	1.00	0.80	1.06	1.00	1.40	1.40	-	1.25	0.95

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

srl. no.	months since calved	average quantity of milk produced by number of times cal										
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	
		6	8	0	1	2						
<u>Andhra Pradesh : rural</u>												
1.	0	1.23	2.30	1.26	0.85	1.37	2.38		1.67	1.50	0.75	1.
2.	1	1.37	1.62	1.64	1.56	1.63	1.28	1.28	1.00			1.
3.	2	1.17	1.43	1.51	1.63	1.06	0.70	1.00	0.62		1.50	1.
4.	3	1.40	1.65	1.40	1.62	1.06	1.32		0.25		0.74	1.
5.	4	1.17	1.36	1.51	1.59	1.02	0.50	3.00	1.56			1.
6.	5	1.23	1.16	1.15	1.06	1.21	1.05	0.76	2.25		1.82	1.
7.	6	1.10	1.21	1.06	1.21	1.23	1.12	1.29	1.50		0.50	1.
8.	7	1.25	1.01	1.39	1.62	0.75	2.16	1.00	1.70			1.
9.	8	0.94	1.27	1.02	0.99	1.01	0.93					1.
10.	9	0.89	1.11	1.23	1.06	0.95	0.95			0.50	1.15	1.
11.	10	1.10	1.10	1.17	1.07	0.93	0.95		1.25	1.00	1.00	1.
12.	11	1.03	0.80	0.96	1.05	1.02	0.75	0.50				0.
13.	12 & above	0.77	0.83	0.83	0.84	0.73	0.64	0.60	0.50	0.50	2.00	0.
14.	not recorded	0.22	0.56	1.00	0.82		1.25					0.6
15.	total	1.08	1.24	1.20	1.20	1.05	1.05	1.04	1.61	0.87	0.92	1.1
<u>Andhra Pradesh : urban</u>												
1.	0	2.07	2.57	1.92	1.54	2.36	1.71					2.0
2.	1	2.15	2.31	2.18	2.14	2.43	1.20					2.2
3.	2	2.13	2.37	2.16	2.29	2.18	0.50	2.00				2.
4.	3	2.08	2.30	2.32	1.72	1.30	1.25	3.76				2.1
5.	4	1.99	1.96	1.77	2.06	1.75					2.19	1.9
6.	5	1.32	2.03	1.69	1.77	1.23	2.15					1.7
7.	6	1.72	1.87	1.73	1.33	2.50	3.88	4.50	2.25		1.50	1.
8.	7	2.10	1.48	1.61	1.22	2.50					1.40	1.
9.	8	1.67	1.54	1.86	1.27	1.52	2.12		0.30			1.
10.	9	1.17	1.93	1.86	1.41	1.21					1.28	1.
11.	10	1.10	1.59	1.46	2.19	0.50	1.50		1.50			1.
12.	11	1.20	1.42	1.06	1.47	1.00					1.00	1.2
13.	12 & above	1.20	1.40	1.34	1.32	1.86	0.73					1.
14.	not recorded	1.00	0.50		0.42							0.
15.	total	1.69	1.83	1.76	1.65	1.85	1.53	3.21	1.35		2.38	1.

National Sample Survey, Thirtieth Round, July 1975-June 1976
 Table (4)Contd.: Quantity (0.00 litre) of milk produced per animal-in-
 milk classified by number of times calved and interval
 since last calving for each species

Cattle

No. months since calved	average quantity of milk produced by number of times calved											
	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Assam : rural</u>												
0	1.00	0.49	0.75	0.38	-	0.48	2.00	-	-	1.00	0.69	
1	1.15	1.02	0.63	0.86	0.65	0.75	-	-	-	-	0.96	
2	1.51	1.15	0.97	0.55	0.79	0.81	1.00	-	-	-	1.20	
3	1.00	0.90	0.95	0.68	0.56	0.75	0.75	1.50	0.75	0.67	0.92	
4	1.13	0.91	0.94	0.89	0.80	0.62	0.81	-	-	0.67	0.98	
5	0.88	0.90	0.98	0.89	0.75	1.00	-	-	-	1.17	0.91	
6	0.88	0.85	0.90	0.83	0.81	0.83	1.08	-	-	0.85	0.87	
7	0.86	0.76	0.98	0.96	0.69	1.17	-	-	0.75	1.25	0.88	
8	0.83	0.66	0.64	0.64	0.65	0.77	-	-	-	0.25	0.73	
9	0.69	0.63	0.64	0.50	0.46	0.20	-	0.50	-	0.69	0.64	
10	0.86	0.63	0.49	0.53	0.25	0.23	0.50	-	-	0.50	0.75	
11	0.69	0.76	0.25	0.35	-	0.38	-	-	-	0.50	0.61	
2 & above	0.43	0.57	0.59	0.48	0.72	0.26	0.38	1.00	0.50	0.50	0.53	
† recorded	0.56	-	-	1.00	-	-	-	-	-	-	0.65	
total	0.95	0.86	0.86	0.78	0.71	0.72	0.88	0.88	0.67	0.75	0.88	
<u>Assam : urban</u>												
0	0.25	0.38	1.00	-	2.03	-	-	0.74	-	1.50	0.73	
1	1.36	0.67	2.08	0.88	-	-	-	-	-	-	1.30	
2	1.37	1.08	2.33	2.29	0.58	0.50	-	-	-	-	1.51	
3	1.19	1.44	1.09	1.38	1.75	1.75	-	-	-	-	1.31	
4	0.93	1.07	1.13	1.63	1.60	1.38	-	-	-	1.00	1.14	
5	1.13	1.08	1.45	1.42	2.00	0.75	-	-	-	-	1.24	
6	1.27	0.83	1.14	1.85	1.22	1.25	1.00	-	-	-	1.13	
7	1.23	1.20	1.28	1.00	1.00	1.00	-	-	-	0.48	1.16	
8	0.83	1.33	1.42	0.75	0.25	0.40	-	-	-	-	1.10	
9	0.86	2.00	1.00	1.25	-	-	-	-	-	-	1.03	
10	0.76	0.81	1.00	0.25	1.25	-	1.00	-	-	-	0.86	
11	0.70	1.13	-	0.38	-	-	-	-	-	-	0.73	
12 & above	0.54	0.52	0.58	-	0.12	3.33	-	-	-	-	0.88	
not recorded	1.00	1.00	1.00	-	-	-	-	-	-	1.00	1.00	
total	1.08	1.06	1.29	1.44	1.27	1.39	1.00	0.74	-	0.91	1.17	

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

months since calved	average quantity of milk produced by number of times calved											total
	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded		
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	
<u>Bihar : rural</u>												
0	1.34	0.85	0.98	1.14	-	-	-	-	-	-	1.25	1.07
1	1.22	1.47	1.24	1.55	1.63	-	-	-	1.00	-	-	1.34
2	1.46	1.79	1.66	2.29	1.34	0.72	-	1.25	-	-	-	1.64
3	1.67	1.67	1.68	1.21	1.62	0.97	1.67	-	0.60	1.15	-	1.60
4	1.75	1.60	1.41	1.35	0.98	0.87	-	-	-	0.58	-	1.53
5	1.57	1.40	1.30	0.98	0.84	1.46	0.50	-	-	1.04	-	1.33
6	1.27	1.36	1.34	1.28	1.38	1.13	1.37	0.75	-	1.49	-	1.31
7	1.11	1.30	1.29	1.20	0.69	0.81	0.50	-	-	0.45	-	1.15
8	1.22	1.02	1.34	0.98	0.76	0.61	-	-	-	1.49	-	1.14
9	1.00	1.29	0.97	0.92	0.57	1.00	1.22	0.25	-	0.51	-	1.02
10	0.98	0.58	1.22	0.74	0.90	-	0.25	-	-	-	-	0.86
11	0.83	0.66	0.93	1.00	0.61	-	0.25	-	-	-	-	0.83
12 & above	0.84	0.80	0.79	0.70	1.01	0.40	1.00	-	-	0.09	-	0.79
not recorded	2.00	-	-	-	-	-	-	-	-	-	-	2.00
total	1.30	1.28	1.29	1.19	1.04	0.89	1.05	0.61	0.79	0.97	-	1.26
<u>Bihar : urban</u>												
0	2.00	1.39	1.83	-	4.00	0.50	3.50	2.00	-	2.00	-	1.88
1	3.88	1.90	2.43	1.28	1.00	1.17	-	-	-	-	-	2.23
2	2.08	2.88	2.54	1.95	2.75	-	2.50	-	-	3.00	-	2.47
3	2.27	2.65	2.87	3.13	2.80	4.00	-	-	8.00	-	-	2.78
4	2.00	2.07	2.20	2.40	1.00	-	0.30	-	-	0.50	-	2.06
5	2.73	2.43	1.97	2.31	1.00	2.50	-	-	-	1.00	-	2.28
6	2.56	1.97	2.16	1.96	1.00	1.83	2.50	-	-	1.30	-	2.14
7	2.16	1.69	1.75	1.15	1.50	-	2.00	-	-	2.00	-	1.73
8	1.16	1.63	1.96	2.50	1.19	1.00	1.50	1.00	-	2.50	-	1.66
9	2.25	2.13	1.03	1.50	3.50	-	0.25	-	-	1.00	-	1.71
10	1.32	2.40	1.33	1.25	3.50	1.00	0.25	-	-	-	-	1.76
11	1.81	2.20	0.75	0.13	1.60	0.50	-	-	-	-	-	1.35
12 & above	0.50	0.89	1.77	1.75	2.03	1.25	0.50	-	-	3.00	-	1.21
not recorded	-	2.00	-	-	-	-	-	-	-	-	-	2.00
total	2.06	2.00	2.07	1.88	2.02	1.43	1.73	1.50	8.00	1.67	-	2.01

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo

sri. no.	months since calved	average quantity of milk produced by number of times calved										
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	
<u>Bihar : rural</u>												
1.	0	8.15	5.12	3.65	2.74	2.51	3.27	2.50	0.50	-	-	4.
2.	1	3.70	4.63	3.51	3.11	2.95	2.21	4.00	2.00	1.00	5.00	3.
3.	2	3.53	4.12	4.90	3.70	4.56	3.25	1.76	-	-	2.14	3.9
4.	3	3.52	4.01	4.20	3.32	4.60	2.25	3.00	2.00	-	4.25	3.3
5.	4	4.18	4.26	1.37	3.15	2.69	3.53	2.63	0.75	2.00	1.50	4.
6.	5	3.65	3.44	3.04	3.83	2.68	3.31	2.26	6.00	-	4.00	3.3
7.	6	4.04	3.94	3.33	3.08	2.21	1.57	2.38	1.00	-	3.00	3.4
8.	7	3.15	2.71	3.58	2.41	2.41	1.41	1.62	1.00	-	-	2.
9.	8	3.82	2.95	2.90	2.69	4.35	0.93	2.38	-	1.55	-	3.0
10.	9	2.68	3.13	2.41	1.43	3.94	1.75	-	1.26	-	3.00	2.5
11.	10	2.56	3.16	1.90	2.01	3.47	2.27	0.87	0.50	-	1.50	2.4
12.	11	3.05	1.63	1.94	4.00	1.81	-	-	-	-	-	2.22
13.	12 & above	2.22	2.00	1.94	1.57	2.28	1.17	1.89	1.00	1.00	1.00	1.93
14.	not recorded	3.00	4.00	-	-	1.00	-	-	-	-	-	2.75
15.	total	3.45	3.49	3.19	2.89	3.01	2.05	2.12	1.37	1.80	2.60	3.16
<u>Bihar : urban</u>												
1.	0	-	-	-	-	-	-	-	-	-	-	-
2.	1	5.05	7.00	10.00	7.50	4.50	-	-	-	-	8.50	6.88
3.	2	5.92	3.00	4.75	-	4.50	-	5.00	-	-	-	5.00
4.	3	3.25	7.20	4.00	3.38	2.50	4.00	10.00	-	-	5.00	4.84
5.	4	3.50	3.33	5.92	4.75	-	3.00	-	-	-	0.25	4.22
6.	5	5.00	5.13	4.80	3.94	5.00	3.50	-	-	-	-	4.66
7.	6	5.40	5.14	4.92	4.60	4.00	2.83	5.00	-	2.00	1.75	4.65
8.	7	-	3.63	4.50	4.46	4.00	4.50	5.00	-	-	1.00	4.16
9.	8	2.80	3.69	3.00	4.50	3.50	6.00	3.00	4.50	-	2.94	3.45
10.	9	12.00	4.38	3.83	2.92	2.00	-	-	-	-	-	4.03
11.	10	2.67	2.00	2.83	0.00	1.75	-	-	2.00	-	2.63	2.70
12.	11	-	5.00	3.00	2.33	-	-	0.12	-	-	-	2.81
13.	12 & above	3.75	4.50	1.93	2.00	1.92	3.25	1.00	3.75	-	-	2.91
14.	not recorded	-	-	6.00	-	-	-	-	-	-	-	6.00
15.	total	4.61	4.96	4.38	3.87	3.53	3.68	4.16	3.70	2.00	3.27	4.23

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

average quantity of milk produced by number of times calved											
months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Gujarat : rural</u>											
0	3.00	2.02	2.73	5.00	5.00	-	-	-	-	-	2.79
1	1.64	1.71	1.68	3.50	2.90	-	-	4.00	-	-	1.92
2	1.61	1.84	2.97	2.70	0.70	-	7.00	1.00	-	0.50	2.10
3	1.90	1.93	2.81	2.03	4.33	-	-	-	-	-	2.26
4	1.72	2.46	3.09	2.42	1.17	1.00	-	-	-	-	2.30
5	1.59	1.46	2.35	2.07	-	-	-	-	-	-	1.81
6	2.37	2.54	3.01	2.22	2.86	3.30	3.15	-	-	-	2.64
7	2.28	3.00	2.25	0.60	3.02	-	-	-	-	-	2.42
8	2.98	2.21	2.44	2.89	3.94	3.22	2.16	-	-	-	2.61
9	1.34	2.09	2.36	2.28	2.00	3.00	-	-	-	1.00	1.95
10	1.85	1.90	2.46	2.74	3.00	1.34	7.00	-	-	-	2.25
11	1.53	2.15	0.55	1.20	-	-	0.40	-	-	-	1.42
12 & above not recorded	1.35	1.63	2.27	2.11	1.60	1.25	0.35	0.50	2.00	-	1.73
total	1.75	2.01	2.46	2.34	2.41	2.00	2.71	1.12	0.90	0.75	2.11
<u>Gujarat : urban</u>											
0	-	1.75	4.50	-	-	1.00	4.00	-	-	-	2.50
1	3.50	3.83	10.00	6.00	-	-	-	-	-	-	6.30
2	5.00	2.13	4.65	5.20	1.00	4.00	-	-	-	-	4.06
3	3.60	3.20	4.50	4.75	2.75	-	-	-	-	-	3.85
4	3.00	3.33	4.44	4.00	2.50	-	-	-	-	-	3.89
5	0.80	3.17	2.92	4.00	-	-	-	-	-	-	3.09
6	3.14	3.15	3.38	3.20	3.50	2.00	-	-	-	-	3.20
7	2.50	2.90	2.88	2.00	-	2.50	2.00	-	-	-	2.63
8	2.00	2.47	3.25	3.00	3.83	4.00	1.40	-	-	-	2.89
9	3.50	3.00	1.73	1.67	-	-	-	-	-	-	2.08
10	3.00	2.20	2.75	-	1.00	-	-	-	-	-	2.50
11	2.08	1.33	4.00	0.50	-	-	-	-	2.00	-	2.08
12 & above not recorded	2.23	2.22	2.79	2.50	1.75	-	-	-	1.00	2.00	2.30
total	2.65	2.70	3.67	3.56	2.61	2.92	2.47	-	1.33	2.00	3.08

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 Litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo

srl. no.	months since calved	average quantity of milk produced by number of times calved										
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
Gujarat : rural												
1.	0	4.16	4.34	3.86	5.43	4.00	-	4.00	-	-	-	4.45
2.	1	3.82	4.60	5.06	5.00	4.07	1.65	2.00	-	3.00	-	4.45
3.	2	3.67	4.50	4.72	4.83	4.61	4.20	5.49	4.50	2.00	0.40	4.39
4.	3	3.29	3.49	4.07	4.38	2.94	4.03	5.92	3.50	-	5.00	3.76
5.	4	3.56	3.95	3.63	4.18	4.86	4.13	4.36	4.00	2.00	-	3.87
6.	5	3.21	4.28	3.33	3.71	3.06	2.00	3.62	4.00	4.00	3.40	3.62
7.	6	3.48	3.36	3.55	3.71	3.98	2.60	2.32	7.00	-	-	3.49
8.	7	2.44	3.38	3.31	3.59	2.82	1.31	-	1.00	-	4.00	3.13
9.	8	3.19	3.46	3.51	3.38	2.71	2.54	1.97	2.86	4.00	-	3.30
10.	9	3.67	2.74	2.54	2.78	2.17	2.57	2.50	-	-	-	2.82
11.	10	2.70	3.42	2.84	2.65	4.91	1.96	1.62	2.36	1.50	-	2.98
12.	11	2.60	2.44	2.72	3.02	1.54	1.57	1.75	0.85	-	1.50	2.36
13.	12 & above	2.10	2.57	2.76	2.61	2.40	2.30	1.67	1.67	1.67	2.98	2.46
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	2.89	3.26	3.34	3.46	3.17	2.72	2.59	2.52	2.34	2.95	3.17
Gujarat : urban												
1.	0	-	3.00	3.83	7.50	-	-	-	-	-	-	4.64
2.	1	3.80	4.22	6.25	6.78	3.00	3.75	-	-	-	7.50	5.38
3.	2	5.00	5.91	5.46	5.00	4.00	-	7.00	-	2.00	7.00	5.58
4.	3	3.88	4.38	4.95	5.47	6.25	8.00	3.00	-	9.00	-	4.91
5.	4	6.00	5.55	5.00	6.08	4.50	4.50	-	-	-	3.00	5.33
6.	5	2.00	6.14	4.06	7.30	5.00	-	-	-	-	-	5.39
7.	6	4.30	5.47	4.02	4.36	4.00	2.00	-	-	-	-	4.44
8.	7	2.00	5.50	4.36	3.50	3.50	2.00	-	-	5.50	-	3.97
9.	8	3.14	2.92	4.85	3.06	2.67	4.25	6.50	2.00	-	-	3.62
10.	9	3.88	4.76	5.50	5.75	1.00	4.50	5.00	-	-	-	4.68
11.	10	2.80	4.25	3.79	3.00	5.50	-	-	-	-	-	3.56
12.	11	2.00	1.00	3.50	4.50	2.75	-	-	-	7.00	-	3.50
13.	12 & above	1.92	2.93	3.50	3.93	4.25	2.93	6.00	8.00	2.00	N.R.	3.30
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	2.98	4.62	4.43	4.82	3.82	3.53	5.36	5.00	5.10	5.00	4.34

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

srl. no.	months since calved	average quantity of milk produced by number of times calved										total
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Haryana : rural</u>												
1.	0	1.84	4.38	3.11	2.50	2.00	3.50	3.00	5.00	-	-	2.83
2.	1	3.95	4.80	4.24	4.50	3.00	2.94	-	3.00	1.00	-	4.17
3.	2	3.55	3.81	4.64	3.38	1.23	1.79	3.00	-	4.00	-	2.81
4.	3	4.18	3.32	4.20	2.47	2.47	3.50	-	-	-	-	3.49
5.	4	2.88	2.78	3.35	2.58	4.03	2.43	1.34	3.21	4.00	-	3.01
6.	5	2.36	2.39	2.25	3.24	3.53	-	-	1.50	-	2.50	2.54
7.	6	1.85	2.32	1.85	2.93	2.48	2.74	2.25	1.04	-	-	2.20
8.	7	1.79	3.33	2.71	3.00	1.98	1.69	1.50	4.00	-	-	2.50
9.	8	2.51	2.32	2.28	2.53	2.88	1.88	2.39	-	-	-	2.39
10.	9	3.97	1.13	1.76	1.49	1.28	1.00	5.00	-	-	-	1.93
11.	10	2.00	2.02	2.32	1.03	4.20	1.45	1.25	-	-	-	1.85
12.	11	1.50	1.95	1.47	2.33	1.75	3.25	2.00	-	2.00	-	1.91
13.	12 & above	1.20	1.76	1.11	1.79	0.65	1.50	1.15	2.00	1.43	-	1.32
14.	not recorded	-	0.50	2.90	3.50	-	-	-	-	-	3.00	2.61
15.	total	2.68	2.90	3.08	2.73	2.36	2.22	1.94	2.48	2.18	2.73	2.75
<u>Haryana : urban</u>												
1.	0	4.00	4.00	2.76	-	2.00	-	-	-	-	-	3.25
2.	1	3.00	4.46	6.00	4.78	-	6.00	6.00	-	-	-	4.89
3.	2	3.76	3.52	3.05	3.70	-	6.00	1.50	-	-	-	3.61
4.	3	3.76	3.52	3.05	3.70	-	6.00	1.50	-	-	4.00	3.49
.	4	2.00	4.54	4.00	3.46	6.00	6.00	-	-	-	-	4.25
.	5	4.57	2.78	2.82	2.00	1.78	4.00	-	-	-	-	3.05
.	6	3.15	2.63	2.00	1.66	3.50	1.75	-	-	-	-	2.40
.	7	2.75	1.37	3.39	1.75	2.00	-	-	-	-	-	2.39
.	8	1.50	0.92	3.66	0.50	3.00	2.75	-	-	-	-	2.16
.	9	1.00	0.90	3.00	6.61	2.00	2.00	1.00	-	-	6.00	3.20
.	10	0.50	2.50	5.00	0.75	0.75	1.50	-	-	-	-	1.69
.	11	1.80	-	4.00	0.50	-	5.00	0.50	-	-	-	2.30
.	12 & above	2.50	4.00	1.00	2.52	-	-	0.25	2.50	-	-	2.24
.	not recorded	-	-	3.00	-	-	-	-	-	-	-	3.00
.	total	2.96	3.36	3.18	2.65	2.54	3.84	1.92	2.50	-	5.00	3.07

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table(4)Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo

srl. no.	months since calved	average quantity of milk produced by number or times calved										total
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Haryana : rural</u>												
1.	0	5.02	4.24	5.26	5.44	7.25	6.66	3.35	2.28	1.50	-	4.97
2.	1	5.28	6.77	6.37	6.75	7.70	4.70	-	5.25	10.00	-	6.19
3.	2	5.40	7.15	5.75	6.58	5.57	5.77	4.75	3.38	4.25	5.00	5.88
4.	3	5.43	6.46	6.19	6.05	5.98	4.16	4.21	4.00	6.00	8.00	11.11
5.	4	4.74	5.84	5.18	4.72	6.44	5.19	6.00	6.00	4.21	-	5.28
6.	5	4.76	5.20	4.50	4.45	5.14	4.14	8.82	4.00	-	-	4.92
7.	6	4.35	4.16	4.36	4.39	4.10	4.20	2.00	3.67	3.13	3.50	4.25
8.	7	3.79	3.97	4.10	3.98	5.35	5.12	3.55	2.41	5.00	2.50	4.05
9.	8	3.44	3.50	3.96	4.10	2.72	2.63	5.48	2.17	3.73	-	3.58
10.	9	2.88	3.43	3.73	3.02	3.78	3.18	3.00	3.25	2.00	1.00	3.21
11.	10	3.33	2.54	2.66	3.34	3.27	3.35	2.50	3.50	0.50	-	3.01
12.	11	2.51	2.17	2.49	3.69	2.52	2.70	1.00	2.50	2.98	-	2.66
13.	12 & above	2.23	2.35	2.43	2.10	1.92	2.51	2.30	2.16	1.29	2.75	2.24
14.	not recorded	4.45	5.77	5.38	5.76	10.00	8.00	-	-	2.00	-	5.38
15.	total	4.19	4.71	4.43	4.38	4.35	4.03	4.24	3.22	3.40	4.11	4.34

<u>Haryana : urban</u>												
1.	0	4.00	5.77	8.25	7.52	3.50	5.96	-	4.00	-	-	6.10
2.	1	5.55	6.45	6.94	6.29	6.68	10.00	5.50	-	4.28	-	6.48
3.	2	5.79	6.10	5.90	6.74	7.17	5.97	2.00	6.00	-	4.00	6.06
4.	3	6.47	5.05	6.29	5.72	6.15	6.49	-	-	-	-	5.94
5.	4	4.78	4.79	5.35	6.00	7.18	-	-	-	-	-	5.45
6.	5	5.27	5.51	5.31	5.42	4.83	-	4.00	-	-	-	5.21
7.	6	5.24	5.11	4.35	4.24	5.79	3.75	4.00	1.00	-	5.00	4.67
8.	7	4.06	4.66	5.03	4.07	5.62	3.50	-	7.00	-	-	4.56
9.	8	5.76	4.30	3.16	3.59	1.46	-	3.48	-	2.00	-	3.70
10.	9	3.87	4.66	4.32	4.48	4.50	4.00	-	-	-	-	4.30
11.	10	1.00	1.94	2.92	5.00	3.25	3.00	0.50	4.00	-	-	3.05
12.	11	3.50	2.00	-	-	-	1.17	-	-	1.00	-	1.65
13.	12 & above	1.00	1.93	2.47	2.38	3.86	2.75	-	1.50	4.00	-	2.49
14.	not recorded	-	4.50	4.00	4.25	3.00	3.50	-	-	-	-	3.92
15.	total	5.00	4.89	5.32	5.19	5.09	4.71	3.65	3.91	3.08	4.50	4.99

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (3) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

Average quantity of milk produced by number of times calved												
Sl. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Himachal Pradesh : rural</u>												
1.	0	1.10	1.16	1.29	1.33	1.00	0.25	-	1.00	-	-	1.15
2.	1	0.95	1.32	1.42	1.77	0.88	1.80	1.00	1.75	1.00	-	1.29
3.	2	1.12	1.39	1.37	1.15	1.35	0.75	2.00	-	-	-	1.27
4.	3	1.59	0.93	1.27	1.00	1.05	-	0.75	1.00	2.00	-	1.22
5.	4	1.08	1.14	1.45	1.27	1.38	1.34	-	0.75	0.75	0.60	1.21
6.	5	1.51	1.22	0.97	1.25	1.42	1.15	1.25	1.00	2.00	-	1.20
7.	6	1.05	0.98	1.11	1.18	1.00	0.88	0.87	0.47	0.30	-	1.02
8.	7	1.01	1.05	1.08	1.02	1.17	1.00	1.00	-	-	-	1.05
9.	8	1.07	1.15	1.05	1.10	1.05	1.00	0.83	-	2.00	-	1.09
10.	9	1.02	0.95	1.18	0.95	0.95	0.50	-	-	-	-	1.03
11.	10	0.93	1.02	1.32	0.81	0.68	1.00	0.25	1.00	-	1.40	0.99
12.	11	0.74	0.95	0.73	0.58	0.75	0.70	1.30	0.50	-	1.00	0.80
13.	12 & above	0.80	0.91	0.81	0.89	0.69	0.92	0.26	1.40	0.36	0.20	0.65
14.	not recorded	1.31	1.90	1.14	3.00	-	-	-	-	-	-	1.61
15.	total	1.04	1.07	1.11	1.05	0.99	1.01	1.05	0.94	0.90	0.66	1.06
<u>Himachal Pradesh : urban</u>												
1.	0	3.00	-	3.00	-	-	-	-	-	-	-	1.20
2.	1	0.50	5.00	2.00	2.00	-	-	-	-	-	-	2.25
3.	2	1.50	8.00	1.00	-	-	-	-	-	-	-	3.00
4.	3	1.30	2.25	1.00	3.00	-	3.00	-	-	-	-	2.01
5.	4	1.00	3.00	1.60	2.00	-	1.00	3.00	-	-	-	1.63
6.	5	0.50	1.50	1.30	-	-	-	-	-	-	-	1.23
7.	6	2.50	3.00	-	-	-	1.00	-	-	-	-	2.50
8.	7	-	3.50	-	-	-	-	-	-	-	-	3.50
9.	8	1.50	1.00	-	3.50	-	-	-	-	-	-	2.20
10.	9	2.63	-	0.50	-	-	-	-	-	-	-	1.92
11.	10	4.00	-	-	0.25	-	-	-	-	-	-	2.75
12.	11	2.00	0.50	4.00	0.50	-	-	-	-	-	-	1.75
13.	12 & above	0.50	0.50	1.38	0.50	-	-	-	-	-	-	1.09
14.	not recorded	2.00	-	-	-	-	-	-	-	-	-	2.00
15.	total	2.16	2.57	1.61	1.75	-	1.67	1.50	-	-	-	1.97

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo

srl. no.	months since calved	average quantity of milk produced by number of times calved										total
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Himachal Pradesh : rural</u>												
1.	0	3.00	2.69	2.67	3.00	2.50	-	-	-	-	-	2.83
2.	1	3.45	3.82	3.67	4.06	2.75	4.00	0.45	-	-	-	3.69
3.	2	3.61	3.77	4.02	3.18	2.30	2.00	-	5.00	-	-	3.60
4.	3	3.19	3.60	3.69	3.79	2.60	2.50	-	-	-	-	3.40
5.	4	3.05	2.73	2.68	2.98	4.67	3.00	-	2.00	-	-	2.90
6.	5	3.58	2.81	2.35	2.20	1.50	1.50	-	-	-	-	2.64
7.	6	2.81	2.66	3.06	3.33	2.72	2.00	3.00	-	3.00	-	2.82
8.	7	2.85	1.64	3.29	2.35	1.67	1.00	1.50	2.00	-	-	2.44
9.	8	2.50	2.77	2.00	2.25	2.25	1.33	1.00	-	2.00	-	2.19
10.	9	1.82	2.34	1.89	1.88	2.08	1.25	-	3.25	-	-	2.02
11.	10	1.76	2.56	2.57	2.19	1.67	1.33	2.50	0.50	-	3.00	2.20
12.	11	2.27	2.04	1.83	1.88	1.00	1.00	-	1.25	-	-	1.92
13.	12 & above	1.45	1.49	1.51	1.54	1.20	1.24	1.94	1.43	1.30	0.75	1.48
14.	not recorded	2.50	2.08	3.63	2.00	1.00	-	-	-	-	-	2.43
15.	total	2.38	2.40	2.46	2.33	2.03	1.96	1.68	1.80	1.64	1.50	2.34
<u>Himachal Pradesh : urban</u>												
1.	0	8.00	4.50	4.00	-	-	-	-	-	-	-	5.50
2.	1	4.00	5.50	6.00	7.33	2.50	-	4.50	-	-	-	4.97
3.	2	3.00	-	6.00	-	-	-	-	-	-	-	5.00
4.	3	-	5.00	-	-	-	-	-	-	-	-	5.00
5.	4	-	7.00	4.00	3.00	-	-	-	-	-	-	4.00
6.	5	1.00	3.00	5.00	3.50	-	-	-	-	-	-	3.20
7.	6	-	6.00	-	3.50	0.50	2.00	-	-	-	-	3.10
8.	7	2.00	-	-	-	-	-	-	-	-	-	2.00
9.	8	-	-	-	3.00	-	-	-	-	-	-	3.00
10.	9	-	2.00	-	2.00	-	-	-	-	-	-	2.00
11.	10	-	-	-	-	4.00	-	-	-	-	-	4.00
12.	11	-	-	-	-	-	-	-	-	-	-	-
13.	12 & above	1.63	2.50	3.25	2.75	0.30	5.00	3.00	-	-	-	2.59
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	3.19	4.38	4.22	3.81	1.96	3.50	3.50	-	-	-	3.84

National Sample Survey, Thirtieth Round, July 1975-June 1976

Table (4)Contd.: Quantity (0.00 Litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

srl. no.	months since calved	Average quantity of milk produced by number of times calved										
		first	second	third	fourth	fifth	sixth	seventh	eighth	nine & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Jammu & Kashmir : rural</u>												
1.	0	1.40	1.86	1.90	1.58	1.53	1.71	-	-	-	1.68	1.71
2.	1	1.82	1.76	2.00	1.90	1.60	1.55	1.12	1.75	2.00	1.68	1.82
3.	2	2.05	1.94	1.95	1.82	1.63	1.48	-	1.73	-	0.98	1.92
4.	3	1.98	1.85	1.89	1.82	1.97	2.00	2.00	2.00	1.00	1.26	1.90
5.	4	2.03	1.80	1.74	1.67	1.53	1.71	-	1.60	-	1.38	1.81
6.	5	1.85	1.74	1.73	1.63	1.24	2.11	1.00	0.50	-	1.66	1.74
7.	6	1.73	1.63	1.52	1.49	1.35	1.28	1.59	0.89	1.00	1.77	1.63
8.	7	1.72	1.71	1.75	1.77	1.44	1.61	1.00	-	0.50	1.60	1.60
9.	8	1.64	1.35	1.51	1.55	0.90	0.95	1.50	-	-	1.18	1.44
10.	9	3.16	1.39	2.58	1.15	1.90	1.52	0.40	0.50	-	1.35	1.37
11.	10	1.40	1.39	1.02	1.08	1.48	1.26	1.00	-	-	1.08	1.24
12.	11	1.25	1.12	1.05	1.01	0.84	0.99	2.00	-	-	1.00	1.10
13.	12 & above	1.22	1.06	1.04	0.92	0.92	1.11	1.11	1.61	0.76	1.14	1.09
14.	not recorded	2.65	1.84	3.00	2.00	-	-	-	-	-	-	4.78
15.	total	1.64	1.52	1.50	1.33	1.32	1.32	1.39	1.23	0.99	1.40	1.52
<u>Jammu & Kashmir : urban</u>												
1.	0	2.28	2.66	1.43	-	1.50	-	-	-	-	-	2.17
2.	1	2.37	2.26	1.99	3.34	2.25	2.06	4.00	-	-	-	2.32
3.	2	2.49	2.58	1.93	2.45	4.00	2.33	-	-	2.00	1.25	2.40
4.	3	2.45	1.93	2.33	1.79	2.63	1.00	1.00	-	-	1.00	2.19
5.	4	3.22	2.48	2.36	2.42	1.50	2.03	1.00	-	-	2.00	2.59
6.	5	2.68	2.42	2.13	2.40	1.60	2.38	-	-	-	3.33	2.43
7.	6	2.11	1.83	2.06	1.88	2.25	2.10	1.00	2.00	2.00	1.00	1.97
8.	7	2.65	2.22	2.62	0.41	1.99	-	-	-	-	1.00	2.30
9.	8	1.51	1.61	1.66	1.39	1.30	1.50	0.50	-	-	-	1.52
10.	9	1.61	2.71	1.71	4.33	0.67	-	0.50	-	-	-	1.80
11.	10	1.75	1.17	2.16	1.67	1.00	1.00	0.30	-	-	1.33	1.51
12.	11	1.35	1.44	1.27	0.87	0.37	1.00	-	-	-	3.00	1.26
13.	12 & above	1.44	1.43	1.38	1.37	1.42	0.76	3.00	1.25	-	1.32	1.41
14.	not recorded	-	0.50	-	0.25	-	-	-	-	-	-	0.37
15.	total	2.07	1.91	1.87	1.67	1.67	1.74	1.44	1.50	2.00	1.68	1.90

National Sample Survey, Thirtieth round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo

average quantity of milk produced by number of times calved

srl. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Jammu & Kashmir : rural</u>												
1.	0	2.73	3.19	3.43	3.19	2.84	15.00	2.50	-	-	2.00	3.
2.	1	3.82	4.18	3.15	2.94	2.60	4.00	2.50	1.00	-	4.00	3.
3.	2	3.63	4.02	3.45	3.1	3.10	2.85	3.33	-	2.00	4.29	3.
4.	3	3.57	3.44	3.56	2.57	3.07	1.50	2.00	1.00	1.00	2.25	3.
5.	4	3.19	3.75	3.03	2.89	2.45	2.30	2.00	-	-	4.25	3.
6.	5	2.71	3.36	3.05	2.73	2.03	2.35	-	-	-	2.00	2.
7.	6	2.93	3.26	2.79	2.57	2.05	2.20	2.50	0.75	1.51	1.31	2.
8.	7	2.67	3.66	2.85	2.57	2.24	1.66	1.50	1.52	-	2.65	2.
9.	8	2.69	2.86	2.48	2.31	1.84	1.75	2.50	-	1.00	2.00	2.
10.	9	3.01	4.92	2.16	2.11	2.20	1.28	-	-	-	-	2.
11.	10	2.24	3.17	2.25	2.15	1.29	-	1.25	-	-	1.53	2.
12.	11	2.51	2.62	2.08	1.89	2.11	1.30	1.00	-	-	1.00	2.
13.	12 & above	1.96	1.74	1.65	1.50	1.17	1.36	0.54	1.47	1.33	0.94	1.
14.	not recorded	0.50	0.50	B.A.	-	-	2.00	-	0.50	-	3.00	1.
15.	total	2.63	2.92	2.49	2.10	1.91	1.98	1.74	1.28	1.33	2.02	2.

Jammu & Kashmir : urban

1.	0	4.00	-	5.42	3.01	-	-	-	-	-	-	3.
2.	1	-	-	-	-	-	-	-	-	-	-	-
3.	2	3.50	5.59	4.00	3.71	-	-	-	-	-	-	4.
4.	3	3.00	6.56	4.39	1.00	-	-	-	1.00	-	-	4.
5.	4	3.85	4.20	4.38	-	-	-	-	-	-	5.50	4.
6.	5	-	2.52	3.59	-	-	-	-	-	-	-	3.
7.	6	3.48	4.00	3.58	-	4.00	4.00	-	-	-	-	3.
8.	7	3.00	-	5.00	-	-	-	-	-	-	-	5.
9.	8	3.00	2.90	2.00	4.11	1.50	-	-	-	-	-	2.
10.	9	-	3.00	1.50	1.76	-	-	-	-	-	-	4.
11.	10	4.00	3.00	1.95	-	-	-	-	-	-	-	2.
12.	11	-	-	-	2.00	1.00	-	-	-	-	-	1.
13.	12 & above	4.14	1.24	2.15	1.3	1.73	2.00	-	-	-	0.50	2.
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	3.80	3.79	3.14	2.84	1.94	3.00	-	1.00	-	3.05	3.

National Sample Survey, Thirtieth Round, July 1975-June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

srl. no.	months since calved	average quantity of milk produced by number of times calved										
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Karnataka : rural</u>												
1.	0	0.84	1.09	0.81	1.15	0.25	1.20	1.20	-	0.25	1.00	0.95
2.	1	0.95	0.90	0.95	0.92	0.81	0.82	0.37	0.49	-	-	0.90
3.	2	0.97	1.08	0.76	0.80	1.89	0.86	1.60	0.50	-	0.67	0.97
4.	3	1.05	0.80	0.75	0.78	1.34	0.78	0.65	0.39	-	0.50	0.89
5.	4	0.92	1.09	1.03	1.06	0.64	0.46	-	-	0.25	1.19	0.99
6.	5	0.90	0.86	0.77	0.96	0.83	0.87	-	-	-	-	0.87
7.	6	0.84	0.95	0.94	0.82	0.82	1.04	0.80	1.50	-	0.63	0.89
8.	7	0.71	0.84	1.18	0.83	0.56	-	-	1.50	-	0.25	0.82
9.	8	0.74	0.74	0.80	0.85	1.06	0.66	1.71	0.50	-	0.61	0.78
10.	9	0.84	0.80	0.68	0.80	0.71	-	1.50	-	0.30	0.53	0.78
11.	10	0.81	0.79	0.96	0.73	0.41	0.85	-	-	0.50	0.27	0.79
12.	11	0.35	0.89	0.64	0.52	-	-	-	-	1.50	-	0.57
13.	12 & above	0.53	0.52	0.58	0.61	0.61	0.51	0.82	-	-	0.27	0.54
14.	not recorded	-	1.13	-	1.00	-	-	-	-	-	3.00	2.06
15.	total	0.83	0.86	0.84	0.84	0.88	0.84	0.97	0.70	0.58	0.77	0.84
<u>Karnataka : urban</u>												
1.	0	2.17	-	1.57	0.26	-	-	-	-	-	-	1.63
2.	1	2.95	2.39	2.32	1.11	0.50	-	-	-	1.00	-	2.23
3.	2	3.01	2.93	1.74	0.83	2.51	1.41	-	-	-	-	2.39
4.	3	1.27	4.87	3.06	1.25	0.74	-	0.50	-	-	-	2.51
5.	4	2.32	2.82	1.84	2.98	0.76	0.84	0.39	-	-	2.66	2.15
6.	5	3.24	1.25	5.24	1.21	-	1.07	1.10	-	-	0.35	2.51
7.	6	2.31	1.79	1.76	1.56	4.82	-	0.50	0.76	-	0.73	2.04
8.	7	2.08	1.19	1.82	2.27	2.60	-	-	-	0.25	-	1.69
9.	8	2.40	2.98	2.37	1.17	1.13	0.80	0.10	2.00	1.00	1.00	2.18
10.	9	1.31	1.44	1.61	5.64	3.00	-	-	-	-	0.50	2.05
11.	10	1.12	2.10	1.99	2.41	-	0.50	-	-	-	-	1.71
12.	11	0.50	2.32	1.95	0.52	2.77	-	-	0.50	-	0.58	1.40
13.	12 & above	1.82	0.79	1.51	1.54	0.41	1.00	3.50	-	-	1.00	1.35
14.	not recorded	1.00	1.50	-	-	-	-	-	-	-	-	1.33
15.	total	2.23	2.22	2.22	1.66	2.00	0.97	0.97	1.06	0.75	0.75	2.06

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (A) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo

average quantity of milk produced by number of times calved

srl. no.	months since calved	average quantity of milk produced by number of times calved										total
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Karnataka : rural</u>												
1.	0	1.66	1.18	1.85	2.36	1.75	2.50	-	-	-	2.75	1.75
2.	1	1.62	1.79	1.69	1.75	2.30	2.61	1.31	-	-	1.00	1.80
3.	2	1.53	1.62	1.45	1.58	2.36	1.23	2.00	-	0.50	-	1.57
4.	3	1.45	1.49	1.85	2.06	1.64	0.70	0.90	-	0.25	1.95	1.58
5.	4	1.53	1.55	1.71	1.58	1.69	0.74	0.80	1.00	-	-	1.53
6.	5	1.46	1.43	0.11	1.87	2.05	2.00	1.00	-	-	1.00	1.58
7.	6	1.35	1.84	1.42	1.44	1.57	2.00	-	2.00	-	1.32	1.50
8.	7	1.38	1.24	1.58	1.63	1.25	1.50	-	3.00	-	-	1.43
9.	8	1.06	1.16	1.22	1.24	1.45	0.63	-	1.00	-	1.00	1.17
10.	9	1.55	1.02	1.13	1.28	0.67	1.42	-	2.00	-	2.00	1.25
11.	10	1.31	1.55	0.94	1.20	1.63	1.25	0.50	-	-	1.50	1.27
12.	11	1.04	1.40	1.66	0.92	0.93	0.30	1.00	-	-	-	1.22
13.	12 & above	0.84	0.72	0.85	0.96	0.81	1.03	0.83	0.82	0.50	1.01	0.85
14.	not recorded	1.50	-	1.10	-	1.00	-	-	-	-	2.18	1.48
15.	total	1.34	1.40	1.34	1.46	1.49	1.39	1.18	1.41	0.47	0.41	1.38

Karnataka : urban

1.	0	2.75	2.59	3.33	2.50	-	2.33	-	2.00	-	1.00	2.58
2.	1	2.33	1.98	1.41	3.11	2.51	2.25	2.00	-	-	-	2.23
3.	2	1.97	2.21	2.62	2.59	4.00	1.75	-	-	-	-	2.44
4.	3	1.72	2.30	3.00	2.64	2.67	2.57	1.50	1.00	3.00	-	2.71
5.	4	1.86	1.73	1.96	2.33	2.39	2.50	-	1.00	-	2.47	2.06
6.	5	1.81	3.26	1.58	1.89	2.55	-	-	-	-	1.75	2.08
7.	6	1.41	1.84	2.11	4.94	1.82	2.00	2.50	1.00	1.00	1.82	1.80
8.	7	5.27	0.82	4.72	2.29	1.63	-	-	-	-	1.50	1.94
9.	8	1.62	2.19	1.65	2.72	1.89	1.01	1.00	1.50	-	4.00	1.83
10.	9	2.00	0.50	0.89	2.75	1.66	2.50	-	-	-	-	1.65
11.	10	0.70	0.50	1.32	2.27	1.50	-	-	-	-	-	1.40
12.	11	-	0.50	4.66	1.48	0.84	2.00	-	-	-	-	1.40
13.	12 & above	1.39	0.95	0.74	1.50	1.59	1.25	1.00	1.23	0.75	1.50	1.19
14.	not recorded	7.00	1.00	-	-	-	-	-	-	-	-	4.21
15.	total	1.81	1.77	1.81	2.20	2.01	2.02	1.13	1.31	1.58	1.96	1.89

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table(4)Contd.: Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

		average quantity of milk produced by number of times calved										
sri. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Kerala : rural</u>												
1.	0	1.78	0.94	1.80	1.37	1.34	1.30	-	-	-	-	1.50
2.	1	2.38	2.96	3.16	1.59	2.40	1.25	-	-	1.50	4.99	2.61
3.	2	2.42	2.32	3.51	2.30	1.62	1.43	2.75	-	-	3.24	2.48
4.	3	2.02	1.96	2.12	1.58	1.63	2.25	-	-	-	4.00	1.95
5.	4	1.86	2.10	1.50	1.76	1.35	2.05	1.13	-	-	1.25	1.77
6.	5	1.71	1.57	1.60	1.53	0.80	-	-	-	-	1.00	1.58
7.	6	1.78	1.38	1.59	1.21	1.42	0.20	0.20	-	-	1.00	1.49
8.	7	1.48	1.53	1.53	1.87	1.21	3.00	-	-	-	-	1.54
9.	8	1.39	1.33	1.33	1.15	1.22	-	0.85	1.25	-	1.93	1.33
10.	9	1.30	1.10	1.39	1.14	0.50	1.50	-	-	-	0.40	1.20
11.	10	0.74	1.17	1.46	1.69	0.53	0.50	-	-	-	0.20	1.06
12.	11	0.97	1.14	0.87	0.88	0.85	0.16	-	-	-	0.25	0.90
13.	12 & above	0.93	1.09	0.69	0.73	0.34	1.40	-	-	-	0.35	0.87
14.	not recorded	1.50	-	0.33	-	-	-	-	-	-	1.00	0.95
15.	total	1.65	1.62	1.69	1.45	1.20	1.31	1.47	1.25	0.75	1.86	1.60
<u>Kerala : urban</u>												
1.	0	1.80	0.46	1.94	1.00	-	1.75	-	-	-	-	1.37
2.	1	2.46	3.09	3.33	3.02	1.83	6.07	2.00	-	-	-	3.06
3.	2	3.15	3.13	0.42	4.65	2.53	-	2.20	-	-	-	3.44
4.	3	3.51	3.48	3.92	2.01	3.17	-	-	-	-	-	3.33
5.	4	4.28	3.42	1.68	1.00	-	0.70	6.00	-	-	-	3.16
6.	5	3.55	2.99	3.37	2.18	-	0.80	-	-	-	5.50	3.12
7.	6	3.37	2.73	3.42	2.56	2.50	2.33	-	-	-	-	3.11
8.	7	3.33	2.26	2.51	1.28	-	-	-	-	-	1.75	2.44
9.	8	3.37	1.86	2.30	2.71	0.92	1.50	-	-	-	-	2.37
10.	9	0.98	2.69	1.75	-	1.00	-	3.50	-	-	-	1.95
11.	10	1.63	1.30	1.44	2.11	-	0.35	1.00	-	-	-	1.49
12.	11	1.77	0.67	2.08	1.38	2.30	0.30	-	-	-	-	1.38
13.	12 & above	2.30	1.82	1.92	1.92	2.50	-	-	-	0.20	2.19	1.99
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	2.87	2.50	2.88	2.21	2.33	2.50	3.03	-	0.20	2.67	2.65

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving, for each species

Buffalo

average quantity of milk produced by number of times calved

sl. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Kerala : rural</u>												
1.	0	1.20	-	2.90	-	2.20	-	1.00	-	-	-	1.58
2.	1	1.00	3.63	1.00	3.13	3.26	-	-	-	-	-	2.76
3.	2	1.48	2.48	1.00	6.00	3.00	-	-	-	-	0.70	2.33
4.	3	3.24	1.83	2.95	3.30	-	1.65	-	-	-	-	2.72
5.	4	3.00	1.80	2.41	4.30	-	-	-	-	-	-	2.72
6.	5	2.04	3.15	1.70	1.30	-	-	-	-	-	-	2.21
7.	6	1.72	3.25	2.42	3.01	0.50	-	-	-	-	3.00	2.34
8.	7	2.30	3.47	2.34	1.00	2.00	-	-	-	-	2.01	2.30
9.	8	4.41	3.58	3.06	3.76	1.65	-	-	-	-	-	3.26
10.	9	0.60	2.70	1.22	-	-	-	-	-	-	-	1.78
11.	10	1.38	1.86	2.50	1.87	-	3.00	-	-	-	-	2.02
12.	11	5.00	3.50	0.50	1.28	1.00	-	-	-	-	2.00	1.90
13.	12 & above	1.76	2.33	1.35	1.28	1.25	-	1.00	-	-	1.70	1.59
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	2.02	2.66	2.10	2.16	1.95	2.77	1.00	-	-	2.06	2.22

<u>Kerala : urban</u>												
1.	0	-	-	2.75	-	-	-	-	-	-	-	2.75
2.	1	2.00	1.60	2.85	-	-	-	-	-	-	-	2.33
3.	2	-	5.50	4.25	5.33	-	-	-	-	-	-	5.17
4.	3	3.50	4.78	3.81	4.90	-	-	-	-	-	-	4.40
5.	4	3.75	6.00	5.50	-	-	6.00	-	-	-	-	5.00
6.	5	9.00	5.00	4.83	-	-	-	-	-	-	-	5.50
7.	6	1.88	5.00	5.25	2.50	-	-	-	-	-	-	3.86
8.	7	-	10.65	7.30	2.50	-	-	-	-	-	3.45	6.33
9.	8	-	7.67	4.65	-	3.00	-	-	-	-	-	5.88
10.	9	-	11.00	2.83	2.00	-	-	-	-	-	4.50	4.63
11.	10	-	1.50	3.00	2.25	-	0.33	-	-	-	3.88	0.94
12.	11	-	7.00	0.50	-	-	-	-	-	-	-	4.83
13.	12 & above	1.55	2.23	1.55	-	2.50	-	-	-	-	1.80	1.90
14.	not recorded	-	-	-	-	-	-	-	-	-	3.00	3.00
total		3.30	5.15	3.80	3.63	2.67	3.17	-	-	-	3.33	4.06

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

srl. no.	months since calved	average quantity of milk produced by number of times calved											total
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
<u>Madhya Pradesh : rural</u>													
1.	0	0.46	0.64	0.65	0.51	0.56	1.11	0.58	1.00	0.59	0.54	0.59	
2.	1	0.72	0.69	0.80	0.61	0.85	0.63	0.50	0.50	0.25	0.44	0.72	
3.	2	0.66	0.68	0.63	0.82	0.64	0.46	0.79	1.18	0.38	0.42	0.68	
4.	3	0.64	0.54	0.68	0.72	0.60	0.39	0.30	0.66	-	0.61	0.61	
5.	4	0.61	0.58	0.59	0.72	0.46	0.74	0.57	0.57	1.61	0.42	0.61	
6.	5	0.61	0.54	0.71	0.55	0.60	0.41	0.50	1.09	0.50	1.53	0.61	
7.	6	0.60	0.52	0.57	0.52	0.70	0.85	0.67	0.25	0.26	0.52	0.57	
8.	7	0.53	0.51	0.58	0.48	0.71	0.40	0.49	0.50	-	0.30	0.54	
9.	8	0.57	0.48	0.55	0.57	0.37	0.33	1.20	0.50	-	0.69	0.53	
10.	9	0.47	0.53	0.41	0.40	0.58	0.68	0.50	1.50	-	-	0.48	
11.	10	0.43	0.48	0.41	0.65	1.58	0.45	-	0.10	0.24	0.05	0.51	
12.	11	0.34	0.43	0.36	0.41	0.29	0.30	-	0.50	-	0.50	0.37	
13.	12 & above	0.44	0.42	0.45	0.44	0.38	0.54	0.43	0.35	0.75	0.38	0.44	
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-	
15.	total	0.56	0.54	0.57	0.56	0.63	0.58	0.58	0.66	0.59	0.51	0.56	
<u>Madhya Pradesh : urban</u>													
1.	0	1.53	1.11	2.55	0.50	0.60	0.85	-	-	-	-	1.49	
2.	1	0.76	1.49	0.88	1.08	1.45	1.48	2.00	-	-	-	1.16	
3.	2	1.14	1.05	1.30	1.99	1.82	1.26	-	2.50	-	-	1.37	
4.	3	1.20	1.34	1.42	1.36	0.50	1.26	-	-	-	-	1.30	
5.	4	1.35	1.50	0.91	1.14	0.70	2.50	-	-	-	-	1.27	
6.	5	1.40	0.95	1.01	3.00	0.50	-	-	-	-	2.00	1.20	
7.	6	1.06	0.91	1.04	1.47	1.00	1.86	1.08	0.49	-	-	1.09	
8.	7	1.12	1.29	1.21	1.22	0.50	-	1.00	-	-	-	1.18	
9.	8	1.56	1.30	1.00	0.77	0.87	0.75	0.25	-	3.00	-	1.15	
10.	9	1.28	0.62	0.75	0.67	1.23	0.76	-	-	-	-	0.95	
11.	10	1.53	2.63	1.41	1.67	-	-	-	-	-	-	1.71	
12.	11	1.12	1.57	1.34	1.00	-	-	-	-	-	-	1.35	
13.	12 & above	1.23	1.03	0.98	0.93	0.71	0.75	-	-	0.40	-	0.98	
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-	
5.	total	1.23	1.22	1.14	1.26	1.16	1.21	1.08	1.17	1.69	2.00	1.20	

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo

average quantity of milk produced by number of times cal												
srl. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Madhya Pradesh : rural</u>												
1.	0	1.68	2.19	1.89	2.07	1.78	3.96	1.24	-	0.60	2.26	
2.	1	2.07	2.73	2.05	2.64	2.34	3.50	2.39	1.34	1.23	1.41	
3.	2	2.49	2.74	2.94	2.70	1.92	1.53	2.53	3.00	-	4.72	
4.	3	2.25	2.26	2.00	2.34	1.67	2.46	2.00	-	1.00	-	
5.	4	1.96	2.42	2.18	1.32	1.72	0.99	2.59	0.73	0.25	3.00	
6.	5	2.32	2.21	2.30	1.80	1.57	1.82	0.92	4.00	0.49	2.00	
7.	6	1.90	1.67	1.89	2.09	1.59	1.98	1.30	1.25	1.00	1.25	
8.	7	1.84	1.28	1.86	1.05	1.07	1.28	0.75	-	-	1.35	
9.	8	1.70	1.38	1.45	1.95	1.54	1.91	1.20	1.17	-	1.96	
10.	9	1.39	1.28	1.42	1.10	1.10	2.27	1.00	0.25	1.50	1.50	
11.	10	1.45	1.64	1.70	1.73	1.57	1.44	1.00	-	-	-	
12.	11	1.56	1.32	1.36	1.42	2.37	0.76	-	-	-	3.00	
13.	12 & above	1.19	1.46	1.40	1.30	1.53	0.97	1.61	1.08	0.73	0.96	
14.	not recorded	-	-	-	-	-	-	-	-	-	-	
15.	total	1.80	1.88	1.87	1.80	1.61	1.57	1.55	1.37	0.84	1.83	
<u>Madhya Pradesh : urban</u>												
1.	0	3.00	6.00	4.34	1.29	1.96	-	3.77	-	-	-	
2.	1	2.20	3.35	4.00	1.90	5.50	3.00	-	-	-	-	
3.	2	2.75	4.70	4.27	5.64	-	-	-	-	-	-	
4.	3	2.15	1.49	3.76	3.66	-	-	4.18	-	-	-	
5.	4	4.77	4.64	5.01	3.66	-	4.00	5.00	-	-	-	
6.	5	2.00	5.25	3.27	3.01	-	-	-	-	-	-	
7.	6	2.58	4.12	3.23	3.00	4.40	2.00	-	-	-	-	
8.	7	2.49	2.14	3.81	3.77	-	1.50	-	1.50	-	-	
9.	8	2.67	3.00	3.44	3.07	1.01	-	-	-	-	-	
10.	9	3.88	3.13	6.98	2.72	3.50	1.50	-	-	-	6.00	
11.	10	1.12	2.41	3.30	2.99	2.66	-	-	-	-	-	
12.	11	1.87	3.12	1.84	5.00	2.00	-	-	-	-	-	
13.	12 & above	2.21	2.42	2.84	2.34	1.85	2.00	-	3.00	-	-	
14.	not recorded	-	-	-	-	-	-	-	-	-	-	
15.	total	2.55	3.58	3.65	3.05	2.93	2.19	4.18	2.25	-	6.00	

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table(4)Contd.: Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

srl. no.	months since calved	average quantity of milk produced by number of times calved											total
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
<u>Maharashtra : rural</u>													
1.	0	0.51	0.51	0.85	0.64	0.87	0.32	0.20	1.50	-	-	0.61	
2.	1	0.61	0.75	1.03	1.11	0.91	0.49	1.00	-	3.00	0.50	0.81	
3.	2	0.69	0.91	0.70	0.91	1.20	0.55	0.34	0.50	1.50	0.50	0.80	
4.	3	1.13	0.91	0.97	0.61	0.65	0.94	0.31	-	-	1.50	0.92	
5.	4	0.65	0.87	0.93	0.82	0.42	0.71	-	0.74	0.50	0.79	0.78	
6.	5	0.74	0.89	0.79	0.69	0.63	1.17	0.50	0.40	-	0.50	0.78	
7.	6	0.63	0.72	0.84	0.68	0.65	0.49	0.76	1.00	1.20	0.49	0.70	
8.	7	0.70	0.85	0.65	0.79	1.07	0.33	0.21	-	0.50	-	0.73	
9.	8	0.67	0.59	0.48	0.32	0.81	0.71	0.21	0.20	0.40	1.02	0.57	
10.	9	0.60	0.60	0.69	0.71	0.54	0.56	1.19	1.00	0.50	1.00	0.64	
11.	10	0.41	0.57	0.55	0.56	0.49	1.13	0.75	-	1.17	-	0.53	
12.	11	0.52	0.72	0.43	0.34	0.48	1.81	0.62	0.24	-	1.00	0.57	
13.	12 & above	0.40	0.44	0.47	0.46	0.56	0.47	0.49	0.25	-	0.20	0.45	
14.	not recorded	0.52	-	-	-	-	-	-	-	-	-	0.25	
15.	total	0.63	0.71	0.72	0.66	0.71	0.64	0.48	0.63	0.89	0.73	0.68	
<u>Maharashtra : urban</u>													
1.	0	1.57	1.10	1.62	0.89	-	3.50	-	-	-	-	1.45	
2.	1	1.83	1.38	2.45	2.25	1.25	0.33	1.00	0.10	2.00	-	1.81	
3.	2	1.63	1.57	1.74	0.60	-	2.00	3.00	-	-	-	1.48	
4.	3	2.07	1.32	0.94	1.68	1.01	0.25	-	3.00	2.50	-	1.56	
5.	4	0.91	1.36	1.21	1.65	1.23	-	2.28	1.00	2.00	-	1.25	
6.	5	1.16	1.59	1.88	1.93	1.50	0.05	-	-	-	-	1.54	
7.	6	1.08	0.94	1.13	1.00	0.87	1.00	-	-	-	-	1.01	
8.	7	1.27	0.89	2.11	2.31	0.50	3.00	2.00	-	-	1.00	1.49	
9.	8	0.65	0.66	1.01	0.91	1.18	0.75	-	-	-	-	0.84	
10.	9	1.60	0.66	1.53	4.00	1.70	-	-	0.25	-	-	1.30	
11.	10	0.82	1.32	2.28	0.95	0.25	2.50	-	-	-	-	1.27	
12.	11	0.99	0.81	1.70	-	0.50	-	-	-	-	-	1.09	
13.	12 & above	0.51	0.57	0.53	0.61	0.65	1.06	-	-	-	-	0.60	
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-	
15.	total	1.27	1.13	1.37	1.38	1.00	1.19	1.73	1.08	2.25	1.00	1.26	

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litrs) of milk produced per animal-in-milch classified by number of times calved and interval since calving for each species

Buffalo

average quantity of milk produced by number of times calved

srl. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eight	ninth & above	not recorded	total
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Maharashtra : rural</u>												
1.	0	2.09	3.08	2.34	2.98	2.99	1.54	-	-	2.00	-	2.78
2.	1	2.81	3.01	3.41	3.84	2.20	1.70	-	-	-	-	3.10
3.	2	2.32	3.04	2.98	2.93	3.38	3.86	2.50	-	-	-	2.81
4.	3	2.28	2.93	2.99	2.75	3.25	3.26	4.00	-	-	-	2.85
5.	4	2.31	2.81	2.38	3.12	2.63	2.61	3.06	-	1.00	-	2.61
6.	5	2.51	2.24	2.57	2.22	2.88	2.32	-	2.26	2.00	3.00	2.44
7.	6	2.09	2.22	2.53	2.99	2.04	1.92	2.06	2.00	-	1.75	2.38
8.	7	1.35	2.80	2.67	2.61	3.84	1.62	3.25	4.00	-	1.50	2.42
9.	8	1.85	1.41	2.36	2.72	1.82	3.20	2.00	4.10	3.00	-	2.12
10.	9	1.35	2.10	1.73	1.84	1.41	1.33	1.50	1.26	-	-	1.67
11.	10	1.76	1.54	2.07	2.02	1.31	0.60	3.15	1.75	-	-	1.79
12.	11	1.06	2.85	1.37	2.10	2.14	1.18	1.00	1.50	-	-	1.72
13.	12 & above	1.31	1.35	1.41	1.52	1.62	1.02	0.95	1.36	-	2.50	1.38
14.	not recorded	-	0.50	1.34	-	-	-	-	-	-	-	1.17
15.	total	1.94	2.23	2.33	2.58	2.26	1.91	2.39	2.16	1.54	1.73	2.24
<u>Maharashtra : urban</u>												
1.	0	6.00	3.71	3.98	2.44	-	-	-	-	-	-	3.73
2.	1	2.15	5.68	4.58	5.22	4.47	6.00	2.00	-	4.00	-	4.57
3.	2	3.61	5.46	6.78	4.46	2.70	2.50	-	4.00	2.50	-	4.67
4.	3	4.31	5.86	5.39	3.86	5.00	4.09	-	4.00	2.00	-	4.83
5.	4	3.09	5.14	4.21	3.82	3.64	2.90	5.00	-	-	3.00	4.18
6.	5	2.62	4.44	4.09	1.84	3.63	2.79	1.25	-	-	4.00	3.44
7.	6	3.12	4.39	3.79	3.42	3.23	2.50	-	3.80	3.00	3.00	3.65
8.	7	3.40	3.69	3.78	2.67	4.34	2.57	-	-	-	3.65	3.55
9.	8	2.54	3.70	3.15	2.44	3.24	3.95	9.00	-	-	-	3.12
10.	9	3.13	2.71	2.54	3.34	1.18	4.00	3.00	-	1.58	-	2.65
11.	10	2.79	3.11	2.01	2.38	1.50	5.00	3.00	0.50	-	2.00	2.44
12.	11	3.61	3.38	2.67	3.30	2.21	-	-	-	2.00	-	2.92
13.	12 & above	2.71	2.11	2.50	2.09	0.90	3.38	0.98	-	3.00	2.00	2.36
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	3.06	4.12	3.83	3.24	3.01	3.28	2.78	3.23	2.46	3.03	3.54

National Sample Survey, Thiruvananthapuram, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle		average quantity of milk produced by number of times calved											
sr. no.	months since calved	times calved											total
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
<u>Mandiapur : rural</u>													
1.	0	0.75	-	-	-	-	-	-	-	-	-	0.75	
2.	1	2.03	1.32	-	0.72	0.75	-	-	-	-	-	1.51	
3.	2	1.79	1.54	0.50	2.00	2.00	-	-	1.00	-	-	1.33	
4.	3	1.37	1.48	1.18	1.27	1.17	-	-	-	-	1.50	1.35	
5.	4	1.48	1.18	1.15	1.00	1.00	-	-	-	0.50	2.00	1.31	
6.	5	1.83	1.19	0.33	1.46	1.00	-	-	-	0.50	-	1.57	
7.	6	1.37	1.03	1.25	1.83	-	1.00	-	-	-	1.00	1.30	
8.	7	1.65	1.10	0.96	1.06	1.17	-	-	-	-	-	1.27	
9.	8	1.39	0.72	1.19	0.50	-	-	-	-	-	-	1.15	
10.	9	1.19	1.53	1.25	0.50	0.50	-	1.00	-	-	2.00	1.38	
11.	10	1.61	1.25	1.50	1.67	1.30	-	1.00	-	-	0.50	1.49	
12.	11	0.78	2.00	1.08	1.00	-	-	-	0.50	-	-	1.29	
13.	12 & above	1.00	0.89	0.92	0.73	-	1.50	1.00	0.50	-	-	0.89	
14.	not recorded	1.30	-	-	-	-	-	-	-	-	-	1.30	
15.	total	1.54	1.29	1.10	1.25	1.19	1.19	1.00	0.63	0.50	1.20	1.34	
<u>Mandiapur : urban</u>													
1.	0	0.50	2.50	-	-	-	0.50	-	-	-	-	1.17	
2.	1	2.50	1.75	2.25	1.50	-	-	-	-	-	-	2.20	
3.	2	2.00	1.91	-	-	-	0.75	-	-	-	-	1.72	
4.	3	1.37	1.60	1.36	2.00	1.00	0.50	0.75	-	1.50	-	1.34	
5.	4	1.50	1.50	1.00	0.83	0.50	-	-	-	1.50	-	1.18	
6.	5	1.83	1.30	0.94	1.00	0.75	1.50	-	-	-	2.00	1.46	
7.	6	1.60	1.00	0.83	1.00	-	-	-	-	-	-	1.50	
8.	7	1.75	1.62	1.00	-	-	-	-	-	-	-	1.57	
9.	8	-	1.00	0.50	-	-	-	-	-	-	-	0.83	
10.	9	1.30	-	0.50	-	-	-	-	-	-	-	1.10	
11.	10	2.50	1.00	-	-	-	-	-	-	-	-	2.00	
12.	11	-	-	-	-	-	-	-	-	-	-	-	
13.	12 & above	1.50	2.00	-	-	-	-	-	-	-	-	1.75	
14.	not recorded	-	-	-	-	-	-	-	-	-	1.00	1.00	
15.	total	1.76	1.71	1.12	1.04	0.75	0.80	0.75	-	1.50	1.00	1.47	

National Sample Survey, Thirteenth Round, July 1975 - June 1976

Table (4) Contd. : quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

average quantity of milk produced by number of times calved

Int. months since calved	average quantity of milk produced by number of times calved											total
	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth above	not recorded		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Andhra Pradesh : rural</u>												
1.	0	1.25	0.50	0.65	0.17	-	1.50	1.00	-	-	0.25	1.25
2.	1	0.72	0.60	0.75	0.86	1.00	0.25	-	-	0.50	0.50	0.76
3.	2	0.62	0.75	0.51	1.01	1.25	0.50	-	-	0.50	0.50	0.81
4.	3	0.50	0.62	0.67	0.88	0.50	0.67	2.00	-	0.50	1.75	0.82
5.	4	1.06	0.61	0.69	1.04	0.70	0.50	-	-	-	1.75	0.96
6.	5	0.98	0.83	0.75	1.25	0.75	-	-	-	0.62	0.50	0.62
7.	6	1.23	0.69	2.25	0.81	-	0.67	-	11.00	1.00	2.00	1.35
8.	7	0.75	1.16	1.06	1.31	0.50	1.50	-	-	-	-	1.00
9.	8	0.25	0.75	1.25	0.62	0.75	0.25	0.25	-	-	0.25	0.75
10.	9	0.86	1.12	0.92	0.50	-	0.50	-	1.50	-	0.50	0.86
11.	10	0.54	1.50	0.12	-	0.50	0.25	-	-	-	-	0.52
12.	11	0.42	0.50	-	-	-	-	-	-	-	-	0.42
13.	not recorded	1.25	1.57	0.50	0.62	0.25	1.00	0.50	-	0.75	0.42	1.01
14.	total	0.92	0.85	0.96	1.13	0.67	0.81	1.75	3.25	0.62	1.06	0.92
<u>Andhra Pradesh : urban</u>												
1.	0	-	-	-	-	-	-	-	-	-	-	-
2.	1	4.00	5.50	-	-	-	-	-	-	-	-	4.33
3.	2	5.00	-	-	-	-	-	-	-	-	-	5.00
4.	3	6.00	-	-	-	-	-	-	-	-	-	6.00
5.	4	3.57	-	-	-	-	-	-	-	-	-	3.67
6.	5	0.50	5.50	-	-	-	1.00	-	-	-	-	3.33
7.	6	6.00	-	1.25	-	1.00	1.50	-	-	-	-	3.60
8.	7	5.00	-	-	-	-	1.00	-	-	-	0.50	2.88
9.	8	0.50	5.10	-	-	2.00	-	-	-	-	-	3.44
10.	9	0.33	1.50	1.50	-	-	-	-	-	-	-	3.90
11.	10	-	5.00	-	-	-	-	-	-	-	-	5.00
12.	11	0.00	-	-	-	-	-	-	-	-	-	4.00
13.	12 & above	-	-	13.00	-	-	-	-	-	-	-	13.00
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	4.16	4.17	3.00	-	1.50	1.17	-	-	-	0.50	4.33

National Sample Survey, ~~Twentieth Round~~ July 1975 - June 1976

Table (A) Contd. : Quantity (0.00 litres) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

average quantity of milk produced by number of times calved												
int. months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Nagaland : urban*</u>												
1.	0		3.12									3.12
2.	1	6.00	2.00									4.00
3.	2		2.00									2.00
4.	3	0.25	1.25	1.75								1.12
5.	4	6.00	2.00				1.25					2.81
6.	5		1.00	1.60	1.25							1.28
7.	6		1.50	1.25								1.55
8.	7											-
9.	8	5.00			1.00		2.00					2.67
10.	9											-
11.	10											-
12.	11											-
13.	12 & above											-
14.	not recorded											-
15.	total	3.12	2.67	2.01	1.25	1.00	1.52					2.13

* The survey was conducted in urban areas only.

National Sample Survey, Kharif Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-milk classified by number of times calved at interval since last calving for total species

Cattle		Average quantity of milk produced by number of times calved										
no.	Months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Orissa : rural</u>												
1.	0	0.07	0.07	0.27	-	-	-	-	-	-	-	0.08
2.	1	0.27	0.17	0.12	0.22	0.20	-	-	-	-	-	0.20
3.	2	0.59	0.57	0.67	0.66	0.50	0.50	0.50	1.25	-	-	0.47
4.	3	0.44	0.32	0.77	0.28	0.5	-	-	-	0.50	-	0.39
5.	4	0.39	0.45	0.50	0.44	0.30	-	-	-	-	-	0.42
6.	5	0.10	0.45	0.9	0.42	0.23	2.00	1.20	-	-	1.00	0.46
7.	6	0.2	0.32	0.47	0.50	0.59	0.75	0.55	-	-	-	0.49
8.	7	0.38	0.42	0.43	0.50	1.00	0.75	-	-	-	-	0.41
9.	8	0.32	0.41	0.43	0.65	0.4	0.25	0.25	-	0.50	0.50	0.47
10.	9	0.31	0.33	0.31	0.38	-	0.25	-	-	-	-	0.32
11.	10	0.33	0.39	0.21	0.33	-	0.31	-	-	10.50	1.00	0.33
12.	11	0.39	0.18	0.17	0.25	0.37	-	-	0.32	-	0.25	0.32
13.	12 & above	0.21	0.42	0.29	0.44	0.20	0.38	-	-	-	-	-
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	0.36	0.39	0.39	0.43	0.35	0.37	0.35	0.58	0.50	0.49	0.38
<u>Orissa : urban</u>												
1.	0	0.15	0.08	1.13	3.50	-	-	-	-	-	-	0.31
2.	1	2.10	2.31	0.89	2.25	5.00	-	0.50	-	-	-	1.84
3.	2	0.94	1.65	1.87	0.50	1.50	-	-	-	-	-	1.40
4.	3	1.27	2.71	1.72	1.42	0.60	1.25	3.00	-	0.50	-	1.62
5.	4	1.40	0.61	1.71	0.77	1.37	0.50	-	-	-	1.00	1.20
6.	5	0.93	1.31	0.65	2.00	0.80	-	-	-	-	0.25	1.07
7.	6	0.82	0.95	1.15	1.74	2.00	-	-	0.50	-	-	1.05
8.	7	0.76	0.52	0.28	0.98	-	0.50	-	-	-	1.00	0.61
9.	8	0.90	0.3	0.39	0.76	0.50	-	0.50	1.25	-	-	0.90
10.	9	1.07	1.00	0.46	0.42	0.75	-	-	-	-	-	0.74
11.	10	0.69	0.60	0.61	0.58	1.00	0.75	-	-	-	0.50	0.64
12.	11	-	0.40	0.40	-	1.00	-	0.25	-	-	0.50	0.43
13.	12 & above	0.62	1.18	0.52	0.21	-	-	1.00	-	-	-	0.82
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	1.00	1.06	1.08	0.95	1.19	0.45	1.05	1.00	0.50	1.29	1.04

National Sample Survey, Mizorith Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-all; classified by number of times calved and interval since last calving for each species

Buffalo

		average quantity of milk produced by number of times calved										
sl. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Orissa - rural</u>												
1.	0	0.50	-	0.50	0.50	-	-	-	-	-	-	0.43
2.	1	1.25	-	-	-	-	-	-	-	-	-	0.82
3.	2	1.75	1.34	0.24	-	-	-	-	-	-	-	1.15
4.	3	1.01	1.54	-	-	-	-	-	-	-	-	1.33
5.	4	0.50	0.80	0.97	-	-	-	-	-	-	-	0.89
6.	5	2.00	0.57	-	-	0.40	-	-	-	-	-	0.53
7.	6	0.29	0.86	1.58	0.50	0.50	1.50	-	0.50	-	-	0.79
8.	7	0.84	0.76	-	1.00	-	-	-	-	-	-	0.62
9.	8	0.22	1.25	1.00	0.50	-	-	-	-	-	1.00	0.87
10.	9	2.21	0.50	0.50	-	-	-	-	-	-	-	1.23
11.	10	0.38	0.20	1.50	-	0.25	-	-	-	-	-	0.44
12.	11	0.25	0.50	-	-	-	-	-	-	-	-	0.41
13.	12 & above	2.21	0.54	1.55	0.93	-	0.50	-	-	-	-	1.43
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	1.16	0.85	0.99	0.60	0.38	0.64	-	0.50	-	1.00	0.93
<u>Orissa - urban</u>												
1.	0	-	-	-	-	-	-	-	-	-	-	-
2.	1	-	-	-	-	-	-	-	-	-	-	-
3.	2	-	-	-	-	-	-	-	-	-	-	-
4.	3	-	2.50	-	-	-	-	-	-	-	-	2.50
5.	4	2.00	2.00	-	-	2.00	-	-	-	-	-	2.00
6.	5	0.70	7.00	-	-	-	-	-	0.75	-	-	2.82
7.	6	2.50	2.50	4.00	2.50	1.50	-	-	-	-	-	2.50
8.	7	-	-	-	-	-	-	1.50	-	-	-	1.50
9.	8	1.25	4.00	2.50	-	-	-	-	-	-	-	2.34
10.	9	-	-	-	-	-	-	-	-	-	-	-
11.	10	1.50	4.00	4.00	-	-	-	-	-	-	-	3.17
12.	11	-	-	-	-	-	-	-	-	-	-	-
13.	12 & above	-	1.85	3.00	4.00	-	-	-	-	-	-	2.33
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	1.18	2.55	3.17	3.25	2.00	4.50	1.50	0.75	-	-	2.25

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 Litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

mil. no.	months since calved	average quantity of milk produced by number of times calved										total
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Punjab : rural</u>												
1.	0	1.95	2.56	2.75	2.02	2.75	3.37	1.50	1.00	1.67	-	2.23
2.	1	3.20	3.05	3.10	3.03	3.11	2.53	4.00	-	1.00	-	3.07
3.	2	3.24	2.87	3.02	3.42	2.10	2.00	2.25	1.75	2.00	-	2.96
4.	3	2.80	2.76	2.54	2.71	2.64	4.07	4.00	2.67	2.02	-	2.79
5.	4	2.86	2.65	2.47	2.80	2.10	2.91	3.50	-	2.50	-	2.69
6.	5	2.61	2.35	3.18	2.00	3.34	2.60	0.95	2.10	-	-	2.64
7.	6	2.37	2.23	2.14	2.22	2.34	1.44	1.83	1.33	1.67	0.50	2.19
8.	7	1.84	1.87	1.98	2.62	1.83	1.10	-	0.75	1.67	-	1.96
9.	8	1.91	2.07	1.82	1.75	2.15	1.50	2.00	1.33	2.00	-	1.91
10.	9	1.71	2.14	1.64	1.46	2.20	1.83	0.50	-	-	-	1.79
11.	10	1.73	2.11	1.14	1.65	1.67	2.34	0.68	2.00	2.00	-	1.82
12.	11	1.79	1.39	0.94	0.23	1.20	1.50	0.50	-	-	-	1.56
13.	12 & above	1.50	1.31	1.57	1.37	1.53	1.65	1.18	0.70	1.67	2.00	1.44
14.	not recorded	2.25	2.84	2.60	3.67	1.00	0.75	3.00	-	3.00	-	2.48
15.	total	2.35	2.31	2.26	2.27	2.23	2.21	1.96	1.65	1.94	1.00	2.27
<u>Punjab : urban</u>												
1.	0	3.10	2.00	6.00	2.50	12.00	5.00	-	2.00	1.00	-	5.73
2.	1	4.13	2.79	3.50	7.46	4.10	-	4.00	-	-	-	4.02
3.	2	3.00	3.84	3.50	7.46	4.00	-	6.00	3.00	-	-	5.79
4.	3	4.21	3.91	3.76	4.00	4.00	-	-	3.00	-	-	5.95
5.	4	3.71	4.10	3.35	2.83	7.00	4.00	5.75	-	-	-	4.00
6.	5	4.16	4.29	3.88	3.00	5.01	-	-	-	-	-	4.16
7.	6	2.80	3.09	4.95	3.33	1.99	5.50	3.00	-	-	-	3.24
8.	7	1.50	2.74	1.92	3.79	1.00	-	-	2.00	-	-	2.55
9.	8	2.13	5.00	1.67	2.00	3.00	3.00	1.00	4.00	-	-	2.49
10.	9	2.00	7.00	4.00	-	-	-	2.00	-	-	-	3.74
11.	10	2.99	1.50	3.75	1.00	4.00	-	-	-	-	-	2.87
12.	11	2.74	-	3.50	2.00	-	-	-	-	-	-	2.89
13.	12 & above	1.12	3.05	2.87	5.23	0.75	-	1.75	1.00	1.00	-	2.53
14.	not recorded	9.00	-	-	-	3.00	-	-	-	-	-	3.02
15.	total	3.22	3.72	3.28	3.92	4.21	3.84	3.36	2.50	1.00	-	3.49

national sample survey, 1111th Round, Jan 1977 - June 1976

F 1* (4) Contd. : (0.00 More) of ...
 with classified in ...
 since level ...

Ballots

average ... possible ...

... since ...

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
1.	0	4.35	4.85	4.85	5.35	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35
2.	1	4.35	5.85	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35	9.85	10.35
3.	2	4.35	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35	9.85	10.35	10.85
4.	3	4.35	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35	9.85	10.35	10.85
5.	4	4.35	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35	9.85	10.35	10.85
6.	5	4.35	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35	9.85	10.35	10.85
7.	6	4.35	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35	9.85	10.35	10.85
8.	7	4.35	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35	9.85	10.35	10.85
9.	8	4.35	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35	9.85	10.35	10.85
10.	9	4.35	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35	9.85	10.35	10.85
11.	10	4.35	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35	9.85	10.35	10.85
12.	11	4.35	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35	9.85	10.35	10.85
13.	12 & above	4.35	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35	9.85	10.35	10.85
14.	not recorded	4.35	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35	9.85	10.35	10.85
15.	total	4.35	5.85	6.35	6.85	7.35	7.85	8.35	8.85	9.35	9.85	10.35	10.85

... ..

1.	0	5.51	6.20	6.20	6.89	7.58	8.27	8.96	9.65	10.34	11.03	11.72	12.41
2.	1	5.51	6.80	6.80	7.49	8.18	8.87	9.56	10.25	10.94	11.63	12.32	13.01
3.	2	5.51	6.80	7.49	8.18	8.87	9.56	10.25	10.94	11.63	12.32	13.01	13.70
4.	3	5.51	6.80	7.49	8.18	8.87	9.56	10.25	10.94	11.63	12.32	13.01	13.70
5.	4	5.51	6.80	7.49	8.18	8.87	9.56	10.25	10.94	11.63	12.32	13.01	13.70
6.	5	5.51	6.80	7.49	8.18	8.87	9.56	10.25	10.94	11.63	12.32	13.01	13.70
7.	6	5.51	6.80	7.49	8.18	8.87	9.56	10.25	10.94	11.63	12.32	13.01	13.70
8.	7	5.51	6.80	7.49	8.18	8.87	9.56	10.25	10.94	11.63	12.32	13.01	13.70
9.	8	5.51	6.80	7.49	8.18	8.87	9.56	10.25	10.94	11.63	12.32	13.01	13.70
10.	9	5.51	6.80	7.49	8.18	8.87	9.56	10.25	10.94	11.63	12.32	13.01	13.70
11.	10	5.51	6.80	7.49	8.18	8.87	9.56	10.25	10.94	11.63	12.32	13.01	13.70
12.	11	5.51	6.80	7.49	8.18	8.87	9.56	10.25	10.94	11.63	12.32	13.01	13.70
13.	12 & above	5.51	6.80	7.49	8.18	8.87	9.56	10.25	10.94	11.63	12.32	13.01	13.70
14.	not recorded	5.51	6.80	7.49	8.18	8.87	9.56	10.25	10.94	11.63	12.32	13.01	13.70
15.	total	5.51	6.80	7.49	8.18	8.87	9.56	10.25	10.94	11.63	12.32	13.01	13.70

...

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving, for each species

Cattle

		average quantity of milk produced by number of times calved										
1. months since calved												
	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Rajasthan : rural</u>												
1.	0	0.74	1.24	1.69	0.95	1.72	1.95	-	-	5.00	-	1.23
2.	1	1.09	1.60	2.34	2.91	1.81	4.00	3.26	-	-	-	2.02
3.	2	1.59	2.01	2.57	2.89	2.82	2.30	3.00	-	-	3.00	2.15
4.	3	2.06	1.78	2.30	2.16	2.23	2.11	0.87	-	3.00	1.50	2.01
5.	4	2.03	1.80	2.22	2.24	2.08	2.75	3.10	5.00	1.38	-	2.10
6.	5	1.51	1.86	1.95	2.52	2.57	1.90	2.00	-	1.98	2.39	1.89
7.	6	1.64	1.96	2.13	2.35	2.38	3.08	0.99	1.73	2.01	1.75	1.99
8.	7	1.85	1.91	1.87	2.19	1.04	0.83	2.00	3.50	-	4.00	1.83
9.	8	2.00	1.86	1.65	1.72	2.37	1.70	2.69	2.00	0.50	N.A.	1.82
10.	9	1.15	2.31	1.69	2.17	1.07	2.13	1.98	-	-	-	1.84
11.	10	1.67	1.67	1.62	1.28	2.43	1.86	0.86	-	-	-	1.63
12.	11	1.34	2.02	1.79	1.17	1.68	-	1.50	-	-	-	1.63
13.	12 & above	1.45	1.16	2.00	1.20	1.82	1.44	1.66	2.50	1.04	-	1.52
14.	not recorded	3.29	1.06	2.86	2.25	2.00	5.50	3.04	-	-	-	2.52
5.	total	1.70	1.70	2.03	1.93	2.07	2.20	1.93	2.10	1.79	2.01	1.67
<u>Rajasthan : urban</u>												
1.	0	-	3.36	1.31	1.13	N.A.	3.00	6.00	4.00	-	N.A.	2.14
2.	1	2.36	3.35	3.42	5.17	4.46	4.18	1.50	2.18	8.00	-	3.47
3.	2	1.94	2.38	2.84	4.04	1.17	2.00	-	-	-	-	2.76
4.	3	2.46	1.57	3.32	2.80	3.39	-	5.00	2.50	-	3.00	2.67
5.	4	2.43	2.84	3.19	3.46	6.83	2.75	2.00	-	4.00	6.00	3.25
6.	5	3.27	2.14	2.02	2.78	4.00	-	3.75	5.25	4.50	-	2.78
7.	6	1.96	2.40	3.18	2.75	3.09	2.79	-	0.78	1.77	2.86	2.59
8.	7	2.08	2.10	3.79	2.86	2.67	3.50	2.59	3.00	-	-	2.73
9.	8	2.25	2.10	1.81	2.14	2.75	3.00	-	3.53	2.50	-	2.18
10.	9	1.98	1.17	2.50	0.53	-	0.50	-	-	-	-	1.49
11.	10	2.94	2.19	1.89	1.30	1.06	1.50	2.00	-	-	-	1.98
12.	11	1.00	1.77	1.59	2.83	-	0.50	-	-	0.50	-	1.61
13.	12 & above	2.17	1.83	2.31	2.47	1.08	1.08	2.00	3.00	4.00	-	2.06
14.	not recorded	1.00	2.00	N.A.	-	-	-	-	-	0.50	-	0.89
5.	total	2.22	2.32	2.72	2.96	3.51	2.41	2.85	2.94	2.85	3.05	2.60

National Sample Survey, Thirtieth Round : July 1975 - June 1976

Table (a) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo

spl. no.	months since calved	average quantity of milk produced by number of times calved										
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Rajasthan : rural</u>												
1.	0	2.72	3.22	4.53	2.96	3.17	1.53	N.A.	-	-	-	3.12
2.	1	3.02	4.24	1.47	3.65	2.78	3.63	6.00	6.00	5.98	1.00	3.97
3.	2	2.50	4.07	5.09	3.06	5.38	5.00	7.00	4.92	-	2.00	4.16
4.	3	2.73	4.43	3.02	1.28	4.37	3.32	4.19	-	2.00	-	3.00
5.	4	2.72	4.30	4.52	3.10	5.24	4.01	3.24	-	-	5.50	3.92
6.	5	3.20	2.35	3.25	3.67	3.04	3.37	5.36	2.25	3.72	-	3.55
7.	6	2.64	3.30	3.36	3.30	3.65	2.64	2.05	7.03	3.33	1.50	3.15
8.	7	2.34	2.65	2.37	2.44	3.65	2.09	4.00	3.86	-	-	2.79
9.	8	2.52	2.15	2.78	2.85	3.59	2.34	2.99	1.01	2.00	-	2.63
10.	9	2.94	2.75	2.32	3.03	2.32	1.65	N.A.	1.00	4.00	4.50	2.63
11.	10	2.47	1.63	2.36	1.96	2.13	2.10	0.83	1.72	-	-	2.17
12.	11	1.79	1.74	1.61	2.18	1.95	1.64	2.33	-	-	-	1.86
13.	12 & above	1.72	1.89	2.28	2.32	1.73	1.74	2.04	1.24	0.25	1.50	1.96
14.	not recorded	2.50	2.94	3.00	3.67	-	-	6.00	-	-	-	3.29
15.	total	2.69	3.04	3.21	3.08	3.20	2.60	5.11	2.70	3.35	2.76	3.01
<u>Rajasthan : urban</u>												
1.	0	1.00	4.67	6.40	3.46	-	2.17	-	2.00	5.00	-	3.62
2.	1	2.23	4.69	5.17	5.70	5.91	6.61	-	-	-	-	4.78
3.	2	3.23	6.08	3.73	4.92	7.00	5.24	6.50	-	2.00	-	5.70
4.	3	3.96	5.10	5.50	6.23	4.23	-	5.00	-	4.00	-	5.01
5.	4	4.23	5.55	5.12	4.05	6.14	6.00	-	-	6.00	-	5.21
6.	5	2.17	3.74	4.41	6.25	5.00	5.00	6.00	10.00	-	-	4.78
7.	6	4.37	5.12	4.27	5.10	4.66	6.36	-	-	-	4.00	4.53
8.	7	0.50	5.25	3.90	3.47	4.03	-	-	-	-	-	3.75
9.	8	1.00	3.25	4.55	3.66	4.01	2.53	-	-	-	-	3.78
10.	9	2.39	3.31	4.36	4.40	4.50	1.00	1.00	-	-	-	3.61
11.	10	2.01	2.97	3.40	4.64	6.00	1.00	-	3.00	-	-	3.32
12.	11	2.50	-	2.76	3.00	1.50	-	-	-	-	-	2.50
13.	12 & above	1.62	2.60	3.92	1.63	2.00	3.33	1.27	2.00	-	-	2.51
14.	not recorded	2.47	4.00	-	-	-	-	-	-	-	-	3.26
15.	total	3.26	4.45	4.69	4.25	4.51	3.59	4.74	4.35	4.25	4.00	4.35

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table(4)Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

		average quantity of milk produced by number of times calved										
ser. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Tamil Nadu : rural</u>												
1.	0	1.05	1.29	1.38	0.78	3.60	2.00	2.00	-	-	-	1.25
2.	1	1.39	1.55	1.54	1.30	1.89	1.50	1.00	-	-	1.00	1.40
3.	2	0.97	1.45	1.03	0.75	2.37	1.50	0.25	-	-	1.25	1.24
4.	3	1.00	1.15	1.03	1.15	1.20	-	-	1.50	-	0.21	1.07
5.	4	1.07	1.02	1.26	0.89	0.80	1.25	-	-	-	0.75	1.07
6.	5	0.75	0.81	1.10	1.04	1.00	-	-	0.50	-	-	0.86
7.	6	1.37	0.96	0.89	1.11	0.90	1.00	0.50	-	-	-	1.10
8.	7	0.94	0.91	0.90	1.46	0.87	-	-	-	-	0.25	0.86
9.	8	0.90	1.25	0.84	1.21	1.22	-	-	-	-	0.15	1.04
10.	9	0.93	1.05	0.86	0.91	0.56	0.75	-	-	-	0.75	0.94
11.	10	0.95	0.81	1.07	0.62	1.00	0.50	-	-	-	0.17	0.86
12.	11	0.81	0.62	1.10	0.25	-	0.33	-	-	-	-	0.74
13.	12 & above	0.75	0.74	0.71	0.71	0.12	0.57	-	-	-	0.73	0.76
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	1.02	1.02	1.05	1.00	1.33	1.69	1.69	0.99	-	0.57	1.03
<u>Tamil Nadu : urban</u>												
1.	0	2.00	1.58	1.04	2.39	1.00	-	-	-	-	3.00	1.84
2.	1	2.30	2.30	2.58	1.96	3.00	4.61	-	-	-	1.16	2.30
3.	2	2.52	2.52	2.51	2.44	7.00	-	-	3.50	-	4.00	2.60
4.	3	2.98	2.92	2.74	3.12	2.20	1.00	-	-	-	2.58	2.87
5.	4	2.01	2.14	2.15	3.27	3.19	3.00	-	-	-	0.55	2.36
6.	5	2.56	2.06	2.21	1.47	0.91	2.00	-	-	-	-	2.41
7.	6	2.79	2.22	2.59	1.99	2.05	1.50	-	-	1.20	-	2.48
8.	7	1.87	2.32	1.85	1.46	3.00	7.00	-	-	-	-	2.06
9.	8	2.13	2.17	1.86	2.25	2.43	3.50	-	-	-	1.63	2.11
10.	9	1.80	2.23	2.32	2.41	1.00	-	-	-	-	-	2.13
11.	10	1.34	1.79	1.73	1.69	2.19	0.80	-	-	-	-	1.77
12.	11	2.78	1.53	2.17	1.73	-	-	-	-	-	-	2.17
13.	12 & above	1.53	1.30	2.44	2.12	1.12	-	-	-	-	2.10	1.77
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	2.30	2.15	2.31	2.36	2.24	2.91	-	3.50	1.20	2.29	2.41

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (A) Contd. Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo												
average quantity of milk produced by number of times calved												
1. months since calved	2.	3. first	4. second	5. third	6. fourth	7. fifth	8. sixth	9. seventh	10. eighth	11. ninth & above	12. not recorded	13. total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Tamil Nadu : rural</u>												
1.	0	1.19	2.03	0.98	2.05	2.25	-	-	-	2.75	1.64	
2.	1	1.89	1.15	2.16	1.34	1.41	3.50	-	-	3.00	1.82	
3.	2	1.82	2.46	2.56	1.75	3.00	0.18	-	-	1.25	2.1	
4.	3	2.17	1.92	2.29	2.38	0.30	-	4.00	2.91	4.00	-	2.1
5.	4	1.94	2.28	2.05	2.91	2.40	0.25	3.50	-	-	1.0	2.18
6.	5	1.92	1.26	1.84	1.98	1.96	1.00	-	-	-	0.1	1.50
7.	6	1.62	1.74	2.22	1.94	2.27	1.25	-	-	-	0.50	1.0
8.	7	2.14	2.01	1.87	2.21	1.59	1.00	1.50	-	-	-	2.02
9.	8	1.76	1.78	2.49	1.49	0.60	4.27	-	-	-	2.05	1.21
10.	9	2.02	1.86	1.54	1.31	2.36	2.13	-	-	-	-	1.0
11.	10	1.90	1.77	2.03	1.76	2.17	0.25	-	-	-	1.00	1.37
12.	11	1.21	1.31	1.07	1.50	1.67	-	1.00	-	-	-	1.18
13.	12 & above	0.97	0.96	0.37	1.07	0.27	-	0.50	-	-	0.00	0.93
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	1.74	1.74	1.89	1.95	1.73	2.35	2.15	2.91	4.00	1.47	1.0
<u>Tamil Nadu : urban</u>												
1.	0	2.22	2.75	2.33	1.31	-	-	-	-	2.50	2.28	
2.	1	2.36	3.04	3.83	2.19	3.34	-	-	-	-	-	3.01
3.	2	4.46	3.09	2.91	2.36	3.19	1.50	6.00	-	-	3.00	3.32
4.	3	2.36	3.39	3.85	2.48	-	3.50	3.00	-	-	-	3.55
5.	4	3.01	3.09	2.86	2.50	4.50	2.30	-	-	2.50	2.50	3.38
6.	5	2.25	3.45	2.63	2.62	4.24	3.50	-	-	-	2.50	3.02
7.	6	2.20	2.40	2.52	2.31	2.52	-	-	4.00	-	-	0.72
8.	7	3.00	2.39	2.04	2.32	0.30	-	1.50	-	-	-	2.01
9.	8	2.20	2.37	2.93	1.78	-	-	-	-	-	-	2.51
10.	9	1.92	1.56	2.26	1.60	2.5	1.00	-	-	-	2.50	1.3
11.	10	2.34	2.20	1.81	1.67	0.50	0.40	-	-	-	-	1.30
12.	11	2.15	1.75	2.00	-	1.6	9.25	1.00	-	-	1.15	1.60
13.	12 & above	2.00	1.52	2.01	1.78	1.31	0.67	0.10	-	1.50	2.26	1.84
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	2.51	2.80	2.64	2.17	2.9	2.21	2.30	4.00	2.00	2.7	2.59

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Bottle		average quantity of milk produced by number of times calved										
int. month since calved		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Trisara : rural</u>												
1.	0	0.20	-	0.25	-	-	-	-	-	-	1.00	0.24
2.	1	0.50	0.93	0.85	0.70	0.91	0.95	-	0.50	-	0.50	0.76
3.	2	1.20	0.85	1.00	0.90	0.82	0.88	-	1.00	-	0.40	0.91
4.	3	0.75	0.72	0.70	1.01	0.75	-	-	-	-	0.50	0.76
5.	4	0.93	0.96	0.70	0.84	-	0.70	0.25	-	-	0.15	0.80
6.	5	0.54	0.79	1.00	0.90	0.70	0.70	-	-	-	0.55	0.76
7.	6	0.79	0.86	0.81	0.74	0.74	1.20	-	-	-	0.70	0.81
8.	7	0.66	0.73	0.75	0.78	1.00	0.75	0.75	0.25	-	0.46	0.73
9.	8	0.62	0.55	0.52	0.25	1.12	0.92	-	-	1.00	0.50	0.60
10.	9	0.62	0.40	0.75	0.42	0.88	-	-	0.90	-	0.25	0.54
11.	10	0.52	0.31	0.42	0.40	0.50	0.71	0.62	-	-	-	0.47
12.	11	0.45	0.31	0.67	0.50	-	0.25	0.25	-	-	0.30	0.40
13.	12 & above	0.46	0.45	0.32	0.50	0.58	0.50	-	-	0.50	0.30	0.43
14.	not recorded	3.50	3.50	0.50	0.75	0.50	1.00	0.85	-	-	-	1.42
15.	total	0.71	0.71	0.72	0.78	0.81	0.68	0.50	0.40	0.75	0.50	0.71
<u>Trisara : urban</u>												
1.	0	-	-	0.12	1.25	0.75	-	-	-	1.00	0.12	0.38
2.	1	0.50	1.75	2.00	0.62	-	-	-	-	-	-	0.94
3.	2	3.00	1.19	1.30	0.50	-	-	1.00	-	-	-	1.31
4.	3	1.50	-	0.75	1.25	1.25	-	-	-	-	0.75	1.12
5.	4	0.50	0.62	1.50	1.50	-	2.00	-	-	-	0.75	1.19
6.	5	-	2.34	1.50	1.50	-	0.50	1.25	-	-	-	1.90
7.	6	0.25	0.90	0.64	0.88	0.44	-	-	-	-	1.67	0.97
8.	7	-	-	1.20	-	-	-	-	-	-	-	0.30
9.	8	-	-	0.75	1.10	-	-	-	-	-	0.50	0.78
10.	9	0.50	0.42	0.50	-	0.50	-	0.50	-	-	-	0.47
11.	10	0.50	1.00	1.12	0.62	-	-	-	-	-	-	0.83
12.	11	0.25	0.20	-	-	-	-	-	-	-	0.50	0.32
13.	12 & above	0.14	0.50	0.62	-	-	-	-	-	-	-	0.40
14.	not recorded	-	-	-	-	-	-	1.00	-	-	-	1.00
15.	total	0.92	1.14	0.94	0.94	0.61	1.25	0.94	-	1.00	0.86	0.97

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo

average quantity of milk produced by number of times calved												
srl. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Tripura : rural</u>												
1.	0	-	-	-	-	-	-	-	-	-	-	-
2.	1	-	-	-	-	-	-	-	-	-	-	-
3.	2	-	-	-	-	-	-	-	-	-	-	-
4.	3	-	-	-	-	-	-	-	-	-	-	-
5.	4	-	0.50	-	-	-	-	-	-	-	-	0.50
6.	5	-	-	-	1.00	-	-	-	-	-	-	1.00
7.	6	-	-	-	-	-	-	-	-	-	-	-
8.	7	0.25	-	-	-	-	-	-	-	-	-	0.25
9.	8	-	-	-	-	1.25	-	-	-	-	-	1.25
10.	9	-	-	-	-	-	-	-	-	-	-	-
11.	10	-	-	-	-	-	-	-	-	-	-	-
12.	11	-	-	-	-	-	-	-	-	-	-	-
13.	12 & above	-	-	-	-	-	-	-	-	-	0.50	0.50
14.	not recorded	-	-	0.50	-	-	-	-	-	-	-	0.50
15.	total	0.12	0.50	0.17	1.00	1.25	-	-	-	-	0.25	0.40
<u>Tripura : urban</u>												
1.	0	-	-	-	-	-	-	-	-	-	-	-
2.	1	-	-	-	-	-	-	-	-	-	-	-
3.	2	-	-	-	-	-	-	-	-	-	-	-
4.	3	-	-	-	-	-	-	-	-	-	-	-
5.	4	-	-	-	-	-	-	-	-	-	-	-
6.	5	-	-	-	-	-	-	-	-	-	-	-
7.	6	-	-	-	-	-	-	-	-	-	-	-
8.	7	-	-	-	-	-	-	-	-	-	-	-
9.	8	-	-	-	-	-	-	-	-	-	-	-
10.	9	-	-	-	-	-	-	-	-	-	-	-
11.	10	-	-	-	-	-	-	-	-	-	-	-
12.	11	-	1.00	-	-	-	-	-	-	-	-	1.00
13.	12 & above	-	-	-	-	-	-	-	-	-	-	-
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	-	1.00	-	-	-	-	-	-	-	-	1.00

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

average quantity of milk produced by number of times calved													
srl. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	
		<u>Uttar Pradesh</u>						<u>rural</u>					
1.	0	1.22	0.99	1.29	-	-	-	-	-	-	-	1.14	
2.	1	1.21	1.37	1.32	3.44	1.06	0.14	0.96	-	1.10	0.75	1.22	
3.	2	1.32	1.57	1.21	0.96	1.71	1.26	0.37	-	1.00	2.27	1.35	
4.	3	1.30	1.38	1.31	1.05	1.31	1.45	3.00	-	-	1.03	1.31	
5.	4	1.42	1.34	1.31	1.20	1.64	0.48	0.50	-	1.11	0.97	1.33	
6.	5	1.38	1.77	1.15	1.41	1.24	0.42	1.00	-	-	1.49	1.30	
7.	6	1.32	1.77	1.23	1.06	1.47	1.02	1.86	0.49	0.50	1.25	1.24	
8.	7	1.06	1.14	1.25	0.82	0.88	0.86	1.12	2.24	0.50	-	1.09	
9.	8	1.38	1.25	1.04	0.93	0.91	0.42	-	-	-	0.58	1.19	
10.	9	0.87	1.13	0.96	0.97	0.87	0.54	0.50	0.49	-	-	0.95	
11.	10	0.93	0.93	0.85	1.03	1.22	2.00	-	-	0.50	2.00	0.94	
12.	11	0.67	0.88	0.84	0.34	0.65	0.97	-	-	0.25	0.50	0.71	
13.	12 & above	0.73	0.65	0.70	0.62	0.74	0.51	0.23	-	1.00	0.50	0.68	
14.	not recorded	-	-	-	1.56	7.72	0.73	-	-	-	-	1.11	
15.	total	1.20	1.18	1.13	1.55	1.19	0.91	1.02	0.88	0.84	1.05	1.15	
		<u>Uttar Pradesh</u>						<u>urban</u>					
1.	0	1.28	2.68	1.66	-	-	-	-	-	-	2.00	2.10	
2.	1	2.64	2.54	3.21	2.50	3.55	0.89	5.00	-	-	2.00	2.64	
3.	2	2.69	2.02	2.63	3.30	3.08	5.37	-	4.25	-	5.00	0.27	
4.	3	1.81	2.23	2.54	2.76	2.67	1.19	-	-	-	-	2.26	
5.	4	2.02	2.19	2.04	2.58	2.37	1.00	1.19	-	-	0.46	2.07	
6.	5	1.56	1.91	2.05	1.80	3.67	1.63	-	-	1.00	2.46	1.98	
7.	6	1.67	2.01	1.68	1.80	1.91	0.75	-	1.38	1.50	3.00	1.79	
8.	7	1.36	1.80	1.35	1.41	2.42	1.91	1.50	-	-	-	1.61	
9.	8	1.89	1.63	2.12	1.59	1.94	2.27	-	-	-	1.50	1.87	
10.	9	2.60	1.09	0.90	1.03	-	0.50	3.00	-	4.00	-	1.46	
11.	10	1.02	1.46	2.14	2.00	3.00	3.00	-	-	-	-	1.69	
12.	11	1.47	0.82	0.50	0.97	0.50	-	-	-	-	-	1.09	
13.	12 & above	1.15	1.02	1.70	0.81	2.00	0.50	2.55	0.18	-	-	1.31	
14.	not recorded	-	-	-	2.39	1.96	7.00	-	-	-	-	2.93	
15.	total	1.90	1.94	2.06	2.00	2.58	2.18	2.30	1.74	2.13	1.94	2.01	

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo

average quantity of milk produced by number of times calved												
mil. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Uttar Pradesh : rural</u>												
1.	0	2.71	3.74	4.65	-	-	-	-	-	-	-	3.71
2.	1	3.11	4.01	4.17	3.70	3.94	3.15	4.25	4.00	2.24	4.50	3.78
3.	2	3.52	3.87	3.61	3.66	3.75	4.94	8.25	2.98	6.72	1.89	3.77
4.	3	2.95	3.61	3.75	3.46	2.81	3.72	1.65	3.00	2.14	4.05	5.60
5.	4	2.98	3.57	3.54	3.27	2.93	3.01	2.75	3.55	1.00	0.83	3.27
6.	5	2.95	3.29	3.39	3.30	3.16	2.74	1.62	3.34	1.00	2.69	3.19
7.	6	2.66	2.87	2.92	2.93	2.51	2.54	2.37	4.18	1.70	2.11	2.80
8.	7	0.24	2.38	2.33	2.74	2.65	2.11	3.77	2.80	1.67	0.68	2.44
9.	8	2.36	2.38	2.42	2.24	1.98	2.01	1.89	1.87	2.95	1.50	2.32
10.	9	1.90	2.17	1.99	2.18	2.00	1.71	1.97	1.67	2.75	2.36	2.03
11.	10	2.21	1.78	1.95	1.69	1.75	0.99	2.54	1.70	1.31	1.99	1.89
12.	11	1.58	1.84	1.75	1.94	2.16	2.00	1.96	1.79	2.00	0.50	1.78
13.	12 & above	0.77	1.58	1.53	1.52	1.35	1.72	1.38	1.09	1.25	1.67	1.50
14.	not recorded	-	-	-	3.97	5.23	3.91	3.14	3.73	3.00	2.00	4.24
15.	total	2.52	2.87	2.89	2.82	2.63	2.60	2.59	2.50	2.41	1.89	2.71
<u>Uttar Pradesh : urban</u>												
1.	0	2.84	-	3.20	-	-	-	-	-	-	-	3.08
2.	1	3.97	4.50	4.92	5.19	4.81	1.94	4.40	-	-	3.50	4.62
3.	2	2.67	4.17	5.35	5.63	4.12	4.36	3.00	-	2.50	5.38	4.65
4.	3	3.69	3.51	4.87	4.54	4.53	4.19	3.00	-	2.00	0.92	4.21
5.	4	1.91	4.35	3.92	4.02	5.33	3.80	5.00	-	2.75	4.00	4.08
6.	5	3.81	3.47	4.35	3.55	4.12	2.43	4.32	-	-	3.27	3.75
7.	6	2.80	4.38	3.44	3.91	3.87	2.14	4.00	3.00	-	4.05	3.69
8.	7	3.62	3.32	3.41	3.25	3.22	2.75	4.64	4.00	2.50	2.55	3.39
9.	8	2.79	3.99	3.29	3.09	2.94	2.79	5.00	2.00	3.00	5.47	3.22
10.	9	1.46	4.10	2.81	3.05	2.42	2.00	2.50	-	-	-	2.79
11.	10	2.28	3.66	4.25	2.66	3.16	0.75	0.50	-	5.50	-	2.81
12.	11	1.23	2.50	1.52	2.54	2.50	2.53	0.50	3.00	1.53	2.99	2.20
13.	12 & above	1.73	2.00	1.69	2.36	2.11	0.72	-	0.50	1.73	2.98	1.87
14.	not recorded	-	3.40	-	3.65	4.74	4.60	-	-	-	2.75	3.68
15.	total	2.89	3.85	3.80	3.86	3.76	2.67	3.62	2.26	2.41	3.39	3.60

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

average quantity of milk produced by number of times calved

Sl. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>West Bengal : rural</u>												
1.	0	0.42	0.53	0.92	0.43	1.48	0.25	-	1.00	-	-	0.59
2.	1	0.67	1.10	1.55	0.87	0.91	1.12	1.26	1.00	-	1.25	1.12
3.	2	1.37	1.03	1.13	0.95	0.73	1.38	-	3.50	0.50	0.75	1.17
4.	3	1.21	1.10	1.16	1.00	1.30	0.60	1.00	-	-	0.84	1.13
5.	4	1.32	1.24	1.15	1.71	1.12	0.85	0.40	1.00	-	1.12	1.27
6.	5	1.24	1.04	1.25	1.15	1.08	0.67	1.51	-	-	1.09	1.15
7.	6	1.26	1.24	1.00	1.24	1.22	0.88	0.75	-	0.49	0.50	1.18
8.	7	1.13	1.09	1.25	1.19	0.95	0.50	1.25	0.20	1.00	1.50	1.13
9.	8	1.40	1.08	1.03	0.88	1.18	0.65	0.62	1.00	0.75	0.33	1.13
10.	9	1.20	0.92	0.86	0.65	0.37	1.00	0.50	-	1.00	1.00	0.96
11.	10	0.95	0.73	0.66	0.73	1.32	0.90	1.50	-	2.13	-	0.85
12.	11	1.05	0.66	0.94	0.69	0.46	0.50	-	-	-	-	0.80
13.	12 & above	0.81	0.61	0.96	0.65	0.54	0.60	0.50	1.25	1.00	0.36	0.71
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	1.17	1.04	1.08	1.00	0.96	0.82	0.90	1.21	0.93	0.88	1.00
<u>West Bengal : urban</u>												
1.	0	0.75	0.25	-	0.50	-	-	-	-	-	-	0.37
2.	1	1.23	5.74	2.10	1.99	1.83	1.00	-	2.25	2.50	-	2.75
3.	2	2.06	2.46	2.37	3.11	0.84	1.15	2.27	-	-	-	2.47
4.	3	1.32	2.00	3.41	2.64	2.13	1.31	5.50	-	2.50	-	2.42
5.	4	1.93	2.01	1.69	1.78	1.79	2.05	1.25	-	2.00	5.55	1.92
6.	5	1.59	1.71	2.39	2.45	1.06	0.87	-	-	-	-	1.87
7.	6	1.70	1.79	1.64	1.77	2.02	0.84	2.50	1.00	-	0.50	1.69
8.	7	1.23	2.08	1.60	1.40	1.29	1.90	0.70	-	-	0.50	1.53
9.	8	1.46	1.16	1.50	1.50	0.92	2.43	1.42	0.75	-	1.66	1.36
10.	9	1.18	1.50	1.27	0.42	0.50	0.63	0.25	-	-	1.50	1.19
11.	10	1.04	1.40	0.39	0.94	4.25	2.00	1.13	-	-	-	1.37
12.	11	1.09	0.90	0.45	0.77	-	-	-	-	-	-	0.85
13.	12 & above	1.49	0.95	1.18	1.70	1.01	0.20	0.37	2.00	0.50	1.75	1.30
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	1.53	1.94	1.96	2.00	1.62	1.20	1.53	1.49	1.93	1.99	1.79

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo												
average quantity of milk produced by number of times calved												
serl. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>West Bengal : rural</u>												
1.	0	-	1.00	-	-	-	-	-	-	-	-	1.00
2.	1	-	-	7.00	-	-	-	-	-	-	-	3.68
3.	2	-	2.00	2.00	-	-	-	-	-	-	-	2.00
4.	3	-	6.25	2.00	-	-	-	-	-	-	-	4.86
5.	4	-	3.00	-	-	-	-	-	-	-	-	3.00
6.	5	-	2.20	3.00	-	-	-	-	-	-	-	2.41
7.	6	3.92	7.39	3.01	5.00	-	-	-	-	-	-	5.28
8.	7	1.00	3.00	3.68	2.69	-	-	-	-	5.00	-	3.16
9.	8	-	1.16	1.44	1.50	2.00	-	-	-	-	-	1.39
10.	9	-	5.00	-	2.00	-	3.00	-	-	-	-	3.35
11.	10	0.50	1.48	1.80	-	-	-	-	-	0.25	-	1.22
12.	11	-	-	-	5.13	-	-	-	-	-	-	5.13
13.	12 & above	2.00	-	1.21	-	1.50	2.00	-	-	-	0.25	1.26
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	2.39	3.65	2.56	3.15	1.75	2.49	-	-	2.59	0.25	2.97
<u>West Bengal : urban</u>												
1.	0	-	2.00	-	-	-	-	-	-	-	-	2.00
2.	1	6.50	5.00	5.25	8.50	-	6.33	-	-	-	-	6.32
3.	2	7.00	6.00	5.38	7.00	8.60	-	-	-	-	10.00	7.21
4.	3	-	7.50	6.23	6.09	5.51	9.25	-	-	9.00	-	6.53
5.	4	10.75	6.67	5.61	6.00	7.04	6.00	-	-	-	-	6.75
6.	5	7.50	7.04	5.72	5.00	8.00	5.75	-	-	-	-	6.76
7.	6	3.00	7.76	4.47	6.00	4.84	10.00	-	7.00	-	-	6.30
8.	7	8.00	6.00	5.83	4.08	-	5.50	-	6.00	-	-	5.75
9.	8	10.00	5.25	6.03	4.76	4.67	7.00	4.00	5.00	-	-	5.62
10.	9	3.00	10.00	4.00	4.58	1.70	-	-	-	-	-	4.68
11.	10	3.50	4.83	3.41	5.03	5.00	10.50	-	-	-	6.00	5.01
12.	11	-	-	3.00	-	7.00	-	-	-	-	-	5.18
13.	12 & above	4.50	2.00	5.50	7.25	3.00	7.00	8.00	-	2.00	5.50	5.42
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	6.94	6.50	5.33	5.80	6.01	7.17	6.00	6.06	5.50	6.50	6.16

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo

		average quantity of milk produced by number of times calved										
srl. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Chandigarh : urban*</u>												
1.	0	-	-	-	-	-	-	-	-	-	-	-
2.	1	-	-	3.00	2.00	5.00	-	-	-	-	-	3.33
3.	2	-	-	-	-	3.50	-	-	-	-	-	3.50
4.	3	-	-	-	-	3.50	-	-	-	-	-	3.50
5.	4	3.00	-	5.00	-	-	-	-	-	-	-	4.00
6.	5	-	-	-	-	-	-	-	-	-	-	-
7.	6	-	-	5.00	-	-	-	-	-	-	-	5.00
8.	7	1.50	-	-	5.00	-	-	-	-	-	-	3.25
9.	8	-	-	-	-	-	-	-	-	-	-	-
10.	9	-	-	-	-	-	-	-	-	-	-	-
11.	10	-	-	-	-	-	-	-	-	-	-	-
12.	11	-	-	-	-	-	-	-	-	-	-	-
13.	12 & above	0.50	-	-	-	-	-	-	-	-	-	0.50
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	1.67	-	3.33	3.50	4.00	-	-	-	-	-	3.36

*The survey was conducted in urban areas only

National Sample Survey, Thirtieth Round, July 1975-June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle

average quantity of milk produced by number of times calved												
int. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Delhi - rural</u>												
1.	0	-	-	-	-	-	-	-	-	-	-	-
2.	1	-	-	-	-	-	-	-	-	-	-	-
3.	2	-	-	-	-	-	-	-	-	-	-	-
4.	3	2.00	-	-	2.00	3.00	-	-	-	-	-	2.33
5.	4	-	3.00	-	-	-	-	-	-	-	-	3.00
6.	5	-	-	-	4.00	-	-	-	-	-	-	4.00
7.	6	-	-	-	4.00	-	-	-	-	-	-	4.00
8.	7	-	-	-	-	-	-	-	-	-	-	-
9.	8	5.00	-	-	-	-	-	-	-	-	-	5.00
10.	9	-	-	-	-	-	-	-	-	-	-	-
11.	10	-	-	-	-	-	-	-	-	-	-	-
12.	11	-	-	-	-	-	-	-	-	-	-	-
13.	12 & above	-	1.50	-	-	-	-	-	-	-	-	1.50
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	3.50	1.88	-	3.33	3.00	-	-	-	-	-	2.75
<u>Delhi - urban</u>												
1.	0	-	-	-	4.00	-	-	-	-	-	-	4.00
2.	1	-	-	-	-	-	9.50	-	-	-	-	9.50
3.	2	3.50	5.00	4.00	-	-	-	-	-	-	-	4.17
4.	3	2.50	-	-	3.50	7.50	-	-	-	-	-	4.50
5.	4	6.50	-	5.75	-	6.50	-	-	-	-	-	6.25
6.	5	2.00	4.00	-	-	-	2.50	-	-	-	-	2.63
7.	6	3.33	1.17	-	-	4.50	-	-	-	-	-	2.57
8.	7	-	1.50	2.00	-	-	-	-	-	-	-	1.67
9.	8	3.00	-	1.50	1.00	-	-	-	-	-	-	1.75
10.	9	-	-	5.50	-	-	-	-	-	-	-	5.50
11.	10	-	0.50	-	-	-	-	-	-	-	-	0.50
12.	11	1.00	-	3.00	-	-	-	-	-	-	-	2.00
13.	12 & above	-	-	2.00	-	-	-	-	-	-	-	2.00
14.	not recorded	2.00	-	-	-	-	-	-	-	-	-	2.00
15.	total	3.25	2.00	3.44	2.83	6.25	6.00	-	-	-	-	3.46

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (1) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

buffalo

srl. no.	months since calved	average quantity of milk produced by number of times calved										
		first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Delhi : rural</u>												
1.	0	7.00	-	-	-	-	-	-	-	-	-	7.00
2.	1	-	-	6.00	-	4.00	-	-	-	-	-	5.00
3.	2	-	9.00	5.67	7.50	4.00	-	-	-	-	-	6.43
4.	3	4.25	8.00	5.00	6.00	-	-	-	-	-	-	5.65
5.	4	4.50	4.33	7.50	-	-	-	-	-	-	-	5.12
6.	5	2.50	4.67	-	-	4.00	-	-	-	-	4.00	4.08
7.	6	-	3.00	9.00	5.00	2.75	-	-	-	-	-	5.12
8.	7	-	-	-	-	-	-	-	-	-	-	-
9.	8	-	-	3.75	-	-	-	-	-	-	-	3.75
10.	9	-	-	-	2.50	-	-	-	-	-	-	1.25
11.	10	-	4.00	-	8.00	-	-	-	-	-	-	6.00
12.	11	1.00	-	-	-	-	-	-	-	-	-	1.00
13.	12 & above	-	3.25	-	4.00	-	-	-	-	-	-	3.50
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	4.45	4.79	5.65	5.93	3.50	-	-	-	-	4.00	5.03

Delhi : urban

1.	0	4.1	7.00	-	3.94	-	3.88	-	-	-	-	4.45
2.	1	4.00	9.00	9.50	7.00	-	-	-	8.00	-	-	7.94
3.	2	7.67	5.00	5.50	8.25	-	-	-	-	-	-	6.55
4.	3	7.50	7.17	5.83	-	8.75	6.50	-	-	-	-	6.76
5.	4	4.50	7.25	4.78	8.40	6.75	6.00	-	7.33	-	-	6.25
6.	5	7.17	7.15	6.18	5.75	5.67	-	6.00	-	-	-	6.43
7.	6	3.00	6.38	5.95	4.75	4.75	4.00	-	-	-	-	5.43
8.	7	8.25	5.50	5.29	6.17	6.00	4.88	-	-	-	-	5.70
9.	8	3.00	5.00	6.33	5.00	6.00	6.00	-	-	-	-	5.43
	9	3.00	-	5.00	-	6.50	2.50	-	-	-	-	4.65
			1.00	1.75	8.50	5.00	-	1.38	-	-	-	5.73

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Cattle												
average quantity of milk produced by number of times calved												
srl. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Pondicherry : rural</u>												
1.	0	1.00	-	-	-	-	-	-	-	-	-	1.00
2.	1	0.84	1.75	1.75	-	-	-	-	-	-	-	1.30
3.	2	-	2.20	1.25	-	-	-	-	-	-	-	2.04
4.	3	0.58	3.63	0.58	-	-	-	-	-	-	-	1.80
5.	4	2.50	2.20	2.90	1.00	-	-	-	-	-	-	2.42
6.	5	1.13	1.50	1.50	3.75	-	1.00	-	-	-	-	1.86
7.	6	1.44	1.27	1.25	1.50	-	-	-	-	-	-	1.35
8.	7	0.75	0.70	-	-	0.50	-	-	-	-	-	0.60
9.	8	1.75	0.63	0.88	-	-	-	-	-	-	-	1.08
10.	9	1.75	0.87	1.16	0.88	2.50	-	-	-	-	-	1.31
11.	10	0.63	-	1.00	-	-	-	-	-	-	-	0.75
12.	11	-	0.83	1.00	-	-	-	-	-	-	-	0.90
13.	12 & above	0.94	2.50	1.00	-	-	-	-	-	-	2.50	1.47
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	1.16	1.74	1.34	1.89	1.50	1.00	-	-	-	2.50	1.47
<u>Pondicherry : urban</u>												
1.	0	-	-	2.60	1.50	-	-	-	-	-	-	1.68
2.	1	2.50	14.00	0.50	-	1.75	8.00	-	-	-	-	4.88
3.	2	0.50	2.00	2.63	-	14.00	-	-	-	-	-	3.96
4.	3	10.00	2.58	9.75	-	-	-	-	-	-	-	5.69
5.	4	4.50	6.67	2.00	-	-	-	-	-	-	-	5.07
6.	5	1.75	9.75	10.75	-	-	-	-	-	-	-	7.42
7.	6	-	0.90	1.92	-	12.00	8.00	-	-	-	-	4.44
8.	7	0.80	2.63	10.65	-	-	-	-	-	-	-	3.47
9.	8	-	6.50	3.50	-	-	-	-	-	-	-	5.50
10.	9	1.00	-	1.00	-	-	-	-	-	-	-	1.00
11.	10	-	-	-	-	-	-	-	-	-	-	-
12.	11	2.25	0.50	-	-	-	-	-	-	-	-	1.81
13.	12 & above	-	5.30	-	-	-	-	-	-	-	-	5.30
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	2.80	4.88	4.81	1.50	6.94	8.00	-	-	-	-	4.52

National Sample Survey, Thirtieth Round, July 1975 - June 1976

Table (4) Contd. : Quantity (0.00 litre) of milk produced per animal-in-milk classified by number of times calved and interval since last calving for each species

Buffalo

average quantity of milk produced by number of times calved

srl. no.	months since calved	first	second	third	fourth	fifth	sixth	seventh	eighth	ninth & above	not recorded	total
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
<u>Pondicherry : rural</u>												
1.	0	-	-	-	-	2.00	-	-	-	-	-	2.00
2.	1	-	-	-	-	-	-	-	-	-	-	-
3.	2	3.25	-	1.50	-	-	-	-	-	-	-	2.38
4.	3	-	-	2.50	5.00	-	-	-	-	-	-	2.83
5.	4	-	-	2.25	2.00	-	-	-	-	-	-	2.13
6.	5	-	-	-	-	-	-	-	-	-	-	-
7.	6	0.75	2.00	0.50	-	-	-	-	-	-	3.50	1.33
8.	7	3.00	-	-	-	-	-	-	-	-	-	3.00
9.	8	3.00	-	2.50	1.50	-	-	-	-	-	3.00	2.60
10.	9	-	1.50	4.00	-	-	-	-	-	-	-	2.75
11.	10	-	-	-	-	-	-	-	-	-	-	-
12.	11	-	-	1.75	0.70	-	-	-	-	-	-	1.22
13.	12 & above	1.50	-	0.80	3.00	-	-	-	-	-	-	1.82
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	2.22	1.75	1.82	2.28	2.00	-	-	-	-	3.17	2.15

Pondicherry : urban

1.	0	-	-	-	-	-	-	-	-	-	-	-
2.	1	-	20.00	3.00	-	-	-	-	-	-	-	8.67
3.	2	-	20.00	2.50	-	10.00	-	-	-	-	-	10.85
4.	3	-	6.50	-	-	10.00	-	-	-	-	-	8.25
5.	4	-	-	-	2.50	10.00	-	-	-	-	-	6.25
6.	5	-	20.00	-	-	-	-	-	-	-	-	20.00
7.	6	3.00	-	-	-	10.00	-	-	-	-	-	6.50
8.	7	-	11.25	-	-	10.00	-	-	-	-	-	10.83
9.	8	-	-	-	-	-	-	-	-	-	-	-
10.	9	-	-	-	-	-	-	-	-	-	-	-
11.	10	-	-	-	-	-	-	-	-	-	-	-
12.	11	-	-	-	-	-	-	-	-	-	-	-
13.	12 & above	-	-	10.00	-	-	-	-	-	-	-	10.00
14.	not recorded	-	-	-	-	-	-	-	-	-	-	-
15.	total	3.00	14.83	8.23	2.50	10.00	-	-	-	-	-	9.06

National Sample Survey
Thirtieth Round : July 1975 - June 1976

Table (5) : Percentage distribution of animals-in-milk and quantity of milk yield per animal-in-milk classified by species and concentrates used

srl. no.	amount of concentrates used (kg.)	Rural				Urban				
		cattle		buffalo		cattle		buffalo		
		percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
<u>All-India</u>										
1.	0.0*	70.53	0.77	41.44	1.93	39.28	1.20	21.71	2.47	
2.	0.1 - 0.5	13.71	1.22	17.77	1.99	20.68	1.63	15.67	2.25	
3.	0.6 - 1.0	9.17	1.82	19.50	1.92	17.68	2.26	20.73	3.26	
4.	1.1 - 1.5	1.69	2.35	4.51	3.48	4.80	2.94	7.19	3.78	
5.	1.6 - 2.0	2.97	2.74	9.30	3.95	9.32	3.19	14.39	4.21	
6.	2.1 - 3.0	1.13	2.88	4.17	4.55	4.31	3.52	8.59	4.72	
7.	3.1 - 5.0	0.64	2.93	2.53	5.39	2.90	4.88	7.71	5.84	
8.	5.1 - 10.0	0.13	2.39	0.68	5.84	0.77	5.50	3.85	6.68	
9.	above 10.0	0.03	1.93	0.05	4.93	0.26	4.51	0.16	3.69	
10.	all classes	100.00	1.05	100.00	2.42	100.00	1.99	100.00	3.57	
<u>Andhra Pradesh</u>										
1.	0.0*	78.27	0.18	34.10	0.81	47.58	0.33	13.43	1.07	
2.	0.1 - 0.5	8.49	0.59	30.32	1.03	15.27	0.79	30.73	1.32	
3.	0.6 - 1.0	7.15	0.75	21.79	1.43	16.12	1.24	27.92	1.70	
4.	1.1 - 1.5	1.05	0.92	3.24	1.90	4.81	1.91	7.19	2.25	
5.	1.6 - 2.0	2.75	1.12	3.68	1.79	7.17	1.79	11.76	2.62	
6.	2.1 - 3.0	1.78	0.78	2.04	1.84	4.99	1.70	5.83	2.52	
7.	3.1 - 5.0	0.28	1.32	0.59	1.96	1.82	4.30	2.47	3.39	
8.	5.1 - 10.0	0.23	1.11	0.21	2.83	1.79	4.08	0.67	4.08	
9.	above 10.0	-	-	0.03	1.00	0.45	2.00	-	-	
10.	all classes	100.00	0.31	100.00	1.16	100.00	0.95	100.00	1.75	

* Including 'nil' cases

National Sample Survey
Thirtieth Round : July 1975 - June 1976

Table (5) contd. : Percentage distribution of animals-in-milk and quantity of milk yield per animal-in-milk classified by species and concentrates used

1. amount of concentrates used (kg.)	rural				urban				
	cattle		buffalo		cattle		buffalo		
	percen- tage dis- tribution of ani- mals-in- milk	average quanti- ty of milk yield (0.00 litre)	percen- tage dis- tribution of ani- mals-in- milk	average quanti- ty of milk yield (0.00 litre)	percen- tage dis- tribution of ani- mals-in- milk	average quanti- ty of milk yield (0.00 litre)	percen- tage dis- tribution of ani- mals-in- milk	average quantity of milk yield (0.00 litre)	
(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
<u>Assam</u>									
0.0*	89.11	0.86	91.50	2.54	64.67	0.97	100.00	0.50	
0.1 - 0.5	5.41	1.07	1.22	0.50	9.58	1.22	-	-	
0.6 - 1.0	3.39	0.96	-	-	13.10	1.60	-	-	
1.1 - 1.5	0.48	0.84	-	-	0.39	1.75	-	-	
1.6 - 2.0	1.06	1.29	3.64	4.00	6.23	1.47	-	-	
2.1 - 3.0	0.24	1.46	3.64	2.00	1.56	1.56	-	-	
3.1 - 5.0	0.21	0.88	-	-	1.33	3.50	-	-	
5.1 - 10.0	-	-	-	-	0.20	0.12	-	-	
above 10.0	0.10	0.92	-	-	2.74	1.43	-	-	
all classes	100.00	0.88	100.00	2.55	100.00	1.17	100.00	0.50	
<u>Bihar</u>									
0.0*	75.63	1.01	55.99	2.53	45.36	1.29	26.66	3.05	
0.1 - 0.5	15.56	1.83	20.47	3.00	27.13	2.08	26.27	4.77	
0.6 - 1.0	7.36	2.33	17.08	4.66	17.81	2.92	24.71	4.27	
1.1 - 1.5	0.61	1.36	2.05	5.52	2.29	2.99	6.67	3.90	
1.6 - 2.0	0.72	3.81	3.91	4.94	4.86	3.52	8.63	5.45	
2.1 - 3.0	0.08	1.75	0.36	4.26	2.02	3.50	5.88	5.03	
3.1 - 5.0	0.04	1.00	0.07	10.00	0.40	3.33	1.18	7.33	
5.1 - 10.0	-	-	0.07	1.50	0.13	12.00	-	-	
above 10.0	-	-	-	-	-	-	-	-	
all classes	100.00	1.26	100.00	3.16	100.00	2.01	100.00	4.23	

* Including 'nil' cases

National Sample Survey
Thirtieth Round : July 1975 - June 1976

Table (5) contd. : Percentage distribution of animals-in-milk and quantity of milk yield per animal-in-milk classified by species and concentrates used

amount srl. of no. concen- trates used (kg.)	r u r a l				u r b a n				
	cattle		buffalo		cattle		buffalo		
	percen- tage distrib- ution of ani- mals-in- milk	average quanti- ty of milk yield (0.00 litre)	percen- tage distrib- ution of ani- mals- in-milk	average quanti- ty of milk yield (0.00 litre)	percen tage distrib- ution of ani- mals- in-milk	average quanti- ty of milk yield (0.00 litre)	percen- tage distrib- ution of ani- mals- in-milk	average quanti- ty of milk yield (0.00 litre)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
<u>Gujarat</u>									
1.	0.0*	59.73	1.56	31.98	2.36	24.34	2.06	18.27	3.21
2.	0.1 - 0.5	2.68	1.58	2.95	1.33	4.87	1.65	1.41	1.88
3.	0.6 - 1.0	13.50	2.51	17.25	2.66	20.22	3.04	20.37	4.06
4.	1.1 - 1.5	7.88	3.18	6.76	4.08	13.48	3.33	9.13	4.33
5.	1.6 - 2.0	10.37	3.06	20.13	3.52	25.48	3.75	22.02	4.21
6.	2.1 - 3.0	4.97	4.00	12.25	4.21	5.62	4.00	16.39	4.70
7.	3.1 - 5.0	0.78	3.16	7.50	4.71	5.62	3.87	10.30	6.45
8.	5.1 - 10.0	0.09	5.00	1.07	5.85	0.37	10.00	2.11	5.78
9.	above 10.0	-	-	0.11	6.36	-	-	-	-
10.	all classes	100.00	2.11	100.00	3.17	100.00	3.08	100.00	4.32
<u>Haryana</u>									
1.	0.0*	60.85	2.11	40.98	3.22	43.03	1.99	22.74	3.38
2.	0.1 - 0.5	7.27	2.29	5.25	2.95	10.47	2.39	4.07	4.38
3.	0.6 - 1.0	11.91	3.43	14.93	3.94	17.73	3.49	18.10	4.09
4.	1.1 - 1.5	2.49	3.32	4.60	4.56	4.63	3.80	7.45	4.73
5.	1.6 - 2.0	10.72	4.00	13.59	4.99	12.96	4.36	19.14	6.22
6.	2.1 - 3.0	4.86	5.33	11.05	6.03	8.23	5.85	10.68	5.99
7.	3.1 - 5.0	1.63	5.93	7.54	7.25	1.17	2.76	12.28	6.98
8.	5.1 - 10.0	0.15	8.00	1.86	8.84	1.17	5.04	5.28	8.09
9.	above 10.0	0.12	8.00	0.10	10.00	0.61	5.00	0.26	12.00
10.	all classes	100.00	2.75	100.00	4.34	100.00	3.07	100.00	4.99

* Including 'nil' cases

National Sample Survey
Thirtieth Round : July 1975 - June 1976

Table (5) contd. : Percentage distribution of animals-in-milk and quantity of milk yield per animal-in-milk classified by species and concentrates used

8.25/85h

srl. no.	amount of concentrates used (kg.)	rural				urban			
		percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
<u>Himachal Pradesh</u>									
1.	0.0*	75.15	0.96	42.89	2.01	46.37	1.79	32.78	2.79
2.	0.1 - 0.5	19.97	1.27	37.65	2.24	27.54	1.47	22.95	3.61
3.	0.6 - 1.0	2.88	1.83	14.22	3.34	15.94	2.19	26.23	4.56
4.	1.1 - 1.5	0.22	2.13	1.44	3.24	4.35	4.67	8.20	3.00
5.	1.6 - 2.0	1.22	1.73	3.13	2.60	2.90	1.00	6.56	5.38
6.	2.1 - 3.0	0.06	2.10	0.59	4.93	1.45	5.50	-	-
7.	3.1 - 5.0	0.44	0.74	0.08	4.00	-	-	-	-
8.	5.1 - 10.0	-	-	-	-	1.45	5.00	1.64	6.00
9.	above 10.0	0.06	1.50	-	-	-	-	1.64	3.00
10.	all classes	100.00	1.06	100.00	2.34	100.00	1.97	100.00	3.84
<u>Jammu & Kashmir</u>									
1.	0.0*	53.02	1.41	67.45	2.34	21.36	1.38	39.95	2.68
2.	0.1 - 0.5	12.32	1.48	13.27	2.04	12.97	1.56	7.81	2.27
3.	0.6 - 1.0	8.45	1.50	11.76	2.70	12.20	1.82	23.52	2.92
4.	1.1 - 1.5	2.03	1.48	1.15	3.73	3.96	1.45	4.00	4.21
5.	1.6 - 2.0	13.04	1.56	4.36	4.54	23.18	1.85	16.91	3.77
6.	2.1 - 3.0	7.08	1.84	1.00	5.13	16.35	2.19	0.98	5.50
7.	3.1 - 5.0	3.67	2.34	0.80	3.10	8.72	3.24	4.79	6.64
8.	5.1 - 10.0	0.34	3.28	0.20	6.96	1.08	4.97	2.04	5.93
9.	above 10.0	0.05	5.90	-	-	0.18	2.50	-	-
10.	all classes	100.00	1.52	100.00	2.52	100.00	1.90	100.00	3.23

* Including 'nil' cases

National Sample Survey
Thirtieth Round : July 1975 - June 1976

Table (5) contd. : Percentage distribution of animals-in-milk and quantity of milk yield per animal-in-milk classified by species and concentrates used

srl. no.	amount of concentrates used (kg.)	r u r a l				u r b a n							
		cattle		buffalo		cattle		buffalo					
(1)	(2)	percen- tage distri- bution of ani- mals- in-milk	average quanti- ty of milk yield (0.00 litre)	(3)	(4)	percen- tage distri- bution of ani- mals- in-milk	average quanti- ty of milk yield (0.00 litre)	(5)	(6)	(7)	(8)	(9)	(10)
<u>Karnataka</u>													
1.	0.0*	69.94	0.72	61.64	1.16	42.80	1.10	37.52	1.65				
2.	0.1 - 0.5	19.68	0.99	24.19	1.60	19.92	1.20	31.72	1.72				
3.	0.6 - 1.0	8.24	1.17	9.57	1.76	17.72	1.89	16.58	1.84				
4.	1.1 - 1.5	9.65	1.93	1.06	2.30	2.54	2.84	3.92	2.20				
5.	1.6 - 2.0	1.19	2.22	2.70	2.18	6.78	3.14	5.72	2.59				
6.	2.1 - 3.0	0.11	1.00	0.49	3.59	3.14	4.34	2.16	3.98				
7.	3.1 - 5.0	0.19	1.00	0.35	2.54	7.10	5.37	2.38	4.02				
8.	5.1 - 10.0	-	-	-	-	-	-	-	-				
9.	above 10.0	-	-	-	-	-	-	-	-				
10.	all classes	100.00	0.84	100.00	1.38	100.00	2.06	100.00	1.89				
<u>Kerala</u>													
1.	0.0*	14.83	0.71	7.64	0.80	6.14	1.00	-	-				
2.	0.1 - 0.5	37.61	1.04	16.40	1.07	18.86	1.07	2.22	0.50				
3.	0.6 - 1.0	21.97	1.64	23.16	1.83	20.17	1.76	15.56	1.79				
4.	1.1 - 1.5	8.41	2.15	13.66	2.41	10.31	2.84	12.22	4.75				
5.	1.6 - 2.0	8.85	2.71	13.12	2.65	17.98	3.09	21.11	3.18				
6.	2.1 - 3.0	5.49	3.38	14.24	2.61	14.04	3.91	27.78	3.85				
7.	3.1 - 5.0	2.48	4.41	5.45	3.57	10.09	4.84	14.44	7.33				
8.	5.1 - 10.0	0.36	6.38	9.33	3.96	2.41	6.07	6.67	5.86				
9.	above 10.0	-	-	-	-	-	-	-	-				
10.	all classes	100.00	1.60	100.00	2.22	100.00	2.65	100.00	4.06				

* Including 'nil' cases

National Sample Survey
Thirtieth Round : July 1975 - June 1976

Table (5) contd. : Percentage distribution of animals-in-milk and quantity of milk yield per animal-in-milk classified by species and concentrates used

srl. no.	amount of concentrates used (kg.)	Rural				Urban				
		cattle		buffalo		cattle		buffalo		
		percen- tage distrib- ution of ani- mals- in-milk	average quantity of milk yield (0.00 litre)	percen- tage distrib- ution of ani- mals- in-milk	average quantity of milk yield (0.00 litre)	percen- tage distrib- ution of ani- mals- in-milk	average quant- ity of milk yield (0.00 litre)	percen- tage distrib- ution of ani- mals- in-milk	average quanti- ty of milk yield (0.00 litre)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
<u>Madhya Pradesh</u>										
1.	0.0*	88.40	0.50	66.85	1.45	60.41	0.87	28.43	2.24	
2.	0.1 - 0.5	5.16	0.86	8.46	1.95	13.19	1.16	8.84	2.32	
3.	0.6 - 1.0	4.48	1.04	11.08	2.45	15.45	1.82	16.27	3.45	
4.	1.1 - 1.5	0.35	1.46	3.01	2.63	1.59	2.32	8.93	3.80	
5.	1.6 - 2.0	0.61	1.54	5.93	3.02	3.96	2.30	19.76	3.78	
6.	2.1 - 3.0	0.34	1.73	2.25	3.40	3.17	2.17	10.71	4.30	
7.	3.1 - 5.0	0.46	0.71	1.98	2.86	1.28	2.02	4.62	4.32	
8.	5.1 - 10.0	0.06	0.80	0.17	2.44	0.95	2.17	2.44	4.57	
9.	above 10.0	0.14	1.83	0.27	2.15	-	-	-	-	
10.	all classes	100.00	0.56	100.00	1.80	100.00	1.20	100.00	3.26	
<u>Maharashtra</u>										
1.	0.0*	81.96	0.57	43.17	1.59	49.10	0.75	23.17	2.06	
2.	0.1 - 0.5	10.04	0.88	17.84	1.89	21.50	1.30	17.02	2.71	
3.	0.6 - 1.0	5.90	1.30	17.82	2.35	17.37	1.78	18.92	4.45	
4.	1.1 - 1.5	0.68	2.92	2.93	2.68	2.15	2.02	7.33	3.53	
5.	1.6 - 2.0	0.82	2.18	8.44	3.42	6.03	2.68	15.25	3.70	
6.	2.1 - 3.0	0.41	1.43	4.15	4.02	2.16	2.07	6.62	4.07	
7.	3.1 - 5.0	0.16	2.20	3.30	4.77	1.18	3.21	8.26	5.49	
8.	5.1 - 10.0	0.03	2.50	2.15	4.63	0.51	3.65	3.30	6.46	
9.	above 10.0	-	-	-	-	-	-	0.13	3.00	
10.	all classes	100.00	0.68	100.00	2.24	100.00	1.26	100.00	3.54	

* Including 'nil' cases

National Sample Survey
Thirtieth Round : July 1975 - June 1976

Table (5) contd. : Percentage distribution of animals-in-milk and quantity of milk yield per animal-in-milk classified by species and concentrates used

Srl. no.	amount of concentrates used (kg.)	rural				urban				
		cattle		buffalo		cattle		buffalo		
		percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
<u>Manipur</u>										
1.	0.0*	77.80	1.32	80.81	1.83	67.52	1.40	42.86	1.83	
2.	0.1 - 0.5	9.81	1.53	2.60	1.50	14.44	1.53	-	-	
3.	0.6 - 1.0	3.88	1.37	12.70	2.59	13.53	1.85	42.86	3.83	
4.	1.1 - 1.5	-	-	-	-	-	-	-	-	
5.	1.6 - 2.0	2.32	1.37	-	-	-	-	-	-	
6.	2.1 - 3.0	2.32	1.06	-	-	1.80	1.50	-	-	
7.	3.1 - 5.0	1.29	1.60	2.60	2.50	2.71	1.00	-	-	
8.	5.1 - 10.0	2.58	1.35	1.29	6.00	-	-	14.28	2.00	
9.	above 10.0	-	-	-	-	-	-	-	-	
10.	all classes	100.00	1.34	100.00	1.99	100.00	1.47	100.00	2.71	
<u>Meghalaya</u>										
1.	0.0*	96.77	0.82	100.00	0.91	66.67	3.35	-	-	
2.	0.1 - 0.5	0.19	4.00	-	-	-	-	-	-	
3.	0.6 - 1.0	0.19	1.00	-	-	3.03	1.50	-	-	
4.	1.1 - 1.5	0.38	1.00	-	-	-	-	-	-	
5.	1.6 - 2.0	0.57	2.00	-	-	3.03	4.00	-	-	
6.	2.1 - 3.0	0.76	3.06	-	-	-	-	-	-	
7.	3.1 - 5.0	0.57	7.17	-	-	3.03	5.00	-	-	
8.	5.1 - 10.0	0.57	9.67	-	-	24.24	5.38	-	-	
9.	above 10.0	-	-	-	-	-	-	-	-	
10.	all classes	100.00	0.94	100.00	0.91	100.00	3.99	-	-	

* Including 'nil' cases

National Sample Survey
Thirtieth Round : July 1975 - June 1976

Table (5) contd. : Percentage distribution of animals-in-milk and quantity of milk yield per animal-in-milk classified by species and concentrates used

Srl. no.	amount of concentrates used (kg.)	rural				urban				
		cattle		buffalo		cattle		buffalo		
		percen- tage distribution of ani- mals-in- milk	average quantity of milk yield (0.00 litre)	percen- tage distribution of ani- mals- in-milk	average quantity of milk yield (0.00 litre)	percen- tage distribution of ani- mals- in-milk	average quanti- ty of milk yield (0.00 litre)	percen- tage distribution of ani- mals-in- milk	average quanti- ty of milk yield (0.00 litre)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
<u>Nagaland**</u>										
1.	0.0*	-	-	-	-	41.67	2.10	-	-	-
2.	0.1 - 0.5	-	-	-	-	4.17	2.00	-	-	-
3.	0.6 - 1.0	-	-	-	-	37.50	1.61	-	-	-
4.	1.1 - 1.5	-	-	-	-	-	-	-	-	-
5.	1.6 - 2.0	-	-	-	-	8.33	5.00	-	-	-
6.	2.1 - 3.0	-	-	-	-	-	-	-	-	-
7.	3.1 - 5.0	-	-	-	-	-	-	-	-	-
8.	5.1 - 10.0	-	-	-	-	8.33	1.80	-	-	-
9.	above 10.0	-	-	-	-	-	-	-	-	-
10.	all classes	-	-	-	-	100.00	2.13	-	-	-
<u>Orissa</u>										
1.	0.0*	90.71	0.36	88.14	0.76	62.55	0.80	45.94	1.26	
2.	0.1 - 0.5	3.09	0.53	-	-	10.42	0.92	5.41	2.35	
3.	0.6 - 1.0	2.21	0.61	3.42	0.99	8.49	1.04	-	-	
4.	1.1 - 1.5	0.55	0.46	-	-	2.70	1.22	-	-	
5.	1.6 - 2.0	1.51	0.80	4.24	2.42	6.95	1.35	10.81	2.50	
6.	2.1 - 3.0	0.98	0.65	2.55	3.71	2.90	1.92	13.51	4.80	
7.	3.1 - 5.0	0.66	0.47	1.65	1.50	4.23	2.86	18.92	2.71	
8.	5.1 - 10.0	0.19	0.30	-	-	0.97	2.80	5.41	2.00	
9.	above 10.0	0.10	0.10	-	-	0.19	3.00	-	-	
10.	all classes	100.00	0.38	100.00	0.93	100.00	1.04	100.00	2.25	

* Including 'nil' cases

** The survey was conducted in urban areas only

National Sample Survey
Thirtieth Round 1 July 1975 - June 1976

Table (5) contd. : Percentage distribution of animals-in-milk and quantity of milk yield per animal-in-milk classified by species and concentrates used

srl. no.	amount of concentrates used (kg.)	Rural				Urban				
		cattle		buffalo		cattle		buffalo		
		percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
<u>Punjab</u>										
1.	0.0*	64.64	1.91	42.94	2.80	40.91	2.66	24.88	3.33	
2.	0.1 - 0.5	7.12	1.94	5.64	2.90	3.38	2.98	2.82	3.26	
3.	0.6 - 1.0	18.71	2.70	23.87	3.67	23.11	3.18	13.52	3.86	
4.	1.1 - 1.5	3.03	3.75	6.47	4.27	4.97	3.52	7.09	4.41	
5.	1.6 - 2.0	5.76	3.74	14.82	4.73	13.30	4.72	21.66	5.07	
6.	2.1 - 3.0	0.83	3.17	4.47	5.48	5.20	3.09	12.30	3.74	
7.	3.1 - 5.0	0.41	4.00	1.22	6.43	2.90	6.07	10.42	6.38	
8.	5.1 - 10.0	-	-	0.27	4.93	1.73	9.33	7.18	6.60	
9.	above 10.0	-	-	-	-	-	-	0.13	10.00	
10.	all classes	100.00	2.67	100.00	3.57	100.00	3.49	100.00	4.71	
<u>Rajasthan</u>										
1.	0.0*	50.66	1.24	32.84	1.99	34.61	1.61	21.95	2.63	
2.	0.1 - 0.5	9.66	1.41	12.43	1.97	8.81	1.66	3.95	2.30	
3.	0.6 - 1.0	24.05	2.24	22.58	2.69	26.18	2.57	18.32	3.53	
4.	1.1 - 1.5	3.66	3.19	7.96	3.56	6.34	3.46	6.77	4.78	
5.	1.6 - 2.0	8.89	3.55	12.52	4.23	14.97	3.76	16.80	4.34	
6.	2.1 - 3.0	1.95	4.15	6.07	5.15	6.76	4.76	12.80	3.66	
7.	3.1 - 5.0	1.07	5.33	4.34	6.11	1.97	5.40	12.77	6.69	
8.	5.1 - 10.0	0.06	1.47	1.22	8.59	-	-	4.64	7.68	
9.	above 10.0	-	-	0.04	12.00	0.16	4.00	-	-	
10.	all classes	100.00	1.87	100.00	3.01	100.00	2.60	100.00	4.35	

* Including 'nil' cases

National Sample Survey
Thirtieth Round : July 1975 - June 1976

Table (5) contd. : Percentage distribution of animals-in-milk and quantity of milk yield per animal-in-milk classified by species and concentrates used

srl. no.	amount of concentrates used (kg.)	Rural				Urban			
		catle	catle	buffalo	buffalo	catle	catle	buffalo	buffalo
(1)	(2)	percentage distribution of animals-in-milk (3)	average quantity of milk yield (0.00 litre) (4)	percentage distribution of animals-in-milk (5)	average quantity of milk yield (0.00 litre) (6)	percentage distribution of animals-in-milk (7)	average quantity of milk yield (0.00 litre) (8)	percentage distribution of animals-in-milk (9)	average quantity of milk yield (0.00 litre) (10)
<u>Tamil Nadu</u>									
1.	0.0*	39.44	0.61	19.18	1.10	28.26	1.49	14.80	1.87
2.	0.1 - 0.5	29.32	1.14	20.10	1.70	24.80	1.92	20.91	1.84
3.	0.6 - 1.0	16.94	1.27	26.70	1.86	17.54	2.55	27.82	2.48
4.	1.1 - 1.5	5.89	1.41	6.81	2.00	8.63	2.44	12.79	3.07
5.	1.6 - 2.0	5.90	1.67	11.39	2.32	11.22	3.37	10.42	2.97
6.	2.1 - 3.0	1.81	1.96	5.49	2.77	5.21	3.20	7.62	3.74
7.	3.1 - 5.0	0.63	2.92	2.14	2.49	3.87	2.71	4.42	4.42
8.	5.1 - 10.0	0.07	4.00	0.11	4.50	0.45	6.38	1.22	4.74
9.	above 10.0	-	-	-	-	-	-	-	-
10.	all classes	100.00	1.03	100.00	1.80	100.00	2.27	100.00	2.59
<u>Tripura</u>									
1.	0.0*	84.49	0.63	100.00	0.40	51.21	0.72	100.00	1.00
2.	0.1 - 0.5	9.06	0.76	-	-	30.08	0.97	-	-
3.	0.6 - 1.0	3.84	0.87	-	-	7.32	1.25	-	-
4.	1.1 - 1.5	0.77	1.50	-	-	3.69	2.61	-	-
5.	1.6 - 2.0	1.23	0.60	-	-	1.63	1.00	-	-
6.	2.1 - 3.0	0.46	3.17	-	-	1.63	1.75	-	-
7.	3.1 - 5.0	0.15	0.50	-	-	-	-	-	-
8.	5.1 - 10.0	-	-	-	-	2.44	0.83	-	-
9.	above 10.0	-	-	-	-	-	-	-	-
10.	all classes	100.00	0.71	100.00	0.40	100.00	0.97	100.00	1.00

* Including 'nil' cases

National Sample Survey.
Thirtieth Round : July 1975 - June 1976

contd.

Table (5)/1: Percentage distribution of animals-in-milk and quantity of milk yield per animal-in-milk classified by species and concentrates used

Srl. no.	Amount of concentrates used (kg.)	Rural				Urban			
		cattle		buffalo		cattle		buffalo	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
		percen- tage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percen- tage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percen- tage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percen- tage distribution of animals-in-milk	average quantity of milk yield (0.00 litre)
<u>Uttar Pradesh</u>									
1.	0.0*	66.41	0.84	36.90	2.01	34.29	1.21	19.37	2.11
2.	0.1 - 0.3	21.61	1.48	24.47	2.30	28.69	1.88	19.35	2.85
3.	0.6 - 1.0	8.32	2.12	22.98	3.20	19.55	2.39	23.04	3.55
4.	1.1 - 1.5	0.88	2.62	3.49	3.86	4.35	3.13	6.10	4.35
5.	1.6 - 2.0	1.32	3.02	7.54	4.52	7.95	3.07	12.68	4.53
6.	2.1 - 3.0	0.23	3.65	2.49	4.52	1.78	3.50	6.68	4.63
7.	3.1 - 5.0	1.23	1.92	2.16	5.13	3.39	4.35	10.58	13.33
8.	5.1 -10.0	-	-	-	-	-	-	-	-
9.	above 10.0	-	-	-	-	-	-	-	-
10.	all classes	100.00	1.15	100.00	2.74	100.00	2.01	100.00	3.60
<u>West Bengal</u>									
1.	0.0*	61.59	0.92	35.64	1.94	31.82	1.33	22.54	5.88
2.	0.1 - 0.3	28.04	1.12	24.92	2.71	41.03	1.73	9.30	4.94
3.	0.6 - 1.0	7.89	1.59	16.85	2.40	15.60	2.05	14.99	5.38
4.	1.1 - 1.5	1.14	1.67	1.43	5.00	3.77	3.12	2.68	5.70
5.	1.6 - 2.0	1.15	2.75	15.58	4.54	5.16	2.69	14.23	7.17
6.	2.1 - 3.0	0.26	2.62	5.58	7.60	2.06	3.02	4.05	6.12
7.	3.1 - 5.0	0.26	7.33	-	-	0.22	5.50	17.22	6.02
8.	5.1 -10.0	0.17	1.60	-	-	0.34	2.84	14.99	7.38
9.	above 10.0	-	-	-	-	-	-	-	-
10.	all classes	100.00	1.08	100.00	2.97	100.00	1.79	100.00	6.16

* Including 'nil' cases

National Sample Survey
Thirtieth Round : July 1975 - June 1976

Table (5) contd. : Percentage distribution of animals-in-milk and quantity of milk yield per animal-in-milk classified by species and concentrates used

Srl. no.	amount of concentrates used (kg.)	Rural				Urban				
		cattle		buffalo		cattle		buffalo		
		percen- tage distri- bution of ani- mals- in-milk	average quanti- ty of milk yield (0.00 litre)	percen- tage distri- bution of ani- mals- in-milk	average quanti- ty of milk yield (0.00 litre)	percen- tage distri- bution of ani- mals- in-milk	average quanti- ty of milk yield (0.00 litre)	percen- tage distri- bution of ani- mals- in-milk	average quanti- ty of milk yield (0.00 litre)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
<u>Chandigarh **</u>										
1.	0.0*	-	-	-	-	-	-	-	-	-
2.	0.1 - 0.5	-	-	-	-	-	-	45.45	2.80	-
3.	0.6 - 1.0	-	-	-	-	-	-	45.45	3.60	-
4.	1.1 - 1.5	-	-	-	-	-	-	9.10	5.00	-
5.	1.6 - 2.0	-	-	-	-	-	-	-	-	-
6.	2.1 - 3.0	-	-	-	-	-	-	-	-	-
7.	3.1 - 5.0	-	-	-	-	-	-	-	-	-
8.	5.1 - 10.0	-	-	-	-	-	-	-	-	-
9.	above 10.0	-	-	-	-	-	-	-	-	-
10.	all classes	-	-	-	-	-	-	100.00	3.36	-
<u>Delhi</u>										
1.	0.0*	20.00	3.50	9.30	4.88	21.05	1.63	14.44	4.55	-
2.	0.1 - 0.5	10.00	1.00	-	-	-	-	-	-	-
3.	0.6 - 1.0	10.00	3.00	11.63	4.40	21.05	2.00	21.67	4.67	-
4.	1.1 - 1.5	20.00	3.50	9.30	3.25	5.26	2.75	2.78	4.10	-
5.	1.6 - 2.0	20.00	3.00	20.93	4.39	26.33	4.00	7.22	6.62	-
6.	2.1 - 3.0	20.00	1.75	18.60	4.13	3.26	2.00	12.78	5.60	-
7.	3.1 - 5.0	-	-	27.91	7.10	5.26	5.25	19.44	6.91	-
8.	5.1 - 10.0	-	-	2.33	4.00	-	-	21.11	7.20	-
9.	above 10.0	-	-	-	-	15.79	7.08	0.56	6.50	-
10.	all classes	100.00	2.75	100.00	5.03	100.00	3.46	100.00	5.88	-

* Including 'all' cases

National Sample Survey,
Thirtieth Round : July 1975 - June 1976

Table (5) contd. : Percentage distribution of animals-in-milk and quantity of milk yield per animal-in-milk classified by species and concentrates used

srl. no.	amount of concentrates used (kg.)	rural				urban				
		cattle		buffalo		cattle		buffalo		
		percentage of distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage of distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage of distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	percentage of distribution of animals-in-milk	average quantity of milk yield (0.00 litre)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
<u>Goa, Daman & Diu</u>										
1.	0.0*	62.97	0.30	-	-	45.45	0.72	-	-	
2.	0.1 - 0.5	11.11	0.72	20.00	1.53	18.18	0.43	-	-	
3.	0.6 - 1.0	9.26	1.44	23.33	2.27	22.73	2.36	26.67	1.50	
4.	1.1 - 1.5	11.11	1.50	43.34	3.19	13.64	2.17	-	-	
5.	1.6 - 2.0	1.85	2.70	3.33	3.50	-	-	53.33	3.94	
6.	2.1 - 3.0	3.70	3.30	6.67	6.00	-	-	20.00	4.50	
7.	3.1 - 5.0	-	-	3.33	3.50	-	-	-	-	
8.	5.1 - 10.0	-	-	-	-	-	-	-	-	
9.	above 10.0	-	-	-	-	-	-	-	-	
10.	all classes	100.00	0.74	100.00	2.85	100.00	1.24	100.00	3.40	
<u>Pondicherry</u>										
1.	0.0*	8.74	0.30	2.94	0.80	5.08	0.33	-	-	
2.	0.1 - 0.5	30.10	1.11	23.53	2.50	6.78	0.95	23.53	2.75	
3.	0.6 - 1.0	15.53	1.13	11.77	1.62	23.73	1.43	-	-	
4.	1.1 - 1.5	16.45	1.18	23.53	1.71	20.81	9.35	58.82	13.10	
5.	1.6 - 2.0	7.77	2.31	26.47	2.36	1.70	0.90	5.88	2.50	
6.	2.1 - 3.0	15.53	2.42	11.76	2.75	27.12	3.50	11.77	4.75	
7.	3.1 - 5.0	0.97	-	-	-	6.78	6.25	-	-	
8.	5.1 - 10.0	2.91	4.00	-	-	-	-	-	-	
9.	above 10.0	-	-	-	-	-	-	-	-	
10.	all classes	100.00	1.47	100.00	2.15	100.00	4.52	100.00	9.06	

* Including 'nil' cases